

Appendix 2A-3: Annual Summary Statistics for Phosphorus Concentrations at Everglades Protection Area Monitoring Stations

Florida Department of Environmental Protection

Table 1. Summary of annual total phosphorus concentrations ($\mu\text{g/L}$) at Arthur R. Marshall Loxahatchee National Wildlife Refuge inflow, rim canal, interior marsh, and outflow monitoring stations

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
ACME1DS	INFLOW	1997	49.0	1.4	49.0	48.0		49.0		50.0	2
ACME1DS	INFLOW	1998	86.9	26.6	82.8	38.0	70.5	84.0	114	132	16
ACME1DS	INFLOW	1999	94.4	47.6	85.1	48.0	62.3	67.5	131	191	12
ACME1DS	INFLOW	2000	105	75.6	90.5	40.0	69.0	79.0	112	348	14
ACME1DS	INFLOW	2001	80.2	42.1	71.1	35.0	47.0	69.0	107	170	13
ACME1DS	INFLOW	2002	73.9	32.8	65.7	28.0	36.3	77.5	104	114	16
ENR012	INFLOW	1994	74.7	132	49.1	20.0	36.5	44.5	58.0	630	20
ENR012	INFLOW	1995	28.9	10.3	27.2	12.0	21.3	28.0	34.9	61.0	52
ENR012	INFLOW	1996	27.2	13.1	24.1	8.50	15.0	26.3	37.5	56.0	54
ENR012	INFLOW	1997	21.3	8.7	20.3	11.0	17.0	19.0	23.1	70.0	46
ENR012	INFLOW	1998	21.5	5.9	20.7	13.5	17.0	19.5	26.3	35.5	49
ENR012	INFLOW	1999	20.0	6.2	19.4	14.5	16.1	18.5	21.0	49.0	52
ENR012	INFLOW	2000	21.9	9.3	20.4	12.0	16.0	19.0	23.8	58.3	85
ENR012	INFLOW	2001	24.6	5.2	24.1	16.0	20.5	24.0	28.0	41.5	52
ENR012	INFLOW	2002	26.2	11.9	24.5	15.0	20.0	22.8	27.6	68.0	54
G310	INFLOW	2001	28.2	16.4	24.9	12.0	17.0	22.0	35.0	84.5	47
G310	INFLOW	2002	30.4	13.9	27.7	14.0	19.0	24.5	39.3	70.0	54
G94D	INFLOW	1997	80.5	46.0	73.6	48.0		80.5		113	2
G94D	INFLOW	1998	90.5	33.6	82.8	21.0	65.0	98.0	111	146	17
G94D	INFLOW	1999	130	73.8	113	48.0	76.5	104	208	263	12
G94D	INFLOW	2000	109	43.9	101	59.0	67.5	106	138	196	14
G94D	INFLOW	2001	121	82.7	99.8	39.0	68.0	93.0	159	305	13
G94D	INFLOW	2002	92.3	35.1	84.5	36.0	54.3	102	122	142	16
L40-1	INFLOW	1978	49.2	24.8	44.7	28.0	30.0	42.0	54.0	109	11
L40-1	INFLOW	1979	45.7	22.0	41.4	11.0	32.0	39.5	52.3	114	26

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
L40-1	INFLOW	1980	63.1	33.7	54.3	14.0	38.0	60.0	91.0	148	23
L40-1	INFLOW	1981	107	73.6	90.4	37.0	62.0	80.0	140	299	17
L40-1	INFLOW	1990	42.1	43.5	32.6	19.0	20.5	25.0	50.5	180	13
L40-1	INFLOW	1991	63.3	60.9	47.2	21.0	25.5	40.0	68.3	231	12
L40-1	INFLOW	1992	37.7	14.6	35.6	22.0	27.5	33.5	42.8	73.0	10
L40-1	INFLOW	1993	36.7	10.6	35.3	23.0	27.5	36.0	45.0	54.0	9
L40-1	INFLOW	1994	49.3	25.7	43.8	25.0	27.0	36.0	66.0	98.0	11
L40-1	INFLOW	1995	58.8	28.4	53.5	29.0	32.8	53.5	68.8	135	14
L40-1	INFLOW	1996	87.7	100	61.6	28.0	33.0	51.0	93.0	410	15
L40-1	INFLOW	1997	56.1	14.4	54.4	33.0	46.0	53.0	64.0	83.0	11
L40-1	INFLOW	1998	82.0	22.9	78.6	38.0	66.0	86.0	96.9	123	17
L40-1	INFLOW	1999	115	49.0	106	49.0	82.0	109	143	218	9
L40-2	INFLOW	1978	53.8	27.8	47.6	22.0	33.0	51.0	84.0	106	11
L40-2	INFLOW	1979	77.7	36.7	69.8	27.0	58.8	74.5	90.8	187	26
L40-2	INFLOW	1980	85.8	48.3	69.9	9.00	53.0	90.0	108	221	23
L40-2	INFLOW	1981	109	49.9	97.8	35.0	73.5	93.0	165	211	17
L40-2	INFLOW	1990	106	52.7	91.5	26.0	66.5	104	149	197	13
L40-2	INFLOW	1991	111	58.5	95.5	36.0	58.5	99.5	169	213	12
L40-2	INFLOW	1992	49.6	29.1	42.7	22.0	25.0	41.5	81.8	99.0	10
L40-2	INFLOW	1993	57.2	14.7	55.2	28.0	50.0	56.0	70.5	75.0	9
L40-2	INFLOW	1994	66.7	34.6	60.3	31.0	43.8	56.5	81.5	156	12
L40-2	INFLOW	1995	77.5	33.6	70.6	35.0	46.5	83.0	109	130	13
L40-2	INFLOW	1996	76.1	89.9	55.5	24.0	37.0	43.0	89.0	383	15
L40-2	INFLOW	1997	88.5	38.3	81.2	41.0	55.0	81.0	110	159	11
L40-2	INFLOW	1998	85.1	33.4	79.0	33.0	60.0	82.3	104	165	15
L40-2	INFLOW	1999	118	79.2	97.7	43.0	50.5	93.0	186	272	9
L7	INFLOW	1978	110	126	61.0	13.0	29.0	47.0	265	332	11
L7	INFLOW	1979	117	288	32.7	6.00	11.5	19.0	59.0	1415	25
L7	INFLOW	1980	42.6	41.7	28.4	6.00	16.0	27.0	64.0	172	23
L7	INFLOW	1981	41.1	53.1	26.0	9.00	13.5	22.5	46.5	220	16
L7	INFLOW	1985	38.0		38.0	38.0		38.0		38.0	1
L7	INFLOW	1988	45.0	22.3	40.6	21.0	21.0	49.0	65.0	65.0	3
L7	INFLOW	1989	72.0	15.9	70.7	54.0	54.0	78.0	84.0	84.0	3
L7	INFLOW	1990	145	55.9	138	103	108	124	202	227	4
L7	INFLOW	1991	194	125	170	86.0	125	162	204	489	8
L7	INFLOW	1992	71.7	27.0	68.0	44.0	44.0	73.0	98.0	98.0	3
L7	INFLOW	1993	98.0	18.0	96.3	62.0	96.0	100	113	118	7
S5A	INFLOW	1978	99.6	50.3	86.8	35.0	49.0	101	150	183	11
S5A	INFLOW	1979	117	60.7	103	31.0	84.0	102	141	331	52
S5A	INFLOW	1980	152	95.5	133	44.0	98.3	118	172	510	33
S5A	INFLOW	1981	188	108	161	57.0	115	159	255	542	31
S5A	INFLOW	1982	269	118	245	87.0	182	233	338	518	16
S5A	INFLOW	1983	246	112	218	44.0	183	232	312	551	39
S5A	INFLOW	1984	199	55.5	191	101	162	191	223	326	25
S5A	INFLOW	1985	214	107	188	76.0	104	216	274	411	10
S5A	INFLOW	1986	158	73.7	139	30.0	110	148	218	323	19
S5A	INFLOW	1987	121	39.2	116	60.0	95.5	107	146	226	21

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S5A	INFLOW	1988	143	62.5	134	71.0	106	138	162	367	21
S5A	INFLOW	1989	152	78.5	135	59.0	94.0	132	189	342	15
S5A	INFLOW	1990	132	39.1	126	72.0	99.5	137	166	191	13
S5A	INFLOW	1991	230	97.0	207	70.0	145	222	298	409	18
S5A	INFLOW	1992	138	53.8	126	37.0	91.0	134	195	213	19
S5A	INFLOW	1993	167	84.6	146	25.0	96.8	170	215	428	38
S5A	INFLOW	1994	148	50.2	139	61.0	111	146	181	244	26
S5A	INFLOW	1995	144	44.3	128	<4	118	143	177	220	43
S5A	INFLOW	1996	148	71.3	131	33.0	91.9	143	179	406	52
S5A	INFLOW	1997	110	48.5	100	44.0	77.5	102	133	269	38
S5A	INFLOW	1998	155	55.4	147	63.0	117	153	178	365	57
S5A	INFLOW	1999	111	70.0	98.7	35.0	70.3	103	135	562	62
S5A	INFLOW	2000	145	67.2	132	51.0	97.5	137	167	402	61
S5A	INFLOW	2001	89.0	54.1	76.7	32.0	52.0	70.0	110	285	51
S5A	INFLOW	2002	101	53.7	89.3	30.0	65.8	91.5	123	274	54
S5AS	INFLOW	1980	133	90.6	114	42.0	83.8	124	152	454	18
S5AS	INFLOW	1981	211	98.8	187	65.0	121	204	280	407	20
S5AS	INFLOW	1982	229	93.1	208	88.0	137	262	290	375	10
S5AS	INFLOW	1983	203	119	166	51.0	78.3	222	274	456	18
S5AS	INFLOW	1984	133	64.2	119	48.0	82.0	143	167	290	15
S5AS	INFLOW	1985	192	106	167	54.0	115	165	259	450	13
S5AS	INFLOW	1986	103	43.1	94.4	44.0	62.8	96.5	146	165	8
S5AS	INFLOW	1987	177	119	142	43.0	72.0	134	227	435	11
S5AS	INFLOW	1988	131	56.8	123	78.0	78.0	125	191	191	3
S5AS	INFLOW	1989	168	90.5	149	87.0	97.0	113	234	342	11
S5AS	INFLOW	1990	155	65.2	143	81.0	89.3	143	209	264	10
S5AS	INFLOW	1991	115	67.2	98.3	48.0	53.0	87.0	171	234	9
S5AS	INFLOW	1992	76.8	38.7	69.6	30.0	51.8	69.0	88.8	175	12
S5AS	INFLOW	1993	84.0		84.0	84.0		84.0		84.0	1
S5AS	INFLOW	1994	84.0		84.0	84.0		84.0		84.0	1
S5AS	INFLOW	1995	114	95.2	88.7	44.0	45.0	76.0	202	272	5
S5AS	INFLOW	1996	74.4	38.0	68.4	46.0	49.3	64.5	78.5	163	8
S5AS	INFLOW	1997	79.2	25.5	75.5	45.0	56.0	81.0	95.5	124	10
S5AS	INFLOW	1998	85.6	37.9	78.5	46.0	49.0	67.0	108	160	11
S5AS	INFLOW	1999	78.4	37.8	70.8	38.5	43.0	67.0	106	166	13
S5AS	INFLOW	2000	182	69.4	165	52.0	136	202	237	264	8
S5AS	INFLOW	2001	81.1	33.1	74.9	34.0	55.8	71.5	106	141	12
S5AS	INFLOW	2002	80.1	47.4	67.6	29.0	39.0	60.5	126	149	10
S6	INFLOW	1978	54.6	32.8	47.1	20.0	30.0	52.0	67.0	136	11
S6	INFLOW	1979	70.8	44.8	58.3	14.0	36.0	55.0	101	199	49
S6	INFLOW	1980	86.2	65.5	65.5	11.0	37.0	71.0	122	341	51
S6	INFLOW	1981	68.0	63.6	47.7	12.0	22.3	49.0	104	292	29
S6	INFLOW	1982	216	223	145	24.0	88.8	176	256	872	12
S6	INFLOW	1983	136	124	93.0	24.0	40.3	86.8	204	454	32
S6	INFLOW	1984	113	60.0	100	46.0	68.5	102	141	227	17
S6	INFLOW	1985	178	190	115	27.0	48.5	129	242	714	12
S6	INFLOW	1986	61.7	37.4	53.5	26.0	35.0	47.0	82.0	175	19

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S6	INFLOW	1987	91.2	40.1	82.9	31.0	61.0	88.0	110	176	26
S6	INFLOW	1988	84.0	69.7	70.1	26.0	46.3	71.0	102	358	20
S6	INFLOW	1989	110	89.3	85.3	30.0	50.5	74.5	155	361	14
S6	INFLOW	1990	107	78.8	82.8	31.0	45.3	60.0	179	244	14
S6	INFLOW	1991	114	78.8	90.4	21.0	52.0	104	126	322	19
S6	INFLOW	1992	56.7	33.1	48.4	16.0	34.5	49.0	76.3	123	18
S6	INFLOW	1993	109	104	78.0	23.0	42.0	70.0	148	392	39
S6	INFLOW	1994	47.0	23.9	41.6	20.0	27.3	40.5	67.5	88.0	20
S6	INFLOW	1995	82.4	38.2	72.9	19.0	51.5	80.5	114	202	48
S6	INFLOW	1996	67.8	31.6	61.0	22.0	44.0	68.0	88.0	195	50
S6	INFLOW	1997	88.7	111	67.4	18.0	46.0	66.0	85.0	722	43
S6	INFLOW	1998	82.9	40.0	73.8	24.0	52.8	74.5	106	210	66
S6	INFLOW	1999	63.2	34.4	54.1	15.0	33.8	63.0	83.5	164	66
S6	INFLOW	2000	114	91.4	93.3	18.0	72.5	92.0	124	593	69
S6	INFLOW	2001	62.3	49.5	48.9	18.0	26.0	47.0	81.5	283	94
S6	INFLOW	2002	43.9	29.8	35.8	15.0	21.5	28.3	61.4	133	52
CA1-03.0	RIM	1979	38.0	4.2	37.9	35.0		38.0		41.0	2
CA1-03.0	RIM	1980	66.6	30.5	61.8	43.0	44.0	52.0	96.5	115	5
CA1-03.0	RIM	1981	48.0	18.4	46.2	35.0		48.0		61.0	2
CA1-03.0	RIM	1982	80.0		80.0	80.0		80.0		80.0	1
CA1-03.0	RIM	1983	12.0		12.0	12.0		12.0		12.0	1
CA1-06.0	RIM	1979	34.0	17.0	31.8	22.0		34.0		46.0	2
CA1-06.0	RIM	1980	51.9	22.8	48.9	35.7	38.8	43.0	69.5	92.0	5
CA1-06.0	RIM	1981	40.5	13.4	39.4	31.0		40.5		50.0	2
CA1-06.0	RIM	1982	74.0		74.0	74.0		74.0		74.0	1
CA1-06.0	RIM	1983	13.0		13.0	13.0		13.0		13.0	1
CA1-20.0	RIM	1979	43.0	19.8	40.7	29.0		43.0		57.0	2
CA1-20.0	RIM	1980	78.2	28.0	72.4	31.0	53.5	87.0	98.5	100	5
CA1-20.0	RIM	1981	129	137	84.3	28.0	28.0	75.0	285	285	3
CA1-20.0	RIM	1982	65.0		65.0	65.0		65.0		65.0	1
CA1-20.0	RIM	1983	28.0		28.0	28.0		28.0		28.0	1
CA1-23.0	RIM	1979	51.5	20.5	49.4	37.0		51.5		66.0	2
CA1-23.0	RIM	1980	92.4	34.2	85.6	38.0	63.0	93.0	122	122	5
CA1-23.0	RIM	1981	74.0	40.7	65.0	31.0	31.0	79.0	112	112	3
CA1-23.0	RIM	1982	80.0		80.0	80.0		80.0		80.0	1
CA1-23.0	RIM	1983	30.0		30.0	30.0		30.0		30.0	1
CA1-26.7	RIM	1989	126	62.4	117	89.0	89.0	91.0	198	198	3
CA1-26.7	RIM	1990	91.0		91.0	91.0		91.0		91.0	1
CA1-27.2	RIM	1989	124	58.3	116	89.0	89.0	91.0	191	191	3
CA1-27.2	RIM	1990	82.0		82.0	82.0		82.0		82.0	1
CA1-27.7	RIM	1989	125	54.5	118	89.0	89.0	99.0	188	188	3
CA1-27.7	RIM	1990	86.0		86.0	86.0		86.0		86.0	1
CA1-29.0	RIM	1989	126	39.9	122	101	101	105	172	172	3
CA1-29.0	RIM	1990	85.0		85.0	85.0		85.0		85.0	1
CA1-34.0	RIM	1979	87.0	33.9	83.6	63.0		87.0		111	2
CA1-34.0	RIM	1980	91.6	19.5	89.7	62.0	72.5	100	107	112	5

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
CA1-34.0	RIM	1981	139	22.5	137	121	121	131	164	164	3
CA1-34.0	RIM	1982	210		210	210		210		210	1
CA1-34.0	RIM	1983	51.0		51.0	51.0		51.0		51.0	1
CA1-39.0	RIM	1979	70.0	33.9	65.8	46.0		70.0		94.0	2
CA1-39.0	RIM	1980	180	167	137	54.0	84.5	115	309	473	5
CA1-39.0	RIM	1981	113	26.2	111	94.0		113		131	2
CA1-39.0	RIM	1982	157		157	157		157		157	1
CA1-39.0	RIM	1983	56.0		56.0	56.0		56.0		56.0	1
CA1-42.0	RIM	1979	65.5	10.6	65.1	58.0		65.5		73.0	2
CA1-42.0	RIM	1980	114	40.4	108	59.0	78.0	122	147	169	5
CA1-42.0	RIM	1981	259	274	171	65.0		259		452	2
CA1-42.0	RIM	1982	102		102	102		102		102	1
CA1-42.0	RIM	1983	30.0		30.0	30.0		30.0		30.0	1
CA1-47.7	RIM	1979	85.0	8.5	84.8	79.0		85.0		91.0	2
CA1-47.7	RIM	1980	85.4	26.4	82.0	55.0	58.5	89.0	111	115	5
CA1-47.7	RIM	1981	242	270	149	51.0		242		433	2
CA1-47.7	RIM	1982	76.0		76.0	76.0		76.0		76.0	1
CA1-47.7	RIM	1983	22.0		22.0	22.0		22.0		22.0	1
CA1-55.0	RIM	1979	61.5	5.0	61.4	58.0		61.5		65.0	2
CA1-55.0	RIM	1980	77.0	17.7	75.4	55.0	62.0	71.0	95.0	98.0	5
CA1-55.0	RIM	1981	236	266	143	48.0		236		424	2
CA1-55.0	RIM	1982	94.0		94.0	94.0		94.0		94.0	1
CA1-55.0	RIM	1983	19.0		19.0	19.0		19.0		19.0	1
ENR004	RIM	1994	92.4	56.8	80.9	43.0	52.0	86.0	105	210	7
ENR004	RIM	1995	96.5	37.2	89.0	37.0	67.0	98.0	124	180	51
ENR004	RIM	1996	59.9	35.5	51.8	17.0	38.0	50.0	69.0	176	51
ENR004	RIM	1997	61.8	27.7	55.9	20.0	36.5	55.0	81.0	130	45
ENR004	RIM	1998	80.7	33.3	73.6	29.0	53.0	77.0	108	160	47
ENR004	RIM	1999	55.9	37.0	47.7	22.0	32.0	41.0	67.5	198	52
S5AD	RIM	1994	105	68.2	92.4	58.0	61.0	78.5	176	206	4
S5AD	RIM	1995	107	27.9	104	76.0	80.0	100	135	160	11
S5AD	RIM	1996	89.8	55.3	79.4	40.0	53.3	81.5	101	250	12
S5AD	RIM	1997	99.8	21.5	97.6	69.0	75.0	105	115	135	11
S5AD	RIM	1998	97.6	48.2	87.4	41.0	60.0	90.5	136	204	12
S5AD	RIM	1999	98.4	53.1	85.9	40.0	52.3	94.0	156	181	12
S5AD	RIM	2000	125	52.2	115	52.0	86.5	126	154	241	12
S5AD	RIM	2001	113	62.3	100	48.0	66.0	95.5	142	263	12
S5AD	RIM	2002	112	68.5	89.5	19.0	60.3	96.5	189	215	12
S6D	RIM	1994	51.3	17.2	49.2	34.0	37.0	48.0	68.8	75.0	4
S6D	RIM	1995	55.0	25.0	50.1	20.0	40.0	49.5	74.3	104	10
S6D	RIM	1996	64.3	48.4	55.3	34.0	40.5	46.0	72.3	210	12
S6D	RIM	1997	47.6	22.8	42.9	21.0	26.0	47.0	60.0	90.0	11
S6D	RIM	1998	56.6	25.7	50.8	22.0	28.0	55.0	71.0	95.0	11
S6D	RIM	1999	50.0	22.2	45.9	23.0	32.0	43.5	65.3	96.0	12
S6D	RIM	2000	76.7	33.1	71.2	44.0	52.8	69.5	85.0	146	12
S6D	RIM	2001	59.1	32.9	54.3	37.0	41.5	53.0	59.8	160	12
S6D	RIM	2002	56.4	24.5	52.5	32.0	38.8	47.5	72.8	106	8

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
X0	RIM	1997	42.9	13.9	41.0	28.0	32.0	39.0	51.5	75.0	13
X0	RIM	1998	52.4	26.5	47.7	22.0	37.5	49.0	58.5	130	13
X0	RIM	1999	56.0	22.7	52.0	28.0	36.8	52.5	78.5	97.0	13
X0	RIM	2000	72.4	59.8	59.5	37.0	39.0	50.0	62.0	230	11
X0	RIM	2001	51.3	13.1	50.0	36.5	41.0	48.5	61.0	82.0	11
X0	RIM	2002	48.9	31.1	42.9	22.0	32.3	39.3	52.5	135	12
Z0	RIM	1997	47.5	13.0	45.7	28.0	33.0	49.0	58.5	66.0	13
Z0	RIM	1998	56.2	29.0	50.7	23.0	39.0	46.5	67.0	130	13
Z0	RIM	1999	62.9	33.7	56.6	33.0	38.5	54.0	74.5	150	13
Z0	RIM	2000	100	74.3	81.2	34.0	49.0	74.0	130	290	11
Z0	RIM	2001	55.5	17.7	53.2	37.5	40.8	49.3	68.0	88.0	10
Z0	RIM	2002	46.3	26.2	40.7	19.0	26.0	41.5	56.8	110	12
1-8T	INTERIOR	1979	12.2	9.3	9.67	4.00	5.00	9.00	19.0	31.0	9
1-8T	INTERIOR	1980	4.67	2.1	4.38	<4	<4	4.00	7.00	7.00	3
1-8T	INTERIOR	1981	10.3	5.2	8.43	<4	7.50	9.50	13.5	20.0	10
1-8T	INTERIOR	1982	7.60	5.2	6.04	<4	<4	6.00	13.0	14.0	5
1-8T	INTERIOR	1983	7.75	4.0	6.42	<4	<4	8.50	11.5	12.0	8
1-8T	INTERIOR	1984	27.0	28.8	18.0	7.00	7.00	14.0	60.0	60.0	3
A-2	INTERIOR	1979	8.67	4.7	7.64	<4	5.50	7.00	12.0	18.0	9
A-2	INTERIOR	1980	17.4	7.3	15.9	7.00	10.5	18.0	24.0	26.0	5
A-2	INTERIOR	1987	67.0	53.7	55.2	29.0		67.0		105	2
A-3	INTERIOR	1979	12.9	9.4	10.7	4.00	8.00	10.0	14.3	35.0	10
A-3	INTERIOR	1980	44.1	94.8	12.3	<4	5.00	11.0	12.0	259	7
A-3	INTERIOR	1981	11.9	7.7	10.0	5.00	6.50	8.50	19.3	26.0	10
A-3	INTERIOR	1982	9.00	5.8	7.56	4.00	4.00	7.00	15.0	17.0	5
A-3	INTERIOR	1983	16.9	18.5	11.4	<4	9.25	10.5	18.0	61.0	8
A-3	INTERIOR	1984	14.3	1.7	14.2	12.0	12.5	14.5	15.8	16.0	4
A-3	INTERIOR	1987	21.0	4.2	20.8	18.0		21.0		24.0	2
A-5	INTERIOR	1979	13.3	4.6	12.7	8.00	10.3	12.0	17.3	21.0	6
A-5	INTERIOR	1980	10.0	1.4	9.95	9.00		10.0		11.0	2
A-5	INTERIOR	1981	13.1	7.0	11.2	4.00	6.50	12.5	19.0	24.0	10
A-5	INTERIOR	1982	9.40	5.6	7.89	<4	4.00	10.0	14.5	17.0	5
A-6	INTERIOR	1979	<4	2.1	<4	<4	<4	4.00	5.00	5.00	3
A-6	INTERIOR	1993	22.0		22.0	22.0		22.0		22.0	1
A-7	INTERIOR	1979	26.3	14.6	23.1	11.0	11.0	28.0	40.0	40.0	3
CA1-1	INTERIOR	1979	21.3	13.3	18.1	8.00	9.75	19.0	35.0	39.0	4
CA1-1	INTERIOR	1980	28.0	2.8	27.9	26.0		28.0		30.0	2
CA1-1	INTERIOR	1981	56.0		56.0	56.0		56.0		56.0	1
CA1-1	INTERIOR	1983	257		257	257		257		257	1
CA1-1	INTERIOR	1984	122		122	122		122		122	1
CA1-10	INTERIOR	1979	25.0	33.2	14.9	8.00	8.00	8.00	50.5	84.0	5
CA1-10	INTERIOR	1980	10.5	5.3	9.41	5.00	5.50	10.5	15.5	16.0	4
CA1-10	INTERIOR	1981	34.7	23.0	28.7	12.0	12.0	34.0	58.0	58.0	3
CA1-10	INTERIOR	1982	31.0		31.0	31.0		31.0		31.0	1
CA1-10	INTERIOR	1983	6.00		6.00	6.00		6.00		6.00	1
CA1-10	INTERIOR	1984	25.0		25.0	25.0		25.0		25.0	1

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
CA1-11	INTERIOR	1979	8.75	2.9	8.45	7.00	7.00	7.50	11.8	13.0	4
CA1-11	INTERIOR	1980	10.2	3.6	9.61	5.00	7.00	10.0	13.5	14.0	5
CA1-11	INTERIOR	1981	20.3	6.1	19.7	15.0	15.0	19.0	27.0	27.0	3
CA1-11	INTERIOR	1982	10.0		10.0	10.0		10.0		10.0	1
CA1-11	INTERIOR	1983	22.0		22.0	22.0		22.0		22.0	1
CA1-11	INTERIOR	1984	19.0		19.0	19.0		19.0		19.0	1
CA1-12	INTERIOR	1979	10.0	2.5	9.75	7.00	7.50	11.0	12.0	13.0	5
CA1-12	INTERIOR	1980	22.2	22.9	14.6	<4	8.50	15.0	39.5	62.0	5
CA1-12	INTERIOR	1981	183	270	65.7	14.0	14.0	41.0	494	494	3
CA1-12	INTERIOR	1982	24.0		24.0	24.0		24.0		24.0	1
CA1-12	INTERIOR	1983	5.00		5.00	5.00		5.00		5.00	1
CA1-12	INTERIOR	1984	7.00		7.00	7.00		7.00		7.00	1
CA1-13	INTERIOR	1979	10.0	4.6	9.33	7.00	7.00	8.00	14.0	18.0	5
CA1-13	INTERIOR	1980	13.2	8.5	10.5	4.00	4.50	14.0	21.5	22.0	5
CA1-13	INTERIOR	1981	44.3	44.6	30.4	11.0	11.0	27.0	95.0	95.0	3
CA1-13	INTERIOR	1982	9.00		9.00	9.00		9.00		9.00	1
CA1-13	INTERIOR	1983	12.0		12.0	12.0		12.0		12.0	1
CA1-13	INTERIOR	1984	10.0		10.0	10.0		10.0		10.0	1
CA1-14	INTERIOR	1979	19.2	17.3	15.3	10.0	10.0	11.0	32.5	50.0	5
CA1-14	INTERIOR	1980	62.8	111	23.0	7.00	10.0	16.0	139	261	5
CA1-14	INTERIOR	1981	18.0	6.2	17.3	13.0	13.0	16.0	25.0	25.0	3
CA1-14	INTERIOR	1982	13.0		13.0	13.0		13.0		13.0	1
CA1-14	INTERIOR	1983	<4		<4	<4		<4		<4	1
CA1-14	INTERIOR	1984	4.00		<4	4.00		4.00		4.00	1
CA1-15	INTERIOR	1979	16.3	8.5	14.4	7.00	8.00	17.0	23.8	24.0	4
CA1-15	INTERIOR	1980	24.2	10.3	22.1	10.0	15.5	22.0	34.0	37.0	5
CA1-15	INTERIOR	1981	62.7	52.8	47.4	18.0	18.0	49.0	121	121	3
CA1-15	INTERIOR	1982	42.0		42.0	42.0		42.0		42.0	1
CA1-15	INTERIOR	1983	4.00		<4	4.00		4.00		4.00	1
CA1-15	INTERIOR	1984	29.0		29.0	29.0		29.0		29.0	1
CA1-16	INTERIOR	1979	11.8	12.1	8.39	<4	4.50	7.00	21.5	33.0	5
CA1-16	INTERIOR	1980	15.6	7.7	13.8	6.00	8.00	16.0	23.0	24.0	5
CA1-16	INTERIOR	1981	22.0	18.3	17.7	10.0	10.0	13.0	43.0	43.0	3
CA1-16	INTERIOR	1982	14.0		14.0	14.0		14.0		14.0	1
CA1-16	INTERIOR	1983	4.00		<4	4.00		4.00		4.00	1
CA1-16	INTERIOR	1984	12.0		12.0	12.0		12.0		12.0	1
CA1-2	INTERIOR	1979	17.3	9.7	14.5	5.00	7.25	19.0	25.5	26.0	4
CA1-2	INTERIOR	1980	21.3	19.7	16.2	8.00	8.00	12.0	44.0	44.0	3
CA1-2	INTERIOR	1981	26.0		26.0	26.0		26.0		26.0	1
CA1-2	INTERIOR	1983	17.0		17.0	17.0		17.0		17.0	1
CA1-3	INTERIOR	1979	36.6	48.6	20.2	6.00	8.50	14.0	76.0	122	5
CA1-3	INTERIOR	1980	75.6	150	15.3	<4	4.00	11.0	180	344	5
CA1-3	INTERIOR	1981	24.0	12.2	22.2	16.0	16.0	18.0	38.0	38.0	3
CA1-3	INTERIOR	1983	16.0		16.0	16.0		16.0		16.0	1
CA1-3	INTERIOR	1984	32.0		32.0	32.0		32.0		32.0	1
CA1-4	INTERIOR	1979	40.0	65.7	16.1	5.00	5.50	11.0	89.0	157	5
CA1-4	INTERIOR	1980	42.8	47.9	24.9	7.00	8.25	26.5	93.5	111	4

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
CA1-4	INTERIOR	1981	18.7	4.2	18.3	14.0	14.0	20.0	22.0	22.0	3
CA1-4	INTERIOR	1982	99.0		99.0	99.0		99.0		99.0	1
CA1-4	INTERIOR	1983	104		104	104		104		104	1
CA1-4	INTERIOR	1984	19.0		19.0	19.0		19.0		19.0	1
CA1-5	INTERIOR	1979	10.2	6.1	8.49	<4	4.50	9.00	16.5	17.0	5
CA1-5	INTERIOR	1980	11.0	5.2	10.1	6.00	6.50	10.0	16.0	19.0	5
CA1-5	INTERIOR	1981	15.3	7.0	14.1	8.00	8.00	16.0	22.0	22.0	3
CA1-5	INTERIOR	1982	32.0		32.0	32.0		32.0		32.0	1
CA1-5	INTERIOR	1983	10.0		10.0	10.0		10.0		10.0	1
CA1-6	INTERIOR	1979	15.0	11.4	11.8	5.00	6.00	9.00	27.0	31.0	5
CA1-6	INTERIOR	1980	6.50	3.1	6.03	4.00	4.25	5.50	9.75	11.0	4
CA1-6	INTERIOR	1981	11.3	1.5	11.3	10.0	10.0	11.0	13.0	13.0	3
CA1-6	INTERIOR	1982	39.0		39.0	39.0		39.0		39.0	1
CA1-6	INTERIOR	1983	57.0		57.0	57.0		57.0		57.0	1
CA1-6	INTERIOR	1984	11.0		11.0	11.0		11.0		11.0	1
CA1-7	INTERIOR	1979	12.0	9.5	10.0	7.00	7.00	8.00	19.0	29.0	5
CA1-7	INTERIOR	1980	47.4	52.1	22.2	<4	7.50	14.0	104	112	5
CA1-7	INTERIOR	1981	15.3	6.0	14.5	9.00	9.00	16.0	21.0	21.0	3
CA1-7	INTERIOR	1982	11.0		11.0	11.0		11.0		11.0	1
CA1-7	INTERIOR	1983	41.0		41.0	41.0		41.0		41.0	1
CA1-7	INTERIOR	1984	33.0		33.0	33.0		33.0		33.0	1
CA1-8	INTERIOR	1979	17.2	12.0	14.3	8.00	8.00	11.0	29.5	35.0	5
CA1-8	INTERIOR	1980	59.8	112	14.6	<4	<4	15.0	139	259	5
CA1-8	INTERIOR	1981	15.7	3.1	15.5	13.0	13.0	15.0	19.0	19.0	3
CA1-8	INTERIOR	1982	40.0		40.0	40.0		40.0		40.0	1
CA1-8	INTERIOR	1983	13.0		13.0	13.0		13.0		13.0	1
CA1-8	INTERIOR	1984	122		122	122		122		122	1
CA1-9	INTERIOR	1979	15.5	15.9	11.1	5.00	5.50	9.00	32.0	39.0	4
CA1-9	INTERIOR	1980	43.4	74.9	11.9	<4	<4	8.00	102	176	5
CA1-9	INTERIOR	1981	66.0	89.2	32.5	12.0	12.0	17.0	169	169	3
CA1-9	INTERIOR	1982	17.0		17.0	17.0		17.0		17.0	1
CA1-9	INTERIOR	1983	5.00		5.00	5.00		5.00		5.00	1
CA1-9	INTERIOR	1984	10.0		10.0	10.0		10.0		10.0	1
LOX10	INTERIOR	1994	13.8	16.6	8.43	<4	4.50	7.33	26.3	43.0	5
LOX10	INTERIOR	1995	11.8	5.4	10.8	6.00	7.75	10.0	17.8	20.0	8
LOX10	INTERIOR	1996	7.56	2.5	7.21	5.00	5.00	8.00	9.00	12.0	9
LOX10	INTERIOR	1997	8.67	4.5	7.14	<4	5.00	9.00	11.5	16.0	9
LOX10	INTERIOR	1998	12.3	6.0	10.9	5.00	6.50	12.5	16.3	23.0	8
LOX10	INTERIOR	1999	7.67	1.2	7.61	7.00	7.00	7.00	9.00	9.00	3
LOX10	INTERIOR	2000	8.90	2.9	8.55	6.00	7.00	8.00	10.3	16.0	10
LOX10	INTERIOR	2001	10.2	4.3	9.52	6.00	7.50	8.50	13.5	18.0	6
LOX10	INTERIOR	2002	7.83	1.5	7.69	5.00	7.00	8.00	8.75	10.0	9
LOX11	INTERIOR	1994	6.42	3.0	5.58	<4	<4	7.50	8.50	8.67	4
LOX11	INTERIOR	1995	9.33	3.8	8.81	5.00	7.00	8.50	10.0	20.0	12
LOX11	INTERIOR	1996	7.64	4.6	6.63	<4	6.00	7.00	8.00	20.0	11
LOX11	INTERIOR	1997	6.27	3.0	5.54	<4	5.00	6.00	8.00	13.0	11
LOX11	INTERIOR	1998	11.2	4.6	10.5	7.00	8.00	9.50	13.0	22.0	10

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
LOX11	INTERIOR	1999	8.29	2.7	7.91	5.00	6.00	7.00	11.0	12.0	7
LOX11	INTERIOR	2000	12.5	2.3	12.3	9.00	10.3	12.5	14.8	16.0	12
LOX11	INTERIOR	2001	10.9	3.5	10.3	5.00	9.00	11.0	13.0	19.0	13
LOX11	INTERIOR	2002	10.4	3.6	9.87	7.00	7.00	9.00	12.0	18.0	11
LOX12	INTERIOR	1994	5.78	2.6	5.18	<4	<4	6.17	7.75	9.00	6
LOX12	INTERIOR	1995	7.40	4.0	6.77	4.00	5.00	6.50	8.00	18.0	10
LOX12	INTERIOR	1996	5.25	2.5	4.62	<4	<4	5.00	7.00	9.00	12
LOX12	INTERIOR	1997	5.82	2.3	5.38	<4	4.00	6.00	7.00	11.0	11
LOX12	INTERIOR	1998	9.00	3.0	8.64	6.00	7.00	8.00	10.0	16.0	11
LOX12	INTERIOR	1999	8.08	2.1	7.85	6.00	6.00	7.50	10.5	11.0	12
LOX12	INTERIOR	2000	9.46	3.6	8.93	6.00	7.00	8.00	12.0	18.0	13
LOX12	INTERIOR	2001	8.80	3.1	8.34	4.00	7.00	8.00	11.0	17.0	15
LOX12	INTERIOR	2002	8.75	4.6	7.90	4.00	5.25	8.00	9.75	21.0	12
LOX13	INTERIOR	1994	6.56	2.7	5.88	<4	4.25	7.33	8.42	9.67	6
LOX13	INTERIOR	1995	9.67	5.8	8.37	4.00	5.25	7.00	14.5	20.0	12
LOX13	INTERIOR	1996	6.00	2.5	5.38	<4	4.25	6.50	7.75	10.0	12
LOX13	INTERIOR	1997	6.00	3.0	5.26	<4	4.00	5.00	8.00	11.0	11
LOX13	INTERIOR	1998	9.30	9.2	7.35	4.00	4.75	6.50	9.00	35.0	10
LOX13	INTERIOR	1999	8.12	2.3	7.86	6.00	6.00	7.50	10.0	12.0	8
LOX13	INTERIOR	2000	11.9	2.4	11.7	9.00	10.8	11.0	13.5	17.0	10
LOX13	INTERIOR	2001	12.1	4.8	11.3	7.00	8.00	11.0	17.0	22.0	11
LOX13	INTERIOR	2002	12.2	5.2	11.3	7.00	8.00	10.5	16.8	24.0	12
LOX14	INTERIOR	1994	6.89	2.8	6.14	<4	4.25	8.17	9.00	9.00	6
LOX14	INTERIOR	1995	9.08	4.6	8.17	4.00	6.25	8.00	10.8	20.0	12
LOX14	INTERIOR	1996	6.67	1.7	6.45	4.00	5.00	6.50	8.00	9.00	12
LOX14	INTERIOR	1997	6.55	3.5	5.61	<4	5.00	5.00	10.0	12.0	11
LOX14	INTERIOR	1998	6.73	2.5	6.21	<4	5.00	7.00	9.00	10.0	11
LOX14	INTERIOR	1999	7.20	1.6	7.05	5.00	6.00	7.00	8.25	10.0	10
LOX14	INTERIOR	2000	9.83	3.3	9.35	6.00	7.00	9.50	11.8	17.0	12
LOX14	INTERIOR	2001	10.3	3.5	9.79	6.00	7.75	9.50	13.3	18.0	14
LOX14	INTERIOR	2002	8.27	4.4	7.51	4.00	6.00	7.00	9.00	20.0	11
LOX15	INTERIOR	1994	6.67	3.0	5.87	<4	<4	8.00	9.00	9.00	6
LOX15	INTERIOR	1995	10.3	6.4	8.51	<4	6.00	8.50	18.0	20.0	12
LOX15	INTERIOR	1996	6.33	3.9	5.18	<4	<4	5.50	10.0	14.0	12
LOX15	INTERIOR	1997	4.73	2.5	4.08	<4	<4	5.00	7.00	8.00	11
LOX15	INTERIOR	1998	6.82	2.2	6.55	5.00	5.00	6.00	8.00	12.0	11
LOX15	INTERIOR	1999	7.58	1.6	7.43	5.00	6.25	7.50	8.75	11.0	12
LOX15	INTERIOR	2000	8.92	2.1	8.72	6.00	8.00	9.00	9.50	15.0	13
LOX15	INTERIOR	2001	8.08	1.9	7.85	5.00	6.50	8.00	9.50	11.0	13
LOX15	INTERIOR	2002	7.00	1.6	6.84	5.00	6.00	7.00	8.00	10.0	11
LOX16	INTERIOR	1994	7.44	3.1	6.61	<4	5.75	7.50	10.2	10.7	6
LOX16	INTERIOR	1995	10.6	7.6	9.04	5.00	7.00	8.00	10.0	30.0	11
LOX16	INTERIOR	1996	12.4	20.8	7.61	4.00	5.00	6.00	9.75	78.0	12
LOX16	INTERIOR	1997	6.27	3.4	5.44	<4	4.00	6.00	7.00	14.0	11
LOX16	INTERIOR	1998	8.64	3.0	8.17	5.00	6.00	8.00	11.0	14.0	11
LOX16	INTERIOR	1999	9.60	3.0	9.26	7.00	7.00	9.50	10.3	17.0	10
LOX16	INTERIOR	2000	10.0	2.6	9.72	7.00	8.25	9.00	11.8	15.0	12

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
LOX16	INTERIOR	2001	9.08	1.9	8.87	5.00	7.25	10.0	10.0	11.0	12
LOX16	INTERIOR	2002	8.95	2.2	8.71	6.00	7.00	8.00	11.0	13.0	11
LOX3	INTERIOR	1994	10.1	5.9	8.17	<4	4.83	11.0	15.0	18.0	5
LOX3	INTERIOR	1995	19.5	16.4	14.9	7.00	8.50	10.5	35.0	50.0	8
LOX3	INTERIOR	1996	6.11	3.1	5.28	<4	<4	6.00	8.50	11.0	9
LOX3	INTERIOR	1997	7.14	1.7	6.94	4.00	6.00	8.00	8.00	9.00	7
LOX3	INTERIOR	1998	10.4	3.7	9.87	6.00	7.00	11.0	13.0	17.0	9
LOX3	INTERIOR	1999	10.3	3.2	10.0	8.00	8.00	9.00	14.0	14.0	3
LOX3	INTERIOR	2000	11.2	1.5	11.1	10.0	10.0	10.5	13.0	13.0	6
LOX3	INTERIOR	2001	13.8	4.9	13.1	8.00	9.25	13.5	18.5	20.0	4
LOX3	INTERIOR	2002	9.00	2.5	8.72	6.00	7.00	8.50	11.0	13.0	8
LOX4	INTERIOR	1994	10.3	3.2	9.94	6.67	7.33	11.0	13.0	15.0	5
LOX4	INTERIOR	1995	7.29	1.9	7.10	6.00	6.00	6.00	10.0	10.0	7
LOX4	INTERIOR	1996	9.89	5.8	8.74	5.00	6.00	8.00	13.0	23.0	9
LOX4	INTERIOR	1997	10.0	6.0	8.26	<4	7.00	8.00	14.0	21.0	7
LOX4	INTERIOR	1998	8.13	3.1	7.57	4.00	5.25	8.00	10.8	13.0	8
LOX4	INTERIOR	1999	9.33	1.2	9.28	8.00	8.00	10.0	10.0	10.0	3
LOX4	INTERIOR	2000	14.4	11.3	12.4	8.00	9.50	11.5	13.3	46.0	10
LOX4	INTERIOR	2001	10.7	2.4	10.5	8.00	9.00	11.0	12.0	15.0	7
LOX4	INTERIOR	2002	9.56	3.0	9.16	6.00	7.00	9.00	12.0	15.0	9
LOX5	INTERIOR	1994	9.73	4.8	8.11	<4	5.83	11.0	13.0	15.0	5
LOX5	INTERIOR	1995	19.6	23.0	14.1	7.00	9.00	12.0	17.5	80.0	9
LOX5	INTERIOR	1996	6.91	3.1	6.24	<4	5.00	6.00	10.0	13.0	11
LOX5	INTERIOR	1997	4.88	2.5	4.18	<4	<4	5.50	7.00	8.00	8
LOX5	INTERIOR	1998	10.1	3.4	9.64	7.00	7.00	9.00	12.5	17.0	9
LOX5	INTERIOR	1999	7.67	1.5	7.52	5.00	6.50	8.00	9.00	9.00	6
LOX5	INTERIOR	2000	12.0	4.1	11.5	9.00	9.00	11.5	12.0	23.0	10
LOX5	INTERIOR	2001	11.0	2.9	10.7	7.00	9.25	11.0	12.3	16.0	6
LOX5	INTERIOR	2002	10.4	2.2	10.2	7.00	9.00	10.0	12.5	14.0	9
LOX6	INTERIOR	1994	6.00	3.7	5.06	<4	<4	4.33	9.83	11.0	5
LOX6	INTERIOR	1995	7.36	2.3	7.02	4.00	5.00	7.00	9.00	11.0	11
LOX6	INTERIOR	1996	7.67	6.2	5.91	<4	4.00	6.00	9.25	20.0	12
LOX6	INTERIOR	1997	5.67	3.8	4.57	<4	<4	5.00	9.50	12.0	9
LOX6	INTERIOR	1998	11.3	10.8	8.73	<4	7.00	8.00	11.0	44.0	12
LOX6	INTERIOR	1999	7.33	1.5	7.20	6.00	6.00	7.00	8.50	10.0	9
LOX6	INTERIOR	2000	9.58	2.6	9.28	6.00	7.25	9.50	11.0	16.0	12
LOX6	INTERIOR	2001	8.08	2.3	7.78	4.00	6.25	8.00	9.00	13.0	12
LOX6	INTERIOR	2002	7.73	2.8	7.35	5.00	6.00	7.00	9.00	13.0	11
LOX7	INTERIOR	1994	9.44	2.9	9.04	6.00	6.00	10.2	11.8	13.0	6
LOX7	INTERIOR	1995	7.30	2.1	7.02	4.00	5.75	7.50	9.25	10.0	10
LOX7	INTERIOR	1996	6.08	2.5	5.47	<4	5.00	6.00	8.50	10.0	12
LOX7	INTERIOR	1997	6.64	2.5	6.07	<4	4.00	8.00	8.00	10.0	11
LOX7	INTERIOR	1998	8.82	4.0	7.89	<4	6.00	9.00	10.0	18.0	11
LOX7	INTERIOR	1999	8.22	2.7	7.81	5.00	5.50	9.00	11.0	11.0	9
LOX7	INTERIOR	2000	10.6	2.6	10.3	7.00	9.00	10.0	12.8	16.0	12
LOX7	INTERIOR	2001	10.1	3.4	9.64	6.00	7.25	10.0	11.0	19.0	12
LOX7	INTERIOR	2002	9.50	3.1	9.11	6.00	7.00	9.00	11.0	17.0	10

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
LOX8	INTERIOR	1994	6.33	2.7	5.68	<4	4.25	6.50	8.50	10.0	6
LOX8	INTERIOR	1995	9.00	4.4	8.26	5.00	6.00	8.00	10.0	20.0	11
LOX8	INTERIOR	1996	6.42	2.8	5.70	<4	5.00	6.50	8.00	11.0	12
LOX8	INTERIOR	1997	5.64	2.7	4.89	<4	<4	7.00	8.00	9.00	11
LOX8	INTERIOR	1998	8.36	3.3	7.55	<4	6.00	9.00	12.0	12.0	11
LOX8	INTERIOR	1999	9.00	3.5	8.41	5.00	6.00	9.00	11.0	15.0	11
LOX8	INTERIOR	2000	12.0	3.0	11.7	8.00	9.25	11.5	15.3	17.0	12
LOX8	INTERIOR	2001	10.9	2.3	10.6	6.00	9.00	11.0	12.0	15.0	11
LOX8	INTERIOR	2002	9.77	3.5	9.38	8.00	8.00	8.50	10.0	20.0	11
LOX9	INTERIOR	1994	7.47	4.7	6.09	<4	<4	8.33	11.5	14.0	5
LOX9	INTERIOR	1995	14.3	8.9	12.4	5.00	10.0	10.0	20.0	34.0	9
LOX9	INTERIOR	1996	7.20	5.4	5.72	<4	<4	6.00	9.00	20.0	10
LOX9	INTERIOR	1997	5.75	2.4	5.10	<4	<4	7.00	7.00	8.00	8
LOX9	INTERIOR	1998	9.50	5.7	8.57	5.00	6.75	8.50	9.25	25.0	10
LOX9	INTERIOR	1999	7.33	1.9	7.14	5.00	5.75	7.00	9.25	10.0	6
LOX9	INTERIOR	2000	11.0	2.8	10.7	7.00	8.00	11.0	13.0	15.0	11
LOX9	INTERIOR	2001	10.4	3.0	10.0	7.00	8.00	10.0	12.5	16.0	8
LOX9	INTERIOR	2002	7.90	2.1	7.66	5.00	6.00	8.00	9.25	12.0	10
X1	INTERIOR	1996	34.0		34.0	34.0		34.0		34.0	1
X1	INTERIOR	1997	35.2	17.0	32.0	15.0	23.3	30.5	43.4	77.0	16
X1	INTERIOR	1998	25.2	11.3	22.8	11.0	15.0	24.5	33.0	50.0	17
X1	INTERIOR	1999	41.9	45.4	32.1	13.0	21.0	32.0	46.0	200	15
X1	INTERIOR	2000	65.8	39.5	56.7	28.0	36.0	47.0	92.8	145	12
X1	INTERIOR	2001	41.5	29.2	33.5	12.0	17.8	33.5	62.3	99.0	8
X1	INTERIOR	2002	42.3	28.3	35.9	18.0	25.0	30.5	57.9	100	10
X2	INTERIOR	1996	11.0		11.0	11.0		11.0		11.0	1
X2	INTERIOR	1997	14.1	5.0	13.1	4.50	10.0	14.0	17.5	24.0	17
X2	INTERIOR	1998	16.5	14.2	13.8	6.50	10.0	13.5	17.0	72.0	19
X2	INTERIOR	1999	15.5	7.8	14.2	7.00	10.8	15.0	16.6	40.0	14
X2	INTERIOR	2000	15.7	4.7	15.0	8.00	12.5	15.0	19.5	24.5	13
X2	INTERIOR	2001	14.3	5.5	13.4	9.00	9.25	13.0	19.8	23.0	8
X2	INTERIOR	2002	19.7	6.2	19.0	15.0	15.0	18.0	24.0	33.0	9
X3	INTERIOR	1996	6.00		6.00	6.00		6.00		6.00	1
X3	INTERIOR	1997	9.35	3.8	8.68	5.00	6.00	9.00	12.5	17.0	17
X3	INTERIOR	1998	10.4	10.0	8.21	<4	6.00	7.00	11.5	48.0	18
X3	INTERIOR	1999	13.4	16.7	9.64	<4	8.00	9.00	10.8	74.0	16
X3	INTERIOR	2000	9.63	2.0	9.45	7.00	8.00	9.50	11.0	14.0	12
X3	INTERIOR	2001	13.8	9.8	11.9	7.00	8.00	11.5	14.3	37.0	8
X3	INTERIOR	2002	10.4	2.1	10.2	8.00	8.88	10.0	11.3	15.0	10
X4	INTERIOR	1996	6.00		6.00	6.00		6.00		6.00	1
X4	INTERIOR	1997	13.6	16.4	9.95	5.00	7.00	8.00	12.0	73.0	17
X4	INTERIOR	1998	11.3	7.5	10.0	6.00	7.88	8.75	12.8	38.5	18
X4	INTERIOR	1999	10.1	4.9	9.39	5.00	7.00	9.17	11.3	25.5	14
X4	INTERIOR	2000	10.5	5.4	9.78	7.00	8.00	9.00	10.0	28.0	13
X4	INTERIOR	2001	9.85	3.4	9.29	5.00	6.75	9.50	12.9	15.0	10
X4	INTERIOR	2002	13.8	6.5	12.5	6.00	9.13	11.5	18.1	27.5	10
Y4	INTERIOR	1996	10.0		10.0	10.0		10.0		10.0	1

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
Y4	INTERIOR	1997	9.76	5.2	8.85	4.00	7.00	8.00	11.0	25.0	17
Y4	INTERIOR	1998	10.9	6.2	9.35	<4	6.00	10.0	12.5	27.0	19
Y4	INTERIOR	1999	15.0	18.7	10.8	4.00	6.00	10.0	16.5	85.0	17
Y4	INTERIOR	2000	10.2	4.1	9.48	6.00	7.00	7.00	15.0	16.0	13
Y4	INTERIOR	2001	9.80	4.9	8.70	4.00	5.75	7.50	14.3	18.0	10
Y4	INTERIOR	2002	7.32	2.9	6.83	4.00	5.00	8.00	8.00	14.0	11
Z1	INTERIOR	1996	47.0		47.0	47.0		47.0		47.0	1
Z1	INTERIOR	1997	33.9	10.5	32.3	16.0	25.0	34.0	42.5	52.5	17
Z1	INTERIOR	1998	27.5	10.0	25.7	11.0	22.5	27.0	32.5	47.0	17
Z1	INTERIOR	1999	45.5	27.8	39.7	19.0	30.0	34.0	48.3	100	16
Z1	INTERIOR	2000	62.9	26.1	58.7	43.0	44.0	50.0	97.0	110	11
Z1	INTERIOR	2001	43.6	24.0	38.2	14.0	28.0	39.0	57.8	94.0	9
Z1	INTERIOR	2002	41.9	30.9	35.8	18.0	26.5	30.0	47.0	120	9
Z2	INTERIOR	1996	14.0		14.0	14.0		14.0		14.0	1
Z2	INTERIOR	1997	13.3	5.0	12.5	6.00	10.5	12.0	15.8	27.0	17
Z2	INTERIOR	1998	13.4	5.1	12.6	7.00	10.0	12.0	15.5	28.0	19
Z2	INTERIOR	1999	16.5	8.5	15.2	8.00	12.0	14.5	19.0	44.0	15
Z2	INTERIOR	2000	16.3	5.3	15.5	9.00	11.0	15.0	20.0	26.0	11
Z2	INTERIOR	2001	16.9	5.2	16.2	10.0	11.5	17.3	22.3	23.0	6
Z2	INTERIOR	2002	15.9	4.9	15.2	10.0	11.3	15.0	20.8	23.0	8
Z3	INTERIOR	1996	7.00		7.00	7.00		7.00		7.00	1
Z3	INTERIOR	1997	9.56	8.2	7.73	<4	6.00	7.00	10.0	38.5	17
Z3	INTERIOR	1998	8.47	3.0	8.02	4.00	7.00	7.00	11.0	16.0	19
Z3	INTERIOR	1999	11.9	9.2	10.2	6.00	7.25	9.00	12.8	44.0	16
Z3	INTERIOR	2000	10.5	7.9	9.19	6.00	7.00	8.00	10.5	36.0	13
Z3	INTERIOR	2001	11.7	5.9	10.6	6.00	7.25	10.0	14.5	26.0	12
Z3	INTERIOR	2002	9.88	4.7	9.12	6.00	6.25	8.50	11.4	23.0	12
Z4	INTERIOR	1996	7.00		7.00	7.00		7.00		7.00	1
Z4	INTERIOR	1997	7.82	2.6	7.49	5.00	6.75	7.00	8.50	15.5	17
Z4	INTERIOR	1998	9.92	4.3	9.11	5.00	6.00	9.00	13.0	20.5	19
Z4	INTERIOR	1999	11.5	8.8	9.51	4.50	6.00	8.50	12.8	39.0	17
Z4	INTERIOR	2000	7.85	2.0	7.62	5.00	6.00	8.00	9.50	11.0	13
Z4	INTERIOR	2001	7.65	3.3	6.86	<4	5.00	8.00	9.75	13.3	12
Z4	INTERIOR	2002	7.73	3.9	7.08	4.00	5.50	6.50	8.00	17.0	13
G94B	OUTFLOW	1998	216	165	156	40.0	71.0	175	358	495	9
G94B	OUTFLOW	1999	75.5	44.1	63.5	23.0	46.0	54.0	121	150	11
G94B	OUTFLOW	2000	68.6	35.4	59.7	24.0	35.3	64.0	103	129	12
G94B	OUTFLOW	2001	49.2	28.8	42.5	19.0	26.5	42.0	67.3	105	12
G94B	OUTFLOW	2002	53.1	40.0	42.0	18.0	22.8	34.0	79.8	129	12
S10A	OUTFLOW	1978	7.00		7.00	7.00		7.00		7.00	1
S10A	OUTFLOW	1979	32.0	18.1	28.2	14.0	20.0	25.0	53.0	62.0	7
S10A	OUTFLOW	1980	43.4	30.3	35.6	12.0	22.3	34.5	50.8	125	18
S10A	OUTFLOW	1981	86.7	9.5	86.3	76.0	76.0	90.0	94.0	94.0	3
S10A	OUTFLOW	1982	101	47.4	89.9	44.0	47.0	113	143	147	6
S10A	OUTFLOW	1983	78.7	42.6	68.2	31.0	38.3	77.0	115	150	10
S10A	OUTFLOW	1984	62.7	31.2	58.0	39.0	39.0	51.0	98.0	98.0	3

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S10A	OUTFLOW	1985	115		115	115		115		115	1
S10A	OUTFLOW	1986	48.5	24.1	43.2	24.0	24.8	50.0	70.5	72.0	6
S10A	OUTFLOW	1987	71.3	46.6	60.6	32.0	37.3	50.5	118	149	6
S10A	OUTFLOW	1988	26.0		26.0	26.0		26.0		26.0	1
S10A	OUTFLOW	1989	81.5	38.2	74.1	39.0	44.5	82.5	118	122	4
S10A	OUTFLOW	1991	111	72.8	97.8	59.0		111		162	2
S10A	OUTFLOW	1992	85.0	42.2	76.6	41.0	45.5	83.5	126	132	4
S10A	OUTFLOW	1993	43.2	24.6	36.8	16.0	20.5	36.0	62.5	84.0	9
S10A	OUTFLOW	1994	46.5	14.9	45.3	36.0		46.5		57.0	2
S10A	OUTFLOW	1995	44.4	24.6	38.2	16.0	21.0	36.0	66.0	86.0	11
S10A	OUTFLOW	1996	40.0	26.5	33.5	14.0	21.0	33.0	49.0	96.0	11
S10A	OUTFLOW	1997	27.4	8.9	25.8	13.0	18.8	30.5	33.8	40.0	12
S10A	OUTFLOW	1998	30.9	20.2	26.7	10.0	19.5	23.5	35.8	87.0	12
S10A	OUTFLOW	1999	34.0	15.7	30.3	12.0	19.0	33.0	49.0	54.0	7
S10A	OUTFLOW	2000	59.2	31.9	52.7	26.0	32.5	55.0	88.0	109	5
S10A	OUTFLOW	2001	36.0	16.8	32.4	13.0	23.0	34.0	48.3	66.0	8
S10A	OUTFLOW	2002	28.1	19.3	24.5	17.0	17.0	19.0	33.0	70.0	7
S10C	OUTFLOW	1978	22.2	11.8	19.8	10.0	13.0	19.5	31.0	43.0	6
S10C	OUTFLOW	1979	80.5	39.9	70.8	19.0	58.3	71.5	101	161	10
S10C	OUTFLOW	1980	56.1	53.2	42.4	12.0	28.0	44.0	68.0	258	21
S10C	OUTFLOW	1981	142	137	90.7	27.0	30.8	102	252	380	6
S10C	OUTFLOW	1982	123	79.6	107	63.0	66.5	96.0	207	238	4
S10C	OUTFLOW	1983	112	45.3	103	59.0	69.0	112	139	201	11
S10C	OUTFLOW	1984	107	50.4	94.3	32.0	70.3	101	158	172	6
S10C	OUTFLOW	1986	77.3	44.2	68.5	36.0	36.0	72.0	124	124	3
S10C	OUTFLOW	1987	112	36.4	106	58.0	75.0	116	126	170	7
S10C	OUTFLOW	1988	118	68.9	98.8	39.0	39.0	149	166	166	3
S10C	OUTFLOW	1989	194	108	156	36.0	105	207	276	337	5
S10C	OUTFLOW	1991	1753	2379	494	71.0		1753		3435	2
S10C	OUTFLOW	1992	65.5	31.8	61.5	43.0		65.5		88.0	2
S10C	OUTFLOW	1993	67.4	42.3	51.6	10.0	30.5	66.0	99.5	141	9
S10C	OUTFLOW	1994	50.0		50.0	50.0		50.0		50.0	1
S10C	OUTFLOW	1995	59.1	31.7	51.0	19.0	28.0	52.0	95.0	109	11
S10C	OUTFLOW	1996	58.4	26.5	52.3	25.0	26.0	56.0	85.0	102	11
S10C	OUTFLOW	1997	44.0	18.4	41.0	22.0	30.0	44.5	48.8	92.0	12
S10C	OUTFLOW	1998	55.6	27.1	49.0	16.0	30.8	52.0	81.3	101	10
S10C	OUTFLOW	1999	102	52.1	86.8	34.0	39.3	120	142	159	6
S10C	OUTFLOW	2000	77.2	34.4	69.2	28.0	42.3	83.5	109	114	6
S10C	OUTFLOW	2001	52.2	28.9	46.2	20.0	35.0	43.5	65.8	111	10
S10C	OUTFLOW	2002	26.2	9.2	25.1	19.0	19.5	22.0	35.0	41.0	5
S10D	OUTFLOW	1978	51.8	33.5	44.9	28.0	28.0	42.0	70.8	115	6
S10D	OUTFLOW	1979	99.5	39.6	90.6	31.0	80.0	91.8	130	168	14
S10D	OUTFLOW	1980	87.8	46.8	78.7	37.0	52.0	77.0	104	237	19
S10D	OUTFLOW	1981	138	77.1	119	51.0	51.0	167	197	197	3
S10D	OUTFLOW	1982	197	86.9	184	119	126	178	288	314	4
S10D	OUTFLOW	1983	266	332	190	60.0	121	183	250	1347	13
S10D	OUTFLOW	1984	108	65.2	88.8	31.0	49.0	90.0	163	212	11

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S10D	OUTFLOW	1985	158	216	92.1	29.0	45.3	64.0	181	674	8
S10D	OUTFLOW	1986	98.6	79.6	79.9	45.0	52.0	58.0	152	305	11
S10D	OUTFLOW	1987	101	50.2	89.1	32.0	62.0	104	135	211	13
S10D	OUTFLOW	1988	101	86.8	77.6	37.0	41.0	59.0	137	342	14
S10D	OUTFLOW	1989	144	83.6	123	41.0	71.0	141	194	342	13
S10D	OUTFLOW	1990	94.4	55.7	79.2	33.0	43.0	82.0	143	188	13
S10D	OUTFLOW	1991	104	67.1	84.5	29.0	40.0	101	143	252	11
S10D	OUTFLOW	1992	85.8	53.7	72.5	38.0	42.0	65.0	122	191	12
S10D	OUTFLOW	1993	71.2	29.6	65.0	28.0	49.0	67.0	103	111	11
S10D	OUTFLOW	1994	80.5	24.3	76.8	39.0	57.0	83.0	97.0	124	11
S10D	OUTFLOW	1995	115	103	85.3	22.0	51.8	75.0	141	392	16
S10D	OUTFLOW	1996	72.8	29.1	67.2	34.0	49.0	64.5	99.0	123	16
S10D	OUTFLOW	1997	58.8	35.3	51.8	28.0	34.8	46.0	69.0	156	14
S10D	OUTFLOW	1998	61.4	30.3	54.5	22.0	40.0	58.0	77.5	131	16
S10D	OUTFLOW	1999	85.3	41.5	76.9	42.0	51.8	70.0	123	158	12
S10D	OUTFLOW	2000	98.8	58.7	84.7	31.0	58.0	68.0	135	210	12
S10D	OUTFLOW	2001	82.6	83.8	61.8	32.0	39.0	45.0	84.0	306	15
S10D	OUTFLOW	2002	51.3	51.5	40.3	19.0	24.3	39.5	50.0	210	12
S10E	OUTFLOW	1985	81.0		81.0	81.0		81.0		81.0	1
S10E	OUTFLOW	1986	95.3	51.1	83.0	32.0	56.0	85.5	151	170	8
S10E	OUTFLOW	1987	175	44.6	172	143		175		206	2
S10E	OUTFLOW	1988	138	123	105	42.0	53.8	96.0	264	318	4
S10E	OUTFLOW	1991	232	175	191	93.0	105	175	415	484	4
S10E	OUTFLOW	1992	102	40.7	92.9	44.0	56.5	109	138	147	8
S10E	OUTFLOW	1993	95.8	31.2	91.6	61.0	71.3	87.0	121	162	12
S10E	OUTFLOW	1994	493		493	493		493		493	1
S10E	OUTFLOW	1995	118	73.7	100	50.0	60.5	79.0	184	259	9
S10E	OUTFLOW	1996	72.0	30.8	66.2	34.0	50.0	57.0	103	134	15
S10E	OUTFLOW	1997	60.7	26.0	55.3	22.0	36.0	64.0	78.0	111	17
S10E	OUTFLOW	1998	77.6	39.7	67.2	28.0	34.5	85.0	113	132	8
S10E	OUTFLOW	1999	66.7	28.7	60.8	30.0	34.0	68.0	91.0	111	11
S10E	OUTFLOW	2000	97.8	43.4	88.6	39.0	56.5	101	133	176	12
S10E	OUTFLOW	2001	76.9	46.7	67.2	30.0	49.3	59.5	102	200	12
S10E	OUTFLOW	2002	43.3	21.8	39.6	24.0	27.3	37.0	48.8	103	12
S39	OUTFLOW	1978	28.7	18.3	24.1	9.00	14.0	21.0	38.0	71.0	11
S39	OUTFLOW	1979	49.9	32.0	42.6	13.0	26.8	45.5	63.0	171	26
S39	OUTFLOW	1980	49.9	41.7	38.7	12.0	23.8	37.0	63.8	198	24
S39	OUTFLOW	1981	52.8	43.5	39.9	8.00	24.0	30.5	77.8	160	24
S39	OUTFLOW	1982	74.1	64.7	57.1	24.0	34.0	56.0	106	242	11
S39	OUTFLOW	1983	67.9	27.8	61.7	19.0	40.5	69.0	96.3	109	18
S39	OUTFLOW	1984	40.1	15.8	37.9	25.0	30.0	36.0	42.0	81.0	11
S39	OUTFLOW	1985	55.1	30.8	48.0	16.0	30.5	48.0	73.5	138	21
S39	OUTFLOW	1986	44.3	20.3	40.0	21.0	24.0	44.0	62.0	70.0	7
S39	OUTFLOW	1987	62.8	37.0	53.2	14.0	42.0	49.0	80.8	140	18
S39	OUTFLOW	1988	40.7	35.1	33.8	19.0	23.0	32.0	40.0	143	11
S39	OUTFLOW	1989	95.4	50.8	82.0	21.0	62.5	76.5	138	209	16
S39	OUTFLOW	1990	94.5	62.8	74.0	24.0	35.0	70.0	152	191	15

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S39	OUTFLOW	1991	83.0	71.4	63.8	18.0	38.5	60.5	107	280	12
S39	OUTFLOW	1992	59.2	68.6	43.8	26.0	28.3	34.5	56.5	251	10
S39	OUTFLOW	1993	36.7	16.1	33.0	13.0	23.0	37.0	53.0	61.0	11
S39	OUTFLOW	1994	43.4	18.5	40.3	24.0	28.8	37.5	54.8	82.0	10
S39	OUTFLOW	1995	46.7	24.6	41.0	16.5	25.0	42.5	60.0	108	16
S39	OUTFLOW	1996	36.7	20.9	31.9	11.0	22.0	33.0	41.0	83.0	21
S39	OUTFLOW	1997	28.4	8.5	27.2	16.0	19.8	29.5	37.0	41.0	14
S39	OUTFLOW	1998	34.6	16.6	31.8	20.0	23.8	29.0	39.5	84.0	18
S39	OUTFLOW	1999	39.1	15.4	36.5	20.0	26.8	37.5	48.0	71.0	16
S39	OUTFLOW	2000	53.3	29.5	48.0	25.0	35.5	49.0	61.0	148	17
S39	OUTFLOW	2001	40.2	21.8	35.0	14.0	20.8	37.5	52.0	82.0	14
S39	OUTFLOW	2002	26.2	14.6	23.5	14.0	17.0	19.5	33.3	72.0	18

Table 2. Summary of annual total phosphorus concentrations ($\mu\text{g/L}$) at Water Conservation Area 2 inflow, interior marsh, and outflow monitoring stations.

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
E0	INFLOW	1994	52.6	11.1	51.5	36.0	41.4	57.0	61.5	62.0	5
E0	INFLOW	1995	98.7	78.0	78.4	28.0	49.3	64.3	120	290	24
E0	INFLOW	1996	97.0	35.6	92.8	69.5	75.9	85.5	106	230	22
E0	INFLOW	1997	108	49.9	97.3	49.0	63.0	80.0	155	190	13
E0	INFLOW	1998	85.6	23.2	82.6	49.0	71.5	80.0	110	120	13
E0	INFLOW	1999	78.5	32.4	73.1	44.5	51.9	72.0	97.3	150	12
E0	INFLOW	2000	84.4	35.4	77.3	28.5	63.0	75.5	107	150	10
E0	INFLOW	2001	58.6	25.4	53.6	27.0	34.5	57.0	80.5	110	13
E0	INFLOW	2002	56.0	16.1	53.5	28.0	47.0	59.0	68.0	84.0	13
F0	INFLOW	1994	72.0	26.9	68.0	47.0	47.8	64.5	101	111	6
F0	INFLOW	1995	113	61.3	99.9	32.0	78.0	104	130	320	25
F0	INFLOW	1996	98.3	24.6	95.7	67.0	83.0	92.0	110	170	21
F0	INFLOW	1997	109	45.9	99.3	47.0	70.5	100	145	180	13
F0	INFLOW	1998	92.2	39.4	85.6	38.0	68.5	84.0	108	200	13
F0	INFLOW	1999	106	47.4	96.8	51.0	63.5	99.5	118	200	12
F0	INFLOW	2000	90.4	39.4	83.4	51.0	58.8	74.5	133	160	10
F0	INFLOW	2001	81.6	41.8	75.3	46.0	56.5	75.0	88.5	210	13
F0	INFLOW	2002	68.1	16.4	66.3	45.0	52.5	66.5	80.4	95.0	12
S10A	INFLOW	1978	7.00		7.00	7.00		7.00		7.00	1
S10A	INFLOW	1979	32.0	18.1	28.2	14.0	20.0	25.0	53.0	62.0	7
S10A	INFLOW	1980	43.4	30.3	35.6	12.0	22.3	34.5	50.8	125	18
S10A	INFLOW	1981	86.7	9.5	86.3	76.0	76.0	90.0	94.0	94.0	3
S10A	INFLOW	1982	101	47.4	89.9	44.0	47.0	113	143	147	6
S10A	INFLOW	1983	78.7	42.6	68.2	31.0	38.3	77.0	115	150	10
S10A	INFLOW	1984	62.7	31.2	58.0	39.0	39.0	51.0	98.0	98.0	3
S10A	INFLOW	1985	115		115	115		115		115	1
S10A	INFLOW	1986	48.5	24.1	43.2	24.0	24.8	50.0	70.5	72.0	6
S10A	INFLOW	1987	71.3	46.6	60.6	32.0	37.3	50.5	118	149	6
S10A	INFLOW	1988	26.0		26.0	26.0		26.0		26.0	1
S10A	INFLOW	1989	81.5	38.2	74.1	39.0	44.5	82.5	118	122	4
S10A	INFLOW	1991	111	72.8	97.8	59.0		111		162	2
S10A	INFLOW	1992	85.0	42.2	76.6	41.0	45.5	83.5	126	132	4
S10A	INFLOW	1993	43.2	24.6	36.8	16.0	20.5	36.0	62.5	84.0	9
S10A	INFLOW	1994	46.5	14.9	45.3	36.0		46.5		57.0	2
S10A	INFLOW	1995	44.4	24.6	38.2	16.0	21.0	36.0	66.0	86.0	11
S10A	INFLOW	1996	40.0	26.5	33.5	14.0	21.0	33.0	49.0	96.0	11
S10A	INFLOW	1997	27.4	8.9	25.8	13.0	18.8	30.5	33.8	40.0	12
S10A	INFLOW	1998	30.9	20.2	26.7	10.0	19.5	23.5	35.8	87.0	12
S10A	INFLOW	1999	34.0	15.7	30.3	12.0	19.0	33.0	49.0	54.0	7
S10A	INFLOW	2000	59.2	31.9	52.7	26.0	32.5	55.0	88.0	109	5
S10A	INFLOW	2001	36.0	16.8	32.4	13.0	23.0	34.0	48.3	66.0	8
S10A	INFLOW	2002	28.1	19.3	24.5	17.0	17.0	19.0	33.0	70.0	7
S10C	INFLOW	1978	22.2	11.8	19.8	10.0	13.0	19.5	31.0	43.0	6

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S10C	INFLOW	1979	80.5	39.9	70.8	19.0	58.3	71.5	101	161	10
S10C	INFLOW	1980	56.1	53.2	42.4	12.0	28.0	44.0	68.0	258	21
S10C	INFLOW	1981	142	137	90.7	27.0	30.8	102	252	380	6
S10C	INFLOW	1982	123	79.6	107	63.0	66.5	96.0	207	238	4
S10C	INFLOW	1983	112	45.3	103	59.0	69.0	112	139	201	11
S10C	INFLOW	1984	107	50.4	94.3	32.0	70.3	101	158	172	6
S10C	INFLOW	1986	77.3	44.2	68.5	36.0	36.0	72.0	124	124	3
S10C	INFLOW	1987	112	36.4	106	58.0	75.0	116	126	170	7
S10C	INFLOW	1988	118	68.9	98.8	39.0	39.0	149	166	166	3
S10C	INFLOW	1989	194	108	156	36.0	105	207	276	337	5
S10C	INFLOW	1991	1753	2379	494	71.0		1753		3435	2
S10C	INFLOW	1992	65.5	31.8	61.5	43.0		65.5		88.0	2
S10C	INFLOW	1993	67.4	42.3	51.6	10.0	30.5	66.0	99.5	141	9
S10C	INFLOW	1994	50.0		50.0	50.0		50.0		50.0	1
S10C	INFLOW	1995	59.1	31.7	51.0	19.0	28.0	52.0	95.0	109	11
S10C	INFLOW	1996	58.4	26.5	52.3	25.0	26.0	56.0	85.0	102	11
S10C	INFLOW	1997	44.0	18.4	41.0	22.0	30.0	44.5	48.8	92.0	12
S10C	INFLOW	1998	55.6	27.1	49.0	16.0	30.8	52.0	81.3	101	10
S10C	INFLOW	1999	102	52.1	86.8	34.0	39.3	120	142	159	6
S10C	INFLOW	2000	77.2	34.4	69.2	28.0	42.3	83.5	109	114	6
S10C	INFLOW	2001	52.2	28.9	46.2	20.0	35.0	43.5	65.8	111	10
S10C	INFLOW	2002	26.2	9.2	25.1	19.0	19.5	22.0	35.0	41.0	5
S10D	INFLOW	1978	51.8	33.5	44.9	28.0	28.0	42.0	70.8	115	6
S10D	INFLOW	1979	99.5	39.6	90.6	31.0	80.0	91.8	130	168	14
S10D	INFLOW	1980	87.8	46.8	78.7	37.0	52.0	77.0	104	237	19
S10D	INFLOW	1981	138	77.1	119	51.0	51.0	167	197	197	3
S10D	INFLOW	1982	197	86.9	184	119	126	178	288	314	4
S10D	INFLOW	1983	266	332	190	60.0	121	183	250	1347	13
S10D	INFLOW	1984	108	65.2	88.8	31.0	49.0	90.0	163	212	11
S10D	INFLOW	1985	158	216	92.1	29.0	45.3	64.0	181	674	8
S10D	INFLOW	1986	98.6	79.6	79.9	45.0	52.0	58.0	152	305	11
S10D	INFLOW	1987	101	50.2	89.1	32.0	62.0	104	135	211	13
S10D	INFLOW	1988	101	86.8	77.6	37.0	41.0	59.0	137	342	14
S10D	INFLOW	1989	144	83.6	123	41.0	71.0	141	194	342	13
S10D	INFLOW	1990	94.4	55.7	79.2	33.0	43.0	82.0	143	188	13
S10D	INFLOW	1991	104	67.1	84.5	29.0	40.0	101	143	252	11
S10D	INFLOW	1992	85.8	53.7	72.5	38.0	42.0	65.0	122	191	12
S10D	INFLOW	1993	71.2	29.6	65.0	28.0	49.0	67.0	103	111	11
S10D	INFLOW	1994	80.5	24.3	76.8	39.0	57.0	83.0	97.0	124	11
S10D	INFLOW	1995	115	103	85.3	22.0	51.8	75.0	141	392	16
S10D	INFLOW	1996	72.8	29.1	67.2	34.0	49.0	64.5	99.0	123	16
S10D	INFLOW	1997	58.8	35.3	51.8	28.0	34.8	46.0	69.0	156	14
S10D	INFLOW	1998	61.4	30.3	54.5	22.0	40.0	58.0	77.5	131	16
S10D	INFLOW	1999	85.3	41.5	76.9	42.0	51.8	70.0	123	158	12
S10D	INFLOW	2000	98.8	58.7	84.7	31.0	58.0	68.0	135	210	12
S10D	INFLOW	2001	82.6	83.8	61.8	32.0	39.0	45.0	84.0	306	15
S10D	INFLOW	2002	51.3	51.5	40.3	19.0	24.3	39.5	50.0	210	12

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S10E	INFLOW	1985	81.0		81.0	81.0		81.0		81.0	1
S10E	INFLOW	1986	95.3	51.1	83.0	32.0	56.0	85.5	151	170	8
S10E	INFLOW	1987	175	44.6	172	143		175		206	2
S10E	INFLOW	1988	138	123	105	42.0	53.8	96.0	264	318	4
S10E	INFLOW	1991	232	175	191	93.0	105	175	415	484	4
S10E	INFLOW	1992	102	40.7	92.9	44.0	56.5	109	138	147	8
S10E	INFLOW	1993	95.8	31.2	91.6	61.0	71.3	87.0	121	162	12
S10E	INFLOW	1994	493		493	493		493		493	1
S10E	INFLOW	1995	118	73.7	100	50.0	60.5	79.0	184	259	9
S10E	INFLOW	1996	72.0	30.8	66.2	34.0	50.0	57.0	103	134	15
S10E	INFLOW	1997	60.7	26.0	55.3	22.0	36.0	64.0	78.0	111	17
S10E	INFLOW	1998	77.6	39.7	67.2	28.0	34.5	85.0	113	132	8
S10E	INFLOW	1999	66.7	28.7	60.8	30.0	34.0	68.0	91.0	111	11
S10E	INFLOW	2000	97.8	43.4	88.6	39.0	56.5	101	133	176	12
S10E	INFLOW	2001	76.9	46.7	67.2	30.0	49.3	59.5	102	200	12
S10E	INFLOW	2002	43.3	21.8	39.6	24.0	27.3	37.0	48.8	103	12
S38B	INFLOW	1991	18.2	9.1	16.8	11.0	13.0	15.0	20.0	43.0	11
S38B	INFLOW	1992	30.0	21.2	26.0	15.0		30.0		45.0	2
S38B	INFLOW	1993	14.0		14.0	14.0		14.0		14.0	1
S38B	INFLOW	1995	50.5	55.9	31.5	11.0		50.5		90.0	2
S38B	INFLOW	1996	19.7	10.7	17.2	8.00	8.00	22.0	29.0	29.0	3
S38B	INFLOW	1997	79.5	92.6	45.1	14.0		79.5		145	2
S38B	INFLOW	1998	23.9	15.1	19.9	7.00	11.8	21.0	34.8	52.0	8
S38B	INFLOW	1999	17.5	1.3	17.5	16.0	16.3	17.5	18.8	19.0	4
S38B	INFLOW	2000	32.2	9.6	31.0	22.0	22.5	34.0	41.0	44.0	5
S38B	INFLOW	2001	13.8	3.2	13.5	9.00	10.5	16.0	16.0	16.0	5
S38B	INFLOW	2002	20.0	6.7	19.1	12.0	13.3	21.0	25.8	26.0	4
S7	INFLOW	1978	50.4	50.6	37.0	16.0	23.0	32.0	52.0	181	11
S7	INFLOW	1979	50.9	21.1	47.2	19.5	35.8	47.5	59.3	113	46
S7	INFLOW	1980	64.0	53.0	51.1	18.0	34.5	47.5	77.0	296	44
S7	INFLOW	1981	68.1	46.3	54.8	16.0	33.0	58.5	93.4	174	32
S7	INFLOW	1982	101	82.3	70.9	22.0	29.0	72.3	196	241	12
S7	INFLOW	1983	104	93.7	78.6	26.0	44.4	64.5	133	432	38
S7	INFLOW	1984	70.8	26.2	66.3	27.0	50.0	68.0	87.0	140	31
S7	INFLOW	1985	95.2	48.7	82.0	26.0	55.0	93.0	139	172	16
S7	INFLOW	1986	126	221	80.9	37.0	51.0	74.0	109	1030	19
S7	INFLOW	1987	95.4	86.4	74.6	28.0	42.0	63.0	122	421	21
S7	INFLOW	1988	67.5	20.8	64.6	40.0	50.5	59.5	85.3	106	22
S7	INFLOW	1989	104	68.1	90.7	45.0	61.0	82.0	120	324	19
S7	INFLOW	1990	77.0	41.4	68.3	29.0	52.5	63.0	104	191	17
S7	INFLOW	1991	81.8	60.8	68.7	18.0	52.0	72.0	96.0	309	19
S7	INFLOW	1992	70.8	43.3	59.3	15.0	40.3	57.0	92.5	181	18
S7	INFLOW	1993	98.5	70.5	80.1	19.0	48.0	82.0	117	338	43
S7	INFLOW	1994	65.6	32.6	56.3	14.0	36.8	67.5	88.3	142	24
S7	INFLOW	1995	70.9	33.0	64.0	25.0	46.5	63.5	91.5	157	57
S7	INFLOW	1996	63.8	27.0	57.2	12.0	44.3	63.0	88.0	116	46
S7	INFLOW	1997	60.3	32.7	51.4	10.0	33.0	50.0	84.0	122	35

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S7	INFLOW	1998	66.2	31.5	59.4	17.0	46.9	61.0	82.5	165	45
S7	INFLOW	1999	63.8	48.5	52.2	10.0	38.8	55.5	69.8	254	26
S7	INFLOW	2000	65.4	53.5	52.5	14.0	35.5	48.0	87.0	319	41
S7	INFLOW	2001	50.6	30.7	42.2	14.0	24.0	44.5	76.5	129	30
S7	INFLOW	2002	44.1	25.1	38.4	17.0	25.0	39.0	59.5	109	27
217WQ	INTERIOR	1979	17.3	36.4	5.91	<4	<4	7.00	9.50	114	9
217WQ	INTERIOR	1980	6.29	4.8	4.82	<4	<4	6.00	7.00	16.0	7
217WQ	INTERIOR	1981	6.00	3.7	4.94	<4	<4	6.00	7.00	15.0	11
217WQ	INTERIOR	1982	7.40	5.4	6.33	4.00	4.50	5.00	11.5	17.0	5
217WQ	INTERIOR	1983	17.8	14.1	14.4	6.00	9.00	13.0	22.0	52.0	9
217WQ	INTERIOR	1984	11.5	5.7	9.50	<4	7.25	12.5	16.3	17.0	6
217WQ	INTERIOR	1985	21.5	19.1	16.7	8.00		21.5		35.0	2
217WQ	INTERIOR	1986	15.0		15.0	15.0		15.0		15.0	2
217WQ	INTERIOR	1987	13.0	2.7	12.8	10.0	10.0	14.0	15.0	15.0	3
B1	INTERIOR	1980	935	445	851	431	576	896	1165	1832	8
B1	INTERIOR	1981	919	752	528	30.0	388	677	1682	2067	6
B-2	INTERIOR	1979	116	65.0	96.0	24.0	57.3	114	183	199	10
B-2	INTERIOR	1980	188	179	137	69.0	73.0	98.0	297	548	7
B-2	INTERIOR	1981	190	143	156	79.0	92.3	140	263	508	10
B-2	INTERIOR	1982	428	265	356	137	174	428	682	719	4
B-2	INTERIOR	1985	221	110	206	143		221		298	2
B-2	INTERIOR	1986	95.3	21.1	93.2	64.0	73.3	104	109	109	4
B-2	INTERIOR	1987	113	48.8	102	44.0	68.0	114	157	172	5
B-2	INTERIOR	1990	573		573	573		573		573	1
B-2	INTERIOR	1992	17.0		17.0	17.0		17.0		17.0	1
B-3	INTERIOR	1979	85.8	19.2	84.0	62.0	66.3	88.0	103	105	4
B-3	INTERIOR	1980	82.5	33.1	76.4	39.0	48.0	89.5	110	112	4
B-3	INTERIOR	1985	305	56.6	302	265		305		345	2
B-3	INTERIOR	1986	103	12.1	103	94.0	95.0	99.0	116	121	4
B-3	INTERIOR	1987	73.0	41.8	60.8	26.0	27.5	96.0	107	110	5
B-4	INTERIOR	1979	44.3	29.1	35.7	12.0	17.0	42.5	73.3	80.0	4
B-4	INTERIOR	1980	49.5	47.8	37.6	22.0	23.0	27.5	98.0	121	4
B-4	INTERIOR	1985	236	112	222	156		236		315	2
B-4	INTERIOR	1986	89.0	45.0	77.7	31.0	42.3	99.0	126	127	4
B-4	INTERIOR	1987	79.7	30.1	75.1	45.0	45.0	95.0	99.0	99.0	3
B-5	INTERIOR	1979	12.4	5.9	10.9	<4	7.75	12.0	18.5	20.0	10
B-5	INTERIOR	1980	10.6	2.4	10.4	8.00	8.25	10.5	13.3	14.0	8
B-5	INTERIOR	1981	13.9	9.8	11.8	5.00	8.75	10.5	17.0	39.0	10
B-5	INTERIOR	1982	71.5	77.8	39.9	11.0	12.3	48.5	154	178	4
B-5	INTERIOR	1983	40.5	18.2	34.5	8.00	32.0	42.0	51.3	64.0	6
B-5	INTERIOR	1984	56.5	16.2	54.6	36.0	39.8	60.0	69.8	70.0	4
B-5	INTERIOR	1985	158	105	140	84.0		158		232	2
B-5	INTERIOR	1986	66.8	18.4	64.9	52.0	52.0	62.5	85.8	90.0	4
B-5	INTERIOR	1987	61.0	27.4	55.9	30.0	30.0	71.0	82.0	82.0	3
B-5B	INTERIOR	1985	130	72.8	119	78.0		130		181	2
B-5B	INTERIOR	1986	43.3	12.7	42.1	32.0	32.0	41.0	57.0	57.0	3

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
B-5B	INTERIOR	1987	50.0	26.1	44.8	23.0	23.0	52.0	75.0	75.0	3
B-5C	INTERIOR	1985	107	72.1	94.1	56.0		107		158	2
B-5C	INTERIOR	1986	41.7	13.0	40.3	29.0	29.0	41.0	55.0	55.0	3
B-5C	INTERIOR	1987	57.0	31.8	51.0	28.0	28.0	52.0	91.0	91.0	3
B-5D	INTERIOR	1985	96.5	51.6	89.3	60.0		96.5		133	2
B-5D	INTERIOR	1986	39.0	21.0	35.4	21.0	21.0	34.0	62.0	62.0	3
B-5D	INTERIOR	1987	59.3	41.5	49.8	24.0	24.0	49.0	105	105	3
B-5E	INTERIOR	1985	79.0	73.5	59.5	27.0		79.0		131	2
B-5E	INTERIOR	1986	29.0	5.0	28.7	24.0	24.0	29.0	34.0	34.0	3
B-5E	INTERIOR	1987	42.0	19.7	38.9	24.0	24.0	39.0	63.0	63.0	3
B-5F	INTERIOR	1987	37.7	12.6	36.3	26.0	26.0	36.0	51.0	51.0	3
B-6	INTERIOR	1979	6.50	2.5	6.16	4.00	4.50	6.00	9.00	10.0	4
B-6	INTERIOR	1980	5.33	3.8	<4	<4	<4	7.00	8.00	8.00	3
B-6	INTERIOR	1985	14.0		14.0	14.0		14.0		14.0	1
B-6	INTERIOR	1986	11.0	1.7	10.9	10.0	10.0	10.0	13.0	13.0	3
B-6	INTERIOR	1987	23.7	6.0	23.2	18.0	18.0	23.0	30.0	30.0	3
B-7	INTERIOR	1979	9.42	9.7	5.47	<4	<4	4.75	20.3	24.0	6
B-7	INTERIOR	1980	12.3	11.4	8.77	<4	<4	9.00	25.0	25.0	3
B-7	INTERIOR	1985	41.0	38.2	30.9	14.0		41.0		68.0	2
B-7	INTERIOR	1986	10.3	3.2	10.0	8.00	8.00	9.00	14.0	14.0	3
B-7	INTERIOR	1987	15.7	2.1	15.6	14.0	14.0	15.0	18.0	18.0	3
CA2-1	INTERIOR	1979	15.6	14.4	12.2	7.00	7.50	9.00	27.0	41.0	5
CA2-1	INTERIOR	1980	11.0	2.7	10.8	9.00	9.00	10.0	14.0	14.0	3
CA2-1	INTERIOR	1981	13.0		13.0	13.0		13.0		13.0	1
CA2-1	INTERIOR	1982	19.5	2.1	19.4	18.0		19.5		21.0	2
CA2-1	INTERIOR	1983	10.8	3.6	10.2	5.00	7.50	12.0	13.5	14.0	5
CA2-1	INTERIOR	1984	19.5	6.4	19.0	15.0		19.5		24.0	2
CA2-10	INTERIOR	1979	10.8	6.1	9.29	4.00	5.00	10.0	17.0	18.0	5
CA2-10	INTERIOR	1980	8.00	2.9	7.50	4.00	5.00	9.00	10.5	11.0	5
CA2-10	INTERIOR	1981	14.0	10.8	9.48	<4	6.00	11.0	25.0	32.0	7
CA2-10	INTERIOR	1982	14.0	15.8	8.28	<4	4.00	11.0	15.0	48.0	7
CA2-10	INTERIOR	1983	5.83	2.7	5.22	<4	<4	6.00	7.75	10.0	6
CA2-10	INTERIOR	1984	18.8	15.1	11.9	<4	4.00	20.5	31.8	32.0	4
CA2-11	INTERIOR	1979	11.6	5.4	10.7	7.00	7.50	9.00	17.0	20.0	5
CA2-11	INTERIOR	1980	7.60	4.7	5.71	<4	<4	8.00	11.5	14.0	5
CA2-11	INTERIOR	1981	15.4	4.9	14.8	10.0	11.0	14.0	18.0	24.0	7
CA2-11	INTERIOR	1982	47.0	44.6	32.4	9.00	16.0	28.0	78.3	138	8
CA2-11	INTERIOR	1983	20.2	19.0	15.4	6.00	9.00	15.0	27.3	58.0	6
CA2-11	INTERIOR	1984	16.8	7.1	15.8	11.0	11.5	14.5	24.3	27.0	4
CA2-12	INTERIOR	1979	22.6	20.3	16.0	6.00	7.00	12.0	43.5	53.0	5
CA2-12	INTERIOR	1980	28.8	26.3	19.3	7.00	8.00	13.0	57.5	59.0	5
CA2-12	INTERIOR	1981	31.9	25.1	23.1	5.00	13.0	21.0	63.0	69.0	7
CA2-12	INTERIOR	1982	169	334	55.1	12.0	19.3	46.5	132	989	8
CA2-12	INTERIOR	1983	33.2	12.0	31.4	20.0	23.8	29.5	46.8	49.0	6
CA2-12	INTERIOR	1984	85.0	22.3	82.5	54.0	62.5	89.5	103	107	4
CA2-13	INTERIOR	1979	8.40	4.5	7.38	<4	4.50	9.00	12.0	15.0	5
CA2-13	INTERIOR	1980	12.0	7.0	10.7	7.00	7.00	10.0	18.0	24.0	5

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
CA2-13	INTERIOR	1981	13.3	5.0	12.4	7.00	8.00	14.0	16.0	21.0	7
CA2-13	INTERIOR	1982	17.4	11.9	14.7	8.00	9.00	12.0	27.0	40.0	7
CA2-13	INTERIOR	1983	8.17	3.2	7.72	5.00	5.75	7.50	10.3	14.0	6
CA2-13	INTERIOR	1984	13.5	7.9	12.0	7.00	7.75	11.0	21.8	25.0	4
CA2-14	INTERIOR	1979	10.6	7.9	8.56	<4	5.50	8.00	17.0	24.0	5
CA2-14	INTERIOR	1980	6.40	1.7	6.24	5.00	5.00	6.00	8.00	9.00	5
CA2-14	INTERIOR	1981	32.0	43.8	19.3	9.00	9.00	16.0	26.0	130	7
CA2-14	INTERIOR	1982	35.9	72.0	12.9	5.00	6.00	8.00	14.0	199	7
CA2-14	INTERIOR	1983	6.50	3.7	5.59	<4	<4	6.50	8.50	13.0	6
CA2-14	INTERIOR	1984	8.00	7.5	5.81	<4	<4	5.50	15.8	19.0	4
CA215	INTERIOR	1995	10.9	13.1	8.02	4.00	5.75	7.00	9.00	48.0	10
CA215	INTERIOR	1996	4.80	2.4	4.33	<4	<4	4.00	6.00	12.0	20
CA215	INTERIOR	1997	5.37	1.7	5.13	<4	4.00	5.00	7.00	9.00	19
CA215	INTERIOR	1998	5.30	1.7	5.08	<4	4.00	5.00	6.00	9.00	20
CA215	INTERIOR	1999	4.56	1.9	4.14	<4	<4	4.00	6.00	9.00	18
CA215	INTERIOR	2000	7.57	2.7	7.04	<4	6.00	8.00	9.00	15.0	23
CA215	INTERIOR	2001	7.87	3.0	7.41	4.00	6.00	7.00	9.00	15.0	23
CA215	INTERIOR	2002	6.08	1.4	5.93	4.00	5.00	6.00	7.00	8.00	20
CA2-15	INTERIOR	1979	28.2	48.1	9.32	<4	4.00	8.00	62.5	114	5
CA2-15	INTERIOR	1980	6.60	5.5	5.21	<4	<4	5.00	11.0	16.0	5
CA2-15	INTERIOR	1981	17.0	12.0	13.9	7.00	8.00	11.0	33.0	35.0	7
CA2-15	INTERIOR	1982	15.7	13.0	11.4	4.00	4.50	14.0	23.5	43.0	9
CA2-15	INTERIOR	1983	7.00	5.3	5.65	<4	<4	5.50	10.3	17.0	6
CA2-15	INTERIOR	1984	5.25	4.7	<4	<4	<4	<4	10.3	12.0	4
CA2-16	INTERIOR	1979	8.20	6.8	5.59	<4	<4	8.00	14.0	19.0	5
CA2-16	INTERIOR	1980	16.0	20.1	8.81	<4	<4	10.0	32.0	51.0	5
CA2-16	INTERIOR	1981	41.0	58.5	20.7	8.00	8.50	11.0	88.5	144	5
CA2-16	INTERIOR	1982	35.2	40.5	22.6	7.00	10.5	19.0	68.0	106	5
CA2-16	INTERIOR	1983	13.0	7.2	10.3	<4	5.75	15.0	18.3	22.0	6
CA2-16	INTERIOR	1984	10.0	2.0	9.86	8.00	8.00	10.0	12.0	12.0	3
CA2-17	INTERIOR	1979	11.8	13.5	6.70	<4	<4	7.00	23.0	35.0	5
CA2-17	INTERIOR	1980	8.00	3.7	7.30	4.00	4.50	8.00	11.5	13.0	5
CA2-17	INTERIOR	1981	39.0	40.4	24.4	10.0	10.0	16.0	90.5	92.0	6
CA2-17	INTERIOR	1982	10.6	6.4	8.65	<4	4.00	12.0	17.0	19.0	7
CA2-17	INTERIOR	1983	9.67	7.9	7.35	<4	5.00	6.50	15.8	24.0	6
CA2-17	INTERIOR	1984	12.3	13.7	7.28	<4	<4	7.50	26.8	32.0	4
CA2-18	INTERIOR	1979	8.00	5.1	5.89	<4	<4	7.00	13.0	13.0	5
CA2-18	INTERIOR	1980	8.40	5.9	6.06	<4	<4	8.00	13.5	17.0	5
CA2-18	INTERIOR	1981	14.0	14.1	8.33	<4	<4	12.0	16.0	43.0	7
CA2-18	INTERIOR	1982	14.0	11.7	10.3	<4	4.50	12.0	20.8	38.0	8
CA2-18	INTERIOR	1983	6.67	3.2	5.83	<4	<4	7.50	8.75	11.0	6
CA2-18	INTERIOR	1984	13.0	20.1	5.42	<4	<4	<4	33.5	43.0	4
CA2-19	INTERIOR	1979	5.80	5.5	4.04	<4	<4	4.00	10.5	15.0	5
CA2-19	INTERIOR	1980	6.20	3.2	5.44	<4	4.00	6.00	8.50	11.0	5
CA2-19	INTERIOR	1981	58.2	122	14.1	4.00	5.50	9.00	87.3	307	6
CA2-19	INTERIOR	1982	15.3	20.4	9.68	4.00	4.50	9.00	13.3	65.0	8
CA2-19	INTERIOR	1983	5.67	3.7	4.65	<4	<4	5.50	8.25	12.0	6

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
CA2-19	INTERIOR	1984	6.75	3.1	6.26	4.00	4.25	6.00	10.0	11.0	4
CA2-2	INTERIOR	1979	16.4	13.6	11.8	<4	6.00	10.0	30.0	37.0	5
CA2-2	INTERIOR	1980	90.5	152	28.0	8.00	8.25	18.0	245	318	4
CA2-2	INTERIOR	1981	19.5	5.0	19.2	16.0		19.5		23.0	2
CA2-2	INTERIOR	1982	18.0	20.8	11.4	5.00	5.00	7.00	42.0	42.0	3
CA2-2	INTERIOR	1983	38.5	73.8	13.7	6.00	6.75	8.00	57.0	189	6
CA2-2	INTERIOR	1984	12.5	3.5	12.2	10.0		12.5		15.0	2
CA2-20	INTERIOR	1979	5.00	2.7	4.07	<4	<4	5.00	7.50	8.00	5
CA2-20	INTERIOR	1980	7.20	3.6	6.18	<4	<4	9.00	10.0	10.0	5
CA2-20	INTERIOR	1981	17.6	9.4	15.4	7.00	9.00	17.0	26.0	33.0	7
CA2-20	INTERIOR	1982	11.4	8.3	8.69	<4	4.50	10.5	17.3	27.0	8
CA2-20	INTERIOR	1983	4.17	1.8	<4	<4	<4	4.50	6.00	6.00	6
CA2-20	INTERIOR	1984	36.5	57.1	15.2	6.00	6.00	9.00	94.5	122	4
CA2-21	INTERIOR	1979	6.80	4.0	5.26	<4	<4	7.00	10.0	12.0	5
CA2-21	INTERIOR	1980	7.00	5.4	5.65	<4	<4	5.00	12.0	16.0	5
CA2-21	INTERIOR	1981	15.9	12.4	12.8	6.00	7.00	11.0	25.0	40.0	7
CA2-21	INTERIOR	1982	22.1	31.1	10.7	<4	<4	12.0	28.5	100	9
CA2-21	INTERIOR	1983	5.17	3.4	4.30	<4	<4	5.00	7.25	11.0	6
CA2-21	INTERIOR	1984	8.50	6.9	6.22	<4	<4	7.50	15.5	17.0	4
CA2-3	INTERIOR	1979	110	76.9	91.6	49.0	56.0	64.0	186	231	5
CA2-3	INTERIOR	1980	77.8	21.7	75.8	64.0	64.5	66.0	97.0	115	5
CA2-3	INTERIOR	1981	73.4	18.4	71.6	54.0	57.0	69.0	88.0	106	7
CA2-3	INTERIOR	1982	131	55.3	121	70.0	76.0	128	180	216	7
CA2-3	INTERIOR	1983	133	57.9	120	46.0	84.3	138	188	196	6
CA2-3	INTERIOR	1984	96.3	28.2	93.1	64.0	70.3	94.5	124	132	4
CA2-4	INTERIOR	1979	132	65.4	117	59.0	62.0	158	189	199	5
CA2-4	INTERIOR	1980	81.8	35.2	75.7	40.0	54.5	69.0	116	133	5
CA2-4	INTERIOR	1981	98.0	62.1	83.9	41.0	58.0	69.0	173	199	7
CA2-4	INTERIOR	1982	512	435	393	154	229	300	771	1379	7
CA2-4	INTERIOR	1983	182	56.5	175	107	143	172	228	274	6
CA2-4	INTERIOR	1984	112	56.0	102	57.0	67.0	101	169	190	4
CA2-5	INTERIOR	1979	35.8	27.0	29.4	16.0	16.0	27.0	60.0	81.0	5
CA2-5	INTERIOR	1980	135	55.1	125	72.0	86.5	118	191	206	5
CA2-5	INTERIOR	1981	614	1157	157	23.0	48.0	62.0	646	3189	7
CA2-5	INTERIOR	1982	272	159	194	24.0	139	293	396	462	5
CA2-5	INTERIOR	1983	119	46.3	106	31.0	96.3	130	144	168	6
CA2-5	INTERIOR	1984	138	18.6	137	117	117	143	153	153	3
CA2-6	INTERIOR	1979	8.20	3.9	7.49	4.00	5.00	7.00	12.0	14.0	5
CA2-6	INTERIOR	1980	10.0	3.1	9.60	6.00	7.50	9.00	13.0	14.0	5
CA2-6	INTERIOR	1981	39.9	41.5	25.9	6.00	8.00	33.0	40.0	129	7
CA2-6	INTERIOR	1982	27.4	27.8	17.1	5.00	5.50	21.0	52.5	73.0	5
CA2-6	INTERIOR	1983	9.17	3.5	8.53	5.00	5.00	10.0	11.8	14.0	6
CA2-6	INTERIOR	1984	15.0	4.0	14.6	11.0	11.0	15.0	19.0	19.0	3
CA27	INTERIOR	1995	9.45	4.1	8.79	5.00	7.00	8.00	11.0	20.0	20
CA27	INTERIOR	1996	15.0	18.7	10.3	5.00	6.00	8.00	11.0	83.0	21
CA27	INTERIOR	1997	11.1	11.2	8.86	4.00	6.00	8.00	12.0	50.0	15
CA27	INTERIOR	1998	9.80	6.1	8.80	4.00	7.00	9.00	10.8	34.0	20

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
CA27	INTERIOR	1999	9.13	2.5	8.81	6.00	7.00	9.50	11.0	13.0	16
CA27	INTERIOR	2000	9.95	3.7	9.40	5.00	7.25	9.00	12.0	22.0	20
CA27	INTERIOR	2001	9.62	2.0	9.43	7.00	8.00	9.00	11.0	13.0	13
CA27	INTERIOR	2002	9.38	2.9	9.02	6.00	7.00	8.00	11.0	17.0	17
CA2-7	INTERIOR	1979	28.2	45.8	12.8	5.00	6.00	8.00	60.5	110	5
CA2-7	INTERIOR	1980	9.25	6.0	8.11	5.00	5.25	7.00	15.5	18.0	4
CA2-7	INTERIOR	1981	15.0	1.4	15.0	14.0		15.0		16.0	2
CA2-7	INTERIOR	1982	30.5	6.4	30.2	26.0		30.5		35.0	2
CA2-7	INTERIOR	1983	9.75	3.3	9.32	6.00	6.75	9.50	13.0	14.0	4
CA28	INTERIOR	1995	106	73.3	85.3	22.0	55.3	86.0	130	280	18
CA28	INTERIOR	1996	110	102	84.3	35.0	53.0	70.0	107	410	19
CA28	INTERIOR	1997	113	78.5	91.7	45.0	51.0	84.0	167	274	14
CA28	INTERIOR	1998	72.5	30.9	67.2	37.0	49.0	69.0	87.0	155	15
CA28	INTERIOR	1999	145	122	116	52.0	69.0	94.5	176	509	14
CA28	INTERIOR	2000	103	93.8	81.4	30.0	54.0	69.0	117	441	19
CA28	INTERIOR	2001	116	55.2	100	25.0	76.0	113	166	190	8
CA28	INTERIOR	2002	29.4	15.6	26.0	14.0	17.0	20.0	40.0	60.0	15
CA2-8	INTERIOR	1979	45.0	48.7	25.2	9.00	9.00	14.0	96.5	114	5
CA2-8	INTERIOR	1980	66.6	24.9	61.6	27.0	48.0	70.0	83.5	96.0	5
CA2-8	INTERIOR	1981	154	112	119	35.0	63.5	101	271	302	5
CA2-8	INTERIOR	1982	230	175	151	32.0	44.5	297	382	423	5
CA2-8	INTERIOR	1983	99.0	113	62.0	18.0	25.8	56.0	215	266	4
CA2-8	INTERIOR	1984	70.3	58.2	56.5	30.0	30.0	44.0	137	137	3
CA29	INTERIOR	1995	8.57	2.0	8.36	6.00	7.00	8.00	10.0	12.0	14
CA29	INTERIOR	1996	10.7	19.9	6.55	<4	4.00	6.00	8.00	90.0	18
CA29	INTERIOR	1997	5.61	2.3	5.03	<4	4.75	5.00	7.25	11.0	18
CA29	INTERIOR	1998	6.50	1.5	6.34	4.00	6.00	6.00	7.75	10.0	20
CA29	INTERIOR	1999	6.28	2.9	5.69	<4	4.00	6.00	7.00	13.0	18
CA29	INTERIOR	2000	8.61	4.0	8.02	<4	7.00	8.00	9.00	25.0	23
CA29	INTERIOR	2001	7.89	3.4	7.32	4.00	6.00	7.00	9.00	16.0	18
CA29	INTERIOR	2002	8.39	2.2	8.15	6.00	7.00	8.00	9.00	14.0	19
CA2-9	INTERIOR	1979	9.40	4.6	8.67	6.00	6.00	8.00	13.5	17.0	5
CA2-9	INTERIOR	1980	22.4	28.7	13.1	5.00	5.00	14.0	44.0	73.0	5
CA2-9	INTERIOR	1981	32.4	20.0	26.1	9.00	11.5	37.0	51.0	51.0	5
CA2-9	INTERIOR	1982	17.5	11.4	15.2	8.00	9.50	14.0	29.0	34.0	4
CA2-9	INTERIOR	1983	12.8	5.7	11.7	6.00	7.50	12.0	18.5	20.0	5
CA2-9	INTERIOR	1984	19.5	6.6	18.7	13.0	13.5	19.0	26.0	27.0	4
E1	INTERIOR	1994	73.5	0.7	73.5	73.0		73.5		74.0	2
E1	INTERIOR	1995	74.5	44.7	65.0	26.0	46.5	59.0	86.5	200	21
E1	INTERIOR	1996	53.9	26.9	48.6	20.0	34.0	47.0	71.0	120	15
E1	INTERIOR	1997	111	154	69.9	32.0	42.0	53.5	89.1	611	16
E1	INTERIOR	1998	43.0	20.0	39.1	18.0	28.5	34.0	58.0	88.0	20
E1	INTERIOR	1999	108	103	83.2	37.0	49.0	72.0	125	430	14
E1	INTERIOR	2000	61.5	43.7	49.6	17.0	30.0	54.0	83.0	170	11
E1	INTERIOR	2001	61.3	32.3	56.6	42.0	47.0	49.0	59.0	140	8
E1	INTERIOR	2002	42.7	33.0	35.6	22.0	23.0	29.0	46.0	130	11
E2	INTERIOR	1994	41.5	13.4	40.4	32.0		41.5		51.0	2

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
E2	INTERIOR	1995	47.6	29.7	41.7	24.0	29.0	34.0	59.0	150	23
E2	INTERIOR	1996	35.6	19.8	32.2	16.0	24.0	32.5	38.0	96.0	14
E2	INTERIOR	1997	69.4	87.7	46.5	20.5	32.0	35.3	45.8	320	14
E2	INTERIOR	1998	39.0	51.7	29.4	16.5	20.0	26.0	36.0	250	19
E2	INTERIOR	1999	326	733	112	44.0	56.8	72.5	149	2400	10
E2	INTERIOR	2000	54.6	52.4	42.2	17.5	26.4	38.0	62.3	210	12
E2	INTERIOR	2001	37.4	6.8	36.9	31.0	32.5	34.0	44.0	48.0	5
E2	INTERIOR	2002	24.1	4.8	23.7	17.5	19.0	24.0	28.0	31.0	7
E3	INTERIOR	1994	46.0	9.5	45.3	36.0	36.0	47.0	55.0	55.0	3
E3	INTERIOR	1995	33.0	12.4	30.9	14.0	24.0	31.0	37.0	63.0	23
E3	INTERIOR	1996	28.0	10.9	26.0	12.0	19.5	27.0	36.0	47.0	13
E3	INTERIOR	1997	95.9	201	42.7	19.0	25.0	28.0	51.0	796	15
E3	INTERIOR	1998	21.0	8.5	19.9	14.0	16.0	20.0	23.0	46.0	19
E3	INTERIOR	1999	217	522	63.7	24.0	28.8	41.8	85.3	1700	10
E3	INTERIOR	2000	59.2	79.0	36.7	6.00	24.0	28.0	64.0	290	11
E3	INTERIOR	2001	37.3	11.5	36.0	26.0	29.0	35.0	46.8	56.5	5
E3	INTERIOR	2002	23.6	7.5	22.7	16.0	16.5	20.0	31.0	34.0	7
E4	INTERIOR	1994	36.2	29.3	27.4	10.7	14.3	18.3	67.0	78.0	5
E4	INTERIOR	1995	16.2	7.3	15.2	9.00	12.5	14.0	17.0	46.0	25
E4	INTERIOR	1996	13.6	4.9	12.6	5.00	9.50	13.5	17.5	22.0	18
E4	INTERIOR	1997	16.7	6.1	15.8	10.0	12.5	15.0	18.8	32.8	17
E4	INTERIOR	1998	13.7	5.4	13.1	10.0	11.0	12.5	14.3	34.0	18
E4	INTERIOR	1999	18.3	13.7	15.9	10.0	12.0	13.0	20.0	62.0	13
E4	INTERIOR	2000	13.5	5.7	11.9	<4	11.0	12.5	15.8	25.5	12
E4	INTERIOR	2001	14.9	3.3	14.6	10.0	14.0	14.0	16.0	21.0	7
E4	INTERIOR	2002	12.8	3.1	12.5	10.0	10.0	12.0	16.0	18.0	9
E5	INTERIOR	1994	20.0		20.0	20.0		20.0		20.0	2
E5	INTERIOR	1995	8.41	2.2	8.16	5.50	7.00	8.00	10.0	14.0	24
E5	INTERIOR	1996	6.44	3.1	5.64	<4	4.75	6.00	8.50	12.0	18
E5	INTERIOR	1997	10.6	7.2	9.13	4.00	7.00	8.00	10.5	31.0	17
E5	INTERIOR	1998	9.24	6.8	8.17	5.00	6.00	7.00	10.0	36.0	19
E5	INTERIOR	1999	9.46	7.0	8.29	5.00	6.00	8.00	9.50	32.0	13
E5	INTERIOR	2000	7.04	3.5	6.28	<4	4.75	7.00	9.00	16.0	13
E5	INTERIOR	2001	5.69	1.3	5.55	4.00	4.25	5.75	7.00	7.00	8
E5	INTERIOR	2002	8.69	2.7	8.38	6.00	6.63	8.00	10.5	14.0	8
F1	INTERIOR	1994	78.0	49.0	68.2	39.0	41.8	62.5	130	148	4
F1	INTERIOR	1995	123	187	86.6	30.0	50.0	83.0	127	1253	45
F1	INTERIOR	1996	171	180	124	46.0	68.0	102	190	982	35
F1	INTERIOR	1997	174	239	107	25.0	55.6	90.5	213	1383	36
F1	INTERIOR	1998	54.6	27.7	49.7	25.0	36.5	44.0	66.5	160	37
F1	INTERIOR	1999	84.7	57.9	63.3	8.50	30.9	80.0	132	229	37
F1	INTERIOR	2000	66.3	34.3	58.5	22.0	41.3	57.0	91.0	141	32
F1	INTERIOR	2001	83.1	46.4	73.4	39.0	49.0	65.0	110	212	20
F1	INTERIOR	2002	52.3	42.1	42.6	16.0	25.0	41.0	56.5	210	25
F2	INTERIOR	1994	98.5	61.5	86.0	52.0	54.3	72.0	150	210	6
F2	INTERIOR	1995	58.3	36.0	50.2	20.0	31.0	51.0	69.8	180	44
F2	INTERIOR	1996	114	110	78.3	17.0	40.5	77.0	155	490	41

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
F2	INTERIOR	1997	71.8	63.7	50.5	<4	31.8	42.0	101	320	36
F2	INTERIOR	1998	33.9	21.2	29.8	14.0	21.3	29.5	35.3	110	40
F2	INTERIOR	1999	66.1	32.9	58.5	22.0	40.0	59.0	93.0	150	35
F2	INTERIOR	2000	57.8	51.0	45.9	19.0	27.8	38.0	68.8	280	34
F2	INTERIOR	2001	53.0	44.3	45.0	24.0	31.0	40.0	55.0	240	23
F2	INTERIOR	2002	42.6	32.7	36.1	18.5	27.0	32.5	44.8	158	28
F3	INTERIOR	1994	50.2	8.1	49.6	38.0	42.7	51.3	59.3	60.0	7
F3	INTERIOR	1995	26.1	12.3	24.0	10.0	18.5	23.0	29.0	67.0	25
F3	INTERIOR	1996	23.9	12.7	21.2	8.00	13.8	21.5	28.3	58.0	18
F3	INTERIOR	1997	27.0	15.0	24.5	16.0	18.5	21.0	30.0	73.0	19
F3	INTERIOR	1998	20.3	12.0	18.5	9.00	16.0	18.0	20.0	65.0	18
F3	INTERIOR	1999	30.9	15.7	28.0	18.3	20.0	23.0	40.0	72.0	15
F3	INTERIOR	2000	57.2	103	27.9	<4	18.0	26.5	41.4	380	12
F3	INTERIOR	2001	30.3	17.0	27.4	19.5	20.3	23.0	36.8	69.0	8
F3	INTERIOR	2002	28.7	20.9	24.7	16.0	16.5	22.5	31.5	82.0	9
F4	INTERIOR	1994	15.8	3.2	15.5	10.0	13.8	16.7	18.1	18.3	6
F4	INTERIOR	1995	22.4	20.8	17.9	7.00	10.8	18.5	26.0	120	46
F4	INTERIOR	1996	13.6	8.8	12.0	6.00	8.50	11.0	16.0	56.0	37
F4	INTERIOR	1997	15.3	8.3	13.7	6.00	10.0	12.8	17.8	46.2	32
F4	INTERIOR	1998	12.9	9.8	11.4	6.00	8.00	11.0	13.0	63.0	39
F4	INTERIOR	1999	12.2	10.1	10.6	5.50	8.00	10.5	13.0	61.5	28
F4	INTERIOR	2000	23.3	41.4	14.9	<4	11.0	13.0	17.3	240	34
F4	INTERIOR	2001	17.1	11.7	15.4	9.00	12.0	14.0	17.5	66.0	21
F4	INTERIOR	2002	14.4	6.6	13.5	7.00	11.0	13.0	16.3	43.0	30
F5	INTERIOR	1994	10.3	3.8	9.54	4.00	7.00	11.0	12.8	16.0	8
F5	INTERIOR	1995	11.7	7.1	10.3	4.00	7.00	9.00	13.5	38.2	25
F5	INTERIOR	1996	7.65	2.8	7.09	<4	6.00	7.00	9.50	13.0	17
F5	INTERIOR	1997	11.1	6.0	10.00	5.00	7.75	8.83	12.3	29.0	18
F5	INTERIOR	1998	11.6	10.0	9.98	6.00	8.00	9.00	11.0	52.0	19
F5	INTERIOR	1999	11.6	4.9	10.9	7.00	8.50	10.0	13.2	24.0	13
F5	INTERIOR	2000	11.6	4.2	10.9	5.00	8.25	11.3	14.6	20.0	12
F5	INTERIOR	2001	12.2	8.1	9.99	<4	7.00	11.0	14.5	32.0	10
F5	INTERIOR	2002	11.4	3.8	10.8	6.00	9.00	11.0	15.0	18.0	11
MC-1	INTERIOR	1983	89.0		89.0	89.0		89.0		89.0	1
N-217	INTERIOR	1987	13.5	6.7	12.4	8.00	10.0	11.0	15.2	32.0	13
N-217	INTERIOR	1988	11.9	5.5	11.0	6.00	8.67	10.0	13.8	25.0	17
N-217	INTERIOR	1989	11.9	5.2	10.8	<4	8.50	11.2	15.3	22.7	14
N-217	INTERIOR	1990	9.36	4.9	8.11	<4	6.67	8.29	12.3	18.7	10
N-217	INTERIOR	1991	15.5	24.0	10.5	4.33	7.17	9.50	12.2	105	16
N-217	INTERIOR	1992	7.74	3.0	7.17	<4	5.83	7.17	10.0	13.3	14
S144	INTERIOR	1978	<4	3.1	<4	<4	<4	4.00	6.75	8.50	5
S144	INTERIOR	1979	5.60	4.9	<4	<4	<4	5.25	7.00	17.5	10
S144	INTERIOR	1980	11.0	8.6	8.40	<4	6.00	7.00	13.0	32.0	19
S144	INTERIOR	1981	16.6	14.8	12.8	6.00	7.00	10.0	24.0	55.0	11
S144	INTERIOR	1982	11.8	8.0	9.65	4.00	6.00	8.00	21.0	24.0	8
S144	INTERIOR	1983	12.0	9.1	9.24	<4	6.00	8.00	21.0	38.0	23
S144	INTERIOR	1984	26.0	28.9	17.7	6.00	10.0	13.0	25.0	116	19

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S144	INTERIOR	1985	35.7	25.6	25.4	<4	11.5	29.0	54.0	92.0	21
S144	INTERIOR	1986	19.5	14.7	14.1	<4	9.75	18.0	23.0	59.0	14
S144	INTERIOR	1987	29.0	35.0	21.6	11.0	13.8	19.5	27.5	148	14
S144	INTERIOR	1988	17.8	6.7	16.3	6.00	12.0	20.0	23.0	26.0	9
S144	INTERIOR	1989	23.8	24.0	17.4	8.00	9.00	17.0	42.0	66.0	5
S144	INTERIOR	1992	9.00	2.0	8.80	6.00	7.00	10.0	10.5	11.0	5
S144	INTERIOR	1993	<4	2.1	<4	<4		<4		5.00	2
S144	INTERIOR	1995	6.88	3.3	6.03	<4	4.00	7.50	9.00	12.0	8
S144	INTERIOR	1996	11.7	11.9	7.32	<4	<4	8.00	19.0	35.0	13
S144	INTERIOR	1997	7.56	5.6	5.59	<4	<4	7.00	13.0	16.0	9
S144	INTERIOR	1998	9.59	6.1	8.15	<4	5.50	9.00	11.0	27.0	13
S144	INTERIOR	1999	19.3	12.8	15.6	5.00	8.00	18.0	25.5	50.0	17
S144	INTERIOR	2000	26.1	30.5	16.4	7.00	9.75	10.5	27.5	103	18
S144	INTERIOR	2001	15.1	10.7	12.4	5.00	7.50	12.0	16.8	40.0	18
S144	INTERIOR	2002	34.0		34.0	34.0		34.0		34.0	1
S145	INTERIOR	1978	5.50	3.2	4.91	<4	4.00	4.25	6.88	12.5	8
S145	INTERIOR	1979	5.23	4.0	<4	<4	<4	5.00	6.50	13.0	11
S145	INTERIOR	1980	8.79	5.2	7.32	<4	6.00	8.00	11.0	21.0	19
S145	INTERIOR	1981	8.64	3.8	8.06	5.00	7.00	7.00	9.00	16.0	11
S145	INTERIOR	1982	11.3	5.5	10.1	5.00	5.50	11.0	16.5	19.0	9
S145	INTERIOR	1983	11.3	9.1	8.74	<4	7.00	8.00	14.0	38.0	23
S145	INTERIOR	1984	20.9	27.8	12.8	4.00	7.00	10.0	19.0	122	23
S145	INTERIOR	1985	37.3	25.4	27.1	<4	12.8	32.0	64.5	87.0	22
S145	INTERIOR	1986	18.7	13.3	14.6	<4	11.0	16.0	22.5	53.0	13
S145	INTERIOR	1987	17.0	6.4	16.1	11.0	12.0	15.0	20.0	34.0	15
S145	INTERIOR	1988	13.3	2.8	13.0	9.00	10.8	13.5	14.8	18.0	10
S145	INTERIOR	1989	22.2	28.6	13.4	5.00	6.00	12.0	43.5	73.0	5
S145	INTERIOR	1992	13.3	6.4	12.0	5.00	8.75	12.0	18.5	24.0	10
S145	INTERIOR	1993	15.5	18.6	8.22	<4	<4	6.00	33.8	49.0	8
S145	INTERIOR	1994	14.1	8.1	12.4	5.00	9.00	13.0	15.0	33.0	11
S145	INTERIOR	1995	9.00	4.1	7.80	<4	6.00	9.00	12.0	17.0	15
S145	INTERIOR	1996	13.1	12.2	8.15	<4	<4	7.00	27.0	34.0	17
S145	INTERIOR	1997	8.92	5.4	7.35	<4	5.00	6.50	14.5	17.0	12
S145	INTERIOR	1998	9.62	7.7	8.18	4.00	5.47	8.00	9.50	35.0	14
S145	INTERIOR	1999	14.9	10.0	12.4	6.00	6.75	13.5	18.5	42.0	18
S145	INTERIOR	2000	19.3	19.3	13.7	6.00	8.25	10.5	19.5	60.0	16
S145	INTERIOR	2001	14.8	14.1	10.8	<4	7.00	9.50	18.3	61.0	18
S145	INTERIOR	2002	13.2	9.1	11.0	6.00	7.00	9.00	18.0	33.0	17
S146	INTERIOR	1978	7.60	1.9	7.39	5.00	5.75	8.00	9.25	10.0	5
S146	INTERIOR	1979	<4	2.8	<4	<4	<4	<4	5.50	9.00	9
S146	INTERIOR	1980	9.84	10.7	7.01	<4	5.00	7.00	12.0	50.0	19
S146	INTERIOR	1981	15.3	14.4	11.6	4.00	7.00	10.0	20.0	55.0	11
S146	INTERIOR	1982	11.1	6.7	8.40	<4	6.00	11.5	15.8	22.0	8
S146	INTERIOR	1983	11.7	9.3	9.14	<4	6.00	9.00	12.0	36.0	23
S146	INTERIOR	1984	23.7	20.4	17.1	5.00	8.75	17.0	35.5	73.0	18
S146	INTERIOR	1985	34.4	24.6	25.4	<4	14.0	31.0	54.0	101	23
S146	INTERIOR	1986	20.2	13.3	15.3	<4	9.75	19.0	29.5	50.0	12

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S146	INTERIOR	1987	15.3	6.1	14.4	10.0	11.0	14.0	19.0	33.0	15
S146	INTERIOR	1988	23.8	20.2	19.4	9.00	12.5	21.0	23.0	76.0	9
S146	INTERIOR	1989	18.2	23.7	10.9	5.00	5.50	6.00	37.0	60.0	5
S146	INTERIOR	1992	8.60	1.7	8.45	6.00	7.00	9.00	10.0	10.0	5
S146	INTERIOR	1993	6.00	3.8	4.79	<4	<4	7.00	9.50	10.0	5
S146	INTERIOR	1995	7.00	3.7	5.80	<4	<4	8.00	10.0	11.0	7
S146	INTERIOR	1996	10.8	12.3	6.95	<4	4.00	5.00	13.8	46.0	12
S146	INTERIOR	1997	6.78	4.3	5.51	<4	<4	6.00	10.5	14.0	9
S146	INTERIOR	1998	8.25	3.9	7.56	4.00	5.75	7.00	10.0	18.0	14
S146	INTERIOR	1999	13.1	9.5	10.8	4.00	6.25	11.5	16.0	39.0	16
S146	INTERIOR	2000	17.3	19.7	12.4	6.00	8.00	9.00	15.8	76.0	16
S146	INTERIOR	2001	14.9	13.2	11.4	4.00	7.00	9.00	16.3	53.0	18
S146	INTERIOR	2002	35.0		35.0	35.0		35.0		35.0	1
SITE-D	INTERIOR	1978	5.83	3.2	4.91	<4	4.00	5.75	7.88	13.0	12
SITE-D	INTERIOR	1979	5.75	1.4	5.60	4.00	5.00	5.50	6.38	8.50	12
SITE-D	INTERIOR	1980	6.50	3.7	5.39	<4	<4	6.50	8.50	14.5	13
SITE-D	INTERIOR	1981	20.1	17.9	15.0	6.00	6.88	14.5	39.0	45.5	4
SITE-D	INTERIOR	1982	39.8	52.9	19.6	5.00	6.13	20.3	58.3	170	10
SITE-D	INTERIOR	1983	11.4	4.9	10.5	7.00	7.75	8.50	15.0	22.5	13
SITE-D	INTERIOR	1984	40.2	79.9	19.2	9.50	10.9	14.3	19.1	291	12
SITE-D	INTERIOR	1985	25.4	20.5	21.1	13.0	13.0	18.5	29.8	73.5	8
SITE-D	INTERIOR	1986	14.0	2.3	13.9	12.0	12.1	13.5	16.4	17.0	4
SITE-D	INTERIOR	1987	26.5	11.1	24.4	11.7	20.3	23.7	38.0	48.0	19
SITE-D	INTERIOR	1988	14.9	4.5	14.3	8.33	11.2	15.2	18.7	23.0	16
SITE-D	INTERIOR	1989	31.8	17.0	27.4	9.67	16.3	32.2	38.9	72.3	14
SITE-D	INTERIOR	1990	61.4	118	30.7	13.0	19.6	23.7	35.2	396	10
SITE-D	INTERIOR	1991	31.0	19.4	26.7	9.33	20.2	27.2	37.3	96.3	18
SITE-D	INTERIOR	1992	15.1	7.7	13.3	5.33	10.3	14.7	18.7	31.7	15
SL	INTERIOR	1983	12.1	8.7	9.99	4.00	6.50	9.00	14.0	32.5	12
SL	INTERIOR	1984	8.50	5.5	7.42	4.00	4.75	7.50	8.38	21.5	8
T	INTERIOR	1988	37.0	11.3	35.8	27.0	30.0	34.0	39.0	61.0	7
U1	INTERIOR	1994	30.1	40.5	17.0	5.00	7.50	15.0	60.2	102	5
U1	INTERIOR	1995	8.87	5.6	7.92	4.00	6.00	7.00	10.0	32.0	25
U1	INTERIOR	1996	6.10	2.5	5.52	<4	5.00	6.00	7.75	11.0	20
U1	INTERIOR	1997	11.2	8.6	9.29	5.00	6.00	8.00	10.1	32.0	18
U1	INTERIOR	1998	9.17	8.0	7.91	5.00	7.00	7.00	8.00	42.0	20
U1	INTERIOR	1999	8.54	5.0	7.75	5.00	6.00	7.00	10.0	24.0	13
U1	INTERIOR	2000	6.65	2.2	6.23	<4	5.50	6.00	8.50	10.0	13
U1	INTERIOR	2001	6.45	2.0	6.05	<4	5.75	6.50	8.00	8.50	10
U1	INTERIOR	2002	8.23	2.5	7.89	5.00	6.00	9.00	9.50	12.0	11
U2	INTERIOR	1994	9.49	3.2	9.08	6.25	6.81	9.00	11.8	15.0	6
U2	INTERIOR	1995	15.4	32.2	9.70	5.00	8.00	9.00	10.5	170	25
U2	INTERIOR	1996	6.05	3.2	5.23	<4	4.00	6.00	8.00	14.0	19
U2	INTERIOR	1997	8.41	4.4	7.75	4.00	6.00	7.17	9.00	25.0	19
U2	INTERIOR	1998	8.53	2.7	8.20	5.50	7.00	8.00	9.00	16.0	19
U2	INTERIOR	1999	14.5	22.0	9.80	5.00	7.00	8.00	9.25	90.0	14
U2	INTERIOR	2000	10.4	6.4	8.94	4.00	6.00	9.00	13.5	25.0	13

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
U2	INTERIOR	2001	9.33	4.1	8.31	<4	8.50	9.00	10.0	18.0	9
U2	INTERIOR	2002	8.44	2.3	8.14	5.00	6.00	9.00	10.0	12.0	9
U3	INTERIOR	1994	6.56	4.1	5.55	<4	<4	5.83	9.75	13.0	6
U3	INTERIOR	1995	7.82	2.7	7.43	<4	6.00	8.00	8.50	15.0	25
U3	INTERIOR	1996	6.60	2.7	5.99	<4	5.00	6.50	8.38	11.5	20
U3	INTERIOR	1997	11.2	7.6	9.63	5.00	7.00	9.00	11.5	32.0	17
U3	INTERIOR	1998	7.33	1.5	7.21	6.00	6.00	7.00	8.25	10.0	18
U3	INTERIOR	1999	16.5	20.2	11.2	6.00	7.00	8.00	13.5	73.0	13
U3	INTERIOR	2000	7.38	2.3	7.01	<4	6.00	7.00	9.00	12.0	13
U3	INTERIOR	2001	7.00	3.5	5.96	<4	<4	7.00	10.5	11.0	9
U3	INTERIOR	2002	8.70	3.4	8.15	5.00	6.00	8.00	12.3	15.0	10
S11A	OUTFLOW	1978	6.00		6.00	6.00		6.00		6.00	1
S11A	OUTFLOW	1979	8.40	7.1	6.19	<4	<4	4.00	16.0	18.0	5
S11A	OUTFLOW	1980	24.1	27.1	15.4	4.00	7.00	16.0	31.0	113	17
S11A	OUTFLOW	1981	14.3	6.4	13.1	7.00	8.00	14.5	20.3	21.0	4
S11A	OUTFLOW	1982	15.3	8.5	13.3	7.00	7.50	15.0	23.3	24.0	4
S11A	OUTFLOW	1983	21.5	26.0	12.2	<4	5.00	14.0	22.0	99.0	17
S11A	OUTFLOW	1984	28.6	21.7	19.9	5.00	8.00	27.5	43.5	71.0	16
S11A	OUTFLOW	1985	49.4	34.4	36.2	<4	20.5	48.0	65.0	152	26
S11A	OUTFLOW	1986	29.0	27.5	18.2	<4	11.0	18.0	57.0	87.0	19
S11A	OUTFLOW	1987	39.6	32.6	30.2	12.0	15.0	27.5	63.5	106	10
S11A	OUTFLOW	1988	14.0	11.5	11.3	6.00	6.50	9.50	26.0	31.0	4
S11A	OUTFLOW	1989	9.60	10.0	6.65	<4	<4	6.00	17.5	27.0	5
S11A	OUTFLOW	1991	34.3	59.3	18.5	6.00	12.0	17.0	19.0	192	9
S11A	OUTFLOW	1992	19.0	15.5	14.9	7.00	8.50	10.0	34.0	44.0	5
S11A	OUTFLOW	1993	7.62	1.9	7.39	4.00	6.50	7.00	9.00	11.0	13
S11A	OUTFLOW	1994	26.0	29.7	15.3	5.00		26.0		47.0	2
S11A	OUTFLOW	1995	13.6	8.9	10.5	<4	7.00	11.5	23.3	28.0	10
S11A	OUTFLOW	1996	18.1	32.4	9.34	<4	6.25	8.00	13.8	135	16
S11A	OUTFLOW	1997	20.1	18.8	14.9	6.00	7.75	14.0	25.5	66.0	10
S11A	OUTFLOW	1998	24.6	16.0	19.2	5.00	12.5	19.0	40.1	48.0	13
S11A	OUTFLOW	1999	27.4	25.0	19.2	7.00	8.00	15.0	40.0	74.0	11
S11A	OUTFLOW	2000	28.9	41.9	18.4	9.00	11.5	14.0	18.0	160	13
S11A	OUTFLOW	2001	22.8	17.0	19.2	8.00	14.5	18.5	23.5	75.0	14
S11A	OUTFLOW	2002	23.0	19.1	17.3	7.00	9.00	14.0	36.0	66.0	15
S11B	OUTFLOW	1978	9.00	6.2	7.03	<4	<4	8.50	15.0	17.0	4
S11B	OUTFLOW	1979	18.4	12.7	15.3	6.00	10.0	13.0	27.0	43.0	7
S11B	OUTFLOW	1980	19.4	15.5	14.5	<4	7.25	14.5	25.5	57.0	20
S11B	OUTFLOW	1981	17.0	8.6	15.2	8.00	10.0	13.5	25.3	33.0	10
S11B	OUTFLOW	1982	95.2	149	50.3	23.0	29.0	33.0	90.0	429	7
S11B	OUTFLOW	1983	33.3	23.1	26.7	9.00	16.0	27.0	47.5	85.0	17
S11B	OUTFLOW	1984	37.2	21.2	29.9	6.00	19.0	36.0	58.5	71.0	17
S11B	OUTFLOW	1985	77.9	57.2	63.6	16.0	46.0	60.0	100	285	26
S11B	OUTFLOW	1986	53.1	37.5	40.9	6.00	22.8	45.0	75.3	161	20
S11B	OUTFLOW	1987	87.8	88.9	59.7	23.0	26.8	58.0	118	264	10
S11B	OUTFLOW	1988	26.3	11.3	24.5	16.0	17.5	22.5	36.8	45.0	6

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S11B	OUTFLOW	1989	59.5	44.5	44.2	9.00	28.5	45.5	101	132	6
S11B	OUTFLOW	1991	52.8	82.7	29.5	11.0	14.5	26.0	37.8	256	8
S11B	OUTFLOW	1992	38.1	27.2	29.7	7.00	24.0	28.0	53.0	93.0	11
S11B	OUTFLOW	1993	19.4	14.3	16.0	6.00	9.00	16.5	23.0	61.0	14
S11B	OUTFLOW	1994	18.0	7.1	17.3	13.0		18.0		23.0	2
S11B	OUTFLOW	1995	21.0	11.3	16.5	<4	15.0	18.5	32.5	37.0	8
S11B	OUTFLOW	1996	23.1	23.4	15.8	4.00	7.00	15.0	38.0	95.0	15
S11B	OUTFLOW	1997	18.3	15.5	14.6	6.00	8.00	13.5	22.0	59.0	10
S11B	OUTFLOW	1998	32.4	25.5	24.1	6.00	12.3	21.5	48.3	90.0	12
S11B	OUTFLOW	1999	37.7	19.4	31.8	8.00	21.0	37.0	56.0	62.0	7
S11B	OUTFLOW	2000	35.0	51.9	21.5	10.0	12.8	17.5	23.3	163	8
S11B	OUTFLOW	2001	23.7	11.8	21.4	11.0	16.3	18.0	37.8	40.0	6
S11B	OUTFLOW	2002	21.3	18.7	16.7	8.00	9.50	16.0	27.0	66.0	9
S11C	OUTFLOW	1978	11.4	1.8	11.3	9.00	9.50	12.0	13.0	13.0	5
S11C	OUTFLOW	1979	26.5	17.1	23.1	14.0	16.3	18.5	38.8	59.0	6
S11C	OUTFLOW	1980	36.6	43.3	26.4	7.00	16.3	23.5	40.3	200	18
S11C	OUTFLOW	1981	43.1	18.1	40.3	22.0	33.0	40.0	51.0	79.0	7
S11C	OUTFLOW	1982	63.4	50.6	45.4	11.0	21.0	43.0	116	132	5
S11C	OUTFLOW	1983	43.4	30.5	34.8	13.0	18.5	34.0	64.5	126	17
S11C	OUTFLOW	1984	40.2	23.5	33.8	14.0	19.0	34.5	60.8	96.0	24
S11C	OUTFLOW	1985	88.3	77.0	70.5	27.0	39.0	68.5	118	403	24
S11C	OUTFLOW	1986	58.6	41.8	46.5	11.0	29.0	44.0	79.0	166	21
S11C	OUTFLOW	1987	82.1	65.8	62.7	20.0	25.8	68.0	91.8	240	14
S11C	OUTFLOW	1988	49.5	20.6	45.5	25.0	28.0	49.0	65.8	88.0	16
S11C	OUTFLOW	1989	76.1	48.8	63.8	28.0	38.3	58.5	98.5	180	14
S11C	OUTFLOW	1990	64.4	36.7	55.2	22.0	32.8	55.5	93.5	139	12
S11C	OUTFLOW	1991	107	165	50.6	9.00	22.0	53.0	83.0	556	11
S11C	OUTFLOW	1992	41.2	19.4	37.6	16.0	28.5	35.0	53.5	97.0	17
S11C	OUTFLOW	1993	40.1	19.7	35.9	14.0	25.5	31.0	49.5	80.0	17
S11C	OUTFLOW	1994	58.9	53.6	43.2	12.0	25.0	34.0	85.0	196	11
S11C	OUTFLOW	1995	25.8	10.1	23.5	9.00	17.3	28.0	32.0	43.0	14
S11C	OUTFLOW	1996	38.7	37.1	27.8	8.00	15.5	22.0	53.5	160	18
S11C	OUTFLOW	1997	39.5	31.1	32.4	14.0	23.5	25.0	48.0	125	13
S11C	OUTFLOW	1998	43.6	26.7	37.8	19.0	25.5	37.0	50.7	109	13
S11C	OUTFLOW	1999	47.7	23.4	42.0	15.0	25.0	45.5	67.5	91.0	12
S11C	OUTFLOW	2000	59.4	54.8	44.6	16.0	28.5	40.5	66.5	199	14
S11C	OUTFLOW	2001	34.6	23.2	28.7	13.0	17.0	22.5	55.3	87.0	12
S11C	OUTFLOW	2002	30.2	19.0	25.7	10.0	17.0	23.0	36.0	77.0	15
S34	OUTFLOW	1978	8.91	2.6	8.45	<4	8.00	9.00	11.0	13.0	11
S34	OUTFLOW	1979	10.4	5.2	9.35	<4	6.75	9.00	12.3	27.0	26
S34	OUTFLOW	1980	11.3	7.3	9.63	<4	7.00	9.50	14.0	38.0	24
S34	OUTFLOW	1981	15.7	8.7	14.0	8.00	10.0	13.0	16.0	41.0	19
S34	OUTFLOW	1982	31.5	15.1	28.6	16.0	16.8	31.0	42.5	56.0	6
S34	OUTFLOW	1983	17.7	11.3	14.6	<4	11.0	15.0	24.0	50.0	15
S34	OUTFLOW	1984	17.5	3.5	17.3	15.0		17.5		20.0	2
S34	OUTFLOW	1985	51.5	27.6	47.7	32.0		51.5		71.0	2
S34	OUTFLOW	1986	63.5	55.8	38.9	8.00	11.8	67.0	112	112	4

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S34	OUTFLOW	1987	28.8	14.8	26.2	17.0	19.3	21.5	42.3	55.0	6
S34	OUTFLOW	1988	45.5	5.0	45.4	42.0		45.5		49.0	2
S34	OUTFLOW	1989	37.0		37.0	37.0		37.0		37.0	1
S34	OUTFLOW	1990	44.5	19.6	40.8	19.0	28.8	43.5	53.3	84.0	10
S34	OUTFLOW	1991	17.0	8.5	15.9	11.0		17.0		23.0	2
S34	OUTFLOW	1992	19.5	2.1	19.4	18.0		19.5		21.0	2
S34	OUTFLOW	1993	31.0	9.5	30.1	25.0	25.0	26.0	42.0	42.0	3
S34	OUTFLOW	1995	18.0	9.6	15.7	7.00	7.00	22.0	25.0	25.0	3
S34	OUTFLOW	1996	20.4	18.1	13.7	<4	7.50	14.0	34.3	60.0	10
S34	OUTFLOW	1997	23.5	16.6	20.1	12.0	12.5	18.5	27.8	62.0	8
S34	OUTFLOW	1998	17.6	5.4	16.7	8.00	15.0	17.0	21.0	27.0	15
S34	OUTFLOW	1999	21.0	16.7	16.8	7.00	9.00	17.0	22.0	61.0	15
S34	OUTFLOW	2000	16.5	6.7	15.1	7.00	10.5	19.0	22.0	27.0	17
S34	OUTFLOW	2001	20.0	13.2	17.5	9.00	12.5	16.5	21.3	60.0	14
S34	OUTFLOW	2002	17.7	8.1	16.5	8.00	14.0	16.0	19.5	42.0	13
S38	OUTFLOW	1979	5.40	3.3	4.21	<4	<4	7.00	8.00	9.00	5
S38	OUTFLOW	1980	7.83	3.0	7.31	4.00	5.00	6.00	10.8	13.0	24
S38	OUTFLOW	1981	15.4	14.0	12.1	5.00	7.50	11.0	17.5	66.0	25
S38	OUTFLOW	1982	16.4	6.2	15.2	5.00	12.5	16.5	18.0	30.0	16
S38	OUTFLOW	1983	15.0	14.4	11.5	5.00	6.00	11.0	16.0	59.0	15
S38	OUTFLOW	1984	19.8	13.2	15.5	<4	10.5	16.0	30.0	51.0	17
S38	OUTFLOW	1985	53.1	29.9	46.0	15.0	34.0	49.0	67.0	120	13
S38	OUTFLOW	1986	29.2	18.1	19.5	<4	11.0	37.0	43.5	46.0	5
S38	OUTFLOW	1987	20.6	13.7	17.7	11.0	12.0	15.0	24.0	50.0	12
S38	OUTFLOW	1988	20.2	11.3	18.1	9.00	12.0	20.0	23.0	51.0	11
S38	OUTFLOW	1989	37.4	33.6	23.3	<4	10.5	21.0	69.0	121	17
S38	OUTFLOW	1990	47.2	32.8	37.8	14.0	21.3	39.0	77.8	132	18
S38	OUTFLOW	1991	18.8	15.9	13.8	<4	11.0	14.0	21.8	63.0	14
S38	OUTFLOW	1992	15.6	7.0	14.3	7.00	10.0	14.0	21.0	31.0	11
S38	OUTFLOW	1993	13.8	10.0	11.1	4.00	6.50	11.0	18.5	34.0	10
S38	OUTFLOW	1994	13.7	5.5	12.9	8.00	10.0	12.0	16.0	27.0	11
S38	OUTFLOW	1995	8.35	3.4	7.50	<4	5.50	9.00	11.5	13.0	17
S38	OUTFLOW	1996	15.8	15.7	9.75	<4	4.00	10.0	24.0	57.0	19
S38	OUTFLOW	1997	11.4	5.1	10.0	<4	7.00	12.5	15.8	20.0	16
S38	OUTFLOW	1998	7.69	1.6	7.53	5.00	7.00	8.00	8.75	10.0	16
S38	OUTFLOW	1999	14.8	11.6	11.6	4.00	6.50	10.0	18.0	39.0	21
S38	OUTFLOW	2000	11.8	11.6	9.85	6.00	7.00	9.00	12.0	61.0	21
S38	OUTFLOW	2001	14.4	14.0	10.5	4.00	6.00	8.00	15.0	53.0	15
S38	OUTFLOW	2002	19.8	12.3	16.6	6.00	11.3	15.0	33.0	40.0	12

Table 3. Summary of annual total phosphorus concentrations ($\mu\text{g/L}$) at Water Conservation Area 3 inflow, interior marsh, and outflow monitoring stations.

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
3AE0	INFLOW	2000	82.0	39.6	77.1	54.0		82.0		110	2
3AE0	INFLOW	2001	107	67.2	94.9	55.0	65.5	87.8	138	240	6
3AE0	INFLOW	2002	61.0	21.9	57.7	31.0	49.0	54.0	74.0	100	7
3AW0	INFLOW	2000	71.5	54.5	60.2	33.0		71.5		110	2
3AW0	INFLOW	2001	67.3	18.1	65.4	48.0	50.5	63.5	86.0	89.0	5
3AW0	INFLOW	2002	57.3	24.0	53.2	29.0	39.0	49.5	72.0	100	7
C123SR84	INFLOW	1988	68.2	32.6	59.9	25.0	30.3	78.0	93.5	107	6
C123SR84	INFLOW	1989	48.0	17.5	45.1	29.0	30.3	49.5	60.3	77.0	12
C123SR84	INFLOW	1990	57.2	18.7	54.4	29.0	40.0	56.0	66.5	98.0	13
C123SR84	INFLOW	1991	45.0	26.9	38.9	18.0	26.0	38.0	62.0	112	12
C123SR84	INFLOW	1992	33.9	21.8	27.5	9.00	15.0	33.0	50.0	73.0	11
C123SR84	INFLOW	1993	17.3	8.3	15.6	7.00	10.0	17.0	22.0	36.0	11
C123SR84	INFLOW	1994	37.3	32.1	29.5	17.0	17.0	23.0	54.0	104	7
C123SR84	INFLOW	1995	78.9	84.3	54.1	16.0	24.0	51.0	90.0	262	7
C123SR84	INFLOW	1996	47.0	20.0	42.5	15.0	33.0	46.0	62.0	78.0	11
C123SR84	INFLOW	1997	40.9	24.7	34.3	13.0	18.0	36.0	59.0	90.0	10
C123SR84	INFLOW	1998	38.8	22.3	33.6	17.0	21.0	33.0	53.0	82.3	11
C123SR84	INFLOW	1999	62.5	44.0	47.0	13.0	22.0	56.0	110	133	17
C123SR84	INFLOW	2000	39.9	28.3	31.1	12.0	15.0	37.0	67.0	103	17
C123SR84	INFLOW	2001	55.8	35.7	45.7	13.0	30.0	49.0	70.0	136	17
C123SR84	INFLOW	2002	25.9	11.1	23.7	11.0	15.5	25.0	35.5	44.0	13
G123	INFLOW	1983	5.00	3.0	4.31	<4	<4	5.00	8.00	8.00	3
G123	INFLOW	1985	16.3	6.8	15.5	11.0	11.0	14.0	24.0	24.0	3
G123	INFLOW	1986	26.2	15.6	22.0	8.00	12.0	24.0	41.5	47.0	5
G123	INFLOW	1987	15.0		15.0	15.0		15.0		15.0	1
G123	INFLOW	1988	20.2	5.3	19.4	10.0	17.5	21.5	24.0	24.0	6
G123	INFLOW	1989	48.0	29.5	42.0	22.0	22.0	42.0	80.0	80.0	3
G123	INFLOW	1990	18.3	8.2	17.0	12.0	12.0	15.0	25.0	34.0	7
G123	INFLOW	1991	18.7	6.8	17.6	9.00	13.3	16.5	25.0	31.0	20
G123	INFLOW	1992	14.3	7.0	13.1	8.00	9.00	11.0	18.0	28.0	7
G123	INFLOW	1993	10.0		10.0	10.0		10.0		10.0	1
G123	INFLOW	1995	14.6	6.8	12.9	5.00	8.00	15.0	21.0	21.0	5
G123	INFLOW	1996	31.0	1.4	31.0	30.0		31.0		32.0	2
G123	INFLOW	1997	18.4	9.5	16.0	6.00	9.50	18.0	27.5	30.0	5
G123	INFLOW	1998	16.4	6.5	14.6	4.00	12.0	19.0	22.0	22.0	7
G123	INFLOW	1999	20.0	17.4	16.2	10.0	10.5	14.0	32.5	51.0	5
G123	INFLOW	2000	17.2	5.6	16.2	8.00	13.0	17.0	22.0	25.0	11
G123	INFLOW	2001	12.2	3.3	11.8	8.00	10.0	11.0	13.0	22.0	45
G123	INFLOW	2002	16.2	5.1	15.6	9.00	13.0	16.0	18.0	41.0	62
G204	INFLOW	1990	41.0	18.9	37.7	24.0	24.5	39.0	59.5	62.0	4
G204	INFLOW	1991	31.6	8.5	30.8	24.0	26.0	28.0	39.0	46.0	5
G204	INFLOW	1992	59.3	65.2	43.9	15.0	27.5	37.5	58.5	325	36
G204	INFLOW	1993	34.2	19.7	29.4	9.00	19.0	29.0	42.0	88.0	19

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
G204	INFLOW	1994	49.7	19.6	46.8	29.0	29.0	52.0	68.0	68.0	3
G204	INFLOW	1995	47.5	38.3	35.5	15.0	15.8	40.0	86.8	95.0	4
G204	INFLOW	1996	114	70.5	94.9	33.0	51.0	110	182	205	4
G204	INFLOW	1997	41.5	16.3	38.9	22.0	25.8	41.5	57.3	61.0	4
G204	INFLOW	1998	46.0	16.3	43.9	31.0	31.8	44.0	62.3	65.0	4
G204	INFLOW	1999	50.3	19.3	48.0	38.0	38.8	42.0	70.0	79.0	4
G204	INFLOW	2000	118	101	86.6	26.0	37.5	94.0	223	259	4
G204	INFLOW	2001	64.6	83.7	40.3	18.0	22.5	30.0	124	214	5
G204	INFLOW	2002	62.0	11.3	61.5	54.0		62.0		70.0	2
G205	INFLOW	1990	32.3	12.8	30.3	18.0	20.8	31.0	45.0	49.0	4
G205	INFLOW	1991	21.2	4.4	20.9	19.0	19.0	19.0	24.5	29.0	5
G205	INFLOW	1992	62.1	81.0	40.4	12.0	23.0	34.0	57.3	394	36
G205	INFLOW	1993	39.0	25.1	31.3	10.0	17.0	30.0	68.0	81.0	19
G205	INFLOW	1994	91.3	89.3	59.1	16.0	16.0	68.0	190	190	3
G205	INFLOW	1995	26.8	20.0	22.3	12.0	13.0	19.5	47.8	56.0	4
G205	INFLOW	1996	30.5	23.6	23.7	10.0	11.0	25.5	55.0	61.0	4
G205	INFLOW	1997	31.3	12.9	28.7	14.0	17.8	34.0	42.0	43.0	4
G205	INFLOW	1998	50.3	19.5	47.6	32.0	34.3	46.0	70.5	77.0	4
G205	INFLOW	1999	71.8	52.1	59.6	34.0	34.3	54.0	127	145	4
G205	INFLOW	2000	109	141	57.8	13.0	20.8	52.5	255	319	4
G205	INFLOW	2001	41.6	19.2	38.3	24.0	24.5	41.0	59.0	71.0	5
G205	INFLOW	2002	29.7	14.6	27.5	18.0	18.0	25.0	46.0	46.0	3
G206	INFLOW	1990	54.8	62.3	37.2	20.0	20.8	25.5	118	148	4
G206	INFLOW	1991	19.2	3.6	19.0	16.0	16.5	18.0	22.5	25.0	5
G206	INFLOW	1992	20.6	15.7	17.2	4.00	13.3	18.0	22.8	97.0	36
G206	INFLOW	1993	39.4	49.9	24.4	9.00	12.0	16.0	50.0	199	19
G206	INFLOW	1994	8.67	2.5	8.41	6.00	6.00	9.00	11.0	11.0	3
G206	INFLOW	1995	11.0	3.6	10.5	6.00	7.25	12.0	13.8	14.0	4
G206	INFLOW	1996	15.8	18.3	10.1	4.00	4.50	8.00	34.8	43.0	4
G206	INFLOW	1997	7.75	5.6	5.94	<4	<4	8.00	12.8	13.0	4
G206	INFLOW	1998	12.3	3.8	11.8	8.00	8.75	12.0	16.0	17.0	4
G206	INFLOW	1999	20.5	29.1	9.51	<4	<4	8.00	50.0	64.0	4
G206	INFLOW	2000	17.5	13.4	14.4	7.00	8.00	13.0	31.5	37.0	4
G206	INFLOW	2001	19.5	7.1	18.5	12.0	13.3	18.5	26.8	29.0	4
G206	INFLOW	2002	15.0	6.2	14.0	8.00	8.00	17.0	20.0	20.0	3
L3	INFLOW	1978	62.9	40.7	54.1	28.0	35.0	48.0	70.0	163	11
L3	INFLOW	1979	72.0	59.9	49.2	<4	28.8	47.5	127	252	26
L3	INFLOW	1980	110	83.1	81.5	12.0	50.3	86.5	143	307	24
L3	INFLOW	1981	57.5	45.9	45.8	16.0	31.5	43.0	73.5	194	17
L3	INFLOW	1982	17.0		17.0	17.0		17.0		17.0	1
L3	INFLOW	1983	253	225	176	28.0	112	200	294	860	16
L3	INFLOW	1984	297		297	297		297		297	1
L3	INFLOW	1985	245	305	121	32.0	38.8	109	481	807	6
L3	INFLOW	1986	104	61.0	87.9	29.0	52.0	83.0	174	211	11
L3	INFLOW	1987	123	111	93.6	24.0	53.0	95.0	158	445	12
L3	INFLOW	1988	137	103	105	21.0	62.0	104	184	373	17
L3	INFLOW	1989	71.0	63.2	53.4	17.0	31.0	41.0	94.0	271	19

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
L3	INFLOW	1990	64.5	39.8	56.6	31.0	39.5	51.0	69.0	161	13
L3	INFLOW	1991	66.8	42.9	54.8	16.0	33.3	53.5	109	141	12
L3	INFLOW	1992	67.7	18.3	65.3	40.0	52.5	66.0	82.0	97.0	9
L3	INFLOW	1993	106	82.9	86.2	38.0	59.0	64.0	144	318	11
L3	INFLOW	1994	93.6	50.5	82.2	36.0	53.0	76.0	135	188	11
L3	INFLOW	1995	154	78.6	133	44.0	92.0	124	229	288	23
L3	INFLOW	1996	105	81.4	80.3	27.0	41.3	73.0	155	295	24
L3	INFLOW	1997	156	112	117	27.0	53.0	137	221	431	18
L3	INFLOW	1998	100	49.3	88.2	28.7	58.8	93.0	130	195	21
L3	INFLOW	1999	105	67.4	85.9	34.7	46.6	79.2	161	261	24
L3	INFLOW	2000	127	79.7	107	46.7	67.6	93.8	181	338	26
L3	INFLOW	2001	108	21.3	107	79.7	85.5	122	124	125	5
S11A	INFLOW	1978	6.00		6.00	6.00		6.00		6.00	1
S11A	INFLOW	1979	8.40	7.1	6.19	<4	<4	4.00	16.0	18.0	5
S11A	INFLOW	1980	24.1	27.1	15.4	4.00	7.00	16.0	31.0	113	17
S11A	INFLOW	1981	14.3	6.4	13.1	7.00	8.00	14.5	20.3	21.0	4
S11A	INFLOW	1982	15.3	8.5	13.3	7.00	7.50	15.0	23.3	24.0	4
S11A	INFLOW	1983	21.5	26.0	12.2	<4	5.00	14.0	22.0	99.0	17
S11A	INFLOW	1984	28.6	21.7	19.9	5.00	8.00	27.5	43.5	71.0	16
S11A	INFLOW	1985	49.4	34.4	36.2	<4	20.5	48.0	65.0	152	26
S11A	INFLOW	1986	29.0	27.5	18.2	<4	11.0	18.0	57.0	87.0	19
S11A	INFLOW	1987	39.6	32.6	30.2	12.0	15.0	27.5	63.5	106	10
S11A	INFLOW	1988	14.0	11.5	11.3	6.00	6.50	9.50	26.0	31.0	4
S11A	INFLOW	1989	9.60	10.0	6.65	<4	<4	6.00	17.5	27.0	5
S11A	INFLOW	1991	34.3	59.3	18.5	6.00	12.0	17.0	19.0	192	9
S11A	INFLOW	1992	19.0	15.5	14.9	7.00	8.50	10.0	34.0	44.0	5
S11A	INFLOW	1993	7.62	1.9	7.39	4.00	6.50	7.00	9.00	11.0	13
S11A	INFLOW	1994	26.0	29.7	15.3	5.00		26.0		47.0	2
S11A	INFLOW	1995	13.6	8.9	10.5	<4	7.00	11.5	23.3	28.0	10
S11A	INFLOW	1996	18.1	32.4	9.34	<4	6.25	8.00	13.8	135	16
S11A	INFLOW	1997	20.1	18.8	14.9	6.00	7.75	14.0	25.5	66.0	10
S11A	INFLOW	1998	24.6	16.0	19.2	5.00	12.5	19.0	40.1	48.0	13
S11A	INFLOW	1999	27.4	25.0	19.2	7.00	8.00	15.0	40.0	74.0	11
S11A	INFLOW	2000	28.9	41.9	18.4	9.00	11.5	14.0	18.0	160	13
S11A	INFLOW	2001	22.8	17.0	19.2	8.00	14.5	18.5	23.5	75.0	14
S11A	INFLOW	2002	23.0	19.1	17.3	7.00	9.00	14.0	36.0	66.0	15
S11B	INFLOW	1978	9.00	6.2	7.03	<4	<4	8.50	15.0	17.0	4
S11B	INFLOW	1979	18.4	12.7	15.3	6.00	10.0	13.0	27.0	43.0	7
S11B	INFLOW	1980	19.4	15.5	14.5	<4	7.25	14.5	25.5	57.0	20
S11B	INFLOW	1981	17.0	8.6	15.2	8.00	10.0	13.5	25.3	33.0	10
S11B	INFLOW	1982	95.2	149	50.3	23.0	29.0	33.0	90.0	429	7
S11B	INFLOW	1983	33.3	23.1	26.7	9.00	16.0	27.0	47.5	85.0	17
S11B	INFLOW	1984	37.2	21.2	29.9	6.00	19.0	36.0	58.5	71.0	17
S11B	INFLOW	1985	77.9	57.2	63.6	16.0	46.0	60.0	100	285	26
S11B	INFLOW	1986	53.1	37.5	40.9	6.00	22.8	45.0	75.3	161	20
S11B	INFLOW	1987	87.8	88.9	59.7	23.0	26.8	58.0	118	264	10
S11B	INFLOW	1988	26.3	11.3	24.5	16.0	17.5	22.5	36.8	45.0	6

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S11B	INFLOW	1989	59.5	44.5	44.2	9.00	28.5	45.5	101	132	6
S11B	INFLOW	1991	52.8	82.7	29.5	11.0	14.5	26.0	37.8	256	8
S11B	INFLOW	1992	38.1	27.2	29.7	7.00	24.0	28.0	53.0	93.0	11
S11B	INFLOW	1993	19.4	14.3	16.0	6.00	9.00	16.5	23.0	61.0	14
S11B	INFLOW	1994	18.0	7.1	17.3	13.0		18.0		23.0	2
S11B	INFLOW	1995	21.0	11.3	16.5	<4	15.0	18.5	32.5	37.0	8
S11B	INFLOW	1996	23.1	23.4	15.8	4.00	7.00	15.0	38.0	95.0	15
S11B	INFLOW	1997	18.3	15.5	14.6	6.00	8.00	13.5	22.0	59.0	10
S11B	INFLOW	1998	32.4	25.5	24.1	6.00	12.3	21.5	48.3	90.0	12
S11B	INFLOW	1999	37.7	19.4	31.8	8.00	21.0	37.0	56.0	62.0	7
S11B	INFLOW	2000	35.0	51.9	21.5	10.0	12.8	17.5	23.3	163	8
S11B	INFLOW	2001	23.7	11.8	21.4	11.0	16.3	18.0	37.8	40.0	6
S11B	INFLOW	2002	21.3	18.7	16.7	8.00	9.50	16.0	27.0	66.0	9
S11C	INFLOW	1978	11.4	1.8	11.3	9.00	9.50	12.0	13.0	13.0	5
S11C	INFLOW	1979	26.5	17.1	23.1	14.0	16.3	18.5	38.8	59.0	6
S11C	INFLOW	1980	36.6	43.3	26.4	7.00	16.3	23.5	40.3	200	18
S11C	INFLOW	1981	43.1	18.1	40.3	22.0	33.0	40.0	51.0	79.0	7
S11C	INFLOW	1982	63.4	50.6	45.4	11.0	21.0	43.0	116	132	5
S11C	INFLOW	1983	43.4	30.5	34.8	13.0	18.5	34.0	64.5	126	17
S11C	INFLOW	1984	40.2	23.5	33.8	14.0	19.0	34.5	60.8	96.0	24
S11C	INFLOW	1985	88.3	77.0	70.5	27.0	39.0	68.5	118	403	24
S11C	INFLOW	1986	58.6	41.8	46.5	11.0	29.0	44.0	79.0	166	21
S11C	INFLOW	1987	82.1	65.8	62.7	20.0	25.8	68.0	91.8	240	14
S11C	INFLOW	1988	49.5	20.6	45.5	25.0	28.0	49.0	65.8	88.0	16
S11C	INFLOW	1989	76.1	48.8	63.8	28.0	38.3	58.5	98.5	180	14
S11C	INFLOW	1990	64.4	36.7	55.2	22.0	32.8	55.5	93.5	139	12
S11C	INFLOW	1991	107	165	50.6	9.00	22.0	53.0	83.0	556	11
S11C	INFLOW	1992	41.2	19.4	37.6	16.0	28.5	35.0	53.5	97.0	17
S11C	INFLOW	1993	40.1	19.7	35.9	14.0	25.5	31.0	49.5	80.0	17
S11C	INFLOW	1994	58.9	53.6	43.2	12.0	25.0	34.0	85.0	196	11
S11C	INFLOW	1995	25.8	10.1	23.5	9.00	17.3	28.0	32.0	43.0	14
S11C	INFLOW	1996	38.7	37.1	27.8	8.00	15.5	22.0	53.5	160	18
S11C	INFLOW	1997	39.5	31.1	32.4	14.0	23.5	25.0	48.0	125	13
S11C	INFLOW	1998	43.6	26.7	37.8	19.0	25.5	37.0	50.7	109	13
S11C	INFLOW	1999	47.7	23.4	42.0	15.0	25.0	45.5	67.5	91.0	12
S11C	INFLOW	2000	59.4	54.8	44.6	16.0	28.5	40.5	66.5	199	14
S11C	INFLOW	2001	34.6	23.2	28.7	13.0	17.0	22.5	55.3	87.0	12
S11C	INFLOW	2002	30.2	19.0	25.7	10.0	17.0	23.0	36.0	77.0	15
S140	INFLOW	1978	36.1	23.7	30.8	13.0	21.0	35.0	44.0	99.0	11
S140	INFLOW	1979	64.2	49.3	52.3	22.0	35.8	41.0	68.3	224	26
S140	INFLOW	1980	80.6	71.7	58.6	11.0	38.3	56.0	104	288	24
S140	INFLOW	1981	36.6	25.1	30.9	10.0	22.0	27.0	46.5	119	21
S140	INFLOW	1982	69.9	38.4	60.6	16.0	53.8	61.0	79.0	151	10
S140	INFLOW	1983	145	157	95.6	24.0	47.5	70.5	184	688	22
S140	INFLOW	1984	80.6	53.2	69.4	27.0	48.0	69.0	87.0	264	23
S140	INFLOW	1985	151	141	108	43.0	57.3	87.5	220	542	16
S140	INFLOW	1986	92.5	56.5	83.1	44.0	63.5	80.0	106	295	17

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S140	INFLOW	1987	87.2	62.2	75.4	39.0	54.5	68.0	90.8	325	22
S140	INFLOW	1988	61.7	37.4	53.0	22.0	35.8	51.5	74.3	147	22
S140	INFLOW	1989	66.6	76.9	45.6	8.00	23.0	46.0	77.0	356	19
S140	INFLOW	1990	35.6	25.5	29.4	11.0	16.3	31.0	42.5	108	16
S140	INFLOW	1991	31.3	15.9	27.9	9.00	22.0	30.0	33.0	72.0	15
S140	INFLOW	1992	33.7	10.1	32.0	15.0	25.0	35.0	43.5	49.0	17
S140	INFLOW	1993	29.3	14.8	26.6	14.0	18.8	23.0	40.0	68.0	14
S140	INFLOW	1994	36.1	19.4	32.7	16.0	23.3	35.0	38.8	92.0	12
S140	INFLOW	1995	33.6	13.9	31.1	16.0	22.8	30.0	41.5	64.0	22
S140	INFLOW	1996	29.4	16.9	24.3	4.00	14.5	26.0	45.0	70.0	25
S140	INFLOW	1997	41.5	22.6	37.2	18.0	27.0	36.0	48.0	113	19
S140	INFLOW	1998	36.1	7.7	35.3	25.0	30.5	35.0	42.0	53.0	17
S140	INFLOW	1999	44.3	20.6	39.2	15.0	23.0	47.0	68.0	77.0	15
S140	INFLOW	2000	59.8	62.6	46.2	21.0	28.0	42.0	64.0	298	19
S140	INFLOW	2001	51.4	53.5	39.6	18.0	24.3	36.0	50.0	289	48
S140	INFLOW	2002	48.5	54.3	39.5	19.0	28.8	33.0	51.1	408	54
S142	INFLOW	1982	23.8	16.3	19.7	12.0	12.0	12.0	41.5	44.0	5
S142	INFLOW	1983	14.4	8.7	11.9	5.00	5.50	16.0	22.5	25.0	5
S142	INFLOW	1985	19.0	14.7	15.8	10.0	10.0	11.0	36.0	36.0	3
S142	INFLOW	1986	38.3	21.0	34.2	18.0	18.0	37.0	60.0	60.0	3
S142	INFLOW	1998	21.8	5.7	21.1	16.0	17.0	20.0	26.8	33.0	12
S142	INFLOW	1999	23.3	12.8	20.7	10.0	13.5	18.0	29.5	55.0	17
S142	INFLOW	2000	28.1	21.0	23.8	11.0	17.0	19.5	33.5	97.0	16
S142	INFLOW	2001	28.4	18.2	24.8	12.0	15.5	24.0	35.3	94.0	20
S142	INFLOW	2002	23.1	7.5	21.9	10.0	19.0	20.0	27.0	38.0	15
S150	INFLOW	1978	41.6	37.2	31.1	16.0	17.0	24.0	59.0	125	11
S150	INFLOW	1979	49.9	32.2	40.5	8.00	26.8	49.5	58.8	160	26
S150	INFLOW	1980	50.7	39.2	38.9	9.00	20.0	37.0	62.0	130	23
S150	INFLOW	1981	60.3	52.0	45.9	17.0	21.5	50.0	70.5	202	21
S150	INFLOW	1982	84.0	40.4	77.5	47.0	52.3	74.0	126	141	4
S150	INFLOW	1983	36.5	10.6	35.1	22.0	28.3	33.5	48.8	51.0	8
S150	INFLOW	1984	66.6	15.3	65.3	51.0	56.5	62.0	79.0	92.0	5
S150	INFLOW	1985	73.7	31.7	66.3	21.0	42.0	72.0	93.0	136	23
S150	INFLOW	1986	76.8	42.4	64.9	22.0	34.3	77.0	109	153	14
S150	INFLOW	1988	104	10.7	104	95.0	95.0	102	116	116	3
S150	INFLOW	1989	85.2	10.4	84.7	69.0	76.0	88.0	93.0	97.0	5
S150	INFLOW	1990	89.6	41.8	80.3	29.0	59.3	85.0	117	186	16
S150	INFLOW	1991	79.2	32.5	73.6	38.0	55.0	65.0	105	144	12
S150	INFLOW	1992	54.5	40.7	42.5	10.0	24.8	48.5	63.3	158	14
S150	INFLOW	1993	36.0	13.5	33.8	21.0	25.5	30.0	47.0	60.0	13
S150	INFLOW	1994	35.8	20.8	29.9	10.0	15.8	37.5	45.8	75.0	8
S150	INFLOW	1995	38.3	28.8	30.3	11.0	17.5	25.0	65.0	103	12
S150	INFLOW	1996	55.6	27.2	47.4	12.0	26.3	58.5	82.3	96.0	22
S150	INFLOW	1997	44.7	22.0	40.0	8.00	28.3	41.5	56.0	128	40
S150	INFLOW	1998	85.2	152	47.6	12.0	28.0	42.5	69.0	679	18
S150	INFLOW	1999	46.6	23.9	40.3	12.0	27.0	41.5	64.8	111	36
S150	INFLOW	2000	57.4	32.7	48.8	13.0	31.0	49.5	75.3	150	30

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S150	INFLOW	2001	34.8	14.8	31.7	17.0	19.0	35.5	49.0	57.0	15
S150	INFLOW	2002	23.4	8.9	22.1	14.0	17.0	21.0	28.5	41.0	13
S151	INFLOW	1978	11.1	8.5	9.07	5.00	6.00	7.00	14.0	32.0	11
S151	INFLOW	1979	17.9	14.2	14.2	5.00	8.00	12.0	21.3	63.0	26
S151	INFLOW	1980	19.5	17.9	15.0	5.00	9.25	13.5	20.5	86.0	24
S151	INFLOW	1981	21.3	13.3	18.5	8.00	12.0	16.5	26.8	62.0	22
S151	INFLOW	1982	47.6	25.7	42.5	22.0	30.0	36.0	69.0	95.0	7
S151	INFLOW	1983	14.9	10.2	13.0	7.00	9.00	12.0	16.5	49.0	16
S151	INFLOW	1984	17.7	8.9	16.1	10.0	12.0	14.0	23.5	36.0	9
S151	INFLOW	1985	62.7	50.3	46.9	11.0	25.5	54.0	89.0	171	9
S151	INFLOW	1986	39.8	38.7	26.1	7.00	11.5	24.0	63.0	122	9
S151	INFLOW	1987	23.5	23.8	18.6	11.0	14.0	16.0	24.0	94.0	11
S151	INFLOW	1988	34.9	27.7	29.2	14.0	19.8	27.0	39.0	110	10
S151	INFLOW	1989	44.4	25.7	37.0	10.0	23.0	39.0	68.3	87.0	14
S151	INFLOW	1990	63.4	30.4	53.4	9.00	53.0	63.5	72.3	118	14
S151	INFLOW	1991	45.9	45.1	33.3	10.0	20.0	30.0	59.0	166	15
S151	INFLOW	1992	24.3	13.1	21.4	10.0	14.0	18.0	35.0	51.0	15
S151	INFLOW	1993	17.1	12.7	14.0	6.00	9.00	12.0	22.5	52.0	18
S151	INFLOW	1994	15.6	5.0	14.9	9.00	12.5	14.5	18.8	28.0	12
S151	INFLOW	1995	14.0	13.7	11.2	<4	9.00	10.0	14.0	80.0	30
S151	INFLOW	1996	11.1	6.6	9.36	<4	6.75	10.0	13.3	30.0	18
S151	INFLOW	1997	12.2	5.3	11.4	7.00	8.75	10.5	14.3	26.0	14
S151	INFLOW	1998	13.7	5.3	13.0	8.00	10.0	13.0	15.0	28.0	15
S151	INFLOW	1999	33.2	34.1	23.5	7.00	13.0	20.5	41.0	146	18
S151	INFLOW	2000	24.0	19.7	18.8	8.00	12.0	15.0	30.0	72.0	15
S151	INFLOW	2001	27.4	14.1	24.7	14.0	16.0	22.0	34.0	68.0	19
S151	INFLOW	2002	17.8	10.3	16.0	9.00	13.0	14.0	20.0	52.0	16
S190	INFLOW	1987	34.0		34.0	34.0		34.0		34.0	1
S190	INFLOW	1988	76.3	37.0	68.5	33.0	47.0	63.0	100	145	11
S190	INFLOW	1989	78.3	61.8	59.1	18.0	29.5	51.0	118	213	13
S190	INFLOW	1990	71.5	79.0	46.1	17.0	20.5	41.0	106	275	13
S190	INFLOW	1991	35.8	33.7	27.9	11.0	18.8	22.5	46.3	134	12
S190	INFLOW	1992	97.9	68.8	77.6	31.0	37.5	79.5	177	210	10
S190	INFLOW	1993	73.1	33.9	66.1	28.0	45.0	69.5	93.0	140	10
S190	INFLOW	1994	64.9	45.4	54.8	28.0	34.5	51.0	83.5	177	12
S190	INFLOW	1995	94.8	67.6	77.9	35.0	47.5	60.0	116	279	21
S190	INFLOW	1996	64.3	51.1	51.4	19.0	30.0	44.5	85.5	210	26
S190	INFLOW	1997	79.7	56.4	64.1	20.0	44.0	55.0	116	244	19
S190	INFLOW	1998	77.5	42.5	67.9	25.0	49.0	59.0	110	177	13
S190	INFLOW	1999	54.7	34.7	46.2	19.0	29.5	43.5	73.0	139	14
S190	INFLOW	2000	71.2	43.5	61.4	34.0	39.3	50.0	93.0	179	18
S190	INFLOW	2001	50.3	53.6	38.8	19.0	27.0	33.0	40.0	254	48
S190	INFLOW	2002	54.3	31.1	47.9	23.0	32.8	42.0	66.5	186	66
S8	INFLOW	1978	40.7	23.9	35.5	19.0	23.0	30.0	62.0	91.0	11
S8	INFLOW	1979	52.4	37.9	43.6	13.0	31.5	38.0	52.4	183	42
S8	INFLOW	1980	40.5	27.3	34.0	10.0	21.8	33.0	51.6	150	38
S8	INFLOW	1981	42.9	34.4	34.6	11.0	24.5	32.5	48.5	175	24

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S8	INFLOW	1982	44.0	25.6	37.8	18.0	20.3	43.0	64.3	90.0	8
S8	INFLOW	1983	217	152	176	58.0	109	153	321	685	38
S8	INFLOW	1984	158	105	134	42.0	82.0	155	186	603	30
S8	INFLOW	1985	170	142	121	28.0	63.0	113	225	451	19
S8	INFLOW	1986	143	91.9	122	36.0	83.8	127	159	428	20
S8	INFLOW	1987	160	177	114	47.0	59.0	103	196	933	31
S8	INFLOW	1988	104	56.3	90.8	37.0	59.0	80.0	150	233	25
S8	INFLOW	1989	87.5	48.5	76.2	33.0	52.3	70.5	130	206	22
S8	INFLOW	1990	79.7	66.0	65.8	30.0	45.0	57.0	86.0	315	23
S8	INFLOW	1991	98.3	87.9	76.5	32.0	46.0	68.0	130	418	21
S8	INFLOW	1992	80.2	33.7	74.1	28.0	61.0	76.0	90.0	191	26
S8	INFLOW	1993	96.7	56.0	81.9	13.0	63.5	94.0	122	277	45
S8	INFLOW	1994	77.3	57.0	61.0	20.0	40.0	59.0	84.0	209	23
S8	INFLOW	1995	101	64.7	84.5	32.0	54.0	73.5	135	371	56
S8	INFLOW	1996	78.1	43.5	65.9	24.0	37.3	70.0	121	169	48
S8	INFLOW	1997	72.0	34.8	64.4	28.0	41.9	65.3	97.5	168	42
S8	INFLOW	1998	50.6	23.2	46.3	22.0	34.5	45.5	61.0	123	46
S8	INFLOW	1999	66.6	35.8	58.2	20.0	36.3	60.0	87.1	213	60
S8	INFLOW	2000	87.2	48.2	76.8	25.0	53.0	79.5	110	307	70
S8	INFLOW	2001	82.8	161	60.3	25.0	45.1	56.5	75.8	1286	60
S8	INFLOW	2002	47.5	40.3	39.6	17.0	26.0	39.0	47.0	285	59
S9	INFLOW	1978	9.55	2.8	9.18	6.00	7.00	11.0	11.0	15.0	11
S9	INFLOW	1979	12.3	6.5	10.5	<4	8.50	11.0	15.0	31.0	25
S9	INFLOW	1980	13.6	9.5	11.8	5.00	9.00	11.0	13.8	49.0	22
S9	INFLOW	1981	11.5	3.0	11.0	5.00	9.00	11.0	14.0	16.0	19
S9	INFLOW	1982	20.2	25.8	14.3	<4	9.50	14.0	18.5	120	18
S9	INFLOW	1983	22.7	20.7	17.2	6.00	11.0	13.0	34.0	96.0	22
S9	INFLOW	1984	18.7	9.1	17.2	12.0	14.0	15.0	18.8	47.0	20
S9	INFLOW	1985	31.5	44.0	18.3	<4	10.0	18.0	32.5	172	13
S9	INFLOW	1986	20.1	18.3	16.0	8.00	10.0	14.0	17.0	83.0	19
S9	INFLOW	1987	20.2	8.3	18.8	10.0	13.5	17.0	25.0	40.0	21
S9	INFLOW	1988	21.6	15.9	19.0	11.0	14.5	18.0	21.0	81.0	17
S9	INFLOW	1989	16.5	9.4	14.3	<4	12.0	15.0	18.0	48.0	19
S9	INFLOW	1990	30.8	23.8	25.7	14.0	16.3	22.5	32.0	105	16
S9	INFLOW	1991	16.3	7.6	14.9	5.00	11.8	16.5	18.3	41.0	18
S9	INFLOW	1992	15.0	5.9	14.1	8.00	12.0	13.0	18.0	35.0	19
S9	INFLOW	1993	14.7	8.6	12.7	<4	11.5	13.0	15.0	44.0	17
S9	INFLOW	1994	11.9	4.4	11.1	5.00	9.00	11.0	15.0	19.0	11
S9	INFLOW	1995	11.9	5.4	10.4	<4	8.50	11.0	16.0	21.0	13
S9	INFLOW	1996	11.5	5.2	10.6	5.00	8.00	10.0	13.0	26.0	17
S9	INFLOW	1997	13.4	6.8	12.0	4.00	9.00	14.0	16.5	37.0	21
S9	INFLOW	1998	15.1	5.6	14.0	<4	11.9	13.7	17.3	32.5	46
S9	INFLOW	1999	16.1	8.0	15.1	10.0	12.1	14.5	16.4	66.0	52
S9	INFLOW	2000	18.2	11.2	16.3	4.00	12.8	15.5	18.0	74.0	49
S9	INFLOW	2001	19.0	18.9	16.3	10.0	13.0	14.0	17.5	140	50
S9	INFLOW	2002	17.5	11.3	15.7	9.00	12.0	14.5	18.0	73.0	51

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
3AE05	INTERIOR	2000	133	38.5	130	106		133		160	2
3AE05	INTERIOR	2001	150		150	150		150		150	1
3AE05	INTERIOR	2002	60.0	21.2	56.6	29.0	47.0	57.5	75.8	93.0	6
3AE10	INTERIOR	2000	74.0	4.2	73.9	71.0		74.0		77.0	2
3AE10	INTERIOR	2002	34.5	17.8	30.1	10.0	21.3	35.0	44.5	64.0	6
3AE15	INTERIOR	2000	20.0	4.4	19.7	17.0	17.0	18.0	25.0	25.0	3
3AE15	INTERIOR	2001	70.0		70.0	70.0		70.0		70.0	1
3AE15	INTERIOR	2002	23.0	10.5	21.1	13.0	13.0	20.5	33.8	39.0	6
3AE20	INTERIOR	2000	8.50	2.1	8.30	6.00	6.50	8.50	10.5	11.0	4
3AE20	INTERIOR	2001	9.38	2.1	9.17	6.50	7.13	10.0	11.0	11.0	4
3AE20	INTERIOR	2002	6.67	2.4	6.36	5.00	5.00	5.50	8.75	11.0	6
3AE40	INTERIOR	2000	10.8	14.4	5.47	<4	<4	4.50	25.8	32.0	4
3AE40	INTERIOR	2001	8.83	2.4	8.64	7.00	7.00	8.00	11.5	11.5	3
3AE40	INTERIOR	2002	5.00	2.1	4.57	<4	<4	5.25	6.50	8.00	6
3ANMESO	INTERIOR	2000	11.3	15.2	6.07	<4	<4	4.50	26.8	34.0	4
3ANMESO	INTERIOR	2001	8.42	8.6	6.05	<4	<4	5.50	12.4	25.5	6
3ANMESO	INTERIOR	2002	<4	1.2	<4	<4	<4	4.00	4.25	5.00	6
3ASMESO	INTERIOR	2000	5.25	4.0	4.09	<4	<4	4.50	9.25	10.0	4
3ASMESO	INTERIOR	2001	5.83	1.5	5.68	4.00	4.75	5.50	7.25	8.00	6
3ASMESO	INTERIOR	2002	<4	1.2	<4	<4	<4	4.25	5.00	5.00	6
3AW05	INTERIOR	2002	65.5	29.3	61.0	40.0	44.5	56.5	85.5	120	6
3AW10	INTERIOR	2000	84.0	22.6	82.5	68.0		84.0		100	2
3AW10	INTERIOR	2002	40.2	14.2	37.6	17.0	29.8	42.0	49.5	60.0	6
3AW15	INTERIOR	2000	24.8	17.3	21.5	12.5		24.8		37.0	2
3AW15	INTERIOR	2001	32.0		32.0	32.0		32.0		32.0	1
3AW15	INTERIOR	2002	26.3	17.9	23.0	15.0	15.8	19.5	35.0	62.0	6
3AW20	INTERIOR	2000	16.0	6.2	15.1	9.00	10.5	15.5	22.0	24.0	4
3AW20	INTERIOR	2001	20.0		20.0	20.0		20.0		20.0	1
3AW20	INTERIOR	2002	14.7	3.1	14.4	10.0	12.3	14.5	18.0	18.0	6
3AW30	INTERIOR	2000	6.50	0.7	6.48	6.00		6.50		7.00	2
3AW40	INTERIOR	2000	7.25	4.5	6.47	5.00	5.00	5.00	11.8	14.0	4
3AW40	INTERIOR	2001	13.8	10.0	11.4	5.00	6.25	11.0	24.0	28.0	4
3AW40	INTERIOR	2002	6.75	2.7	6.05	<4	4.25	8.00	8.63	9.00	6
3B-2	INTERIOR	1983	9.00	4.3	7.77	<4	5.50	9.50	12.0	15.0	8
3B-2	INTERIOR	1984	34.2	51.5	17.5	7.00	8.00	12.0	71.5	126	5
3B-3	INTERIOR	1983	8.50	4.2	7.61	4.00	5.00	7.00	12.8	15.0	8
3B-3	INTERIOR	1984	6.60	3.4	5.66	<4	<4	9.00	9.00	9.00	5
3B-5	INTERIOR	1983	7.63	4.4	6.18	<4	<4	8.00	11.5	14.0	8
3B-5	INTERIOR	1984	6.40	2.5	6.03	4.00	4.50	5.00	9.00	10.0	5
3B-6	INTERIOR	1983	6.00	3.6	5.04	<4	<4	6.00	9.00	12.0	8
3B-6	INTERIOR	1984	7.50	4.0	6.26	<4	<4	8.50	10.8	11.0	4
3B-7	INTERIOR	1983	6.38	5.4	4.47	<4	<4	<4	12.5	14.0	8
3B-7	INTERIOR	1984	4.60	2.8	<4	<4	<4	4.00	7.50	8.00	5
A-E1	INTERIOR	1984	96.0		96.0	96.0		96.0		96.0	1
A-E10	INTERIOR	1984	7.00		7.00	7.00		7.00		7.00	1
A-E2	INTERIOR	1984	105		105	105		105		105	1
A-E2	INTERIOR	1985	364	105	356	290		364		438	2

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
A-E2	INTERIOR	1986	12.0		12.0	12.0		12.0		12.0	1
A-E3	INTERIOR	1984	194		194	194		194		194	1
A-E3	INTERIOR	1985	115	92.6	93.9	49.0		115		180	2
A-E3	INTERIOR	1986	29.0		29.0	29.0		29.0		29.0	1
A-E4	INTERIOR	1984	86.0		86.0	86.0		86.0		86.0	1
A-E4	INTERIOR	1985	171	73.5	163	119		171		223	2
A-E5	INTERIOR	1984	46.0		46.0	46.0		46.0		46.0	1
A-E5	INTERIOR	1986	16.0		16.0	16.0		16.0		16.0	1
A-E6	INTERIOR	1984	20.0		20.0	20.0		20.0		20.0	1
A-E6	INTERIOR	1985	22.0	1.4	22.0	21.0		22.0		23.0	2
A-E6	INTERIOR	1986	11.0		11.0	11.0		11.0		11.0	1
A-E7	INTERIOR	1984	22.0		22.0	22.0		22.0		22.0	1
A-E7	INTERIOR	1985	13.5	0.7	13.5	13.0		13.5		14.0	2
A-E7	INTERIOR	1986	<4		<4	<4		<4		<4	1
A-E8	INTERIOR	1984	40.0		40.0	40.0		40.0		40.0	1
A-E8	INTERIOR	1985	17.0		17.0	17.0		17.0		17.0	1
A-E8	INTERIOR	1986	10.0		10.0	10.0		10.0		10.0	1
A-E9	INTERIOR	1984	6.00		6.00	6.00		6.00		6.00	1
A-E9	INTERIOR	1986	<4		<4	<4		<4		<4	1
A-W1	INTERIOR	1984	139		139	139		139		139	1
A-W1	INTERIOR	1985	197	21.2	196	182		197		212	2
A-W1	INTERIOR	1986	17.0		17.0	17.0		17.0		17.0	1
A-W10	INTERIOR	1984	11.0		11.0	11.0		11.0		11.0	1
AW-11	INTERIOR	1986	11.0		11.0	11.0		11.0		11.0	1
A-W2	INTERIOR	1984	172		172	172		172		172	1
A-W2	INTERIOR	1985	66.0		66.0	66.0		66.0		66.0	1
A-W2	INTERIOR	1986	12.0		12.0	12.0		12.0		12.0	1
A-W3	INTERIOR	1984	206		206	206		206		206	1
A-W3	INTERIOR	1985	58.0	1.4	58.0	57.0		58.0		59.0	2
A-W3	INTERIOR	1986	12.0		12.0	12.0		12.0		12.0	1
A-W4	INTERIOR	1984	52.0		52.0	52.0		52.0		52.0	1
A-W4	INTERIOR	1985	87.5	31.8	84.6	65.0		87.5		110	2
A-W5	INTERIOR	1984	13.0		13.0	13.0		13.0		13.0	1
A-W5	INTERIOR	1985	89.8	22.3	88.4	74.0		89.8		106	2
A-W5	INTERIOR	1986	12.0		12.0	12.0		12.0		12.0	1
A-W6	INTERIOR	1984	13.0		13.0	13.0		13.0		13.0	1
A-W6	INTERIOR	1985	13.5	5.0	13.0	10.0		13.5		17.0	2
A-W6	INTERIOR	1986	<4		<4	<4		<4		<4	1
A-W7	INTERIOR	1984	13.0		13.0	13.0		13.0		13.0	1
A-W7	INTERIOR	1985	14.5	2.1	14.4	13.0		14.5		16.0	2
A-W7	INTERIOR	1986	<4		<4	<4		<4		<4	1
A-W8	INTERIOR	1984	8.00		8.00	8.00		8.00		8.00	1
A-W8	INTERIOR	1986	5.00		5.00	5.00		5.00		5.00	1
A-W9	INTERIOR	1984	13.0		13.0	13.0		13.0		13.0	1
BE-1	INTERIOR	1983	16.0		16.0	16.0		16.0		16.0	1
BE-2	INTERIOR	1983	14.0		14.0	14.0		14.0		14.0	1
BE-3	INTERIOR	1983	14.0		14.0	14.0		14.0		14.0	1

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
BW-1	INTERIOR	1983	51.0		51.0	51.0		51.0		51.0	1
BW-2	INTERIOR	1983	17.0		17.0	17.0		17.0		17.0	1
BW-3	INTERIOR	1983	15.0		15.0	15.0		15.0		15.0	1
C-1	INTERIOR	1979	31.9	25.4	24.4	6.00	15.8	25.5	41.0	87.0	8
C-1	INTERIOR	1980	26.0		26.0	26.0		26.0		26.0	1
C-1	INTERIOR	1983	142	80.6	130	85.0		142		199	2
C-1	INTERIOR	1984	146	27.6	144	126		146		165	2
C-1	INTERIOR	1987	51.0	9.9	50.5	44.0		51.0		58.0	2
C-2	INTERIOR	1979	15.3	7.9	13.2	5.00	7.50	16.0	22.3	24.0	4
C-2	INTERIOR	1981	9.00	1.0	8.96	8.00	8.00	9.00	10.0	10.0	3
C-2	INTERIOR	1982	15.5	5.0	15.1	12.0		15.5		19.0	2
C-2	INTERIOR	1983	9.40	2.4	9.13	6.00	7.00	10.0	11.5	12.0	5
C-2	INTERIOR	1984	8.33	1.2	8.28	7.00	7.00	9.00	9.00	9.00	3
C-2	INTERIOR	1987	26.0	5.7	25.7	22.0		26.0		30.0	2
C-3A	INTERIOR	1979	17.8	11.2	13.4	<4	6.50	19.0	27.8	30.0	4
C-3A	INTERIOR	1980	11.0		11.0	11.0		11.0		11.0	1
C-3A	INTERIOR	1981	21.0		21.0	21.0		21.0		21.0	1
C-3B	INTERIOR	1979	5.00	3.4	<4	<4	<4	5.00	8.00	10.0	5
C-3B	INTERIOR	1980	11.0	9.6	8.51	4.00	4.00	7.00	22.0	22.0	3
C-3B	INTERIOR	1981	14.8	14.8	9.93	<4	8.00	9.00	16.5	52.0	9
C-3B	INTERIOR	1982	6.75	3.0	6.31	4.00	4.50	6.00	9.75	11.0	4
C-4	INTERIOR	1979	26.0	41.5	8.21	<4	<4	5.00	51.5	108	9
C-4	INTERIOR	1980	7.33	4.2	6.60	4.00	4.00	6.00	12.0	12.0	3
C-4	INTERIOR	1981	8.40	6.4	6.55	<4	<4	6.00	12.5	23.0	10
C-4	INTERIOR	1982	7.50	4.4	6.16	<4	<4	8.00	11.5	12.0	4
C-4	INTERIOR	1983	8.89	4.4	8.06	5.00	6.00	6.00	14.5	15.0	9
C-4	INTERIOR	1984	30.4	55.1	13.4	5.00	5.00	11.0	15.0	155	7
C-4	INTERIOR	1993	9.00		9.00	9.00		9.00		9.00	1
C-5	INTERIOR	1979	5.00	5.4	<4	<4	<4	<4	9.00	15.0	9
C-5	INTERIOR	1980	5.20	5.6	<4	<4	<4	<4	9.50	15.0	5
C-6	INTERIOR	1979	4.33	2.8	<4	<4	<4	4.00	6.50	9.00	9
C-6	INTERIOR	1980	<4	1.7	<4	<4	<4	<4	5.50	6.00	4
C-6	INTERIOR	1992	21.5		21.5	21.5		21.5		21.5	1
C-6	INTERIOR	1993	8.00		8.00	8.00		8.00		8.00	1
C-7	INTERIOR	1979	10.8	6.7	8.70	<4	5.75	10.5	15.3	22.0	6
C-7	INTERIOR	1980	30.0		30.0	30.0		30.0		30.0	1
C-8	INTERIOR	1979	39.3	21.6	34.1	15.0	15.0	47.0	56.0	56.0	3
C-9	INTERIOR	1979	5.00	3.2	<4	<4	<4	5.00	8.00	9.00	5
C-9	INTERIOR	1980	5.40	3.8	4.64	<4	<4	4.00	8.50	12.0	5
CA3-1	INTERIOR	1979	17.2	8.6	15.6	9.00	10.5	13.0	26.0	30.0	5
CA3-1	INTERIOR	1980	33.0	36.1	20.6	7.00	7.75	20.0	71.3	85.0	4
CA3-1	INTERIOR	1981	13.3	2.9	13.1	10.0	10.0	15.0	15.0	15.0	3
CA3-1	INTERIOR	1983	37.0		37.0	37.0		37.0		37.0	1
CA3-1	INTERIOR	1984	14.0		14.0	14.0		14.0		14.0	1
CA3-10	INTERIOR	1979	13.8	11.4	9.89	<4	4.00	10.0	25.5	30.0	5
CA3-10	INTERIOR	1980	10.8	6.8	9.30	4.00	6.00	9.00	16.5	22.0	5
CA3-10	INTERIOR	1981	18.0	3.5	17.8	15.0	15.5	17.0	21.5	23.0	4

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
CA3-10	INTERIOR	1984	<4		<4	<4		<4		<4	1
CA311	INTERIOR	1995	6.44	2.5	6.02	<4	4.75	5.50	8.25	12.0	18
CA311	INTERIOR	1996	4.95	2.3	4.43	<4	<4	5.00	6.00	10.0	22
CA311	INTERIOR	1997	5.28	3.5	4.68	<4	4.00	4.00	6.00	20.0	25
CA311	INTERIOR	1998	4.23	1.9	<4	<4	<4	4.00	5.25	8.00	22
CA311	INTERIOR	1999	4.10	2.0	<4	<4	<4	4.00	6.00	9.00	21
CA311	INTERIOR	2000	7.39	7.1	5.86	<4	4.00	5.50	8.00	36.0	22
CA311	INTERIOR	2001	7.72	2.4	7.39	5.00	5.75	7.50	9.25	13.0	18
CA311	INTERIOR	2002	5.50	2.3	5.10	<4	4.00	5.00	7.00	12.0	23
CA3-11	INTERIOR	1979	43.6	50.8	17.4	<4	<4	14.0	98.5	108	5
CA3-11	INTERIOR	1980	7.00	3.8	5.89	<4	<4	8.00	10.0	10.0	4
CA3-11	INTERIOR	1981	6.00	2.9	5.24	<4	<4	6.50	8.50	9.00	4
CA3-11	INTERIOR	1984	<4		<4	<4		<4		<4	1
CA3-12	INTERIOR	1979	14.0	13.7	10.4	5.00	5.50	9.00	25.0	38.0	5
CA3-12	INTERIOR	1980	7.40	3.4	6.84	4.00	5.00	6.00	10.5	13.0	5
CA3-12	INTERIOR	1981	11.8	4.8	11.1	8.00	8.00	10.5	16.8	18.0	4
CA3-12	INTERIOR	1982	6.00		6.00	6.00		6.00		6.00	1
CA3-12	INTERIOR	1984	9.00		9.00	9.00		9.00		9.00	1
CA3-13	INTERIOR	1979	7.00	5.7	5.33	<4	<4	5.00	12.5	16.0	5
CA3-13	INTERIOR	1980	6.40	3.2	5.91	4.00	4.50	5.00	9.00	12.0	5
CA3-13	INTERIOR	1981	7.25	3.0	6.78	4.00	4.50	7.00	10.3	11.0	4
CA3-13	INTERIOR	1982	4.00		<4	4.00		4.00		4.00	1
CA3-13	INTERIOR	1984	<4		<4	<4		<4		<4	1
CA3-14	INTERIOR	1979	4.60	4.5	<4	<4	<4	4.00	8.50	12.0	5
CA3-14	INTERIOR	1980	5.20	3.0	4.54	<4	<4	4.00	8.00	10.0	5
CA3-14	INTERIOR	1981	7.50	4.4	6.16	<4	<4	8.00	11.5	12.0	4
CA3-14	INTERIOR	1982	15.0		15.0	15.0		15.0		15.0	1
CA3-14	INTERIOR	1984	4.00		<4	4.00		4.00		4.00	1
CA315	INTERIOR	1995	6.63	2.8	6.10	<4	5.00	6.00	8.00	15.0	18
CA315	INTERIOR	1996	5.33	2.6	4.68	<4	<4	5.00	7.50	10.0	21
CA315	INTERIOR	1997	5.96	3.1	5.41	<4	4.00	5.00	7.50	17.0	25
CA315	INTERIOR	1998	4.88	1.7	4.57	<4	4.00	5.00	6.00	8.00	24
CA315	INTERIOR	1999	5.08	2.5	4.40	<4	<4	5.00	6.00	12.0	24
CA315	INTERIOR	2000	6.26	2.5	5.83	<4	5.00	6.00	8.00	13.0	23
CA315	INTERIOR	2001	12.2	16.8	8.87	4.00	6.00	8.00	11.0	90.0	25
CA315	INTERIOR	2002	5.68	1.9	5.38	<4	4.00	5.00	7.00	10.0	22
CA3-15	INTERIOR	1979	5.00	4.3	<4	<4	<4	<4	9.50	11.0	5
CA3-15	INTERIOR	1980	5.20	2.8	4.58	<4	<4	4.00	8.00	9.00	5
CA3-15	INTERIOR	1981	13.8	15.8	8.26	<4	<4	8.00	30.0	37.0	4
CA3-15	INTERIOR	1982	66.0		66.0	66.0		66.0		66.0	1
CA3-15	INTERIOR	1984	<4		<4	<4		<4		<4	1
CA316	INTERIOR	2001	8.94	3.6	8.40	5.00	6.00	9.00	9.75	20.0	16
CA316	INTERIOR	2002	8.77	3.6	8.21	5.00	6.00	7.50	11.0	19.0	22
CA3-16	INTERIOR	1979	8.00	6.8	5.00	<4	<4	7.00	15.0	16.0	5
CA3-16	INTERIOR	1980	6.40	4.6	4.64	<4	<4	6.00	11.0	12.0	5
CA3-16	INTERIOR	1981	7.75	7.0	5.73	<4	<4	5.50	15.0	18.0	4
CA3-16	INTERIOR	1982	8.00		8.00	8.00		8.00		8.00	1

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
CA3-16	INTERIOR	1984	14.0		14.0	14.0		14.0		14.0	1
CA317	INTERIOR	2001	6.33	2.6	5.93	<4	5.00	5.00	7.00	13.0	24
CA317	INTERIOR	2002	6.36	4.6	5.49	<4	5.00	6.00	7.00	27.0	25
CA3-17	INTERIOR	1979	5.00	3.2	<4	<4	<4	5.00	8.00	9.00	5
CA3-17	INTERIOR	1980	<4	0.6	<4	<4	<4	4.00	4.00	4.00	5
CA3-17	INTERIOR	1981	4.50	1.7	4.16	<4	<4	5.00	5.75	6.00	4
CA3-17	INTERIOR	1982	10.0		10.0	10.0		10.0		10.0	1
CA3-17	INTERIOR	1984	<4		<4	<4		<4		<4	1
CA318	INTERIOR	2001	7.41	1.8	7.19	4.00	6.00	7.50	8.25	11.0	22
CA318	INTERIOR	2002	7.02	1.7	6.83	4.00	5.75	7.00	8.00	10.0	21
CA3-18	INTERIOR	1979	4.20	2.6	<4	<4	<4	5.00	6.50	7.00	5
CA3-18	INTERIOR	1980	15.4	19.5	9.36	<4	4.50	8.00	30.0	50.0	5
CA3-18	INTERIOR	1981	7.25	2.1	7.04	5.00	5.50	7.00	9.25	10.0	4
CA3-18	INTERIOR	1982	11.0		11.0	11.0		11.0		11.0	1
CA3-18	INTERIOR	1984	4.00		<4	4.00		4.00		4.00	1
CA3-19	INTERIOR	1979	4.60	5.0	<4	<4	<4	<4	9.00	13.0	5
CA3-19	INTERIOR	1980	5.60	5.6	<4	<4	<4	<4	10.5	15.0	5
CA3-19	INTERIOR	1981	7.50	5.8	5.73	<4	<4	6.50	13.5	15.0	4
CA3-19	INTERIOR	1982	12.0		12.0	12.0		12.0		12.0	1
CA3-19	INTERIOR	1984	5.00		5.00	5.00		5.00		5.00	1
CA32	INTERIOR	1995	8.81	4.0	8.01	4.00	5.25	9.50	10.0	20.0	16
CA32	INTERIOR	1996	12.4	21.3	7.59	<4	4.50	7.00	10.5	94.0	17
CA32	INTERIOR	1997	7.33	1.4	7.20	5.00	6.00	8.00	8.25	9.00	18
CA32	INTERIOR	1998	8.79	3.3	8.31	4.00	7.00	8.00	9.00	19.0	19
CA32	INTERIOR	1999	7.18	3.1	6.69	4.00	5.00	6.00	8.50	17.0	17
CA32	INTERIOR	2000	9.11	2.6	8.72	4.00	7.00	9.00	11.0	14.0	19
CA32	INTERIOR	2001	8.56	1.9	8.39	7.00	7.00	8.00	9.50	13.0	9
CA32	INTERIOR	2002	7.26	1.6	7.09	4.00	6.00	7.00	8.50	10.0	17
CA3-2	INTERIOR	1979	12.2	4.8	11.6	8.00	8.50	11.0	16.5	20.0	5
CA3-2	INTERIOR	1980	11.2	3.7	10.6	6.00	7.50	12.0	14.5	15.0	5
CA3-2	INTERIOR	1981	14.7	5.9	13.7	8.00	8.00	17.0	19.0	19.0	3
CA3-2	INTERIOR	1983	8.00		8.00	8.00		8.00		8.00	1
CA3-2	INTERIOR	1984	47.0		47.0	47.0		47.0		47.0	1
CA3-20	INTERIOR	1979	<4	2.2	<4	<4	<4	<4	5.50	7.00	5
CA3-20	INTERIOR	1980	4.80	1.9	4.54	<4	<4	4.00	6.50	8.00	5
CA3-20	INTERIOR	1981	11.5	7.6	9.48	5.00	5.00	11.0	18.5	19.0	4
CA3-20	INTERIOR	1982	9.00		9.00	9.00		9.00		9.00	1
CA3-20	INTERIOR	1984	7.00		7.00	7.00		7.00		7.00	1
CA3-21	INTERIOR	1979	4.20	3.0	<4	<4	<4	<4	7.00	9.00	5
CA3-21	INTERIOR	1980	<4	2.1	<4	<4	<4	4.00	5.50	7.00	5
CA3-21	INTERIOR	1981	8.75	4.9	7.91	5.00	5.50	7.00	13.8	16.0	4
CA3-21	INTERIOR	1982	22.0		22.0	22.0		22.0		22.0	1
CA3-21	INTERIOR	1984	<4		<4	<4		<4		<4	1
CA33	INTERIOR	1995	16.3	10.8	13.9	6.00	10.0	13.0	20.0	50.0	17
CA33	INTERIOR	1996	13.1	13.2	10.5	5.00	7.50	9.00	12.5	62.0	17
CA33	INTERIOR	1997	11.4	4.2	10.7	6.00	8.00	11.0	14.0	21.0	13
CA33	INTERIOR	1998	11.1	7.6	9.63	5.00	6.00	10.0	11.5	36.0	17

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
CA33	INTERIOR	1999	10.1	7.2	8.74	4.00	6.75	7.50	10.8	35.0	18
CA33	INTERIOR	2000	13.2	4.6	12.4	8.00	9.00	13.0	16.0	25.0	19
CA33	INTERIOR	2001	13.9	6.7	12.7	7.00	9.00	11.0	18.5	28.0	9
CA33	INTERIOR	2002	11.4	5.0	10.5	5.50	8.00	10.5	13.8	22.0	16
CA3-3	INTERIOR	1979	54.0	59.7	37.7	15.0	22.5	31.0	97.0	160	5
CA3-3	INTERIOR	1980	9.67	1.2	9.62	9.00	9.00	9.00	11.0	11.0	3
CA3-3	INTERIOR	1981	21.0		21.0	21.0		21.0		21.0	1
CA3-3	INTERIOR	1983	13.0		13.0	13.0		13.0		13.0	1
CA3-3	INTERIOR	1984	24.0		24.0	24.0		24.0		24.0	1
CA34	INTERIOR	1995	10.5	8.8	8.76	<4	7.00	8.50	10.0	43.0	18
CA34	INTERIOR	1996	9.75	8.5	7.43	<4	4.25	7.50	12.0	36.0	20
CA34	INTERIOR	1997	14.1	16.1	10.3	5.00	7.00	8.00	10.0	70.0	19
CA34	INTERIOR	1998	8.19	2.7	7.80	5.00	6.00	7.00	9.50	13.0	21
CA34	INTERIOR	1999	7.35	3.7	6.60	<4	5.00	6.00	11.0	16.0	17
CA34	INTERIOR	2000	10.4	4.1	9.73	5.00	8.25	9.50	11.0	22.0	20
CA34	INTERIOR	2001	9.89	2.0	9.71	7.00	8.50	10.0	11.0	14.0	9
CA34	INTERIOR	2002	9.82	2.9	9.41	6.00	7.50	10.0	12.0	15.0	17
CA3-4	INTERIOR	1979	31.2	27.6	21.9	7.00	9.00	20.0	59.0	73.0	5
CA3-4	INTERIOR	1980	10.3	1.0	10.2	9.00	9.25	10.5	11.0	11.0	4
CA3-4	INTERIOR	1981	128	195	42.4	12.0	12.0	18.0	353	353	3
CA3-4	INTERIOR	1983	23.0		23.0	23.0		23.0		23.0	1
CA3-4	INTERIOR	1984	9.00		9.00	9.00		9.00		9.00	1
CA35	INTERIOR	1995	16.3	14.1	12.7	4.00	9.00	10.0	24.0	55.0	13
CA35	INTERIOR	1996	8.18	3.6	7.59	4.00	6.00	8.00	10.0	17.0	11
CA35	INTERIOR	1997	8.36	1.8	8.19	6.00	7.00	8.00	10.0	11.0	11
CA35	INTERIOR	1998	9.50	2.6	9.13	5.00	7.25	10.0	11.0	14.0	16
CA35	INTERIOR	1999	7.46	3.4	6.79	<4	4.50	7.00	9.50	14.0	13
CA35	INTERIOR	2000	17.6	5.2	16.9	11.0	13.5	17.0	22.0	29.0	14
CA35	INTERIOR	2001	16.8	8.2	15.6	11.0	11.5	14.0	23.5	31.0	5
CA35	INTERIOR	2002	9.56	2.2	9.36	7.00	8.00	8.75	11.8	13.0	8
CA3-5	INTERIOR	1979	46.0	27.0	39.1	19.0	19.5	52.0	69.5	83.0	5
CA3-5	INTERIOR	1980	39.0	45.0	24.8	12.0	12.0	14.0	91.0	91.0	3
CA3-5	INTERIOR	1981	19.5	9.2	18.4	13.0		19.5		26.0	2
CA3-5	INTERIOR	1984	13.0		13.0	13.0		13.0		13.0	1
CA36	INTERIOR	1995	26.3	16.7	22.1	9.00	10.0	23.5	33.3	78.0	18
CA36	INTERIOR	1996	29.8	24.8	23.8	11.0	13.5	20.0	35.0	101	21
CA36	INTERIOR	1997	28.8	13.9	25.9	10.0	18.5	27.0	37.5	64.0	21
CA36	INTERIOR	1998	24.8	15.4	21.7	10.0	15.0	22.0	27.0	73.0	19
CA36	INTERIOR	1999	31.8	43.6	21.1	9.00	11.5	18.0	33.0	192	17
CA36	INTERIOR	2000	43.5	22.1	39.1	22.0	26.5	34.0	62.0	94.0	17
CA36	INTERIOR	2001	52.5	10.6	52.0	45.0		52.5		60.0	2
CA36	INTERIOR	2002	64.9	87.5	42.5	14.0	24.6	40.5	60.0	310	10
CA3-6	INTERIOR	1979	43.8	25.8	38.5	18.0	26.5	36.0	65.0	87.0	5
CA3-6	INTERIOR	1980	16.0	7.3	14.9	9.00	10.0	14.5	23.5	26.0	4
CA3-6	INTERIOR	1981	37.0	9.2	36.3	29.0	29.0	35.0	47.0	47.0	3
CA3-6	INTERIOR	1983	24.0		24.0	24.0		24.0		24.0	1
CA3-6	INTERIOR	1984	177		177	177		177		177	1

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
CA3-7	INTERIOR	1979	27.4	28.9	20.2	12.0	13.0	15.0	48.0	79.0	5
CA3-7	INTERIOR	1980	17.3	12.9	14.5	8.00	8.00	12.0	32.0	32.0	3
CA3-7	INTERIOR	1981	77.3	58.1	55.4	15.0	15.0	87.0	130	130	3
CA3-7	INTERIOR	1984	7.00		7.00	7.00		7.00		7.00	1
CA38	INTERIOR	1995	11.8	15.0	8.71	<4	7.00	8.00	10.0	70.0	18
CA38	INTERIOR	1996	11.5	22.4	6.59	<4	4.00	6.00	9.00	103	19
CA38	INTERIOR	1997	6.35	3.3	5.63	<4	4.00	6.00	8.00	16.0	17
CA38	INTERIOR	1998	5.90	2.7	5.47	<4	4.00	5.00	6.50	15.0	21
CA38	INTERIOR	1999	4.67	1.9	4.24	<4	<4	4.00	6.25	8.00	18
CA38	INTERIOR	2000	9.14	5.1	8.08	<4	6.50	8.00	10.0	23.0	21
CA38	INTERIOR	2001	8.50	2.5	8.21	6.00	6.75	8.00	10.3	14.0	10
CA38	INTERIOR	2002	5.71	1.7	5.49	4.00	4.00	5.00	6.00	10.0	19
CA3-8	INTERIOR	1979	41.4	48.6	26.9	10.0	12.5	23.0	79.5	127	5
CA3-8	INTERIOR	1980	8.00	4.2	6.98	<4	<4	8.50	11.8	12.0	4
CA3-8	INTERIOR	1981	17.5	8.7	15.9	9.00	9.75	16.5	26.3	28.0	4
CA3-8	INTERIOR	1984	6.00		6.00	6.00		6.00		6.00	1
CA3-9	INTERIOR	1979	10.4	7.0	7.30	<4	4.50	10.0	16.5	20.0	5
CA3-9	INTERIOR	1980	5.00	2.9	<4	<4	<4	6.00	7.50	8.00	5
CA3-9	INTERIOR	1981	10.5	8.7	8.12	<4	4.00	8.00	19.5	23.0	4
CA3-9	INTERIOR	1984	6.00		6.00	6.00		6.00		6.00	1
DS-1	INTERIOR	1983	77.0		77.0	77.0		77.0		77.0	1
DS-2	INTERIOR	1983	22.0		22.0	22.0		22.0		22.0	1
DS-3	INTERIOR	1983	22.0		22.0	22.0		22.0		22.0	1
DS-4	INTERIOR	1983	9.00		9.00	9.00		9.00		9.00	1
DS-5	INTERIOR	1983	8.00		8.00	8.00		8.00		8.00	1
DS-6	INTERIOR	1983	11.0		11.0	11.0		11.0		11.0	1
DS-7	INTERIOR	1983	13.0		13.0	13.0		13.0		13.0	1
DS-8	INTERIOR	1983	27.0		27.0	27.0		27.0		27.0	1
DS-9	INTERIOR	1984	22.0		22.0	22.0		22.0		22.0	1
L38-1	INTERIOR	1982	60.8	33.4	54.4	33.0	36.5	41.0	95.0	111	5
L38-1	INTERIOR	1983	18.4	5.8	17.8	14.0	14.0	17.0	23.5	28.0	5
L38-1	INTERIOR	1985	50.7	21.8	47.8	33.0	33.0	44.0	75.0	75.0	3
L38-1	INTERIOR	1986	199		199	199		199		199	1
L38-2	INTERIOR	1982	61.4	22.4	58.1	35.0	42.0	56.0	83.5	92.0	5
L38-2	INTERIOR	1983	20.0	5.7	19.4	14.0	14.5	21.0	25.0	28.0	5
L38-2	INTERIOR	1985	55.3	28.4	51.1	37.0	37.0	41.0	88.0	88.0	3
L38-2	INTERIOR	1986	303		303	303		303		303	1
S12A	OUTFLOW	1978	12.0	9.3	9.95	<4	7.50	11.0	13.5	45.0	17
S12A	OUTFLOW	1979	8.58	4.1	7.75	<4	5.00	7.50	11.0	22.0	26
S12A	OUTFLOW	1980	9.90	4.3	8.90	<4	7.00	8.00	12.5	20.0	21
S12A	OUTFLOW	1981	12.7	6.8	11.0	<4	7.50	11.0	17.0	29.0	17
S12A	OUTFLOW	1982	14.2	16.1	9.52	4.00	4.75	7.50	22.8	46.0	6
S12A	OUTFLOW	1983	5.18	4.1	<4	<4	<4	<4	8.00	16.0	17
S12A	OUTFLOW	1984	9.08	6.8	7.07	<4	5.00	7.00	11.5	29.0	25
S12A	OUTFLOW	1985	53.3	67.0	26.9	7.00	11.8	18.5	92.5	233	26
S12A	OUTFLOW	1986	46.2	79.3	17.2	<4	7.50	12.0	38.0	253	21

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S12A	OUTFLOW	1987	12.1	7.2	10.3	<4	7.25	10.0	14.3	33.0	24
S12A	OUTFLOW	1988	12.0	4.5	11.0	<4	9.00	12.0	14.8	22.0	24
S12A	OUTFLOW	1989	24.4	27.1	15.8	5.00	7.50	13.0	24.5	100	17
S12A	OUTFLOW	1990	37.9	24.8	30.7	10.0	15.5	37.0	52.0	103	16
S12A	OUTFLOW	1991	23.6	11.9	20.1	5.00	14.0	24.0	31.5	44.0	9
S12A	OUTFLOW	1992	12.7	10.1	10.4	<4	7.75	10.0	14.3	58.0	34
S12A	OUTFLOW	1993	9.38	7.1	7.52	<4	5.75	7.50	10.3	33.0	42
S12A	OUTFLOW	1994	10.4	6.9	9.23	<4	8.00	9.00	12.0	50.0	43
S12A	OUTFLOW	1995	7.30	6.4	5.74	<4	4.00	6.00	8.00	39.0	46
S12A	OUTFLOW	1996	6.29	4.7	4.90	<4	<4	5.00	8.00	23.0	48
S12A	OUTFLOW	1997	11.9	10.5	8.18	<4	5.00	8.00	17.0	45.0	27
S12A	OUTFLOW	1998	9.16	2.5	8.89	5.00	8.00	9.00	10.0	19.0	24
S12A	OUTFLOW	1999	16.0	11.8	13.1	5.00	8.00	12.5	22.3	60.0	28
S12A	OUTFLOW	2000	14.6	7.1	13.1	7.00	9.00	11.0	21.0	29.0	25
S12A	OUTFLOW	2001	30.8	19.3	25.2	8.00	14.5	26.0	44.5	75.0	29
S12A	OUTFLOW	2002	22.1	19.6	16.8	8.00	10.0	12.5	27.3	67.0	26
S12B	OUTFLOW	1978	8.83	4.6	7.84	<4	5.75	8.00	11.5	22.0	18
S12B	OUTFLOW	1979	7.77	5.1	6.42	<4	4.00	7.00	11.3	24.0	26
S12B	OUTFLOW	1980	11.3	10.8	8.19	<4	5.00	7.00	14.0	49.0	23
S12B	OUTFLOW	1981	9.71	4.6	8.28	<4	6.00	10.0	13.0	20.0	17
S12B	OUTFLOW	1982	11.3	12.2	8.28	4.00	4.75	7.50	15.0	36.0	6
S12B	OUTFLOW	1983	4.35	2.8	<4	<4	<4	4.50	5.75	13.0	20
S12B	OUTFLOW	1984	9.37	5.1	7.87	<4	5.25	9.50	12.0	21.0	24
S12B	OUTFLOW	1985	63.1	121	25.3	<4	11.0	17.0	83.5	593	25
S12B	OUTFLOW	1986	29.2	58.4	9.74	<4	4.00	7.50	15.8	224	20
S12B	OUTFLOW	1987	13.4	12.4	10.3	<4	7.00	9.50	14.5	62.0	24
S12B	OUTFLOW	1988	16.8	22.3	12.4	5.00	9.00	11.0	17.0	117	24
S12B	OUTFLOW	1989	16.6	12.5	13.3	4.00	7.00	13.0	25.0	47.0	19
S12B	OUTFLOW	1990	31.0	17.9	24.9	6.00	11.0	30.0	48.5	57.0	16
S12B	OUTFLOW	1991	19.7	9.1	17.7	8.00	11.0	17.0	27.0	37.0	15
S12B	OUTFLOW	1992	24.5	80.2	10.2	<4	7.00	10.0	14.0	484	35
S12B	OUTFLOW	1993	7.81	5.6	6.55	<4	5.00	7.00	9.00	34.0	43
S12B	OUTFLOW	1994	9.25	3.6	8.58	<4	7.00	9.00	11.5	21.0	44
S12B	OUTFLOW	1995	7.29	3.5	6.48	<4	5.00	7.00	8.00	18.0	48
S12B	OUTFLOW	1996	5.84	4.2	4.65	<4	<4	5.00	7.50	19.0	49
S12B	OUTFLOW	1997	8.22	8.4	5.81	<4	<4	7.00	11.0	44.0	27
S12B	OUTFLOW	1998	7.67	2.3	7.38	4.39	6.00	7.00	8.75	13.0	24
S12B	OUTFLOW	1999	12.9	8.5	11.0	5.00	7.00	9.50	17.3	41.0	26
S12B	OUTFLOW	2000	12.0	5.2	11.1	6.00	8.00	10.0	16.5	24.0	25
S12B	OUTFLOW	2001	20.1	10.4	17.6	7.00	11.5	18.0	28.5	41.0	29
S12B	OUTFLOW	2002	15.3	11.7	12.4	5.00	7.75	10.5	19.5	48.0	26
S12C	OUTFLOW	1978	9.06	5.5	7.50	<4	6.00	8.00	11.0	25.0	17
S12C	OUTFLOW	1979	7.38	5.0	5.78	<4	4.00	6.00	10.3	21.0	26
S12C	OUTFLOW	1980	15.1	21.7	9.71	<4	6.00	9.00	17.5	111	24
S12C	OUTFLOW	1981	16.3	29.9	9.55	<4	6.25	9.50	14.0	142	20
S12C	OUTFLOW	1982	16.8	16.8	12.4	4.00	8.50	11.0	14.0	56.0	13
S12C	OUTFLOW	1983	5.30	2.8	4.62	<4	<4	5.00	6.00	14.0	20

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S12C	OUTFLOW	1984	12.7	8.1	11.1	5.00	8.00	10.0	15.5	41.0	25
S12C	OUTFLOW	1985	32.6	30.4	22.2	<4	13.0	18.0	51.5	96.0	24
S12C	OUTFLOW	1986	18.7	29.2	8.93	<4	<4	8.00	16.5	120	21
S12C	OUTFLOW	1987	20.3	26.9	13.5	4.00	8.00	10.0	20.0	127	24
S12C	OUTFLOW	1988	12.1	4.3	11.4	6.00	8.00	12.0	14.0	22.0	24
S12C	OUTFLOW	1989	21.6	21.7	15.0	<4	8.00	14.0	32.0	97.0	19
S12C	OUTFLOW	1990	24.7	11.1	21.8	7.00	16.5	25.0	32.5	48.0	17
S12C	OUTFLOW	1991	21.7	9.6	19.4	6.00	14.5	20.0	32.0	38.0	29
S12C	OUTFLOW	1992	14.8	10.9	11.1	<4	7.75	12.0	18.8	45.0	42
S12C	OUTFLOW	1993	10.5	9.1	8.39	<4	6.00	8.00	9.50	47.0	41
S12C	OUTFLOW	1994	9.48	4.4	8.78	4.00	7.00	9.00	11.0	31.0	44
S12C	OUTFLOW	1995	7.09	3.8	6.06	<4	5.00	6.00	10.0	16.0	47
S12C	OUTFLOW	1996	5.67	5.4	4.28	<4	<4	4.00	6.00	32.0	48
S12C	OUTFLOW	1997	8.31	5.7	6.44	<4	<4	8.00	12.3	23.0	26
S12C	OUTFLOW	1998	8.26	3.8	7.63	5.00	6.00	7.00	9.75	20.0	24
S12C	OUTFLOW	1999	11.2	5.3	10.2	6.00	7.00	10.0	14.5	27.0	28
S12C	OUTFLOW	2000	11.6	5.7	10.3	4.00	7.00	11.0	16.0	27.0	25
S12C	OUTFLOW	2001	18.1	9.9	15.9	6.00	11.0	16.0	21.0	46.0	29
S12C	OUTFLOW	2002	13.8	10.3	11.1	4.00	7.00	9.50	18.3	39.0	26
S12D	OUTFLOW	1978	12.4	7.0	11.0	4.00	8.00	11.0	13.0	34.0	17
S12D	OUTFLOW	1979	9.36	6.5	7.49	<4	5.50	7.00	11.0	28.0	25
S12D	OUTFLOW	1980	16.2	19.1	11.9	4.00	7.25	9.50	17.5	98.0	24
S12D	OUTFLOW	1981	13.3	8.0	11.6	5.00	9.00	10.0	16.0	41.0	23
S12D	OUTFLOW	1982	19.5	11.1	16.3	4.00	9.00	18.0	29.0	41.0	23
S12D	OUTFLOW	1983	9.56	8.3	7.71	<4	5.00	7.00	11.3	40.0	18
S12D	OUTFLOW	1984	14.2	5.9	13.3	8.00	9.50	12.0	20.0	23.0	5
S12D	OUTFLOW	1985	30.1	21.2	22.3	<4	14.8	23.0	46.5	71.0	22
S12D	OUTFLOW	1986	23.4	27.5	13.8	<4	7.00	11.0	29.5	94.0	21
S12D	OUTFLOW	1987	20.3	26.3	14.3	6.00	9.00	12.0	19.5	132	24
S12D	OUTFLOW	1988	12.6	5.1	11.7	7.00	9.00	11.0	15.0	25.0	27
S12D	OUTFLOW	1989	15.4	7.2	13.7	4.00	10.0	13.5	19.8	31.0	20
S12D	OUTFLOW	1990	24.2	11.3	21.4	8.00	15.0	26.0	32.5	45.0	17
S12D	OUTFLOW	1991	23.5	12.1	21.0	8.00	16.0	19.0	29.8	59.0	30
S12D	OUTFLOW	1992	15.0	8.1	13.1	4.00	10.0	14.0	18.0	46.0	48
S12D	OUTFLOW	1993	10.1	4.6	8.95	<4	8.00	9.00	11.0	24.0	43
S12D	OUTFLOW	1994	10.8	3.9	10.2	5.00	9.00	10.0	12.0	25.0	45
S12D	OUTFLOW	1995	8.83	4.0	7.99	<4	6.00	8.50	10.0	23.0	48
S12D	OUTFLOW	1996	7.53	6.3	5.85	<4	4.00	6.00	10.0	40.0	49
S12D	OUTFLOW	1997	10.2	5.0	8.88	<4	7.00	10.0	12.0	21.0	27
S12D	OUTFLOW	1998	9.00	3.1	8.56	5.00	7.00	8.00	10.0	18.0	23
S12D	OUTFLOW	1999	12.7	7.0	11.2	6.00	7.50	10.0	17.5	34.0	29
S12D	OUTFLOW	2000	12.2	5.1	11.3	5.00	8.00	12.0	14.0	27.0	25
S12D	OUTFLOW	2001	16.6	7.2	15.1	6.00	11.0	16.0	19.5	33.0	29
S12D	OUTFLOW	2002	13.5	8.3	11.6	5.00	7.75	10.5	20.3	36.0	26
S197	OUTFLOW	1998	<4	1.5	<4	<4	<4	4.00	5.00	5.00	3
S197	OUTFLOW	1999	36.0		36.0	36.0		36.0		36.0	1
S197	OUTFLOW	2000	7.80	2.4	7.47	5.00	5.75	7.50	10.0	12.0	10

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S197	OUTFLOW	2001	8.83	4.2	8.20	5.00	6.50	8.00	10.3	17.0	6
S197	OUTFLOW	2002	10.0		10.0	10.0		10.0		10.0	1
S31	OUTFLOW	1987	21.8	13.9	19.0	11.0	12.0	17.0	36.3	42.0	4
S31	OUTFLOW	1988	29.7	27.9	23.2	11.0	13.0	23.0	31.0	108	11
S31	OUTFLOW	1989	31.2	13.9	28.9	18.0	21.5	27.0	36.5	63.0	13
S31	OUTFLOW	1990	31.1	20.7	25.8	9.00	16.5	22.0	45.8	77.0	10
S31	OUTFLOW	1991	25.6	37.4	15.3	<4	10.5	13.5	22.0	141	12
S31	OUTFLOW	1992	25.9	12.5	23.6	15.0	15.0	22.0	35.0	49.0	7
S31	OUTFLOW	1993	14.2	9.4	12.0	4.00	9.00	13.0	14.0	38.0	11
S31	OUTFLOW	1994	10.4	3.9	9.58	4.00	8.00	11.0	13.0	16.0	11
S31	OUTFLOW	1995	7.78	2.9	7.06	<4	6.00	8.00	9.50	12.0	9
S31	OUTFLOW	1996	10.5	5.4	9.10	<4	7.75	10.0	11.8	23.0	14
S31	OUTFLOW	1997	15.8	21.0	9.70	<4	6.00	9.00	15.5	70.0	9
S31	OUTFLOW	1998	13.1	5.8	12.3	7.00	10.0	12.5	14.0	30.0	12
S31	OUTFLOW	1999	20.9	15.0	17.4	9.00	10.8	15.5	27.0	64.0	14
S31	OUTFLOW	2000	25.5	44.2	15.0	8.00	9.00	12.0	19.5	171	13
S31	OUTFLOW	2001	24.6	23.5	18.9	10.0	11.0	16.0	27.0	90.0	11
S31	OUTFLOW	2002	14.7	3.7	14.3	11.0	12.0	13.0	18.0	23.0	11
S333	OUTFLOW	1979	11.3	7.8	9.11	<4	6.00	9.00	18.0	33.0	19
S333	OUTFLOW	1980	15.5	17.8	11.5	4.00	8.00	10.5	17.8	94.0	24
S333	OUTFLOW	1981	15.6	5.2	14.5	4.00	11.8	16.5	19.3	23.0	18
S333	OUTFLOW	1982	25.2	9.5	23.5	12.0	15.8	26.5	33.3	37.0	6
S333	OUTFLOW	1983	8.50	3.2	8.00	5.00	6.00	7.50	10.8	14.0	12
S333	OUTFLOW	1984	11.5	1.7	11.4	10.0	10.3	11.0	13.3	14.0	4
S333	OUTFLOW	1985	33.9	22.1	26.5	<4	20.0	27.0	47.0	90.0	19
S333	OUTFLOW	1986	32.6	40.0	19.5	<4	12.0	17.0	38.0	167	21
S333	OUTFLOW	1987	18.4	16.7	14.9	7.00	10.3	13.0	17.0	77.0	24
S333	OUTFLOW	1988	15.7	5.2	15.0	8.00	11.0	15.0	18.0	30.0	25
S333	OUTFLOW	1989	20.1	18.9	15.6	6.00	10.5	14.0	21.5	85.0	17
S333	OUTFLOW	1990	24.0	10.5	21.8	9.00	15.0	21.0	30.5	41.0	17
S333	OUTFLOW	1991	21.3	10.0	19.4	7.00	15.5	19.5	26.3	50.0	30
S333	OUTFLOW	1992	14.1	7.0	12.2	<4	9.00	12.0	18.0	30.0	58
S333	OUTFLOW	1993	11.4	5.1	10.4	<4	8.00	10.0	14.0	29.0	59
S333	OUTFLOW	1994	12.0	4.1	11.5	6.00	9.00	12.0	14.0	28.0	59
S333	OUTFLOW	1995	13.6	19.4	9.82	<4	7.00	9.00	14.0	140	55
S333	OUTFLOW	1996	8.14	7.6	6.13	<4	4.00	6.00	11.0	49.0	51
S333	OUTFLOW	1997	10.7	5.5	9.19	<4	8.00	10.0	14.0	27.0	27
S333	OUTFLOW	1998	10.6	4.7	9.75	5.00	7.00	8.50	13.0	21.0	24
S333	OUTFLOW	1999	13.4	8.5	11.7	6.00	7.50	11.0	16.0	48.0	29
S333	OUTFLOW	2000	12.5	5.2	11.6	6.00	8.00	11.0	16.0	25.0	24
S333	OUTFLOW	2001	18.9	8.2	17.2	7.00	12.5	18.0	24.5	37.0	29
S333	OUTFLOW	2002	15.2	9.7	12.9	6.00	8.00	11.0	21.5	40.0	26
S334	OUTFLOW	1998	11.4	4.8	10.9	9.00	9.00	10.0	11.0	24.0	9
S334	OUTFLOW	1999	11.6	4.6	11.0	8.00	8.00	10.0	14.5	24.0	13
S334	OUTFLOW	2000	14.6	6.1	13.6	8.00	9.50	14.0	17.0	30.0	13
S334	OUTFLOW	2001	19.1	5.3	18.2	6.00	16.5	18.0	23.0	30.0	17
S334	OUTFLOW	2002	13.7	5.9	12.6	7.00	9.00	10.5	20.8	23.0	12

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S344	OUTFLOW	1998	12.0	4.4	11.5	9.00	9.00	10.0	17.0	17.0	3
S344	OUTFLOW	1999	28.0	15.4	23.9	9.00	12.3	30.5	41.3	42.0	4
S344	OUTFLOW	2000	25.8	23.9	19.5	9.00	10.3	16.5	50.5	61.0	4
S344	OUTFLOW	2001	49.3	35.5	38.2	13.0	13.0	51.0	84.0	84.0	3
S344	OUTFLOW	2002	25.8	12.2	23.3	12.0	13.8	27.5	36.0	36.0	4
S355A	OUTFLOW	2000	8.67	3.7	7.98	4.00	5.50	8.50	11.8	14.0	6
S355A	OUTFLOW	2001	32.7	40.1	20.5	8.00	9.50	15.5	45.8	145	12
S355A	OUTFLOW	2002	33.6	43.0	17.8	6.00	7.25	11.0	62.0	132	12
S355B	OUTFLOW	2000	10.6	3.1	10.2	7.00	8.00	11.0	14.0	15.0	7
S355B	OUTFLOW	2001	38.0	30.0	29.8	11.0	17.3	24.5	56.5	107	12
S355B	OUTFLOW	2002	32.2	39.6	18.1	6.00	8.00	13.0	59.0	123	12
US41-25	OUTFLOW	1985	44.0	59.0	22.0	<4	11.0	19.0	60.0	201	13
US41-25	OUTFLOW	1986	27.1	58.8	11.1	<4	6.75	10.0	21.3	256	18
US41-25	OUTFLOW	1987	20.1	28.8	13.9	4.00	9.00	11.5	19.8	144	22
US41-25	OUTFLOW	1988	17.6	10.5	15.3	8.00	9.50	14.0	23.5	46.0	17
US41-25	OUTFLOW	1989	25.4	27.8	15.5	<4	7.00	11.5	32.5	92.0	20
US41-25	OUTFLOW	1990	21.4	10.0	19.1	8.00	11.0	21.0	28.0	40.0	16
US41-25	OUTFLOW	1991	18.4	11.8	15.4	5.00	9.75	14.5	24.3	46.0	14
US41-25	OUTFLOW	1992	14.6	8.4	12.7	6.00	9.00	11.0	21.8	31.0	12
US41-25	OUTFLOW	1993	22.8	35.9	13.7	<4	8.50	12.0	17.0	156	17
US41-25	OUTFLOW	1994	10.8	2.6	10.5	7.00	8.00	11.0	12.8	16.0	12
US41-25	OUTFLOW	1995	8.15	6.0	6.87	<4	4.00	7.00	10.0	32.0	27
US41-25	OUTFLOW	1996	9.83	6.3	7.86	<4	4.75	8.00	15.3	21.0	18
US41-25	OUTFLOW	1997	12.4	7.6	10.5	<4	8.00	10.5	15.8	38.0	20
US41-25	OUTFLOW	1998	9.44	3.2	8.96	5.00	7.00	8.65	11.3	17.0	22
US41-25	OUTFLOW	1999	15.6	11.6	13.0	6.00	9.00	11.0	19.5	59.0	25
US41-25	OUTFLOW	2000	18.6	12.3	15.4	5.00	9.00	13.0	27.0	48.0	25
US41-25	OUTFLOW	2001	30.4	19.5	25.8	12.0	16.0	24.5	37.3	75.0	26
US41-25	OUTFLOW	2002	21.2	18.7	16.5	7.00	10.0	14.5	26.0	81.0	26

Table 4. Summary of annual total phosphorus concentrations ($\mu\text{g/L}$) at Everglades National Park inflow and interior marsh monitoring stations.

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S12A	INFLOW	1978	12.0	9.3	9.95	<4	7.50	11.0	13.5	45.0	17
S12A	INFLOW	1979	8.58	4.1	7.75	<4	5.00	7.50	11.0	22.0	26
S12A	INFLOW	1980	9.90	4.3	8.90	<4	7.00	8.00	12.5	20.0	21
S12A	INFLOW	1981	12.7	6.8	11.0	<4	7.50	11.0	17.0	29.0	17
S12A	INFLOW	1982	14.2	16.1	9.52	4.00	4.75	7.50	22.8	46.0	6
S12A	INFLOW	1983	5.18	4.1	<4	<4	<4	<4	8.00	16.0	17
S12A	INFLOW	1984	9.08	6.8	7.07	<4	5.00	7.00	11.5	29.0	25
S12A	INFLOW	1985	53.3	67.0	26.9	7.00	11.8	18.5	92.5	233	26
S12A	INFLOW	1986	46.2	79.3	17.2	<4	7.50	12.0	38.0	253	21
S12A	INFLOW	1987	12.1	7.2	10.3	<4	7.25	10.0	14.3	33.0	24
S12A	INFLOW	1988	12.0	4.5	11.0	<4	9.00	12.0	14.8	22.0	24
S12A	INFLOW	1989	24.4	27.1	15.8	5.00	7.50	13.0	24.5	100	17
S12A	INFLOW	1990	37.9	24.8	30.7	10.0	15.5	37.0	52.0	103	16
S12A	INFLOW	1991	23.6	11.9	20.1	5.00	14.0	24.0	31.5	44.0	9
S12A	INFLOW	1992	12.7	10.1	10.4	<4	7.75	10.0	14.3	58.0	34
S12A	INFLOW	1993	9.38	7.1	7.52	<4	5.75	7.50	10.3	33.0	42
S12A	INFLOW	1994	10.4	6.9	9.23	<4	8.00	9.00	12.0	50.0	43
S12A	INFLOW	1995	7.30	6.4	5.74	<4	4.00	6.00	8.00	39.0	46
S12A	INFLOW	1996	6.29	4.7	4.90	<4	<4	5.00	8.00	23.0	48
S12A	INFLOW	1997	11.9	10.5	8.18	<4	5.00	8.00	17.0	45.0	27
S12A	INFLOW	1998	9.16	2.5	8.89	5.00	8.00	9.00	10.0	19.0	24
S12A	INFLOW	1999	16.0	11.8	13.1	5.00	8.00	12.5	22.3	60.0	28
S12A	INFLOW	2000	14.6	7.1	13.1	7.00	9.00	11.0	21.0	29.0	25
S12A	INFLOW	2001	30.8	19.3	25.2	8.00	14.5	26.0	44.5	75.0	29
S12A	INFLOW	2002	22.1	19.6	16.8	8.00	10.0	12.5	27.3	67.0	26
S12B	INFLOW	1978	8.83	4.6	7.84	<4	5.75	8.00	11.5	22.0	18
S12B	INFLOW	1979	7.77	5.1	6.42	<4	4.00	7.00	11.3	24.0	26
S12B	INFLOW	1980	11.3	10.8	8.19	<4	5.00	7.00	14.0	49.0	23
S12B	INFLOW	1981	9.71	4.6	8.28	<4	6.00	10.0	13.0	20.0	17
S12B	INFLOW	1982	11.3	12.2	8.28	4.00	4.75	7.50	15.0	36.0	6
S12B	INFLOW	1983	4.35	2.8	<4	<4	<4	4.50	5.75	13.0	20
S12B	INFLOW	1984	9.37	5.1	7.87	<4	5.25	9.50	12.0	21.0	24
S12B	INFLOW	1985	63.1	121	25.3	<4	11.0	17.0	83.5	593	25
S12B	INFLOW	1986	29.2	58.4	9.74	<4	4.00	7.50	15.8	224	20
S12B	INFLOW	1987	13.4	12.4	10.3	<4	7.00	9.50	14.5	62.0	24
S12B	INFLOW	1988	16.8	22.3	12.4	5.00	9.00	11.0	17.0	117	24
S12B	INFLOW	1989	16.6	12.5	13.3	4.00	7.00	13.0	25.0	47.0	19
S12B	INFLOW	1990	31.0	17.9	24.9	6.00	11.0	30.0	48.5	57.0	16
S12B	INFLOW	1991	19.7	9.1	17.7	8.00	11.0	17.0	27.0	37.0	15
S12B	INFLOW	1992	24.5	80.2	10.2	<4	7.00	10.0	14.0	484	35
S12B	INFLOW	1993	7.81	5.6	6.55	<4	5.00	7.00	9.00	34.0	43
S12B	INFLOW	1994	9.25	3.6	8.58	<4	7.00	9.00	11.5	21.0	44
S12B	INFLOW	1995	7.29	3.5	6.48	<4	5.00	7.00	8.00	18.0	48

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S12B	INFLOW	1996	5.84	4.2	4.65	<4	<4	5.00	7.50	19.0	49
S12B	INFLOW	1997	8.22	8.4	5.81	<4	<4	7.00	11.0	44.0	27
S12B	INFLOW	1998	7.67	2.3	7.38	4.39	6.00	7.00	8.75	13.0	24
S12B	INFLOW	1999	12.9	8.5	11.0	5.00	7.00	9.50	17.3	41.0	26
S12B	INFLOW	2000	12.0	5.2	11.1	6.00	8.00	10.0	16.5	24.0	25
S12B	INFLOW	2001	20.1	10.4	17.6	7.00	11.5	18.0	28.5	41.0	29
S12B	INFLOW	2002	15.3	11.7	12.4	5.00	7.75	10.5	19.5	48.0	26
S12C	INFLOW	1978	9.06	5.5	7.50	<4	6.00	8.00	11.0	25.0	17
S12C	INFLOW	1979	7.38	5.0	5.78	<4	4.00	6.00	10.3	21.0	26
S12C	INFLOW	1980	15.1	21.7	9.71	<4	6.00	9.00	17.5	111	24
S12C	INFLOW	1981	16.3	29.9	9.55	<4	6.25	9.50	14.0	142	20
S12C	INFLOW	1982	16.8	16.8	12.4	4.00	8.50	11.0	14.0	56.0	13
S12C	INFLOW	1983	5.30	2.8	4.62	<4	<4	5.00	6.00	14.0	20
S12C	INFLOW	1984	12.7	8.1	11.1	5.00	8.00	10.0	15.5	41.0	25
S12C	INFLOW	1985	32.6	30.4	22.2	<4	13.0	18.0	51.5	96.0	24
S12C	INFLOW	1986	18.7	29.2	8.93	<4	<4	8.00	16.5	120	21
S12C	INFLOW	1987	20.3	26.9	13.5	4.00	8.00	10.0	20.0	127	24
S12C	INFLOW	1988	12.1	4.3	11.4	6.00	8.00	12.0	14.0	22.0	24
S12C	INFLOW	1989	21.6	21.7	15.0	<4	8.00	14.0	32.0	97.0	19
S12C	INFLOW	1990	24.7	11.1	21.8	7.00	16.5	25.0	32.5	48.0	17
S12C	INFLOW	1991	21.7	9.6	19.4	6.00	14.5	20.0	32.0	38.0	29
S12C	INFLOW	1992	14.8	10.9	11.1	<4	7.75	12.0	18.8	45.0	42
S12C	INFLOW	1993	10.5	9.1	8.39	<4	6.00	8.00	9.50	47.0	41
S12C	INFLOW	1994	9.48	4.4	8.78	4.00	7.00	9.00	11.0	31.0	44
S12C	INFLOW	1995	7.09	3.8	6.06	<4	5.00	6.00	10.0	16.0	47
S12C	INFLOW	1996	5.67	5.4	4.28	<4	<4	4.00	6.00	32.0	48
S12C	INFLOW	1997	8.31	5.7	6.44	<4	<4	8.00	12.3	23.0	26
S12C	INFLOW	1998	8.26	3.8	7.63	5.00	6.00	7.00	9.75	20.0	24
S12C	INFLOW	1999	11.2	5.3	10.2	6.00	7.00	10.0	14.5	27.0	28
S12C	INFLOW	2000	11.6	5.7	10.3	4.00	7.00	11.0	16.0	27.0	25
S12C	INFLOW	2001	18.1	9.9	15.9	6.00	11.0	16.0	21.0	46.0	29
S12C	INFLOW	2002	13.8	10.3	11.1	4.00	7.00	9.50	18.3	39.0	26
S12D	INFLOW	1978	12.4	7.0	11.0	4.00	8.00	11.0	13.0	34.0	17
S12D	INFLOW	1979	9.36	6.5	7.49	<4	5.50	7.00	11.0	28.0	25
S12D	INFLOW	1980	16.2	19.1	11.9	4.00	7.25	9.50	17.5	98.0	24
S12D	INFLOW	1981	13.3	8.0	11.6	5.00	9.00	10.0	16.0	41.0	23
S12D	INFLOW	1982	19.5	11.1	16.3	4.00	9.00	18.0	29.0	41.0	23
S12D	INFLOW	1983	9.56	8.3	7.71	<4	5.00	7.00	11.3	40.0	18
S12D	INFLOW	1984	14.2	5.9	13.3	8.00	9.50	12.0	20.0	23.0	5
S12D	INFLOW	1985	30.1	21.2	22.3	<4	14.8	23.0	46.5	71.0	22
S12D	INFLOW	1986	23.4	27.5	13.8	<4	7.00	11.0	29.5	94.0	21
S12D	INFLOW	1987	20.3	26.3	14.3	6.00	9.00	12.0	19.5	132	24
S12D	INFLOW	1988	12.6	5.1	11.7	7.00	9.00	11.0	15.0	25.0	27
S12D	INFLOW	1989	15.4	7.2	13.7	4.00	10.0	13.5	19.8	31.0	20
S12D	INFLOW	1990	24.2	11.3	21.4	8.00	15.0	26.0	32.5	45.0	17
S12D	INFLOW	1991	23.5	12.1	21.0	8.00	16.0	19.0	29.8	59.0	30
S12D	INFLOW	1992	15.0	8.1	13.1	4.00	10.0	14.0	18.0	46.0	48

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S12D	INFLOW	1993	10.1	4.6	8.95	<4	8.00	9.00	11.0	24.0	43
S12D	INFLOW	1994	10.8	3.9	10.2	5.00	9.00	10.0	12.0	25.0	45
S12D	INFLOW	1995	8.83	4.0	7.99	<4	6.00	8.50	10.0	23.0	48
S12D	INFLOW	1996	7.53	6.3	5.85	<4	4.00	6.00	10.0	40.0	49
S12D	INFLOW	1997	10.2	5.0	8.88	<4	7.00	10.0	12.0	21.0	27
S12D	INFLOW	1998	9.00	3.1	8.56	5.00	7.00	8.00	10.0	18.0	23
S12D	INFLOW	1999	12.7	7.0	11.2	6.00	7.50	10.0	17.5	34.0	29
S12D	INFLOW	2000	12.2	5.1	11.3	5.00	8.00	12.0	14.0	27.0	25
S12D	INFLOW	2001	16.6	7.2	15.1	6.00	11.0	16.0	19.5	33.0	29
S12D	INFLOW	2002	13.5	8.3	11.6	5.00	7.75	10.5	20.3	36.0	26
S175	INFLOW	1996	<4	3.1	<4	<4	<4	<4	4.75	13.0	16
S175	INFLOW	1997	4.05	2.5	<4	<4	<4	<4	6.75	9.00	20
S175	INFLOW	1998	7.06	4.5	5.73	<4	4.00	6.00	10.0	16.0	25
S175	INFLOW	1999	6.80	2.5	6.42	4.00	5.00	6.00	8.00	13.0	25
S175	INFLOW	2000	7.20	2.5	6.82	4.00	5.75	6.50	8.00	15.0	46
S175	INFLOW	2001	8.96	2.9	8.58	5.00	7.00	8.00	10.0	18.0	28
S175	INFLOW	2002	6.92	3.7	6.38	4.00	5.00	6.00	8.00	23.0	26
S18C	INFLOW	1984	4.83	2.5	4.19	<4	<4	5.00	6.75	9.00	12
S18C	INFLOW	1985	7.15	5.9	5.31	<4	<4	6.50	9.50	26.0	20
S18C	INFLOW	1986	7.94	5.4	6.20	<4	<4	7.50	11.3	21.0	18
S18C	INFLOW	1987	9.10	7.1	7.08	<4	5.00	6.00	12.0	30.0	20
S18C	INFLOW	1988	10.4	8.0	8.61	<4	7.00	8.00	12.0	39.0	19
S18C	INFLOW	1989	9.45	5.3	7.71	<4	5.00	8.50	14.0	20.0	22
S18C	INFLOW	1990	7.00	4.6	5.68	<4	<4	6.00	9.50	19.0	21
S18C	INFLOW	1991	6.68	5.3	5.19	<4	<4	6.00	7.00	21.0	19
S18C	INFLOW	1992	8.53	4.9	7.29	<4	6.00	8.00	10.0	24.0	19
S18C	INFLOW	1993	8.71	4.7	7.54	<4	5.50	8.00	11.5	18.0	17
S18C	INFLOW	1994	9.14	4.6	7.92	<4	6.00	8.00	12.0	21.0	22
S18C	INFLOW	1995	12.8	15.5	8.25	<4	4.50	8.00	11.5	59.0	21
S18C	INFLOW	1996	5.29	6.0	<4	<4	<4	<4	6.00	27.0	24
S18C	INFLOW	1997	<4	2.4	<4	<4	<4	<4	4.75	10.0	20
S18C	INFLOW	1998	7.53	6.4	5.79	<4	4.00	6.00	9.50	29.0	21
S18C	INFLOW	1999	8.76	6.2	7.01	<4	4.50	7.00	11.0	26.0	25
S18C	INFLOW	2000	7.77	3.1	7.16	<4	5.75	7.00	9.25	16.0	26
S18C	INFLOW	2001	7.86	2.3	7.58	4.00	6.00	8.00	9.00	15.0	29
S18C	INFLOW	2002	6.23	1.9	5.97	4.00	5.00	6.00	7.25	11.0	26
S332	INFLOW	1984	4.00	2.4	<4	<4	<4	<4	6.00	8.00	15
S332	INFLOW	1985	5.26	3.0	4.33	<4	<4	5.00	8.00	10.0	23
S332	INFLOW	1986	6.38	4.7	4.92	<4	<4	6.00	8.50	19.0	21
S332	INFLOW	1987	8.83	6.5	7.10	<4	5.00	6.50	11.3	30.0	24
S332	INFLOW	1988	9.91	5.5	8.89	5.00	6.00	9.00	12.0	29.0	22
S332	INFLOW	1989	13.0	10.4	9.03	<4	6.25	11.5	15.8	44.0	24
S332	INFLOW	1990	17.0	13.0	13.3	4.00	7.75	12.5	23.5	57.0	26
S332	INFLOW	1991	9.52	5.4	8.12	<4	6.00	8.00	11.5	24.0	25
S332	INFLOW	1992	9.56	4.6	8.37	<4	6.00	9.00	12.5	22.0	25
S332	INFLOW	1993	10.9	5.9	9.30	<4	7.75	9.00	13.5	28.0	26
S332	INFLOW	1994	9.46	6.8	8.13	4.00	6.00	7.50	11.8	37.0	24

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
S332	INFLOW	1995	8.73	7.3	7.14	<4	5.75	7.00	9.25	38.0	22
S332	INFLOW	1996	<4	4.2	<4	<4	<4	<4	4.00	21.0	24
S332	INFLOW	1997	4.86	3.7	<4	<4	<4	<4	7.25	16.0	22
S332	INFLOW	1998	6.74	4.5	5.43	<4	<4	6.00	8.50	18.0	25
S332	INFLOW	1999	7.81	4.1	7.10	4.00	5.00	6.50	10.0	23.0	26
S332	INFLOW	2000	8.80	5.7	7.81	<4	6.00	7.58	9.00	43.0	70
S332	INFLOW	2001	8.59	3.0	8.17	5.00	7.00	8.00	9.50	17.0	29
S332	INFLOW	2002	6.19	1.9	5.94	4.00	5.00	6.00	8.00	10.0	26
S332D	INFLOW	2000	6.78	5.3	5.82	<4	4.50	5.00	7.75	33.0	57
S332D	INFLOW	2001	7.56	2.4	7.25	4.00	6.00	7.00	8.50	15.0	53
S332D	INFLOW	2002	6.13	2.0	5.87	4.00	5.00	5.50	7.00	14.0	52
S333	INFLOW	1979	11.3	7.8	9.11	<4	6.00	9.00	18.0	33.0	19
S333	INFLOW	1980	15.5	17.8	11.5	4.00	8.00	10.5	17.8	94.0	24
S333	INFLOW	1981	15.6	5.2	14.5	4.00	11.8	16.5	19.3	23.0	18
S333	INFLOW	1982	25.2	9.5	23.5	12.0	15.8	26.5	33.3	37.0	6
S333	INFLOW	1983	8.50	3.2	8.00	5.00	6.00	7.50	10.8	14.0	12
S333	INFLOW	1984	11.5	1.7	11.4	10.0	10.3	11.0	13.3	14.0	4
S333	INFLOW	1985	33.9	22.1	26.5	<4	20.0	27.0	47.0	90.0	19
S333	INFLOW	1986	32.6	40.0	19.5	<4	12.0	17.0	38.0	167	21
S333	INFLOW	1987	18.4	16.7	14.9	7.00	10.3	13.0	17.0	77.0	24
S333	INFLOW	1988	15.7	5.2	15.0	8.00	11.0	15.0	18.0	30.0	25
S333	INFLOW	1989	20.1	18.9	15.6	6.00	10.5	14.0	21.5	85.0	17
S333	INFLOW	1990	24.0	10.5	21.8	9.00	15.0	21.0	30.5	41.0	17
S333	INFLOW	1991	21.3	10.0	19.4	7.00	15.5	19.5	26.3	50.0	30
S333	INFLOW	1992	14.1	7.0	12.2	<4	9.00	12.0	18.0	30.0	58
S333	INFLOW	1993	11.4	5.1	10.4	<4	8.00	10.0	14.0	29.0	59
S333	INFLOW	1994	12.0	4.1	11.5	6.00	9.00	12.0	14.0	28.0	59
S333	INFLOW	1995	13.6	19.4	9.82	<4	7.00	9.00	14.0	140	55
S333	INFLOW	1996	8.14	7.6	6.13	<4	4.00	6.00	11.0	49.0	51
S333	INFLOW	1997	10.7	5.5	9.19	<4	8.00	10.0	14.0	27.0	27
S333	INFLOW	1998	10.6	4.7	9.75	5.00	7.00	8.50	13.0	21.0	24
S333	INFLOW	1999	13.4	8.5	11.7	6.00	7.50	11.0	16.0	48.0	29
S333	INFLOW	2000	12.5	5.2	11.6	6.00	8.00	11.0	16.0	25.0	24
S333	INFLOW	2001	18.9	8.2	17.2	7.00	12.5	18.0	24.5	37.0	29
S333	INFLOW	2002	15.2	9.7	12.9	6.00	8.00	11.0	21.5	40.0	26
S355A	INFLOW	2000	8.67	3.7	7.98	4.00	5.50	8.50	11.8	14.0	6
S355A	INFLOW	2001	32.7	40.1	20.5	8.00	9.50	15.5	45.8	145	12
S355A	INFLOW	2002	33.6	43.0	17.8	6.00	7.25	11.0	62.0	132	12
S355B	INFLOW	2000	10.6	3.1	10.2	7.00	8.00	11.0	14.0	15.0	7
S355B	INFLOW	2001	38.0	30.0	29.8	11.0	17.3	24.5	56.5	107	12
S355B	INFLOW	2002	32.2	39.6	18.1	6.00	8.00	13.0	59.0	123	12
T0E	INFLOW	2000	7.00		7.00	7.00		7.00		7.00	1
T0E	INFLOW	2001	6.93	2.6	6.57	4.50	5.00	7.00	8.00	12.0	7
T0E	INFLOW	2002	5.20	0.8	5.15	4.00	4.50	5.50	5.75	6.00	5
T0W	INFLOW	2000	11.0	5.7	10.2	7.00		11.0		15.0	2
T0W	INFLOW	2001	7.43	3.6	6.54	<4	5.50	7.00	9.00	14.0	7

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
TOW	INFLOW	2002	6.10	2.0	5.83	<4	4.25	6.00	8.00	8.00	5
EP	INTERIOR	1987	11.0	11.9	6.14	<4	<4	5.00	24.0	31.0	7
EP	INTERIOR	1988	6.11	4.8	4.52	<4	<4	5.00	11.0	14.0	9
EP	INTERIOR	1989	9.71	11.3	6.13	<4	<4	5.00	12.0	34.0	7
EP	INTERIOR	1990	5.00	5.2	<4	<4	<4	<4	11.0	11.0	3
EP	INTERIOR	1991	4.75	2.5	4.23	<4	<4	4.50	7.25	8.00	4
EP	INTERIOR	1992	4.14	3.2	<4	<4	<4	<4	7.00	10.0	7
EP	INTERIOR	1993	4.00	2.0	<4	<4	<4	4.00	6.00	7.00	12
EP	INTERIOR	1994	5.14	1.8	4.80	<4	4.00	5.00	7.00	7.00	7
EP	INTERIOR	1995	5.90	2.4	5.55	4.00	4.00	5.00	7.50	11.0	10
EP	INTERIOR	1996	<4	3.0	<4	<4	<4	<4	4.50	10.0	9
EP	INTERIOR	1997	4.88	2.7	4.26	<4	<4	4.00	6.75	10.0	8
EP	INTERIOR	1998	<4	1.0	<4	<4	<4	<4	4.00	4.00	11
EP	INTERIOR	1999	4.00	1.6	<4	<4	<4	5.00	5.00	6.00	9
EP	INTERIOR	2000	<4	1.3	<4	<4	<4	<4	4.00	5.00	11
EP	INTERIOR	2001	<4	1.3	<4	<4	<4	<4	4.00	5.00	8
EP	INTERIOR	2002	<4	1.2	<4	<4	<4	<4	<4	5.00	6
NE1	INTERIOR	1987	7.18	8.8	4.97	<4	<4	5.00	6.00	33.0	11
NE1	INTERIOR	1988	11.2	7.9	8.65	<4	4.00	10.0	18.0	28.0	11
NE1	INTERIOR	1989	11.8	9.8	8.34	<4	<4	9.50	18.5	31.0	8
NE1	INTERIOR	1990	23.6	11.9	20.3	7.00	11.0	30.0	33.0	33.0	5
NE1	INTERIOR	1991	23.8	15.6	19.1	6.00	9.50	22.0	39.0	45.0	5
NE1	INTERIOR	1992	11.5	5.7	9.67	<4	8.50	10.5	17.0	20.0	10
NE1	INTERIOR	1993	6.91	3.4	5.95	<4	4.00	7.00	10.0	11.0	11
NE1	INTERIOR	1994	6.91	2.8	6.14	<4	6.00	8.00	9.00	10.0	11
NE1	INTERIOR	1995	9.18	2.5	8.87	6.00	7.00	9.00	11.0	13.0	11
NE1	INTERIOR	1996	8.25	10.4	5.03	<4	<4	5.50	9.25	38.0	12
NE1	INTERIOR	1997	5.90	3.1	5.14	<4	<4	6.00	7.00	13.0	10
NE1	INTERIOR	1998	8.21	11.7	5.25	<4	<4	5.00	6.50	41.0	10
NE1	INTERIOR	1999	7.82	4.2	7.11	4.00	6.00	7.00	7.00	19.0	11
NE1	INTERIOR	2000	8.75	2.6	8.48	6.00	7.25	8.00	9.75	16.0	12
NE1	INTERIOR	2001	14.2	6.6	13.1	7.00	10.0	12.0	16.0	31.0	11
NE1	INTERIOR	2002	7.80	2.8	7.36	4.00	5.75	7.50	9.50	13.0	10
NP201	INTERIOR	1987	5.82	7.5	<4	<4	<4	5.00	5.00	28.0	11
NP201	INTERIOR	1988	8.75	6.0	6.77	<4	4.00	7.00	15.3	18.0	12
NP201	INTERIOR	1989	9.11	9.2	5.68	<4	<4	5.00	18.0	26.0	9
NP201	INTERIOR	1990	8.00	7.0	6.09	<4	<4	6.00	13.5	20.0	5
NP201	INTERIOR	1991	9.00	12.4	5.18	<4	<4	4.00	18.0	31.0	5
NP201	INTERIOR	1992	7.10	4.5	5.60	<4	<4	8.00	10.3	15.0	10
NP201	INTERIOR	1993	4.50	2.5	<4	<4	<4	5.00	5.00	11.0	12
NP201	INTERIOR	1994	4.83	2.6	4.16	<4	<4	5.00	6.75	10.0	12
NP201	INTERIOR	1995	6.91	4.6	5.64	<4	4.00	6.00	9.00	17.0	11
NP201	INTERIOR	1996	4.33	4.0	<4	<4	<4	<4	5.00	15.0	12
NP201	INTERIOR	1997	15.2	35.9	4.57	<4	<4	<4	7.25	117	10
NP201	INTERIOR	1998	<4	1.2	<4	<4	<4	<4	4.00	5.00	11
NP201	INTERIOR	1999	5.20	2.3	4.68	<4	<4	5.00	7.25	9.00	10

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
NP201	INTERIOR	2000	5.91	4.4	4.69	<4	<4	4.00	8.00	15.0	11
NP201	INTERIOR	2001	7.13	4.3	6.33	4.00	4.25	5.50	8.50	17.0	8
NP201	INTERIOR	2002	12.6	16.2	7.29	<4	4.00	6.00	9.00	53.0	11
P33	INTERIOR	1986	5.43	5.0	<4	<4	<4	<4	9.00	15.0	7
P33	INTERIOR	1987	8.67	7.9	6.47	<4	4.25	6.00	11.8	31.0	12
P33	INTERIOR	1988	8.50	3.9	7.51	<4	5.00	8.50	11.8	15.0	12
P33	INTERIOR	1989	61.2	161	14.0	<4	7.00	11.0	23.0	546	11
P33	INTERIOR	1990	8.40	6.0	7.24	5.00	5.00	6.00	13.0	19.0	5
P33	INTERIOR	1991	4.60	2.3	4.13	<4	<4	5.00	6.50	8.00	5
P33	INTERIOR	1992	8.30	5.2	6.61	<4	<4	8.00	12.3	16.0	10
P33	INTERIOR	1993	5.58	2.2	5.09	<4	4.25	6.00	7.00	9.00	12
P33	INTERIOR	1994	6.09	3.5	5.30	<4	5.00	6.00	7.00	15.0	11
P33	INTERIOR	1995	7.00	3.6	6.17	<4	4.00	7.00	8.00	15.0	11
P33	INTERIOR	1996	5.08	7.4	<4	<4	<4	<4	5.00	28.0	12
P33	INTERIOR	1997	4.90	3.5	<4	<4	<4	4.50	6.50	13.0	10
P33	INTERIOR	1998	<4	1.9	<4	<4	<4	<4	4.50	7.00	10
P33	INTERIOR	1999	5.42	1.8	5.20	4.00	4.00	5.00	5.75	9.00	12
P33	INTERIOR	2000	6.09	1.3	5.96	4.00	5.00	6.00	7.00	8.00	11
P33	INTERIOR	2001	10.1	9.2	7.75	4.00	5.00	5.50	12.3	34.0	12
P33	INTERIOR	2002	6.90	2.8	6.46	4.00	5.00	5.50	8.75	12.0	10
P34	INTERIOR	1987	8.55	9.0	5.66	<4	<4	5.00	10.0	29.0	11
P34	INTERIOR	1988	7.90	3.8	6.90	<4	4.75	8.50	11.0	14.0	10
P34	INTERIOR	1989	8.08	9.2	5.24	<4	<4	4.00	14.0	26.0	6
P34	INTERIOR	1990	8.00	10.4	4.31	<4	<4	<4	20.0	20.0	3
P34	INTERIOR	1991	4.50	0.7	4.47	4.00		4.50		5.00	2
P34	INTERIOR	1992	5.50	2.7	4.90	<4	<4	5.00	8.25	9.00	6
P34	INTERIOR	1993	6.09	2.8	5.38	<4	4.00	6.00	9.00	10.0	11
P34	INTERIOR	1994	5.91	2.9	5.21	<4	4.00	6.00	8.00	12.0	11
P34	INTERIOR	1995	4.78	2.6	4.12	<4	<4	4.00	7.00	9.00	9
P34	INTERIOR	1996	4.00	2.1	<4	<4	<4	4.50	5.00	9.00	12
P34	INTERIOR	1997	<4	1.6	<4	<4	<4	<4	4.75	6.00	8
P34	INTERIOR	1998	<4	1.3	<4	<4	<4	<4	4.00	5.00	11
P34	INTERIOR	1999	4.17	1.2	<4	<4	<4	4.50	5.00	5.00	6
P34	INTERIOR	2000	4.90	2.1	4.55	<4	4.00	4.50	5.25	10.0	10
P34	INTERIOR	2001	5.63	3.2	4.80	<4	<4	5.00	8.00	11.0	8
P34	INTERIOR	2002	<4	1.3	<4	<4	<4	4.00	4.00	5.00	7
P35	INTERIOR	1986	7.29	5.4	5.58	<4	<4	7.00	11.0	17.0	7
P35	INTERIOR	1987	13.8	10.2	10.6	<4	8.00	10.0	26.0	32.0	11
P35	INTERIOR	1988	19.3	16.4	14.3	<4	9.00	16.5	22.5	62.0	10
P35	INTERIOR	1989	42.6	50.3	17.2	<4	5.25	13.0	92.5	137	10
P35	INTERIOR	1990	16.0	9.8	14.0	7.00	8.50	13.5	26.0	30.0	4
P35	INTERIOR	1991	12.5	2.1	12.4	11.0		12.5		14.0	2
P35	INTERIOR	1992	10.1	6.3	7.70	<4	<4	11.0	16.3	18.0	8
P35	INTERIOR	1993	7.67	5.4	5.74	<4	<4	7.00	12.3	16.0	12
P35	INTERIOR	1994	9.00	4.9	7.68	<4	6.00	7.00	12.0	17.0	11
P35	INTERIOR	1995	9.20	5.1	8.23	5.00	5.75	7.50	12.3	20.0	10
P35	INTERIOR	1996	7.83	6.3	5.75	<4	<4	5.00	13.8	19.0	12

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
P35	INTERIOR	1997	6.00	3.8	5.01	<4	<4	6.00	7.00	14.0	8
P35	INTERIOR	1998	6.66	4.7	5.25	<4	<4	5.80	10.0	17.0	10
P35	INTERIOR	1999	16.8	23.6	10.9	6.00	7.50	9.00	9.75	75.0	8
P35	INTERIOR	2000	11.0	10.6	8.14	<4	6.00	7.00	11.8	38.0	10
P35	INTERIOR	2001	14.0	13.9	10.8	6.00	7.00	9.00	13.0	45.0	7
P35	INTERIOR	2002	8.83	6.3	7.49	4.00	4.75	6.50	12.8	21.0	6
P36	INTERIOR	1986	12.7	14.8	6.56	<4	<4	6.00	28.0	39.0	7
P36	INTERIOR	1987	85.2	151	23.6	5.00	7.00	12.5	73.8	425	12
P36	INTERIOR	1988	20.1	20.9	12.3	<4	6.00	12.0	32.8	69.0	12
P36	INTERIOR	1989	182	352	29.1	<4	6.00	12.0	187	1137	11
P36	INTERIOR	1990	60.8	31.1	54.0	24.0	32.5	59.5	90.3	100	4
P36	INTERIOR	1991	11.4	7.2	9.37	<4	5.00	12.0	17.5	22.0	5
P36	INTERIOR	1992	36.4	59.7	16.2	<4	8.00	15.0	33.3	198	10
P36	INTERIOR	1993	6.08	2.8	5.40	<4	4.25	5.50	8.00	10.0	12
P36	INTERIOR	1994	10.4	8.9	8.26	<4	6.00	9.00	11.0	36.0	11
P36	INTERIOR	1995	9.18	7.7	7.61	5.00	5.00	6.00	10.0	31.0	11
P36	INTERIOR	1996	4.27	3.9	<4	<4	<4	<4	5.00	15.0	11
P36	INTERIOR	1997	10.9	13.3	6.17	<4	<4	5.50	16.8	37.0	10
P36	INTERIOR	1998	<4	1.5	<4	<4	<4	4.00	5.00	6.00	11
P36	INTERIOR	1999	8.91	8.1	7.17	4.00	5.00	6.00	9.00	32.0	11
P36	INTERIOR	2000	7.00	4.0	6.04	<4	4.00	5.00	9.00	15.0	11
P36	INTERIOR	2001	18.9	21.8	11.3	4.00	5.25	7.50	30.8	68.0	12
P36	INTERIOR	2002	9.90	12.6	6.64	<4	4.00	5.50	9.00	45.0	10
P37	INTERIOR	1986	7.57	7.7	5.32	<4	<4	5.00	10.0	24.0	7
P37	INTERIOR	1987	11.7	20.9	5.07	<4	<4	4.00	8.25	74.0	12
P37	INTERIOR	1988	6.78	5.5	5.09	<4	<4	6.00	9.50	19.0	9
P37	INTERIOR	1989	10.5	12.9	7.05	<4	5.00	6.00	9.00	42.0	8
P37	INTERIOR	1990	<4		<4	<4	<4	<4	<4	<4	3
P37	INTERIOR	1991	<4		<4	<4		<4		<4	2
P37	INTERIOR	1992	4.17	2.8	<4	<4	<4	<4	6.00	9.00	6
P37	INTERIOR	1993	<4	2.4	<4	<4	<4	<4	6.00	8.00	12
P37	INTERIOR	1994	4.20	1.9	<4	<4	<4	4.00	5.50	7.00	10
P37	INTERIOR	1995	4.56	2.8	<4	<4	<4	4.00	7.00	9.00	9
P37	INTERIOR	1996	4.09	3.7	<4	<4	<4	<4	6.00	14.0	11
P37	INTERIOR	1997	6.67	7.5	4.42	<4	<4	4.00	9.00	25.0	9
P37	INTERIOR	1998	<4	0.8	<4	<4	<4	<4	<4	4.00	11
P37	INTERIOR	1999	<4	1.6	<4	<4	<4	<4	4.25	6.00	8
P37	INTERIOR	2000	<4		<4	<4	<4	<4	<4	<4	9
P37	INTERIOR	2001	<4	1.3	<4	<4	<4	<4	4.00	5.00	8
P37	INTERIOR	2002	<4	1.6	<4	<4	<4	<4	<4	6.00	6
T05E	INTERIOR	2000	28.5	31.0	18.7	7.00	7.00	14.5	64.0	64.0	3
T05E	INTERIOR	2001	22.0	17.7	17.5	9.00	9.25	16.0	40.8	47.0	4
T05E	INTERIOR	2002	13.4	8.3	11.8	7.00	7.50	10.5	22.1	25.5	4
T05W	INTERIOR	2000	25.0	36.4	9.30	<4	<4	6.00	67.0	67.0	3
T05W	INTERIOR	2001	9.00		9.00	9.00		9.00		9.00	1
T05W	INTERIOR	2002	7.33	2.9	6.87	4.00	4.00	9.00	9.00	9.00	3
T10E	INTERIOR	2000	7.33	2.5	7.05	5.00	5.00	7.00	10.0	10.0	3

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
T10E	INTERIOR	2001	7.00	2.8	6.71	5.00		7.00		9.00	2
T10E	INTERIOR	2002	<4		<4	<4		<4		<4	2
T10W	INTERIOR	2000	6.67	4.6	5.77	4.00	4.00	4.00	12.0	12.0	3
T10W	INTERIOR	2001	5.67	2.3	5.28	<4	<4	7.00	7.00	7.00	3
T10W	INTERIOR	2002	5.38	3.9	4.43	<4	<4	4.25	9.50	11.0	4
T15E	INTERIOR	2000	5.33	3.5	4.48	<4	<4	5.00	9.00	9.00	3
T15E	INTERIOR	2001	14.0	7.1	13.1	9.00		14.0		19.0	2
T15E	INTERIOR	2002	6.67	3.1	6.21	4.00	4.00	6.00	10.0	10.0	3
T15W	INTERIOR	2000	<4		<4	<4	<4	<4	<4	<4	3
T15W	INTERIOR	2001	<4		<4	<4		<4		<4	2
T15W	INTERIOR	2002	<4	1.5	<4	<4	<4	4.00	5.00	5.00	3
T23	INTERIOR	1998	7.20	6.5	5.12	<4	<4	7.00	12.5	18.0	5
T23	INTERIOR	1999	10.0	11.5	6.34	<4	<4	5.50	21.8	27.0	4
T23	INTERIOR	2000	<4	3.0	<4	<4	<4	<4	5.88	10.0	10
T23	INTERIOR	2001	<4	1.3	<4	<4	<4	4.00	4.50	5.00	5
T23	INTERIOR	2002	4.29	3.7	<4	<4	<4	<4	5.00	12.0	7
T24	INTERIOR	1998	5.80	2.4	5.23	<4	<4	7.00	7.50	8.00	5
T24	INTERIOR	1999	5.75	5.7	4.09	<4	<4	<4	11.8	14.0	4
T24	INTERIOR	2000	<4	2.0	<4	<4	<4	<4	<4	8.00	10
T24	INTERIOR	2001	<4		<4	<4	<4	<4	<4	<4	4
T24	INTERIOR	2002	<4	1.2	<4	<4	<4	<4	4.00	5.00	7
T33	INTERIOR	1998	8.83	2.8	8.42	5.00	5.75	9.50	11.3	12.0	6
T33	INTERIOR	1999	18.8	24.2	11.9	7.00	7.00	7.00	36.5	62.0	5
T33	INTERIOR	2000	6.00	5.0	4.28	<4	<4	<4	12.3	13.0	10
T33	INTERIOR	2001	14.9	14.6	11.4	5.00	6.75	10.5	14.5	50.0	8
T33	INTERIOR	2002	6.89	4.9	5.70	<4	4.00	5.00	9.50	17.0	9
T34	INTERIOR	1998	10.0	8.8	7.41	<4	4.50	8.00	16.5	25.0	5
T34	INTERIOR	1999	17.8	22.7	11.0	5.00	5.50	7.00	35.5	58.0	5
T34	INTERIOR	2000	5.35	3.4	4.32	<4	<4	4.75	8.25	11.0	10
T34	INTERIOR	2001	7.71	3.2	7.26	5.00	5.00	7.00	9.00	14.0	7
T34	INTERIOR	2002	7.50	5.7	6.43	4.00	4.75	5.00	8.00	22.0	9
TNMESO	INTERIOR	2000	<4	1.5	<4	<4	<4	<4	4.25	5.00	4
TNMESO	INTERIOR	2001	5.70	3.1	5.01	<4	<4	5.00	8.25	10.5	5
TNMESO	INTERIOR	2002	<4	1.2	<4	<4	<4	<4	4.00	4.00	4
TSB	INTERIOR	1986	8.86	8.2	6.06	<4	<4	6.00	19.0	22.0	7
TSB	INTERIOR	1987	16.4	16.2	10.9	<4	6.25	9.00	28.3	53.0	12
TSB	INTERIOR	1988	14.7	13.4	10.3	<4	5.25	10.5	17.3	42.0	12
TSB	INTERIOR	1989	36.5	42.5	16.7	<4	8.00	17.0	79.0	133	11
TSB	INTERIOR	1990	5.25	6.5	<4	<4	<4	<4	11.8	15.0	4
TSB	INTERIOR	1991	7.50	11.7	<4	<4	<4	<4	19.3	25.0	4
TSB	INTERIOR	1992	8.60	7.3	6.46	<4	<4	7.50	10.5	27.0	10
TSB	INTERIOR	1993	4.27	2.6	<4	<4	<4	4.00	7.00	9.00	11
TSB	INTERIOR	1994	5.18	2.2	4.79	<4	4.00	5.00	6.00	10.0	11
TSB	INTERIOR	1995	5.82	4.1	4.61	<4	<4	5.00	9.00	14.0	11
TSB	INTERIOR	1996	7.82	10.4	4.50	<4	<4	<4	11.0	37.0	11
TSB	INTERIOR	1997	7.25	5.5	5.28	<4	<4	6.50	11.8	16.0	8
TSB	INTERIOR	1998	<4	2.9	<4	<4	<4	<4	5.00	11.0	11

Station	Class	WY	Arithmetic Mean	Std. Dev.	Geometric Mean	Min.	25th Percentile	Median	75th Percentile	Max.	N
TSB	INTERIOR	1999	4.33	1.7	4.01	<4	<4	4.00	5.50	7.00	9
TSB	INTERIOR	2000	<4	1.5	<4	<4	<4	<4	4.00	6.00	9
TSB	INTERIOR	2001	<4	1.8	<4	<4	<4	<4	5.25	6.00	6
TSB	INTERIOR	2002	7.09	8.1	4.37	<4	<4	<4	11.0	28.0	11
TSMESO	INTERIOR	2000	4.50	3.3	<4	<4	<4	<4	8.00	9.00	4
TSMESO	INTERIOR	2001	4.80	2.2	4.37	<4	<4	5.00	6.50	8.00	5
TSMESO	INTERIOR	2002	<4		<4	<4	<4	<4	<4	<4	3