

Appendix 4-10: Water Year 2005 Water Quality Data for STA-3/4

Nenad Iricanin and Guy Germain

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	5/6/2004	08:30:00	0	Alkalinity (mg/L)	117
G370	5/6/2004	08:30:00	0	Dissolved Chloride (mg/L)	55.8
G370	5/6/2004	08:30:00	0	Dissolved Oxygen (mg/L)	5.81
G370	5/6/2004	08:30:00	0	Nitrate + Nitrite (mg/L)	0.078
G370	5/6/2004	08:30:00	0	Orthophosphate as P (mg/L)	0.016
G370	5/6/2004	08:30:00	0	pH	7.93
G370	5/6/2004	08:30:00	0	Specific Conductivity (µmhos/cm)	481
G370	5/6/2004	08:30:00	0	Sulfate (mg/L)	32.2
G370	5/6/2004	08:30:00	0	Temperature (°C)	25.9
G370	5/6/2004	08:30:00	0	Total Dissolved Phosphorus (mg/L)	0.025
G370	5/6/2004	08:30:00	0	Total Dissolved Solids (mg/L)	312
G370	5/6/2004	08:30:00	0	Total Phosphorus	0.046
G370	5/6/2004	08:30:00	0	Turbidity (NTU)	3.1
G370	5/6/2004	08:35:00	7	Total Phosphorus	0.054
G370	5/13/2004	09:00:00	0	Dissolved Oxygen (mg/L)	7.71
G370	5/13/2004	09:00:00	0	pH	8.06
G370	5/13/2004	09:00:00	0	Specific Conductivity (µmhos/cm)	532
G370	5/13/2004	09:00:00	0	Temperature (°C)	26.2
G370	5/13/2004	09:00:00	0	Total Phosphorus	0.05
G370	5/13/2004	09:10:00	7	Total Phosphorus	0.055
G370	5/20/2004	09:10:00	0	Alkalinity (mg/L)	108
G370	5/20/2004	09:10:00	0	Dissolved Chloride (mg/L)	54
G370	5/20/2004	09:10:00	0	Dissolved Oxygen (mg/L)	7.63
G370	5/20/2004	09:10:00	0	Nitrate + Nitrite (mg/L)	0.024
G370	5/20/2004	09:10:00	0	Orthophosphate as P (mg/L)	0.007
G370	5/20/2004	09:10:00	0	pH	8.11
G370	5/20/2004	09:10:00	0	Specific Conductivity (µmhos/cm)	452.4
G370	5/20/2004	09:10:00	0	Sulfate (mg/L)	30.7
G370	5/20/2004	09:10:00	0	Temperature (°C)	27.2
G370	5/20/2004	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G370	5/20/2004	09:10:00	0	Total Dissolved Solids (mg/L)	317
G370	5/20/2004	09:10:00	0	Total Phosphorus	0.048
G370	5/20/2004	09:10:00	0	Turbidity (NTU)	4.8
G370	5/20/2004	09:15:00	7	Total Phosphorus	0.048
G370	5/27/2004	09:10:00	0	Dissolved Oxygen (mg/L)	6.9
G370	5/27/2004	09:10:00	0	pH	7.74
G370	5/27/2004	09:10:00	0	Specific Conductivity (µmhos/cm)	448
G370	5/27/2004	09:10:00	0	Temperature (°C)	28.1
G370	5/27/2004	09:10:00	0	Total Phosphorus	0.051
G370	5/27/2004	09:15:00	7	Total Phosphorus	0.059
G370	6/3/2004	08:19:00	0	Alkalinity (mg/L)	101
G370	6/3/2004	08:19:00	0	Dissolved Chloride (mg/L)	52.2
G370	6/3/2004	08:19:00	0	Dissolved Oxygen (mg/L)	4.79
G370	6/3/2004	08:19:00	0	Nitrate + Nitrite (mg/L)	0.108
G370	6/3/2004	08:19:00	0	Orthophosphate as P (mg/L)	0.024
G370	6/3/2004	08:19:00	0	pH	7.94
G370	6/3/2004	08:19:00	0	Specific Conductivity (µmhos/cm)	443
G370	6/3/2004	08:19:00	0	Sulfate (mg/L)	30.4

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	6/3/2004	08:19:00	0	Temperature (°C)	30.1
G370	6/3/2004	08:19:00	0	Total Dissolved Phosphorus (mg/L)	0.031
G370	6/3/2004	08:19:00	0	Total Dissolved Solids (mg/L)	280
G370	6/3/2004	08:19:00	0	Total Phosphorus	0.052
G370	6/3/2004	08:19:00	0	Turbidity (NTU)	3.2
G370	6/3/2004	08:25:00	7	Total Phosphorus	0.054
G370	6/10/2004	08:50:00	0	Dissolved Oxygen (mg/L)	2.59
G370	6/10/2004	08:50:00	0	pH	7.29
G370	6/10/2004	08:50:00	0	Specific Conductivity (µmhos/cm)	795
G370	6/10/2004	08:50:00	0	Temperature (°C)	27.6
G370	6/10/2004	08:50:00	0	Total Phosphorus	0.131
G370	6/10/2004	09:00:00	7	Total Phosphorus	0.125
G370	6/17/2004	09:07:00	0	Alkalinity (mg/L)	322
G370	6/17/2004	09:07:00	0	Dissolved Chloride (mg/L)	101
G370	6/17/2004	09:07:00	0	Dissolved Oxygen (mg/L)	3.83
G370	6/17/2004	09:07:00	0	Nitrate + Nitrite (mg/L)	0.786
G370	6/17/2004	09:07:00	0	Orthophosphate as P (mg/L)	0.028
G370	6/17/2004	09:07:00	0	pH	7.35
G370	6/17/2004	09:07:00	0	Specific Conductivity (µmhos/cm)	1029
G370	6/17/2004	09:07:00	0	Sulfate (mg/L)	58.8
G370	6/17/2004	09:07:00	0	Temperature (°C)	29.1
G370	6/17/2004	09:07:00	0	Total Dissolved Phosphorus (mg/L)	0.036
G370	6/17/2004	09:07:00	0	Total Dissolved Solids (mg/L)	684
G370	6/17/2004	09:07:00	0	Total Phosphorus	0.043
G370	6/17/2004	09:07:00	0	Turbidity (NTU)	2.2
G370	6/17/2004	09:12:00	7	Total Phosphorus	0.089
G370	6/24/2004	08:25:00	0	Dissolved Oxygen (mg/L)	3.72
G370	6/24/2004	08:25:00	0	pH	7.36
G370	6/24/2004	08:25:00	0	Specific Conductivity (µmhos/cm)	880
G370	6/24/2004	08:25:00	0	Temperature (°C)	29.3
G370	6/24/2004	08:25:00	0	Total Phosphorus	0.06
G370	6/24/2004	08:30:00	7	Total Phosphorus	0.061
G370	7/1/2004	09:25:00	0	Alkalinity (mg/L)	322
G370	7/1/2004	09:25:00	0	Dissolved Chloride (mg/L)	100
G370	7/1/2004	09:25:00	0	Dissolved Oxygen (mg/L)	5.08
G370	7/1/2004	09:25:00	0	Nitrate + Nitrite (mg/L)	0.808
G370	7/1/2004	09:25:00	0	Orthophosphate as P (mg/L)	0.037
G370	7/1/2004	09:25:00	0	pH	7.41
G370	7/1/2004	09:25:00	0	Specific Conductivity (µmhos/cm)	1054
G370	7/1/2004	09:25:00	0	Sulfate (mg/L)	58.2
G370	7/1/2004	09:25:00	0	Temperature (°C)	29.4
G370	7/1/2004	09:25:00	0	Total Dissolved Phosphorus (mg/L)	0.04
G370	7/1/2004	09:25:00	0	Total Dissolved Solids (mg/L)	683
G370	7/1/2004	09:25:00	0	Total Phosphorus	0.057
G370	7/1/2004	09:25:00	0	Turbidity (NTU)	1.8
G370	7/1/2004	09:30:00	7	Total Phosphorus	0.061
G370	7/8/2004	09:35:00	0	Dissolved Oxygen (mg/L)	8.02
G370	7/8/2004	09:35:00	0	pH	8.36
G370	7/8/2004	09:35:00	0	Specific Conductivity (µmhos/cm)	779

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	7/8/2004	09:35:00	0	Temperature (°C)	30.9
G370	7/8/2004	09:35:00	0	Total Phosphorus	0.113
G370	7/8/2004	09:40:00	7	Total Phosphorus	0.055
G370	7/15/2004	09:10:00	0	Alkalinity (mg/L)	161
G370	7/15/2004	09:10:00	0	Dissolved Chloride (mg/L)	71
G370	7/15/2004	09:10:00	0	Dissolved Oxygen (mg/L)	5.65
G370	7/15/2004	09:10:00	0	Nitrate + Nitrite (mg/L)	0.067
G370	7/15/2004	09:10:00	0	Orthophosphate as P (mg/L)	0.009
G370	7/15/2004	09:10:00	0	pH	7.58
G370	7/15/2004	09:10:00	0	Specific Conductivity (µmhos/cm)	605
G370	7/15/2004	09:10:00	0	Sulfate (mg/L)	39.8
G370	7/15/2004	09:10:00	0	Temperature (°C)	30.9
G370	7/15/2004	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.021
G370	7/15/2004	09:10:00	0	Total Dissolved Solids (mg/L)	387
G370	7/15/2004	09:10:00	0	Total Phosphorus	0.056
G370	7/15/2004	09:10:00	0	Turbidity (NTU)	4.5
G370	7/15/2004	09:15:00	7	Total Phosphorus	0.069
G370	7/22/2004	09:20:00	0	Dissolved Oxygen (mg/L)	2.64
G370	7/22/2004	09:20:00	0	pH	7.38
G370	7/22/2004	09:20:00	0	Specific Conductivity (µmhos/cm)	758
G370	7/22/2004	09:20:00	0	Temperature (°C)	29
G370	7/22/2004	09:20:00	0	Total Phosphorus	0.062
G370	7/22/2004	09:22:00	7	Total Phosphorus	0.149
G370	7/29/2004	09:35:00	0	Alkalinity (mg/L)	280
G370	7/29/2004	09:35:00	0	Dissolved Chloride (mg/L)	82
G370	7/29/2004	09:35:00	0	Dissolved Oxygen (mg/L)	3.18
G370	7/29/2004	09:35:00	0	Nitrate + Nitrite (mg/L)	1.32
G370	7/29/2004	09:35:00	0	Orthophosphate as P (mg/L)	0.057
G370	7/29/2004	09:35:00	0	pH	7.33
G370	7/29/2004	09:35:00	0	Specific Conductivity (µmhos/cm)	894.6
G370	7/29/2004	09:35:00	0	Sulfate (mg/L)	52.7
G370	7/29/2004	09:35:00	0	Temperature (°C)	28.8
G370	7/29/2004	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.065
G370	7/29/2004	09:35:00	0	Total Dissolved Solids (mg/L)	605
G370	7/29/2004	09:35:00	0	Total Phosphorus	0.084
G370	7/29/2004	09:35:00	0	Turbidity (NTU)	6.9
G370	7/29/2004	09:40:00	7	Total Phosphorus	0.054
G370	8/5/2004	09:55:00	0	Dissolved Oxygen (mg/L)	3.02
G370	8/5/2004	09:55:00	0	pH	7.22
G370	8/5/2004	09:55:00	0	Specific Conductivity (µmhos/cm)	1109
G370	8/5/2004	09:55:00	0	Temperature (°C)	27.8
G370	8/5/2004	09:55:00	0	Total Phosphorus	0.082
G370	8/5/2004	10:00:00	7	Total Phosphorus	0.11
G370	8/12/2004	09:30:00	0	Alkalinity (mg/L)	332
G370	8/12/2004	09:30:00	0	Dissolved Chloride (mg/L)	117
G370	8/12/2004	09:30:00	0	Dissolved Oxygen (mg/L)	1.9
G370	8/12/2004	09:30:00	0	Nitrate + Nitrite (mg/L)	0.541
G370	8/12/2004	09:30:00	0	Orthophosphate as P (mg/L)	0.053

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	8/12/2004	09:30:00	0	pH	7.27
G370	8/12/2004	09:30:00	0	Specific Conductivity (µmhos/cm)	1180
G370	8/12/2004	09:30:00	0	Sulfate (mg/L)	100
G370	8/12/2004	09:30:00	0	Temperature (°C)	29.5
G370	8/12/2004	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.057
G370	8/12/2004	09:30:00	0	Total Dissolved Solids (mg/L)	773
G370	8/12/2004	09:30:00	0	Total Phosphorus	0.068
G370	8/12/2004	09:30:00	0	Turbidity (NTU)	3
G370	8/12/2004	09:35:00	7	Total Phosphorus	0.066
G370	8/19/2004	08:55:00	0	Dissolved Oxygen (mg/L)	2.28
G370	8/19/2004	08:55:00	0	pH	7.26
G370	8/19/2004	08:55:00	0	Specific Conductivity (µmhos/cm)	1199
G370	8/19/2004	08:55:00	0	Temperature (°C)	28.5
G370	8/19/2004	08:55:00	0	Total Phosphorus	0.094
G370	8/19/2004	09:00:00	7	Total Phosphorus	0.085
G370	8/26/2004	08:35:00	0	Alkalinity (mg/L)	352
G370	8/26/2004	08:35:00	0	Dissolved Chloride (mg/L)	97.3
G370	8/26/2004	08:35:00	0	Dissolved Oxygen (mg/L)	2.8
G370	8/26/2004	08:35:00	0	Nitrate + Nitrite (mg/L)	1.56
G370	8/26/2004	08:35:00	0	Orthophosphate as P (mg/L)	0.051
G370	8/26/2004	08:35:00	0	pH	7.21
G370	8/26/2004	08:35:00	0	Specific Conductivity (µmhos/cm)	1096
G370	8/26/2004	08:35:00	0	Sulfate (mg/L)	86.5
G370	8/26/2004	08:35:00	0	Temperature (°C)	27.2
G370	8/26/2004	08:35:00	0	Total Dissolved Solids (mg/L)	750
G370	8/26/2004	08:35:00	0	Total Phosphorus	0.11
G370	8/26/2004	08:35:00	0	Turbidity (NTU)	15.7
G370	8/26/2004	08:40:00	7	Total Phosphorus	0.082
G370	9/1/2004	09:00:00	0	Dissolved Oxygen (mg/L)	2.55
G370	9/1/2004	09:00:00	0	pH	7.16
G370	9/1/2004	09:00:00	0	Specific Conductivity (µmhos/cm)	1099
G370	9/1/2004	09:00:00	0	Temperature (°C)	28.7
G370	9/1/2004	09:00:00	0	Total Phosphorus	0.053
G370	9/1/2004	09:05:00	7	Total Phosphorus	0.081
G370	9/9/2004	09:45:00	0	Alkalinity (mg/L)	332
G370	9/9/2004	09:45:00	0	Dissolved Chloride (mg/L)	78.4
G370	9/9/2004	09:45:00	0	Dissolved Oxygen (mg/L)	2.65
G370	9/9/2004	09:45:00	0	Nitrate + Nitrite (mg/L)	1.92
G370	9/9/2004	09:45:00	0	Orthophosphate as P (mg/L)	0.072
G370	9/9/2004	09:45:00	0	pH	7.22
G370	9/9/2004	09:45:00	0	Sulfate (mg/L)	62.5
G370	9/9/2004	09:45:00	0	Temperature (°C)	27.6
G370	9/9/2004	09:45:00	0	Total Dissolved Phosphorus (mg/L)	0.079
G370	9/9/2004	09:45:00	0	Total Dissolved Solids (mg/L)	675
G370	9/9/2004	09:45:00	0	Total Phosphorus	0.1
G370	9/9/2004	09:45:00	0	Turbidity (NTU)	7.8
G370	9/9/2004	09:50:00	7	Total Phosphorus	0.123
G370	9/15/2004	09:40:00	0	Dissolved Oxygen (mg/L)	4.04

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	9/15/2004	09:40:00	0	pH	7.1
G370	9/15/2004	09:40:00	0	Specific Conductivity (µmhos/cm)	1125
G370	9/15/2004	09:40:00	0	Temperature (°C)	27.7
G370	9/15/2004	09:40:00	0	Total Phosphorus	0.098
G370	9/15/2004	09:45:00	7	Total Phosphorus	0.095
G370	9/22/2004	09:05:00	0	Alkalinity (mg/L)	384
G370	9/22/2004	09:05:00	0	Dissolved Chloride (mg/L)	171
G370	9/22/2004	09:05:00	0	Dissolved Oxygen (mg/L)	2.12
G370	9/22/2004	09:05:00	0	Nitrate + Nitrite (mg/L)	0.888
G370	9/22/2004	09:05:00	0	Orthophosphate as P (mg/L)	0.091
G370	9/22/2004	09:05:00	0	pH	7.44
G370	9/22/2004	09:05:00	0	Specific Conductivity (µmhos/cm)	1566
G370	9/22/2004	09:05:00	0	Sulfate (mg/L)	168
G370	9/22/2004	09:05:00	0	Temperature (°C)	27.4
G370	9/22/2004	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.099
G370	9/22/2004	09:05:00	0	Total Dissolved Solids (mg/L)	1060
G370	9/22/2004	09:05:00	0	Total Phosphorus	0.215
G370	9/22/2004	09:05:00	0	Turbidity (NTU)	41.4
G370	9/22/2004	09:10:00	7	Total Phosphorus	0.108
G370	9/30/2004	10:10:00	0	Dissolved Oxygen (mg/L)	1.43
G370	9/30/2004	10:10:00	0	pH	7.22
G370	9/30/2004	10:10:00	0	Specific Conductivity (µmhos/cm)	1189
G370	9/30/2004	10:10:00	0	Temperature (°C)	27.3
G370	9/30/2004	10:10:00	0	Total Phosphorus	0.105
G370	9/30/2004	10:15:00	7	Total Phosphorus	0.17
G370	10/7/2004	09:05:00	0	Alkalinity (mg/L)	365
G370	10/7/2004	09:05:00	0	Dissolved Chloride (mg/L)	119
G370	10/7/2004	09:05:00	0	Dissolved Oxygen (mg/L)	2.8
G370	10/7/2004	09:05:00	0	Nitrate + Nitrite (mg/L)	0.515
G370	10/7/2004	09:05:00	0	Orthophosphate as P (mg/L)	0.125
G370	10/7/2004	09:05:00	0	pH	7.35
G370	10/7/2004	09:05:00	0	Specific Conductivity (µmhos/cm)	1293
G370	10/7/2004	09:05:00	0	Sulfate (mg/L)	125
G370	10/7/2004	09:05:00	0	Temperature (°C)	27.6
G370	10/7/2004	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.128
G370	10/7/2004	09:05:00	0	Total Dissolved Solids (mg/L)	884
G370	10/7/2004	09:05:00	0	Total Phosphorus	0.143
G370	10/7/2004	09:05:00	0	Turbidity (NTU)	8.3
G370	10/7/2004	09:10:00	7	Total Phosphorus	0.123
G370	10/14/2004	09:05:00	0	Dissolved Oxygen (mg/L)	1.53
G370	10/14/2004	09:05:00	0	pH	7.46
G370	10/14/2004	09:05:00	0	Specific Conductivity (µmhos/cm)	1543
G370	10/14/2004	09:05:00	0	Temperature (°C)	27
G370	10/14/2004	09:05:00	0	Total Phosphorus	0.183
G370	10/14/2004	09:12:00	7	Total Phosphorus	0.139
G370	10/21/2004	09:33:00	0	Alkalinity (mg/L)	353
G370	10/21/2004	09:33:00	0	Dissolved Chloride (mg/L)	141
G370	10/21/2004	09:33:00	0	Dissolved Oxygen (mg/L)	3.88

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	10/21/2004	09:33:00	0	Nitrate + Nitrite (mg/L)	0.379
G370	10/21/2004	09:33:00	0	Orthophosphate as P (mg/L)	0.101
G370	10/21/2004	09:33:00	0	pH	7.62
G370	10/21/2004	09:33:00	0	Specific Conductivity (µmhos/cm)	1277
G370	10/21/2004	09:33:00	0	Sulfate (mg/L)	111
G370	10/21/2004	09:33:00	0	Temperature (°C)	26.5
G370	10/21/2004	09:33:00	0	Total Dissolved Phosphorus (mg/L)	0.105
G370	10/21/2004	09:33:00	0	Total Dissolved Solids (mg/L)	902
G370	10/21/2004	09:33:00	0	Total Phosphorus	0.117
G370	10/21/2004	09:33:00	0	Turbidity (NTU)	1.5
G370	10/21/2004	09:40:00	7	Total Phosphorus	0.134
G370	10/28/2004	09:00:00	0	Dissolved Oxygen (mg/L)	3.61
G370	10/28/2004	09:00:00	0	pH	7.63
G370	10/28/2004	09:00:00	0	Specific Conductivity (µmhos/cm)	1401
G370	10/28/2004	09:00:00	0	Temperature (°C)	25.2
G370	10/28/2004	09:00:00	0	Total Phosphorus	0.125
G370	10/28/2004	09:05:00	7	Total Phosphorus	0.112
G370	11/4/2004	08:40:00	0	Alkalinity (mg/L)	364
G370	11/4/2004	08:40:00	0	Dissolved Chloride (mg/L)	139
G370	11/4/2004	08:40:00	0	Dissolved Oxygen (mg/L)	6.59
G370	11/4/2004	08:40:00	0	Nitrate + Nitrite (mg/L)	0.371
G370	11/4/2004	08:40:00	0	Orthophosphate as P (mg/L)	0.058
G370	11/4/2004	08:40:00	0	Specific Conductivity (µmhos/cm)	1313
G370	11/4/2004	08:40:00	0	Sulfate (mg/L)	116
G370	11/4/2004	08:40:00	0	Temperature (°C)	26.2
G370	11/4/2004	08:40:00	0	Total Dissolved Phosphorus (mg/L)	0.079
G370	11/4/2004	08:40:00	0	Total Dissolved Solids (mg/L)	901
G370	11/4/2004	08:40:00	0	Total Phosphorus	0.136
G370	11/4/2004	08:40:00	0	Turbidity (NTU)	4
G370	11/4/2004	08:45:00	7	Total Phosphorus	0.119
G370	11/10/2004	09:32:00	0	Dissolved Oxygen (mg/L)	5.34
G370	11/10/2004	09:32:00	0	pH	7.91
G370	11/10/2004	09:32:00	0	Specific Conductivity (µmhos/cm)	1292
G370	11/10/2004	09:32:00	0	Temperature (°C)	23.8
G370	11/10/2004	09:32:00	0	Total Phosphorus	0.098
G370	11/10/2004	09:40:00	7	Total Phosphorus	0.097
G370	11/18/2004	09:05:00	0	Alkalinity (mg/L)	362
G370	11/18/2004	09:05:00	0	Dissolved Chloride (mg/L)	145
G370	11/18/2004	09:05:00	0	Dissolved Oxygen (mg/L)	6.6
G370	11/18/2004	09:05:00	0	Nitrate + Nitrite (mg/L)	0.577
G370	11/18/2004	09:05:00	0	Orthophosphate as P (mg/L)	0.08
G370	11/18/2004	09:05:00	0	pH	8.03
G370	11/18/2004	09:05:00	0	Specific Conductivity (µmhos/cm)	1304
G370	11/18/2004	09:05:00	0	Sulfate (mg/L)	114
G370	11/18/2004	09:05:00	0	Temperature (°C)	22.4
G370	11/18/2004	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.084
G370	11/18/2004	09:05:00	0	Total Dissolved Solids (mg/L)	895
G370	11/18/2004	09:05:00	0	Total Phosphorus	0.097

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	11/18/2004	09:05:00	0	Turbidity (NTU)	5.8
G370	11/18/2004	09:15:00	7	Total Phosphorus	0.099
G370	11/24/2004	08:50:00	0	Dissolved Oxygen (mg/L)	6.91
G370	11/24/2004	08:50:00	0	pH	8.24
G370	11/24/2004	08:50:00	0	Specific Conductivity (µmhos/cm)	1260
G370	11/24/2004	08:50:00	0	Temperature (°C)	23.7
G370	11/24/2004	08:50:00	0	Total Phosphorus	0.096
G370	11/24/2004	08:55:00	7	Total Phosphorus	0.093
G370	12/2/2004	09:20:00	0	Alkalinity (mg/L)	308
G370	12/2/2004	09:20:00	0	Dissolved Chloride (mg/L)	123
G370	12/2/2004	09:20:00	0	Dissolved Oxygen (mg/L)	6.96
G370	12/2/2004	09:20:00	0	Nitrate + Nitrite (mg/L)	0.635
G370	12/2/2004	09:20:00	0	Orthophosphate as P (mg/L)	0.077
G370	12/2/2004	09:20:00	0	pH	8.11
G370	12/2/2004	09:20:00	0	Specific Conductivity (µmhos/cm)	1116
G370	12/2/2004	09:20:00	0	Sulfate (mg/L)	98.5
G370	12/2/2004	09:20:00	0	Temperature (°C)	22.8
G370	12/2/2004	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.083
G370	12/2/2004	09:20:00	0	Total Dissolved Solids (mg/L)	755
G370	12/2/2004	09:20:00	0	Total Phosphorus	0.094
G370	12/2/2004	09:20:00	0	Turbidity (NTU)	2.9
G370	12/2/2004	09:25:00	7	Total Phosphorus	0.092
G370	12/8/2004	09:15:00	0	Dissolved Oxygen (mg/L)	6.77
G370	12/8/2004	09:15:00	0	pH	7.04
G370	12/8/2004	09:15:00	0	Specific Conductivity (µmhos/cm)	501
G370	12/8/2004	09:15:00	0	Temperature (°C)	21.7
G370	12/8/2004	09:15:00	0	Total Phosphorus	0.189
G370	12/8/2004	09:20:00	7	Total Phosphorus	0.116
G370	12/16/2004	09:26:00	0	Alkalinity (mg/L)	156
G370	12/16/2004	09:26:00	0	Dissolved Chloride (mg/L)	64.2
G370	12/16/2004	09:26:00	0	Dissolved Oxygen (mg/L)	7.93
G370	12/16/2004	09:26:00	0	Nitrate + Nitrite (mg/L)	0.154
G370	12/16/2004	09:26:00	0	Orthophosphate as P (mg/L)	0.018
G370	12/16/2004	09:26:00	0	pH	7.89
G370	12/16/2004	09:26:00	0	Specific Conductivity (µmhos/cm)	569
G370	12/16/2004	09:26:00	0	Sulfate (mg/L)	38.4
G370	12/16/2004	09:26:00	0	Temperature (°C)	16.8
G370	12/16/2004	09:26:00	0	Total Dissolved Phosphorus (mg/L)	0.029
G370	12/16/2004	09:26:00	0	Total Dissolved Solids (mg/L)	398
G370	12/16/2004	09:26:00	0	Total Phosphorus	0.137
G370	12/16/2004	09:26:00	0	Turbidity (NTU)	24.8
G370	12/16/2004	09:35:00	7	Total Phosphorus	0.199
G370	12/22/2004	09:32:00	0	pH	7.67
G370	12/22/2004	09:32:00	0	Specific Conductivity (µmhos/cm)	509
G370	12/22/2004	09:32:00	0	Temperature (°C)	16.3
G370	12/22/2004	09:32:00	0	Total Phosphorus	0.103
G370	12/22/2004	09:35:00	7	Total Phosphorus	0.16
G370	12/29/2004	09:11:00	0	Alkalinity (mg/L)	186

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	12/29/2004	09:11:00	0	Dissolved Chloride (mg/L)	74.3
G370	12/29/2004	09:11:00	0	Dissolved Oxygen (mg/L)	8.34
G370	12/29/2004	09:11:00	0	Nitrate + Nitrite (mg/L)	0.615
G370	12/29/2004	09:11:00	0	Orthophosphate as P (mg/L)	0.065
G370	12/29/2004	09:11:00	0	pH	7.85
G370	12/29/2004	09:11:00	0	Specific Conductivity (µmhos/cm)	694
G370	12/29/2004	09:11:00	0	Sulfate (mg/L)	49.3
G370	12/29/2004	09:11:00	0	Temperature (°C)	16.7
G370	12/29/2004	09:11:00	0	Total Dissolved Phosphorus (mg/L)	0.068
G370	12/29/2004	09:11:00	0	Total Dissolved Solids (mg/L)	459
G370	12/29/2004	09:11:00	0	Total Phosphorus	0.096
G370	12/29/2004	09:11:00	0	Turbidity (NTU)	8.1
G370	12/29/2004	09:15:00	7	Total Phosphorus	0.098
G370	1/6/2005	08:50:00	0	Dissolved Oxygen (mg/L)	10.2
G370	1/6/2005	08:50:00	0	pH	8.31
G370	1/6/2005	08:50:00	0	Specific Conductivity (µmhos/cm)	811
G370	1/6/2005	08:50:00	0	Temperature (°C)	20.3
G370	1/6/2005	08:50:00	0	Total Phosphorus	0.103
G370	1/6/2005	09:00:00	7	Total Phosphorus	0.102
G370	1/10/2005	09:15:00	0	Alkalinity (mg/L)	221
G370	1/10/2005	09:15:00	0	Dissolved Chloride (mg/L)	91.2
G370	1/10/2005	09:15:00	0	Dissolved Oxygen (mg/L)	9.17
G370	1/10/2005	09:15:00	0	Nitrate + Nitrite (mg/L)	0.394
G370	1/10/2005	09:15:00	0	Orthophosphate as P (mg/L)	0.037
G370	1/10/2005	09:15:00	0	pH	8.24
G370	1/10/2005	09:15:00	0	Specific Conductivity (µmhos/cm)	816
G370	1/10/2005	09:15:00	0	Sulfate (mg/L)	61.9
G370	1/10/2005	09:15:00	0	Temperature (°C)	20.9
G370	1/10/2005	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.049
G370	1/10/2005	09:15:00	0	Total Dissolved Solids (mg/L)	520
G370	1/10/2005	09:15:00	0	Total Phosphorus	0.099
G370	1/10/2005	09:15:00	0	Turbidity (NTU)	4
G370	1/10/2005	09:20:00	7	Total Phosphorus	0.078
G370	1/18/2005	09:03:00	0	Dissolved Oxygen (mg/L)	7.54
G370	1/18/2005	09:03:00	0	pH	7.55
G370	1/18/2005	09:03:00	0	Specific Conductivity (µmhos/cm)	759
G370	1/18/2005	09:03:00	0	Temperature (°C)	17.9
G370	1/18/2005	09:03:00	0	Total Phosphorus	0.122
G370	1/18/2005	09:09:00	7	Total Phosphorus	0.099
G370	1/24/2005	09:10:00	0	Alkalinity (mg/L)	198
G370	1/24/2005	09:10:00	0	Dissolved Chloride (mg/L)	78.8
G370	1/24/2005	09:10:00	0	Dissolved Oxygen (mg/L)	7.95
G370	1/24/2005	09:10:00	0	Nitrate + Nitrite (mg/L)	0.639
G370	1/24/2005	09:10:00	0	Orthophosphate as P (mg/L)	0.095
G370	1/24/2005	09:10:00	0	pH	7.51
G370	1/24/2005	09:10:00	0	Specific Conductivity (µmhos/cm)	722
G370	1/24/2005	09:10:00	0	Sulfate (mg/L)	53.7
G370	1/24/2005	09:10:00	0	Temperature (°C)	16.5

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	1/24/2005	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.095
G370	1/24/2005	09:10:00	0	Total Dissolved Solids (mg/L)	490
G370	1/24/2005	09:10:00	0	Total Phosphorus	0.112
G370	1/24/2005	09:10:00	0	Turbidity (NTU)	6.2
G370	1/24/2005	09:20:00	7	Total Phosphorus	0.121
G370	1/31/2005	09:05:00	0	Dissolved Oxygen (mg/L)	8.87
G370	1/31/2005	09:05:00	0	pH	8.07
G370	1/31/2005	09:05:00	0	Specific Conductivity (µmhos/cm)	719
G370	1/31/2005	09:05:00	0	Temperature (°C)	17.9
G370	1/31/2005	09:05:00	0	Total Phosphorus	0.089
G370	1/31/2005	09:10:00	7	Total Phosphorus	0.099
G370	2/7/2005	09:00:00	0	Alkalinity (mg/L)	144
G370	2/7/2005	09:00:00	0	Dissolved Chloride (mg/L)	59.2
G370	2/7/2005	09:00:00	0	Dissolved Oxygen (mg/L)	7.91
G370	2/7/2005	09:00:00	0	Nitrate + Nitrite (mg/L)	0.603
G370	2/7/2005	09:00:00	0	Orthophosphate as P (mg/L)	0.093
G370	2/7/2005	09:00:00	0	pH	7.81
G370	2/7/2005	09:00:00	0	Specific Conductivity (µmhos/cm)	528
G370	2/7/2005	09:00:00	0	Sulfate (mg/L)	37.5
G370	2/7/2005	09:00:00	0	Temperature (°C)	17.8
G370	2/7/2005	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.095
G370	2/7/2005	09:00:00	0	Total Dissolved Solids (mg/L)	336
G370	2/7/2005	09:00:00	0	Total Phosphorus	0.133
G370	2/7/2005	09:00:00	0	Turbidity (NTU)	16.3
G370	2/7/2005	09:05:00	7	Total Phosphorus	0.127
G370	2/14/2005	09:30:00	0	Dissolved Oxygen (mg/L)	7.6
G370	2/14/2005	09:30:00	0	pH	7.7
G370	2/14/2005	09:30:00	0	Specific Conductivity (µmhos/cm)	453
G370	2/14/2005	09:30:00	0	Temperature (°C)	17.4
G370	2/14/2005	09:30:00	0	Total Phosphorus	0.152
G370	2/14/2005	09:40:00	7	Total Phosphorus	0.181
G370	2/22/2005	09:10:00	0	Alkalinity (mg/L)	133
G370	2/22/2005	09:10:00	0	Dissolved Chloride (mg/L)	53.5
G370	2/22/2005	09:10:00	0	Dissolved Oxygen (mg/L)	8.08
G370	2/22/2005	09:10:00	0	Nitrate + Nitrite (mg/L)	0.546
G370	2/22/2005	09:10:00	0	Orthophosphate as P (mg/L)	0.085
G370	2/22/2005	09:10:00	0	pH	7.7
G370	2/22/2005	09:10:00	0	Specific Conductivity (µmhos/cm)	494
G370	2/22/2005	09:10:00	0	Sulfate (mg/L)	33.2
G370	2/22/2005	09:10:00	0	Temperature (°C)	19.5
G370	2/22/2005	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.086
G370	2/22/2005	09:10:00	0	Total Dissolved Solids (mg/L)	314
G370	2/22/2005	09:10:00	0	Total Phosphorus	0.146
G370	2/22/2005	09:10:00	0	Turbidity (NTU)	25.6
G370	2/22/2005	09:15:00	7	Total Phosphorus	0.195
G370	2/28/2005	10:03:00	0	Dissolved Oxygen (mg/L)	5.85
G370	2/28/2005	10:03:00	0	pH	7.4
G370	2/28/2005	10:03:00	0	Specific Conductivity (µmhos/cm)	578

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	2/28/2005	10:03:00	0	Temperature (°C)	21.7
G370	2/28/2005	10:03:00	0	Total Phosphorus	0.148
G370	2/28/2005	10:10:00	7	Total Phosphorus	0.178
G370	3/7/2005	09:15:00	0	Alkalinity (mg/L)	238
G370	3/7/2005	09:15:00	0	Dissolved Chloride (mg/L)	81.1
G370	3/7/2005	09:15:00	0	Dissolved Oxygen (mg/L)	6.08
G370	3/7/2005	09:15:00	0	Nitrate + Nitrite (mg/L)	0.396
G370	3/7/2005	09:15:00	0	Orthophosphate as P (mg/L)	0.065
G370	3/7/2005	09:15:00	0	pH	7.44
G370	3/7/2005	09:15:00	0	Specific Conductivity (µmhos/cm)	803
G370	3/7/2005	09:15:00	0	Sulfate (mg/L)	53.8
G370	3/7/2005	09:15:00	0	Temperature (°C)	19.4
G370	3/7/2005	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.07
G370	3/7/2005	09:15:00	0	Total Dissolved Solids (mg/L)	492
G370	3/7/2005	09:15:00	0	Total Phosphorus	0.101
G370	3/7/2005	09:15:00	0	Turbidity (NTU)	12.8
G370	3/7/2005	09:20:00	7	Total Phosphorus	0.126
G370	3/14/2005	09:16:00	0	Dissolved Oxygen (mg/L)	4.07
G370	3/14/2005	09:16:00	0	pH	7.27
G370	3/14/2005	09:16:00	0	Specific Conductivity (µmhos/cm)	986
G370	3/14/2005	09:16:00	0	Temperature (°C)	20.4
G370	3/14/2005	09:16:00	0	Total Phosphorus	0.068
G370	3/14/2005	09:20:00	7	Total Phosphorus	0.116
G370	3/21/2005	09:30:00	0	Alkalinity (mg/L)	341
G370	3/21/2005	09:30:00	0	Dissolved Chloride (mg/L)	115
G370	3/21/2005	09:30:00	0	Dissolved Oxygen (mg/L)	3.15
G370	3/21/2005	09:30:00	0	Nitrate + Nitrite (mg/L)	1.17
G370	3/21/2005	09:30:00	0	Orthophosphate as P (mg/L)	0.059
G370	3/21/2005	09:30:00	0	pH	7.29
G370	3/21/2005	09:30:00	0	Specific Conductivity (µmhos/cm)	1154
G370	3/21/2005	09:30:00	0	Sulfate (mg/L)	101
G370	3/21/2005	09:30:00	0	Temperature (°C)	22
G370	3/21/2005	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.066
G370	3/21/2005	09:30:00	0	Total Dissolved Solids (mg/L)	771
G370	3/21/2005	09:30:00	0	Total Phosphorus	0.097
G370	3/21/2005	09:30:00	0	Turbidity (NTU)	8.2
G370	3/21/2005	09:35:00	7	Total Phosphorus	0.091
G370	3/29/2005	09:16:00	0	Dissolved Oxygen (mg/L)	6.73
G370	3/29/2005	09:16:00	0	pH	7.7
G370	3/29/2005	09:16:00	0	Specific Conductivity (µmhos/cm)	974
G370	3/29/2005	09:16:00	0	Temperature (°C)	24.3
G370	3/29/2005	09:16:00	0	Total Phosphorus	0.053
G370	3/29/2005	09:20:00	7	Total Phosphorus	0.064
G370	4/4/2005	09:20:00	0	Alkalinity (mg/L)	303
G370	4/4/2005	09:20:00	0	Dissolved Chloride (mg/L)	110
G370	4/4/2005	09:20:00	0	Dissolved Oxygen (mg/L)	6.32
G370	4/4/2005	09:20:00	0	Nitrate + Nitrite (mg/L)	0.372
G370	4/4/2005	09:20:00	0	Orthophosphate as P (mg/L)	0.021

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	4/4/2005	09:20:00	0	pH	7.85
G370	4/4/2005	09:20:00	0	Specific Conductivity (µmhos/cm)	1029
G370	4/4/2005	09:20:00	0	Sulfate (mg/L)	61.7
G370	4/4/2005	09:20:00	0	Temperature (°C)	23.3
G370	4/4/2005	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.028
G370	4/4/2005	09:20:00	0	Total Dissolved Solids (mg/L)	619
G370	4/4/2005	09:20:00	0	Total Phosphorus	0.049
G370	4/4/2005	09:20:00	0	Turbidity (NTU)	3.8
G370	4/4/2005	09:25:00	7	Total Phosphorus	0.06
G370	4/11/2005	09:45:00	0	Dissolved Oxygen (mg/L)	6.38
G370	4/11/2005	09:45:00	0	pH	7.77
G370	4/11/2005	09:45:00	0	Specific Conductivity (µmhos/cm)	1116
G370	4/11/2005	09:45:00	0	Temperature (°C)	24.2
G370	4/11/2005	09:45:00	0	Total Phosphorus	0.052
G370	4/11/2005	09:48:00	7	Total Phosphorus	0.047
G370	4/18/2005	09:15:00	0	Alkalinity (mg/L)	351
G370	4/18/2005	09:15:00	0	Dissolved Chloride (mg/L)	135
G370	4/18/2005	09:15:00	0	Dissolved Oxygen (mg/L)	7.24
G370	4/18/2005	09:15:00	0	Nitrate + Nitrite (mg/L)	0.346
G370	4/18/2005	09:15:00	0	Orthophosphate as P (mg/L)	0.017
G370	4/18/2005	09:15:00	0	pH	7.78
G370	4/18/2005	09:15:00	0	Specific Conductivity (µmhos/cm)	1150
G370	4/18/2005	09:15:00	0	Sulfate (mg/L)	62.2
G370	4/18/2005	09:15:00	0	Temperature (°C)	22.6
G370	4/18/2005	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.018
G370	4/18/2005	09:15:00	0	Total Dissolved Solids (mg/L)	724
G370	4/18/2005	09:15:00	0	Total Phosphorus	0.026
G370	4/18/2005	09:15:00	0	Turbidity (NTU)	2.4
G370	4/25/2005	08:40:00	0	Dissolved Oxygen (mg/L)	6.82
G370	4/25/2005	08:40:00	0	pH	7.75
G370	4/25/2005	08:40:00	0	Specific Conductivity (µmhos/cm)	430
G370	4/25/2005	08:40:00	0	Temperature (°C)	22.8
G370	4/25/2005	08:40:00	0	Total Phosphorus	0.21
G370	4/25/2005	08:45:00	7	Total Phosphorus	0.195
G372	5/6/2004	12:30:00	0	Alkalinity (mg/L)	113
G372	5/6/2004	12:30:00	0	Dissolved Chloride (mg/L)	52.5
G372	5/6/2004	12:30:00	0	Dissolved Oxygen (mg/L)	7.18
G372	5/6/2004	12:30:00	0	Nitrate + Nitrite (mg/L)	0.004
G372	5/6/2004	12:30:00	0	Orthophosphate as P (mg/L)	<0.004
G372	5/6/2004	12:30:00	0	pH	8.41
G372	5/6/2004	12:30:00	0	Specific Conductivity (µmhos/cm)	453
G372	5/6/2004	12:30:00	0	Sulfate (mg/L)	30.3
G372	5/6/2004	12:30:00	0	Temperature (°C)	26.6
G372	5/6/2004	12:30:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G372	5/6/2004	12:30:00	0	Total Dissolved Solids (mg/L)	290
G372	5/6/2004	12:30:00	0	Total Phosphorus	0.036
G372	5/6/2004	12:30:00	0	Turbidity (NTU)	6.2
G372	5/6/2004	13:40:00	7	Total Phosphorus	0.059

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	5/13/2004	13:10:00	0	Dissolved Oxygen (mg/L)	7.06
G372	5/13/2004	13:10:00	0	pH	8.12
G372	5/13/2004	13:10:00	0	Specific Conductivity (µmhos/cm)	476
G372	5/13/2004	13:10:00	0	Temperature (°C)	26
G372	5/13/2004	13:10:00	0	Total Phosphorus	0.055
G372	5/13/2004	13:20:00	7	Total Phosphorus	0.051
G372	5/20/2004	13:07:00	0	Alkalinity (mg/L)	108
G372	5/20/2004	13:07:00	0	Dissolved Chloride (mg/L)	52.4
G372	5/20/2004	13:07:00	0	Dissolved Oxygen (mg/L)	6.9
G372	5/20/2004	13:07:00	0	Nitrate + Nitrite (mg/L)	0.075
G372	5/20/2004	13:07:00	0	Orthophosphate as P (mg/L)	0.005
G372	5/20/2004	13:07:00	0	pH	8.14
G372	5/20/2004	13:07:00	0	Specific Conductivity (µmhos/cm)	443.9
G372	5/20/2004	13:07:00	0	Sulfate (mg/L)	30.7
G372	5/20/2004	13:07:00	0	Temperature (°C)	26.8
G372	5/20/2004	13:07:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G372	5/20/2004	13:07:00	0	Total Dissolved Solids (mg/L)	324
G372	5/20/2004	13:07:00	0	Total Phosphorus	0.046
G372	5/20/2004	13:07:00	0	Turbidity (NTU)	6.2
G372	5/20/2004	14:00:00	7	Total Phosphorus	0.057
G372	5/27/2004	13:01:00	0	Dissolved Oxygen (mg/L)	5.85
G372	5/27/2004	13:01:00	0	pH	8.24
G372	5/27/2004	13:01:00	0	Specific Conductivity (µmhos/cm)	434
G372	5/27/2004	13:01:00	0	Temperature (°C)	28.9
G372	5/27/2004	13:01:00	0	Total Phosphorus	0.05
G372	5/27/2004	13:29:00	7	Total Phosphorus	0.059
G372	6/3/2004	12:46:00	7	Total Phosphorus	0.048
G372	6/3/2004	12:50:00	0	Alkalinity (mg/L)	112
G372	6/3/2004	12:50:00	0	Dissolved Chloride (mg/L)	55.1
G372	6/3/2004	12:50:00	0	Dissolved Oxygen (mg/L)	4.24
G372	6/3/2004	12:50:00	0	Nitrate + Nitrite (mg/L)	2.19
G372	6/3/2004	12:50:00	0	Orthophosphate as P (mg/L)	0.019
G372	6/3/2004	12:50:00	0	pH	7.64
G372	6/3/2004	12:50:00	0	Specific Conductivity (µmhos/cm)	497
G372	6/3/2004	12:50:00	0	Sulfate (mg/L)	34
G372	6/3/2004	12:50:00	0	Temperature (°C)	30.5
G372	6/3/2004	12:50:00	0	Total Dissolved Phosphorus (mg/L)	0.027
G372	6/3/2004	12:50:00	0	Total Dissolved Solids (mg/L)	345
G372	6/3/2004	12:50:00	0	Total Phosphorus	0.072
G372	6/3/2004	12:50:00	0	Turbidity (NTU)	16.9
G372	6/10/2004	13:13:00	0	Dissolved Oxygen (mg/L)	3.48
G372	6/10/2004	13:13:00	0	pH	7.31
G372	6/10/2004	13:13:00	0	Specific Conductivity (µmhos/cm)	729
G372	6/10/2004	13:13:00	0	Temperature (°C)	28.7
G372	6/10/2004	13:13:00	0	Total Phosphorus	0.052
G372	6/10/2004	13:17:00	7	Total Phosphorus	0.066
G372	6/17/2004	13:50:00	7	Total Phosphorus	0.054
G372	6/17/2004	13:55:00	0	Alkalinity (mg/L)	236

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	6/17/2004	13:55:00	0	Dissolved Chloride (mg/L)	96.8
G372	6/17/2004	13:55:00	0	Dissolved Oxygen (mg/L)	4.63
G372	6/17/2004	13:55:00	0	Nitrate + Nitrite (mg/L)	0.769
G372	6/17/2004	13:55:00	0	Orthophosphate as P (mg/L)	0.004
G372	6/17/2004	13:55:00	0	pH	7.23
G372	6/17/2004	13:55:00	0	Specific Conductivity (µmhos/cm)	854
G372	6/17/2004	13:55:00	0	Sulfate (mg/L)	44.5
G372	6/17/2004	13:55:00	0	Temperature (°C)	29.5
G372	6/17/2004	13:55:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G372	6/17/2004	13:55:00	0	Total Dissolved Solids (mg/L)	586
G372	6/17/2004	13:55:00	0	Total Phosphorus	0.034
G372	6/17/2004	13:55:00	0	Turbidity (NTU)	5.4
G372	6/24/2004	13:30:00	0	Dissolved Oxygen (mg/L)	7.46
G372	6/24/2004	13:30:00	0	pH	7.66
G372	6/24/2004	13:30:00	0	Specific Conductivity (µmhos/cm)	895
G372	6/24/2004	13:30:00	0	Temperature (°C)	31
G372	6/24/2004	13:30:00	0	Total Phosphorus	0.051
G372	7/1/2004	13:25:00	0	Alkalinity (mg/L)	135
G372	7/1/2004	13:25:00	0	Dissolved Chloride (mg/L)	69.3
G372	7/1/2004	13:25:00	0	Dissolved Oxygen (mg/L)	6.3
G372	7/1/2004	13:25:00	0	Nitrate + Nitrite (mg/L)	0.022
G372	7/1/2004	13:25:00	0	Orthophosphate as P (mg/L)	<0.004
G372	7/1/2004	13:25:00	0	pH	8.09
G372	7/1/2004	13:25:00	0	Specific Conductivity (µmhos/cm)	574
G372	7/1/2004	13:25:00	0	Sulfate (mg/L)	38
G372	7/1/2004	13:25:00	0	Temperature (°C)	30.3
G372	7/1/2004	13:25:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G372	7/1/2004	13:25:00	0	Total Dissolved Solids (mg/L)	360
G372	7/1/2004	13:25:00	0	Total Phosphorus	0.044
G372	7/1/2004	13:25:00	0	Turbidity (NTU)	4.9
G372	7/1/2004	13:30:00	7	Total Phosphorus	0.054
G372	7/8/2004	13:00:00	0	Dissolved Oxygen (mg/L)	7.51
G372	7/8/2004	13:00:00	0	pH	8.62
G372	7/8/2004	13:00:00	0	Specific Conductivity (µmhos/cm)	491
G372	7/8/2004	13:00:00	0	Temperature (°C)	33.6
G372	7/8/2004	13:00:00	0	Total Phosphorus	0.037
G372	7/8/2004	13:05:00	7	Total Phosphorus	0.046
G372	7/15/2004	13:00:00	0	Alkalinity (mg/L)	94
G372	7/15/2004	13:00:00	0	Dissolved Chloride (mg/L)	57.6
G372	7/15/2004	13:00:00	0	Dissolved Oxygen (mg/L)	5.11
G372	7/15/2004	13:00:00	0	Nitrate + Nitrite (mg/L)	0.02
G372	7/15/2004	13:00:00	0	Orthophosphate as P (mg/L)	<0.004
G372	7/15/2004	13:00:00	0	pH	8.37
G372	7/15/2004	13:00:00	0	Specific Conductivity (µmhos/cm)	429
G372	7/15/2004	13:00:00	0	Sulfate (mg/L)	32.3
G372	7/15/2004	13:00:00	0	Temperature (°C)	31.8
G372	7/15/2004	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G372	7/15/2004	13:00:00	0	Total Dissolved Solids (mg/L)	267

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	7/15/2004	13:00:00	0	Total Phosphorus	0.035
G372	7/15/2004	13:00:00	0	Turbidity (NTU)	5.3
G372	7/15/2004	13:05:00	7	Total Phosphorus	0.046
G372	7/22/2004	13:05:00	0	Dissolved Oxygen (mg/L)	3.69
G372	7/22/2004	13:05:00	0	pH	7.4
G372	7/22/2004	13:05:00	0	Specific Conductivity (µmhos/cm)	780
G372	7/22/2004	13:05:00	0	Temperature (°C)	28.7
G372	7/22/2004	13:05:00	0	Total Phosphorus	0.033
G372	7/22/2004	13:07:00	7	Total Phosphorus	0.054
G372	7/29/2004	13:00:00	0	Alkalinity (mg/L)	248
G372	7/29/2004	13:00:00	0	Dissolved Chloride (mg/L)	98.1
G372	7/29/2004	13:00:00	0	Dissolved Oxygen (mg/L)	6
G372	7/29/2004	13:00:00	0	Nitrate + Nitrite (mg/L)	1.19
G372	7/29/2004	13:00:00	0	Orthophosphate as P (mg/L)	<0.004
G372	7/29/2004	13:00:00	0	pH	7.4
G372	7/29/2004	13:00:00	0	Specific Conductivity (µmhos/cm)	894
G372	7/29/2004	13:00:00	0	Sulfate (mg/L)	51.4
G372	7/29/2004	13:00:00	0	Temperature (°C)	30.2
G372	7/29/2004	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G372	7/29/2004	13:00:00	0	Total Dissolved Solids (mg/L)	590
G372	7/29/2004	13:00:00	0	Total Phosphorus	0.041
G372	7/29/2004	13:00:00	0	Turbidity (NTU)	3.6
G372	7/29/2004	13:05:00	7	Total Phosphorus	0.036
G372	8/5/2004	12:48:00	0	Dissolved Oxygen (mg/L)	2.25
G372	8/5/2004	12:48:00	0	pH	7.19
G372	8/5/2004	12:48:00	0	Specific Conductivity (µmhos/cm)	861
G372	8/5/2004	12:48:00	0	Temperature (°C)	28.5
G372	8/5/2004	12:48:00	0	Total Phosphorus	0.073
G372	8/5/2004	12:50:00	7	Total Phosphorus	0.062
G372	8/12/2004	13:00:00	0	Alkalinity (mg/L)	242
G372	8/12/2004	13:00:00	0	Dissolved Chloride (mg/L)	88
G372	8/12/2004	13:00:00	0	Dissolved Oxygen (mg/L)	3.52
G372	8/12/2004	13:00:00	0	Nitrate + Nitrite (mg/L)	1.32
G372	8/12/2004	13:00:00	0	Orthophosphate as P (mg/L)	0.019
G372	8/12/2004	13:00:00	0	pH	7.32
G372	8/12/2004	13:00:00	0	Specific Conductivity (µmhos/cm)	858
G372	8/12/2004	13:00:00	0	Sulfate (mg/L)	52.4
G372	8/12/2004	13:00:00	0	Temperature (°C)	29.8
G372	8/12/2004	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.026
G372	8/12/2004	13:00:00	0	Total Dissolved Solids (mg/L)	560
G372	8/12/2004	13:00:00	0	Total Phosphorus	0.048
G372	8/12/2004	13:00:00	0	Turbidity (NTU)	4.5
G372	8/12/2004	13:10:00	7	Total Phosphorus	0.061
G372	8/19/2004	11:47:00	0	Dissolved Oxygen (mg/L)	4.48
G372	8/19/2004	11:47:00	0	pH	7.33
G372	8/19/2004	11:47:00	0	Specific Conductivity (µmhos/cm)	737
G372	8/19/2004	11:47:00	0	Temperature (°C)	29.4
G372	8/19/2004	11:47:00	0	Total Phosphorus	0.069

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	8/19/2004	11:50:00	7	Total Phosphorus	0.072
G372	8/26/2004	11:45:00	0	Alkalinity (mg/L)	197
G372	8/26/2004	11:45:00	0	Dissolved Chloride (mg/L)	71.1
G372	8/26/2004	11:45:00	0	Dissolved Oxygen (mg/L)	2.82
G372	8/26/2004	11:45:00	0	Nitrate + Nitrite (mg/L)	0.504
G372	8/26/2004	11:45:00	0	Orthophosphate as P (mg/L)	0.034
G372	8/26/2004	11:45:00	0	pH	7.24
G372	8/26/2004	11:45:00	0	Specific Conductivity (µmhos/cm)	679
G372	8/26/2004	11:45:00	0	Sulfate (mg/L)	35.2
G372	8/26/2004	11:45:00	0	Temperature (°C)	28.2
G372	8/26/2004	11:45:00	0	Total Dissolved Solids (mg/L)	450
G372	8/26/2004	11:45:00	0	Total Phosphorus	0.059
G372	8/26/2004	11:45:00	0	Turbidity (NTU)	3.6
G372	8/26/2004	11:50:00	7	Total Phosphorus	0.066
G372	9/1/2004	11:58:00	0	Dissolved Oxygen (mg/L)	2.98
G372	9/1/2004	11:58:00	0	pH	7.2
G372	9/1/2004	11:58:00	0	Specific Conductivity (µmhos/cm)	804
G372	9/1/2004	11:58:00	0	Temperature (°C)	29.4
G372	9/1/2004	11:58:00	0	Total Phosphorus	0.072
G372	9/1/2004	12:06:00	7	Total Phosphorus	0.054
G372	9/9/2004	14:50:00	0	Alkalinity (mg/L)	230
G372	9/9/2004	14:50:00	0	Dissolved Chloride (mg/L)	66.1
G372	9/9/2004	14:50:00	0	Dissolved Oxygen (mg/L)	2.21
G372	9/9/2004	14:50:00	0	Nitrate + Nitrite (mg/L)	1.29
G372	9/9/2004	14:50:00	0	Orthophosphate as P (mg/L)	0.07
G372	9/9/2004	14:50:00	0	pH	7.31
G372	9/9/2004	14:50:00	0	Specific Conductivity (µmhos/cm)	757
G372	9/9/2004	14:50:00	0	Sulfate (mg/L)	44.9
G372	9/9/2004	14:50:00	0	Temperature (°C)	28.2
G372	9/9/2004	14:50:00	0	Total Dissolved Phosphorus (mg/L)	0.079
G372	9/9/2004	14:50:00	0	Total Dissolved Solids (mg/L)	581
G372	9/9/2004	14:50:00	0	Total Phosphorus	0.099
G372	9/9/2004	14:50:00	0	Turbidity (NTU)	6.2
G372	9/9/2004	14:55:00	7	Total Phosphorus	0.097
G372	9/15/2004	12:55:00	0	Dissolved Oxygen (mg/L)	2.64
G372	9/15/2004	12:55:00	0	pH	7.4
G372	9/15/2004	12:55:00	0	Specific Conductivity (µmhos/cm)	596
G372	9/15/2004	12:55:00	0	Temperature (°C)	28.1
G372	9/15/2004	12:55:00	0	Total Phosphorus	0.054
G372	9/15/2004	13:00:00	7	Total Phosphorus	0.097
G372	9/22/2004	12:15:00	0	Alkalinity (mg/L)	201
G372	9/22/2004	12:15:00	0	Dissolved Chloride (mg/L)	58.8
G372	9/22/2004	12:15:00	0	Dissolved Oxygen (mg/L)	3.17
G372	9/22/2004	12:15:00	0	Nitrate + Nitrite (mg/L)	0.317
G372	9/22/2004	12:15:00	0	Orthophosphate as P (mg/L)	0.107
G372	9/22/2004	12:15:00	0	pH	7.44
G372	9/22/2004	12:15:00	0	Specific Conductivity (µmhos/cm)	657
G372	9/22/2004	12:15:00	0	Sulfate (mg/L)	34.1

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	9/22/2004	12:15:00	0	Temperature (°C)	27.3
G372	9/22/2004	12:15:00	0	Total Dissolved Phosphorus (mg/L)	0.118
G372	9/22/2004	12:15:00	0	Total Dissolved Solids (mg/L)	458
G372	9/22/2004	12:15:00	0	Total Phosphorus	0.142
G372	9/22/2004	12:15:00	0	Turbidity (NTU)	7.2
G372	9/22/2004	12:20:00	7	Total Phosphorus	0.101
G372	9/30/2004	12:40:00	0	Dissolved Oxygen (mg/L)	2.02
G372	9/30/2004	12:40:00	0	pH	7.21
G372	9/30/2004	12:40:00	0	Specific Conductivity (µmhos/cm)	826
G372	9/30/2004	12:40:00	0	Temperature (°C)	27.6
G372	9/30/2004	12:40:00	0	Total Phosphorus	0.069
G372	9/30/2004	12:45:00	7	Total Phosphorus	0.111
G372	10/7/2004	12:40:00	0	Alkalinity (mg/L)	252
G372	10/7/2004	12:40:00	0	Dissolved Chloride (mg/L)	75.3
G372	10/7/2004	12:40:00	0	Dissolved Oxygen (mg/L)	3.2
G372	10/7/2004	12:40:00	0	Nitrate + Nitrite (mg/L)	0.644
G372	10/7/2004	12:40:00	0	Orthophosphate as P (mg/L)	0.064
G372	10/7/2004	12:40:00	0	pH	7.31
G372	10/7/2004	12:40:00	0	Specific Conductivity (µmhos/cm)	843
G372	10/7/2004	12:40:00	0	Sulfate (mg/L)	50.3
G372	10/7/2004	12:40:00	0	Temperature (°C)	27.4
G372	10/7/2004	12:40:00	0	Total Dissolved Phosphorus (mg/L)	0.071
G372	10/7/2004	12:40:00	0	Total Dissolved Solids (mg/L)	557
G372	10/7/2004	12:40:00	0	Total Phosphorus	0.078
G372	10/7/2004	12:40:00	0	Turbidity (NTU)	2.8
G372	10/7/2004	12:45:00	7	Total Phosphorus	0.069
G372	10/14/2004	13:45:00	0	Dissolved Oxygen (mg/L)	2.21
G372	10/14/2004	13:45:00	0	pH	7.65
G372	10/14/2004	13:45:00	0	Specific Conductivity (µmhos/cm)	1066
G372	10/14/2004	13:45:00	0	Temperature (°C)	27.2
G372	10/14/2004	13:45:00	0	Total Phosphorus	0.093
G372	10/14/2004	13:50:00	7	Total Phosphorus	0.054
G372	10/21/2004	12:53:00	0	Alkalinity (mg/L)	209
G372	10/21/2004	12:53:00	0	Dissolved Chloride (mg/L)	63.2
G372	10/21/2004	12:53:00	0	Dissolved Oxygen (mg/L)	2.03
G372	10/21/2004	12:53:00	0	Nitrate + Nitrite (mg/L)	0.054
G372	10/21/2004	12:53:00	0	Orthophosphate as P (mg/L)	0.023
G372	10/21/2004	12:53:00	0	pH	7.24
G372	10/21/2004	12:53:00	0	Specific Conductivity (µmhos/cm)	631
G372	10/21/2004	12:53:00	0	Sulfate (mg/L)	23.1
G372	10/21/2004	12:53:00	0	Temperature (°C)	26.2
G372	10/21/2004	12:53:00	0	Total Dissolved Phosphorus (mg/L)	0.025
G372	10/21/2004	12:53:00	0	Total Dissolved Solids (mg/L)	445
G372	10/21/2004	12:53:00	0	Total Phosphorus	0.042
G372	10/21/2004	12:53:00	0	Turbidity (NTU)	3.4
G372	10/21/2004	13:00:00	7	Total Phosphorus	0.048
G372	10/28/2004	13:35:00	0	Dissolved Oxygen (mg/L)	3.66
G372	10/28/2004	13:35:00	0	pH	7.41

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	10/28/2004	13:35:00	0	Specific Conductivity (µmhos/cm)	765
G372	10/28/2004	13:35:00	0	Temperature (°C)	25.9
G372	10/28/2004	13:35:00	0	Total Phosphorus	0.02
G372	10/28/2004	13:40:00	7	Total Phosphorus	0.032
G372	11/4/2004	11:50:00	0	Alkalinity (mg/L)	248
G372	11/4/2004	11:50:00	0	Dissolved Chloride (mg/L)	69.8
G372	11/4/2004	11:50:00	0	Dissolved Oxygen (mg/L)	5.8
G372	11/4/2004	11:50:00	0	Nitrate + Nitrite (mg/L)	0.11
G372	11/4/2004	11:50:00	0	Orthophosphate as P (mg/L)	0.005
G372	11/4/2004	11:50:00	0	Specific Conductivity (µmhos/cm)	732
G372	11/4/2004	11:50:00	0	Sulfate (mg/L)	21.3
G372	11/4/2004	11:50:00	0	Temperature (°C)	26.8
G372	11/4/2004	11:50:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G372	11/4/2004	11:50:00	0	Total Dissolved Solids (mg/L)	458
G372	11/4/2004	11:50:00	0	Total Phosphorus	0.019
G372	11/4/2004	11:50:00	0	Turbidity (NTU)	2.2
G372	11/4/2004	11:55:00	7	Total Phosphorus	0.019
G372	11/10/2004	14:05:00	0	Dissolved Oxygen (mg/L)	4.89
G372	11/10/2004	14:05:00	0	pH	7.55
G372	11/10/2004	14:05:00	0	Specific Conductivity (µmhos/cm)	710
G372	11/10/2004	14:05:00	0	Temperature (°C)	24.2
G372	11/10/2004	14:05:00	0	Total Phosphorus	0.02
G372	11/10/2004	14:10:00	7	Total Phosphorus	0.021
G372	11/18/2004	12:40:00	0	Alkalinity (mg/L)	248
G372	11/18/2004	12:40:00	0	Dissolved Chloride (mg/L)	70.8
G372	11/18/2004	12:40:00	0	Dissolved Oxygen (mg/L)	4.81
G372	11/18/2004	12:40:00	0	Nitrate + Nitrite (mg/L)	0.175
G372	11/18/2004	12:40:00	0	Orthophosphate as P (mg/L)	0.009
G372	11/18/2004	12:40:00	0	pH	7.65
G372	11/18/2004	12:40:00	0	Specific Conductivity (µmhos/cm)	718
G372	11/18/2004	12:40:00	0	Sulfate (mg/L)	17.2
G372	11/18/2004	12:40:00	0	Temperature (°C)	23.4
G372	11/18/2004	12:40:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G372	11/18/2004	12:40:00	0	Total Dissolved Solids (mg/L)	469
G372	11/18/2004	12:40:00	0	Total Phosphorus	0.019
G372	11/18/2004	12:40:00	0	Turbidity (NTU)	2.8
G372	11/18/2004	12:45:00	7	Total Phosphorus	0.02
G372	11/24/2004	11:25:00	0	Dissolved Oxygen (mg/L)	6.05
G372	11/24/2004	11:25:00	0	pH	7.77
G372	11/24/2004	11:25:00	0	Specific Conductivity (µmhos/cm)	730
G372	11/24/2004	11:25:00	0	Temperature (°C)	23.7
G372	11/24/2004	11:25:00	0	Total Phosphorus	0.017
G372	11/24/2004	11:30:00	7	Total Phosphorus	0.027
G372	12/2/2004	13:10:00	0	Alkalinity (mg/L)	255
G372	12/2/2004	13:10:00	0	Dissolved Chloride (mg/L)	69.2
G372	12/2/2004	13:10:00	0	Dissolved Oxygen (mg/L)	7.48
G372	12/2/2004	13:10:00	0	Nitrate + Nitrite (mg/L)	0.24
G372	12/2/2004	13:10:00	0	Orthophosphate as P (mg/L)	0.007

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	12/2/2004	13:10:00	0	pH	7.71
G372	12/2/2004	13:10:00	0	Specific Conductivity (µmhos/cm)	721
G372	12/2/2004	13:10:00	0	Sulfate (mg/L)	15.9
G372	12/2/2004	13:10:00	0	Temperature (°C)	25.7
G372	12/2/2004	13:10:00	0	Total Dissolved Solids (mg/L)	442
G372	12/2/2004	13:10:00	0	Total Phosphorus	0.027
G372	12/2/2004	13:10:00	0	Turbidity (NTU)	2.9
G372	12/2/2004	13:15:00	7	Total Phosphorus	0.02
G372	12/8/2004	13:35:00	0	Dissolved Oxygen (mg/L)	3.79
G372	12/8/2004	13:35:00	0	pH	7.65
G372	12/8/2004	13:35:00	0	Specific Conductivity (µmhos/cm)	603
G372	12/8/2004	13:35:00	0	Temperature (°C)	22.7
G372	12/8/2004	13:35:00	0	Total Phosphorus	0.066
G372	12/8/2004	13:40:00	7	Total Phosphorus	0.028
G372	12/16/2004	13:08:00	0	Alkalinity (mg/L)	131
G372	12/16/2004	13:08:00	0	Dissolved Chloride (mg/L)	59.3
G372	12/16/2004	13:08:00	0	Dissolved Oxygen (mg/L)	7.23
G372	12/16/2004	13:08:00	0	Nitrate + Nitrite (mg/L)	0.448
G372	12/16/2004	13:08:00	0	Orthophosphate as P (mg/L)	0.068
G372	12/16/2004	13:08:00	0	pH	7.74
G372	12/16/2004	13:08:00	0	Specific Conductivity (µmhos/cm)	507
G372	12/16/2004	13:08:00	0	Sulfate (mg/L)	32.8
G372	12/16/2004	13:08:00	0	Temperature (°C)	18.3
G372	12/16/2004	13:08:00	0	Total Dissolved Phosphorus (mg/L)	0.075
G372	12/16/2004	13:08:00	0	Total Dissolved Solids (mg/L)	358
G372	12/16/2004	13:08:00	0	Total Phosphorus	0.096
G372	12/16/2004	13:08:00	0	Turbidity (NTU)	10.3
G372	12/16/2004	13:10:00	7	Total Phosphorus	0.116
G372	12/22/2004	12:50:00	0	pH	8.11
G372	12/22/2004	12:50:00	0	Specific Conductivity (µmhos/cm)	483
G372	12/22/2004	12:50:00	0	Temperature (°C)	16.6
G372	12/22/2004	12:50:00	0	Total Phosphorus	0.107
G372	12/22/2004	12:55:00	7	Total Phosphorus	0.107
G372	12/29/2004	12:05:00	0	Alkalinity (mg/L)	121
G372	12/29/2004	12:05:00	0	Dissolved Chloride (mg/L)	55.7
G372	12/29/2004	12:05:00	0	Dissolved Oxygen (mg/L)	8.68
G372	12/29/2004	12:05:00	0	Nitrate + Nitrite (mg/L)	0.717
G372	12/29/2004	12:05:00	0	Orthophosphate as P (mg/L)	0.071
G372	12/29/2004	12:05:00	0	pH	7.87
G372	12/29/2004	12:05:00	0	Specific Conductivity (µmhos/cm)	484
G372	12/29/2004	12:05:00	0	Sulfate (mg/L)	32.1
G372	12/29/2004	12:05:00	0	Temperature (°C)	16.6
G372	12/29/2004	12:05:00	0	Total Dissolved Phosphorus (mg/L)	0.073
G372	12/29/2004	12:05:00	0	Total Dissolved Solids (mg/L)	319
G372	12/29/2004	12:05:00	0	Total Phosphorus	0.1
G372	12/29/2004	12:05:00	0	Turbidity (NTU)	13.5
G372	12/29/2004	12:10:00	7	Total Phosphorus	0.113
G372	1/6/2005	12:35:00	0	Dissolved Oxygen (mg/L)	8.76

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	1/6/2005	12:35:00	0	pH	7.96
G372	1/6/2005	12:35:00	0	Specific Conductivity (µmhos/cm)	546
G372	1/6/2005	12:35:00	0	Temperature (°C)	19.1
G372	1/6/2005	12:35:00	0	Total Phosphorus	0.083
G372	1/6/2005	12:40:00	7	Total Phosphorus	0.097
G372	1/10/2005	12:45:00	0	Alkalinity (mg/L)	160
G372	1/10/2005	12:45:00	0	Dissolved Chloride (mg/L)	63.7
G372	1/10/2005	12:45:00	0	Dissolved Oxygen (mg/L)	7.49
G372	1/10/2005	12:45:00	0	Nitrate + Nitrite (mg/L)	0.544
G372	1/10/2005	12:45:00	0	Orthophosphate as P (mg/L)	0.039
G372	1/10/2005	12:45:00	0	pH	7.77
G372	1/10/2005	12:45:00	0	Specific Conductivity (µmhos/cm)	547
G372	1/10/2005	12:45:00	0	Sulfate (mg/L)	29.6
G372	1/10/2005	12:45:00	0	Temperature (°C)	19.7
G372	1/10/2005	12:45:00	0	Total Dissolved Phosphorus (mg/L)	0.044
G372	1/10/2005	12:45:00	0	Total Dissolved Solids (mg/L)	364
G372	1/10/2005	12:45:00	0	Total Phosphorus	0.085
G372	1/10/2005	12:45:00	0	Turbidity (NTU)	28.6
G372	1/10/2005	12:50:00	7	Total Phosphorus	0.093
G372	1/18/2005	12:49:00	0	Dissolved Oxygen (mg/L)	6.96
G372	1/18/2005	12:49:00	0	pH	7.67
G372	1/18/2005	12:49:00	0	Specific Conductivity (µmhos/cm)	754
G372	1/18/2005	12:49:00	0	Temperature (°C)	18.5
G372	1/18/2005	12:49:00	0	Total Phosphorus	0.074
G372	1/18/2005	12:58:00	7	Total Phosphorus	0.09
G372	1/24/2005	12:50:00	0	Alkalinity (mg/L)	193
G372	1/24/2005	12:50:00	0	Dissolved Chloride (mg/L)	109
G372	1/24/2005	12:50:00	0	Dissolved Oxygen (mg/L)	7.8
G372	1/24/2005	12:50:00	0	Nitrate + Nitrite (mg/L)	0.556
G372	1/24/2005	12:50:00	0	Orthophosphate as P (mg/L)	0.03
G372	1/24/2005	12:50:00	0	pH	7.84
G372	1/24/2005	12:50:00	0	Specific Conductivity (µmhos/cm)	793
G372	1/24/2005	12:50:00	0	Sulfate (mg/L)	42.5
G372	1/24/2005	12:50:00	0	Temperature (°C)	17.5
G372	1/24/2005	12:50:00	0	Total Dissolved Phosphorus (mg/L)	0.037
G372	1/24/2005	12:50:00	0	Total Dissolved Solids (mg/L)	499
G372	1/24/2005	12:50:00	0	Total Phosphorus	0.056
G372	1/24/2005	12:50:00	0	Turbidity (NTU)	7.8
G372	1/24/2005	12:55:00	7	Total Phosphorus	0.067
G372	1/31/2005	12:45:00	0	Dissolved Oxygen (mg/L)	7.77
G372	1/31/2005	12:45:00	0	pH	7.6
G372	1/31/2005	12:45:00	0	Specific Conductivity (µmhos/cm)	804
G372	1/31/2005	12:45:00	0	Temperature (°C)	18.2
G372	1/31/2005	12:45:00	0	Total Phosphorus	0.065
G372	1/31/2005	12:50:00	7	Total Phosphorus	0.06
G372	2/7/2005	11:00:00	0	Alkalinity (mg/L)	125
G372	2/7/2005	11:00:00	0	Dissolved Chloride (mg/L)	59.2
G372	2/7/2005	11:00:00	0	Dissolved Oxygen (mg/L)	7.43

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	2/7/2005	11:00:00	0	Nitrate + Nitrite (mg/L)	0.57
G372	2/7/2005	11:00:00	0	Orthophosphate as P (mg/L)	0.075
G372	2/7/2005	11:00:00	0	pH	7.74
G372	2/7/2005	11:00:00	0	Specific Conductivity (μ mhos/cm)	487
G372	2/7/2005	11:00:00	0	Sulfate (mg/L)	31.2
G372	2/7/2005	11:00:00	0	Temperature ($^{\circ}$ C)	18.4
G372	2/7/2005	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.079
G372	2/7/2005	11:00:00	0	Total Dissolved Solids (mg/L)	257
G372	2/7/2005	11:00:00	0	Total Phosphorus	0.154
G372	2/7/2005	11:00:00	0	Turbidity (NTU)	32.3
G372	2/7/2005	11:05:00	7	Total Phosphorus	0.161
G372	2/14/2005	12:30:00	0	Dissolved Oxygen (mg/L)	8.47
G372	2/14/2005	12:30:00	0	pH	7.9
G372	2/14/2005	12:30:00	0	Specific Conductivity (μ mhos/cm)	418
G372	2/14/2005	12:30:00	0	Temperature ($^{\circ}$ C)	18
G372	2/14/2005	12:30:00	0	Total Phosphorus	0.17
G372	2/14/2005	12:45:00	7	Total Phosphorus	0.164
G372	2/22/2005	12:00:00	0	Alkalinity (mg/L)	110
G372	2/22/2005	12:00:00	0	Dissolved Chloride (mg/L)	44.8
G372	2/22/2005	12:00:00	0	Dissolved Oxygen (mg/L)	8.19
G372	2/22/2005	12:00:00	0	Nitrate + Nitrite (mg/L)	0.635
G372	2/22/2005	12:00:00	0	Orthophosphate as P (mg/L)	0.079
G372	2/22/2005	12:00:00	0	pH	7.7
G372	2/22/2005	12:00:00	0	Specific Conductivity (μ mhos/cm)	405
G372	2/22/2005	12:00:00	0	Sulfate (mg/L)	27
G372	2/22/2005	12:00:00	0	Temperature ($^{\circ}$ C)	20.1
G372	2/22/2005	12:00:00	0	Total Dissolved Phosphorus (mg/L)	0.078
G372	2/22/2005	12:00:00	0	Total Dissolved Solids (mg/L)	285
G372	2/22/2005	12:00:00	0	Total Phosphorus	0.192
G372	2/22/2005	12:00:00	0	Turbidity (NTU)	57.8
G372	2/22/2005	12:05:00	7	Total Phosphorus	0.219
G372	2/28/2005	12:53:00	0	Dissolved Oxygen (mg/L)	6.26
G372	2/28/2005	12:53:00	0	pH	7.47
G372	2/28/2005	12:53:00	0	Specific Conductivity (μ mhos/cm)	570
G372	2/28/2005	12:53:00	0	Temperature ($^{\circ}$ C)	21.8
G372	2/28/2005	12:53:00	0	Total Phosphorus	0.153
G372	2/28/2005	13:00:00	7	Total Phosphorus	0.183
G372	3/7/2005	12:00:00	0	Alkalinity (mg/L)	180
G372	3/7/2005	12:00:00	0	Dissolved Chloride (mg/L)	84.4
G372	3/7/2005	12:00:00	0	Dissolved Oxygen (mg/L)	7.09
G372	3/7/2005	12:00:00	0	Nitrate + Nitrite (mg/L)	0.424
G372	3/7/2005	12:00:00	0	Orthophosphate as P (mg/L)	0.05
G372	3/7/2005	12:00:00	0	pH	7.59
G372	3/7/2005	12:00:00	0	Specific Conductivity (μ mhos/cm)	677
G372	3/7/2005	12:00:00	0	Sulfate (mg/L)	37.9
G372	3/7/2005	12:00:00	0	Temperature ($^{\circ}$ C)	19.3
G372	3/7/2005	12:00:00	0	Total Dissolved Phosphorus (mg/L)	0.055
G372	3/7/2005	12:00:00	0	Total Dissolved Solids (mg/L)	405

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	3/7/2005	12:00:00	0	Total Phosphorus	0.113
G372	3/7/2005	12:00:00	0	Turbidity (NTU)	24.2
G372	3/7/2005	12:05:00	7	Total Phosphorus	0.131
G372	3/14/2005	12:14:00	0	Dissolved Oxygen (mg/L)	6.02
G372	3/14/2005	12:14:00	0	pH	7.41
G372	3/14/2005	12:14:00	0	Specific Conductivity (µmhos/cm)	975
G372	3/14/2005	12:14:00	0	Temperature (°C)	22.1
G372	3/14/2005	12:14:00	0	Total Phosphorus	0.038
G372	3/14/2005	12:20:00	7	Total Phosphorus	0.103
G372	3/21/2005	12:30:00	0	Alkalinity (mg/L)	256
G372	3/21/2005	12:30:00	0	Dissolved Chloride (mg/L)	93.2
G372	3/21/2005	12:30:00	0	Dissolved Oxygen (mg/L)	4.06
G372	3/21/2005	12:30:00	0	Nitrate + Nitrite (mg/L)	3.03
G372	3/21/2005	12:30:00	0	Orthophosphate as P (mg/L)	0.024
G372	3/21/2005	12:30:00	0	pH	7.28
G372	3/21/2005	12:30:00	0	Specific Conductivity (µmhos/cm)	879
G372	3/21/2005	12:30:00	0	Sulfate (mg/L)	52.8
G372	3/21/2005	12:30:00	0	Temperature (°C)	21.6
G372	3/21/2005	12:30:00	0	Total Dissolved Phosphorus (mg/L)	0.034
G372	3/21/2005	12:30:00	0	Total Dissolved Solids (mg/L)	572
G372	3/21/2005	12:30:00	0	Total Phosphorus	0.065
G372	3/21/2005	12:35:00	7	Total Phosphorus	0.058
G372	3/29/2005	12:49:00	0	Dissolved Oxygen (mg/L)	5.84
G372	3/29/2005	12:49:00	0	pH	7.59
G372	3/29/2005	12:49:00	0	Specific Conductivity (µmhos/cm)	1004
G372	3/29/2005	12:49:00	0	Temperature (°C)	26.5
G372	3/29/2005	12:49:00	0	Total Phosphorus	0.049
G372	3/29/2005	12:55:00	7	Total Phosphorus	0.058
G372	4/4/2005	12:30:00	0	Alkalinity (mg/L)	238
G372	4/4/2005	12:30:00	0	Dissolved Chloride (mg/L)	109
G372	4/4/2005	12:30:00	0	Dissolved Oxygen (mg/L)	5.18
G372	4/4/2005	12:30:00	0	Nitrate + Nitrite (mg/L)	0.489
G372	4/4/2005	12:30:00	0	Orthophosphate as P (mg/L)	0.027
G372	4/4/2005	12:30:00	0	pH	7.56
G372	4/4/2005	12:30:00	0	Specific Conductivity (µmhos/cm)	880
G372	4/4/2005	12:30:00	0	Sulfate (mg/L)	36.7
G372	4/4/2005	12:30:00	0	Temperature (°C)	23.6
G372	4/4/2005	12:30:00	0	Total Dissolved Phosphorus (mg/L)	0.033
G372	4/4/2005	12:30:00	0	Total Dissolved Solids (mg/L)	556
G372	4/4/2005	12:30:00	0	Total Phosphorus	0.051
G372	4/4/2005	12:30:00	0	Turbidity (NTU)	9.4
G372	4/4/2005	12:35:00	7	Total Phosphorus	0.053
G372	4/11/2005	12:35:00	0	Dissolved Oxygen (mg/L)	6.02
G372	4/11/2005	12:35:00	0	pH	7.76
G372	4/11/2005	12:35:00	0	Specific Conductivity (µmhos/cm)	836
G372	4/11/2005	12:35:00	0	Temperature (°C)	24.4
G372	4/11/2005	12:35:00	0	Total Phosphorus	0.056
G372	4/11/2005	12:40:00	7	Total Phosphorus	0.061

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	4/18/2005	13:20:00	0	Alkalinity (mg/L)	232
G372	4/18/2005	13:20:00	0	Dissolved Chloride (mg/L)	106
G372	4/18/2005	13:20:00	0	Dissolved Oxygen (mg/L)	7.2
G372	4/18/2005	13:20:00	0	Nitrate + Nitrite (mg/L)	0.723
G372	4/18/2005	13:20:00	0	Orthophosphate as P (mg/L)	0.037
G372	4/18/2005	13:20:00	0	pH	8.03
G372	4/18/2005	13:20:00	0	Specific Conductivity (µmhos/cm)	919
G372	4/18/2005	13:20:00	0	Sulfate (mg/L)	82.3
G372	4/18/2005	13:20:00	0	Temperature (°C)	23
G372	4/18/2005	13:20:00	0	Total Dissolved Phosphorus (mg/L)	0.051
G372	4/18/2005	13:20:00	0	Total Dissolved Solids (mg/L)	558
G372	4/18/2005	13:20:00	0	Total Phosphorus	0.049
G372	4/18/2005	13:20:00	0	Turbidity (NTU)	5.9
G372	4/18/2005	13:25:00	7	Total Phosphorus	0.037
G372	4/25/2005	12:10:00	0	Dissolved Oxygen (mg/L)	6.7
G372	4/25/2005	12:10:00	0	pH	7.87
G372	4/25/2005	12:10:00	0	Specific Conductivity (µmhos/cm)	413
G372	4/25/2005	12:10:00	0	Temperature (°C)	23.7
G372	4/25/2005	12:10:00	0	Total Phosphorus	0.252
G372	4/25/2005	12:15:00	7	Total Phosphorus	0.2
G376B	5/6/2004	10:20:00	0	Alkalinity (mg/L)	265
G376B	5/6/2004	10:20:00	0	Dissolved Chloride (mg/L)	121
G376B	5/6/2004	10:20:00	0	Dissolved Oxygen (mg/L)	5.24
G376B	5/6/2004	10:20:00	0	Nitrate + Nitrite (mg/L)	0.022
G376B	5/6/2004	10:20:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	5/6/2004	10:20:00	0	pH	7.75
G376B	5/6/2004	10:20:00	0	Specific Conductivity (µmhos/cm)	935
G376B	5/6/2004	10:20:00	0	Sulfate (mg/L)	31.4
G376B	5/6/2004	10:20:00	0	Temperature (°C)	25.3
G376B	5/6/2004	10:20:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G376B	5/6/2004	10:20:00	0	Total Dissolved Solids (mg/L)	585
G376B	5/6/2004	10:20:00	0	Total Phosphorus	0.015
G376B	5/6/2004	10:20:00	0	Turbidity (NTU)	3.9
G376B	5/13/2004	11:00:00	0	Dissolved Oxygen (mg/L)	5.95
G376B	5/13/2004	11:00:00	0	pH	7.65
G376B	5/13/2004	11:00:00	0	Specific Conductivity (µmhos/cm)	941
G376B	5/13/2004	11:00:00	0	Temperature (°C)	25.6
G376B	5/13/2004	11:00:00	0	Total Phosphorus	0.015
G376B	5/20/2004	10:54:00	0	Alkalinity (mg/L)	217
G376B	5/20/2004	10:54:00	0	Dissolved Chloride (mg/L)	102
G376B	5/20/2004	10:54:00	0	Dissolved Oxygen (mg/L)	5.59
G376B	5/20/2004	10:54:00	0	Nitrate + Nitrite (mg/L)	0.013
G376B	5/20/2004	10:54:00	0	Orthophosphate as P (mg/L)	0.004
G376B	5/20/2004	10:54:00	0	pH	7.56
G376B	5/20/2004	10:54:00	0	Specific Conductivity (µmhos/cm)	808.8
G376B	5/20/2004	10:54:00	0	Sulfate (mg/L)	31.3
G376B	5/20/2004	10:54:00	0	Temperature (°C)	26.8
G376B	5/20/2004	10:54:00	0	Total Dissolved Phosphorus (mg/L)	0.007

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	5/20/2004	10:54:00	0	Total Dissolved Solids (mg/L)	528
G376B	5/20/2004	10:54:00	0	Total Phosphorus	0.016
G376B	5/20/2004	10:54:00	0	Turbidity (NTU)	3
G376B	5/27/2004	10:36:00	0	Dissolved Oxygen (mg/L)	6.09
G376B	5/27/2004	10:36:00	0	pH	7.68
G376B	5/27/2004	10:36:00	0	Specific Conductivity (µmhos/cm)	772
G376B	5/27/2004	10:36:00	0	Temperature (°C)	27.7
G376B	5/27/2004	10:36:00	0	Total Phosphorus	0.017
G376B	6/3/2004	09:58:00	0	Alkalinity (mg/L)	194
G376B	6/3/2004	09:58:00	0	Dissolved Chloride (mg/L)	79.9
G376B	6/3/2004	09:58:00	0	Dissolved Oxygen (mg/L)	4.75
G376B	6/3/2004	09:58:00	0	Nitrate + Nitrite (mg/L)	0.022
G376B	6/3/2004	09:58:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	6/3/2004	09:58:00	0	pH	7.46
G376B	6/3/2004	09:58:00	0	Specific Conductivity (µmhos/cm)	710
G376B	6/3/2004	09:58:00	0	Sulfate (mg/L)	34.3
G376B	6/3/2004	09:58:00	0	Temperature (°C)	27.4
G376B	6/3/2004	09:58:00	0	Total Dissolved Phosphorus (mg/L)	0.005
G376B	6/3/2004	09:58:00	0	Total Dissolved Solids (mg/L)	438
G376B	6/3/2004	09:58:00	0	Total Phosphorus	0.018
G376B	6/3/2004	09:58:00	0	Turbidity (NTU)	2.6
G376B	6/10/2004	10:36:00	0	Dissolved Oxygen (mg/L)	1.28
G376B	6/10/2004	10:36:00	0	pH	7.33
G376B	6/10/2004	10:36:00	0	Specific Conductivity (µmhos/cm)	1167
G376B	6/10/2004	10:36:00	0	Temperature (°C)	26.8
G376B	6/10/2004	10:36:00	0	Total Phosphorus	0.015
G376B	6/17/2004	11:00:00	0	Alkalinity (mg/L)	238
G376B	6/17/2004	11:00:00	0	Dissolved Chloride (mg/L)	121
G376B	6/17/2004	11:00:00	0	Dissolved Oxygen (mg/L)	2.44
G376B	6/17/2004	11:00:00	0	Nitrate + Nitrite (mg/L)	<0.004
G376B	6/17/2004	11:00:00	0	Orthophosphate as P (mg/L)	0.004
G376B	6/17/2004	11:00:00	0	pH	7.49
G376B	6/17/2004	11:00:00	0	Specific Conductivity (µmhos/cm)	915
G376B	6/17/2004	11:00:00	0	Sulfate (mg/L)	37.8
G376B	6/17/2004	11:00:00	0	Temperature (°C)	29.2
G376B	6/17/2004	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376B	6/17/2004	11:00:00	0	Total Dissolved Solids (mg/L)	607
G376B	6/17/2004	11:00:00	0	Total Phosphorus	0.023
G376B	6/17/2004	11:00:00	0	Turbidity (NTU)	1.5
G376B	6/23/2004	09:25:00	0	Atrazine (µg/L)	0.56
G376B	6/23/2004	09:25:00	0	Chlordane (µg/L)	<0.02
G376B	6/23/2004	09:25:00	0	DDD (µg/L)	<0.0048
G376B	6/23/2004	09:25:00	0	DDE (µg/L)	<0.004
G376B	6/23/2004	09:25:00	0	DDT (µg/L)	<0.006
G376B	6/23/2004	09:25:00	0	Simazine (µg/L)	<0.01
G376B	6/23/2004	09:25:00	0	Toxaphene (µg/L)	<0.1
G376B	6/23/2004	09:35:00	0	Total Arsenic (µg/L)	2.4
G376B	6/23/2004	09:35:00	0	Total Copper (µg/L)	<1.2

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	6/23/2004	09:35:00	0	Total Lead (µg/L)	<0.8
G376B	6/23/2004	09:35:00	0	Total Zinc (µg/L)	<4
G376B	6/24/2004	10:18:00	0	Dissolved Oxygen (mg/L)	1.62
G376B	6/24/2004	10:18:00	0	pH	7.41
G376B	6/24/2004	10:18:00	0	Specific Conductivity (µmhos/cm)	742
G376B	6/24/2004	10:18:00	0	Temperature (°C)	28.8
G376B	6/24/2004	10:18:00	0	Total Phosphorus	0.022
G376B	7/1/2004	10:45:00	0	Alkalinity (mg/L)	203
G376B	7/1/2004	10:45:00	0	Dissolved Chloride (mg/L)	75.9
G376B	7/1/2004	10:45:00	0	Dissolved Oxygen (mg/L)	1.47
G376B	7/1/2004	10:45:00	0	Nitrate + Nitrite (mg/L)	<0.004
G376B	7/1/2004	10:45:00	0	Orthophosphate as P (mg/L)	0.008
G376B	7/1/2004	10:45:00	0	pH	7.34
G376B	7/1/2004	10:45:00	0	Specific Conductivity (µmhos/cm)	728
G376B	7/1/2004	10:45:00	0	Sulfate (mg/L)	37.8
G376B	7/1/2004	10:45:00	0	Temperature (°C)	28
G376B	7/1/2004	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376B	7/1/2004	10:45:00	0	Total Dissolved Solids (mg/L)	484
G376B	7/1/2004	10:45:00	0	Total Phosphorus	0.023
G376B	7/1/2004	10:45:00	0	Turbidity (NTU)	1.2
G376B	7/8/2004	10:35:00	0	Dissolved Oxygen (mg/L)	3.85
G376B	7/8/2004	10:35:00	0	pH	7.59
G376B	7/8/2004	10:35:00	0	Specific Conductivity (µmhos/cm)	668
G376B	7/8/2004	10:35:00	0	Temperature (°C)	29.5
G376B	7/8/2004	10:35:00	0	Total Phosphorus	0.022
G376B	7/15/2004	10:40:00	0	Alkalinity (mg/L)	199
G376B	7/15/2004	10:40:00	0	Dissolved Chloride (mg/L)	68.8
G376B	7/15/2004	10:40:00	0	Dissolved Oxygen (mg/L)	3.53
G376B	7/15/2004	10:40:00	0	Nitrate + Nitrite (mg/L)	<0.004
G376B	7/15/2004	10:40:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	7/15/2004	10:40:00	0	pH	7.47
G376B	7/15/2004	10:40:00	0	Specific Conductivity (µmhos/cm)	643
G376B	7/15/2004	10:40:00	0	Sulfate (mg/L)	31.1
G376B	7/15/2004	10:40:00	0	Temperature (°C)	30.1
G376B	7/15/2004	10:40:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	7/15/2004	10:40:00	0	Total Dissolved Solids (mg/L)	432
G376B	7/15/2004	10:40:00	0	Total Phosphorus	0.021
G376B	7/15/2004	10:40:00	0	Turbidity (NTU)	2.6
G376B	7/22/2004	10:45:00	0	Dissolved Oxygen (mg/L)	0.89
G376B	7/22/2004	10:45:00	0	pH	7.35
G376B	7/22/2004	10:45:00	0	Specific Conductivity (µmhos/cm)	713
G376B	7/22/2004	10:45:00	0	Temperature (°C)	28.5
G376B	7/22/2004	10:45:00	0	Total Phosphorus	0.012
G376B	7/29/2004	10:55:00	0	Alkalinity (mg/L)	204
G376B	7/29/2004	10:55:00	0	Dissolved Chloride (mg/L)	71.1
G376B	7/29/2004	10:55:00	0	Dissolved Oxygen (mg/L)	1
G376B	7/29/2004	10:55:00	0	Nitrate + Nitrite (mg/L)	0.004
G376B	7/29/2004	10:55:00	0	Orthophosphate as P (mg/L)	<0.004

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	7/29/2004	10:55:00	0	pH	7.29
G376B	7/29/2004	10:55:00	0	Specific Conductivity (µmhos/cm)	696.4
G376B	7/29/2004	10:55:00	0	Sulfate (mg/L)	38.9
G376B	7/29/2004	10:55:00	0	Temperature (°C)	27.7
G376B	7/29/2004	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G376B	7/29/2004	10:55:00	0	Total Dissolved Solids (mg/L)	467
G376B	7/29/2004	10:55:00	0	Total Phosphorus	0.01
G376B	7/29/2004	10:55:00	0	Turbidity (NTU)	0.6
G376B	8/5/2004	10:55:00	0	Dissolved Oxygen (mg/L)	1.1
G376B	8/5/2004	10:55:00	0	pH	7.34
G376B	8/5/2004	10:55:00	0	Specific Conductivity (µmhos/cm)	749
G376B	8/5/2004	10:55:00	0	Temperature (°C)	28.7
G376B	8/5/2004	10:55:00	0	Total Phosphorus	0.01
G376B	8/12/2004	10:44:00	0	Alkalinity (mg/L)	306
G376B	8/12/2004	10:44:00	0	Dissolved Chloride (mg/L)	100
G376B	8/12/2004	10:44:00	0	Dissolved Oxygen (mg/L)	1.6
G376B	8/12/2004	10:44:00	0	Nitrate + Nitrite (mg/L)	0.005
G376B	8/12/2004	10:44:00	0	Orthophosphate as P (mg/L)	0.005
G376B	8/12/2004	10:44:00	0	pH	7.41
G376B	8/12/2004	10:44:00	0	Specific Conductivity (µmhos/cm)	1034
G376B	8/12/2004	10:44:00	0	Sulfate (mg/L)	75.9
G376B	8/12/2004	10:44:00	0	Temperature (°C)	30.2
G376B	8/12/2004	10:44:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376B	8/12/2004	10:44:00	0	Total Dissolved Solids (mg/L)	682
G376B	8/12/2004	10:44:00	0	Total Phosphorus	0.014
G376B	8/12/2004	10:44:00	0	Turbidity (NTU)	1
G376B	8/19/2004	09:49:00	0	Dissolved Oxygen (mg/L)	0.95
G376B	8/19/2004	09:49:00	0	pH	7.38
G376B	8/19/2004	09:49:00	0	Specific Conductivity (µmhos/cm)	960
G376B	8/19/2004	09:49:00	0	Temperature (°C)	29.2
G376B	8/19/2004	09:49:00	0	Total Phosphorus	0.012
G376B	8/26/2004	10:00:00	0	Alkalinity (mg/L)	319
G376B	8/26/2004	10:00:00	0	Dissolved Chloride (mg/L)	104
G376B	8/26/2004	10:00:00	0	Dissolved Oxygen (mg/L)	1.4
G376B	8/26/2004	10:00:00	0	Nitrate + Nitrite (mg/L)	0.006
G376B	8/26/2004	10:00:00	0	Orthophosphate as P (mg/L)	0.007
G376B	8/26/2004	10:00:00	0	pH	7.42
G376B	8/26/2004	10:00:00	0	Specific Conductivity (µmhos/cm)	1042
G376B	8/26/2004	10:00:00	0	Sulfate (mg/L)	72.7
G376B	8/26/2004	10:00:00	0	Temperature (°C)	28.1
G376B	8/26/2004	10:00:00	0	Total Dissolved Solids (mg/L)	696
G376B	8/26/2004	10:00:00	0	Total Phosphorus	0.01
G376B	8/26/2004	10:00:00	0	Turbidity (NTU)	1
G376B	9/1/2004	10:03:00	0	Dissolved Oxygen (mg/L)	0.69
G376B	9/1/2004	10:03:00	0	pH	7.46
G376B	9/1/2004	10:03:00	0	Specific Conductivity (µmhos/cm)	1064
G376B	9/1/2004	10:03:00	0	Temperature (°C)	30.2
G376B	9/1/2004	10:03:00	0	Total Phosphorus	0.014

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	9/9/2004	12:20:00	0	Alkalinity (mg/L)	301
G376B	9/9/2004	12:20:00	0	Dissolved Chloride (mg/L)	87.1
G376B	9/9/2004	12:20:00	0	Dissolved Oxygen (mg/L)	1.77
G376B	9/9/2004	12:20:00	0	Nitrate + Nitrite (mg/L)	0.007
G376B	9/9/2004	12:20:00	0	Orthophosphate as P (mg/L)	0.005
G376B	9/9/2004	12:20:00	0	pH	7.67
G376B	9/9/2004	12:20:00	0	Specific Conductivity (µmhos/cm)	977
G376B	9/9/2004	12:20:00	0	Sulfate (mg/L)	66.9
G376B	9/9/2004	12:20:00	0	Temperature (°C)	29.4
G376B	9/9/2004	12:20:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G376B	9/9/2004	12:20:00	0	Total Dissolved Solids (mg/L)	683
G376B	9/9/2004	12:20:00	0	Total Phosphorus	0.013
G376B	9/9/2004	12:20:00	0	Turbidity (NTU)	0.9
G376B	9/15/2004	10:40:00	0	Dissolved Oxygen (mg/L)	1.26
G376B	9/15/2004	10:40:00	0	pH	7.52
G376B	9/15/2004	10:40:00	0	Specific Conductivity (µmhos/cm)	1004
G376B	9/15/2004	10:40:00	0	Temperature (°C)	28.1
G376B	9/15/2004	10:40:00	0	Total Phosphorus	0.013
G376B	9/22/2004	10:10:00	0	Alkalinity (mg/L)	322
G376B	9/22/2004	10:10:00	0	Dissolved Chloride (mg/L)	87.8
G376B	9/22/2004	10:10:00	0	Dissolved Oxygen (mg/L)	1.14
G376B	9/22/2004	10:10:00	0	Nitrate + Nitrite (mg/L)	0.019
G376B	9/22/2004	10:10:00	0	Orthophosphate as P (mg/L)	0.006
G376B	9/22/2004	10:10:00	0	pH	7.45
G376B	9/22/2004	10:10:00	0	Specific Conductivity (µmhos/cm)	989.3
G376B	9/22/2004	10:10:00	0	Sulfate (mg/L)	54.9
G376B	9/22/2004	10:10:00	0	Temperature (°C)	26.8
G376B	9/22/2004	10:10:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G376B	9/22/2004	10:10:00	0	Total Dissolved Solids (mg/L)	683
G376B	9/22/2004	10:10:00	0	Total Phosphorus	0.011
G376B	9/22/2004	10:10:00	0	Turbidity (NTU)	0.8
G376B	9/30/2004	11:05:00	0	Dissolved Oxygen (mg/L)	1.25
G376B	9/30/2004	11:05:00	0	pH	7.56
G376B	9/30/2004	11:05:00	0	Specific Conductivity (µmhos/cm)	1135
G376B	9/30/2004	11:05:00	0	Temperature (°C)	28.6
G376B	9/30/2004	11:05:00	0	Total Phosphorus	0.012
G376B	10/7/2004	10:15:00	0	Alkalinity (mg/L)	324
G376B	10/7/2004	10:15:00	0	Dissolved Chloride (mg/L)	97.8
G376B	10/7/2004	10:15:00	0	Dissolved Oxygen (mg/L)	1.89
G376B	10/7/2004	10:15:00	0	Nitrate + Nitrite (mg/L)	0.015
G376B	10/7/2004	10:15:00	0	Orthophosphate as P (mg/L)	0.007
G376B	10/7/2004	10:15:00	0	pH	7.48
G376B	10/7/2004	10:15:00	0	Specific Conductivity (µmhos/cm)	1092
G376B	10/7/2004	10:15:00	0	Sulfate (mg/L)	92.4
G376B	10/7/2004	10:15:00	0	Temperature (°C)	26.6
G376B	10/7/2004	10:15:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G376B	10/7/2004	10:15:00	0	Total Dissolved Solids (mg/L)	738
G376B	10/7/2004	10:15:00	0	Total Phosphorus	0.014

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	10/7/2004	10:15:00	0	Turbidity (NTU)	1.3
G376B	10/14/2004	10:30:00	0	Dissolved Oxygen (mg/L)	1.74
G376B	10/14/2004	10:30:00	0	pH	7.63
G376B	10/14/2004	10:30:00	0	Specific Conductivity (µmhos/cm)	1149
G376B	10/14/2004	10:30:00	0	Temperature (°C)	26.7
G376B	10/14/2004	10:30:00	0	Total Phosphorus	0.015
G376B	10/21/2004	10:38:00	0	Alkalinity (mg/L)	304
G376B	10/21/2004	10:38:00	0	Dissolved Chloride (mg/L)	110
G376B	10/21/2004	10:38:00	0	Dissolved Oxygen (mg/L)	1.86
G376B	10/21/2004	10:38:00	0	Nitrate + Nitrite (mg/L)	0.02
G376B	10/21/2004	10:38:00	0	Orthophosphate as P (mg/L)	0.007
G376B	10/21/2004	10:38:00	0	pH	7.36
G376B	10/21/2004	10:38:00	0	Specific Conductivity (µmhos/cm)	1056
G376B	10/21/2004	10:38:00	0	Sulfate (mg/L)	85.2
G376B	10/21/2004	10:38:00	0	Temperature (°C)	26
G376B	10/21/2004	10:38:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376B	10/21/2004	10:38:00	0	Total Dissolved Solids (mg/L)	751
G376B	10/21/2004	10:38:00	0	Total Phosphorus	0.017
G376B	10/21/2004	10:38:00	0	Turbidity (NTU)	1.2
G376B	10/28/2004	11:40:00	0	Dissolved Oxygen (mg/L)	1.52
G376B	10/28/2004	11:40:00	0	pH	7.28
G376B	10/28/2004	11:40:00	0	Specific Conductivity (µmhos/cm)	1093
G376B	10/28/2004	11:40:00	0	Temperature (°C)	23.7
G376B	10/28/2004	11:40:00	0	Total Phosphorus	0.016
G376B	11/4/2004	09:50:00	0	Alkalinity (mg/L)	275
G376B	11/4/2004	09:50:00	0	Dissolved Chloride (mg/L)	95.2
G376B	11/4/2004	09:50:00	0	Dissolved Oxygen (mg/L)	4.6
G376B	11/4/2004	09:50:00	0	Nitrate + Nitrite (mg/L)	0.071
G376B	11/4/2004	09:50:00	0	Orthophosphate as P (mg/L)	0.008
G376B	11/4/2004	09:50:00	0	Specific Conductivity (µmhos/cm)	920
G376B	11/4/2004	09:50:00	0	Sulfate (mg/L)	50
G376B	11/4/2004	09:50:00	0	Temperature (°C)	25.9
G376B	11/4/2004	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	11/4/2004	09:50:00	0	Total Dissolved Solids (mg/L)	614
G376B	11/4/2004	09:50:00	0	Total Phosphorus	0.012
G376B	11/4/2004	09:50:00	0	Turbidity (NTU)	0.9
G376B	11/10/2004	11:22:00	0	Dissolved Oxygen (mg/L)	5.46
G376B	11/10/2004	11:22:00	0	pH	7.66
G376B	11/10/2004	11:22:00	0	Specific Conductivity (µmhos/cm)	885
G376B	11/10/2004	11:22:00	0	Temperature (°C)	23.5
G376B	11/10/2004	11:22:00	0	Total Phosphorus	0.016
G376B	11/18/2004	10:26:00	0	Alkalinity (mg/L)	302
G376B	11/18/2004	10:26:00	0	Dissolved Chloride (mg/L)	109
G376B	11/18/2004	10:26:00	0	Dissolved Oxygen (mg/L)	2.45
G376B	11/18/2004	10:26:00	0	Nitrate + Nitrite (mg/L)	0.018
G376B	11/18/2004	10:26:00	0	Orthophosphate as P (mg/L)	0.006
G376B	11/18/2004	10:26:00	0	pH	7.47
G376B	11/18/2004	10:26:00	0	Specific Conductivity (µmhos/cm)	974

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	11/18/2004	10:26:00	0	Sulfate (mg/L)	45.1
G376B	11/18/2004	10:26:00	0	Temperature (°C)	20.7
G376B	11/18/2004	10:26:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	11/18/2004	10:26:00	0	Total Dissolved Solids (mg/L)	645
G376B	11/18/2004	10:26:00	0	Total Phosphorus	0.017
G376B	11/18/2004	10:26:00	0	Turbidity (NTU)	1.8
G376B	11/24/2004	09:50:00	0	Dissolved Oxygen (mg/L)	4.01
G376B	11/24/2004	09:50:00	0	pH	7.57
G376B	11/24/2004	09:50:00	0	Specific Conductivity (µmhos/cm)	1112
G376B	11/24/2004	09:50:00	0	Temperature (°C)	22.8
G376B	11/24/2004	09:50:00	0	Total Phosphorus	0.014
G376B	12/2/2004	10:29:00	0	Alkalinity (mg/L)	306
G376B	12/2/2004	10:29:00	0	Dissolved Chloride (mg/L)	128
G376B	12/2/2004	10:29:00	0	Dissolved Oxygen (mg/L)	4.54
G376B	12/2/2004	10:29:00	0	Nitrate + Nitrite (mg/L)	0.03
G376B	12/2/2004	10:29:00	0	Orthophosphate as P (mg/L)	0.005
G376B	12/2/2004	10:29:00	0	pH	7.53
G376B	12/2/2004	10:29:00	0	Specific Conductivity (µmhos/cm)	1102
G376B	12/2/2004	10:29:00	0	Sulfate (mg/L)	73.8
G376B	12/2/2004	10:29:00	0	Temperature (°C)	22.6
G376B	12/2/2004	10:29:00	0	Total Dissolved Solids (mg/L)	736
G376B	12/2/2004	10:29:00	0	Total Phosphorus	0.017
G376B	12/2/2004	10:29:00	0	Turbidity (NTU)	1.8
G376B	12/8/2004	10:35:00	0	Dissolved Oxygen (mg/L)	2.88
G376B	12/8/2004	10:35:00	0	pH	7.46
G376B	12/8/2004	10:35:00	0	Specific Conductivity (µmhos/cm)	1143
G376B	12/8/2004	10:35:00	0	Temperature (°C)	21.7
G376B	12/8/2004	10:35:00	0	Total Phosphorus	0.017
G376B	12/15/2004	09:05:00	0	Total Arsenic (µg/L)	2.3
G376B	12/15/2004	09:05:00	0	Total Copper (µg/L)	<1.2
G376B	12/15/2004	09:05:00	0	Total Lead (µg/L)	<0.8
G376B	12/15/2004	09:05:00	0	Total Zinc (µg/L)	<4
G376B	12/16/2004	10:30:00	0	Alkalinity (mg/L)	223
G376B	12/16/2004	10:30:00	0	Dissolved Chloride (mg/L)	87.5
G376B	12/16/2004	10:30:00	0	Dissolved Oxygen (mg/L)	3.8
G376B	12/16/2004	10:30:00	0	Nitrate + Nitrite (mg/L)	0.013
G376B	12/16/2004	10:30:00	0	Orthophosphate as P (mg/L)	0.006
G376B	12/16/2004	10:30:00	0	pH	7.49
G376B	12/16/2004	10:30:00	0	Specific Conductivity (µmhos/cm)	751
G376B	12/16/2004	10:30:00	0	Sulfate (mg/L)	45.8
G376B	12/16/2004	10:30:00	0	Temperature (°C)	14.6
G376B	12/16/2004	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	12/16/2004	10:30:00	0	Total Dissolved Solids (mg/L)	540
G376B	12/16/2004	10:30:00	0	Total Phosphorus	0.008
G376B	12/16/2004	10:30:00	0	Turbidity (NTU)	0.5
G376B	12/20/2004	08:03:00	0	Atrazine (µg/L)	0.075
G376B	12/20/2004	08:03:00	0	Chlordane (µg/L)	<0.019
G376B	12/20/2004	08:03:00	0	DDD (µg/L)	<0.0046

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	12/20/2004	08:03:00	0	DDE (µg/L)	<0.0038
G376B	12/20/2004	08:03:00	0	DDT (µg/L)	<0.0057
G376B	12/20/2004	08:03:00	0	Simazine (µg/L)	<0.0095
G376B	12/20/2004	08:03:00	0	Toxaphene (µg/L)	<0.095
G376B	12/22/2004	10:40:00	0	pH	7.64
G376B	12/22/2004	10:40:00	0	Specific Conductivity (µmhos/cm)	636
G376B	12/22/2004	10:40:00	0	Temperature (°C)	15.8
G376B	12/22/2004	10:40:00	0	Total Phosphorus	0.008
G376B	12/29/2004	09:55:00	0	Alkalinity (mg/L)	196
G376B	12/29/2004	09:55:00	0	Dissolved Chloride (mg/L)	66.7
G376B	12/29/2004	09:55:00	0	Dissolved Oxygen (mg/L)	3.91
G376B	12/29/2004	09:55:00	0	Nitrate + Nitrite (mg/L)	0.013
G376B	12/29/2004	09:55:00	0	Orthophosphate as P (mg/L)	0.004
G376B	12/29/2004	09:55:00	0	pH	7.44
G376B	12/29/2004	09:55:00	0	Specific Conductivity (µmhos/cm)	664
G376B	12/29/2004	09:55:00	0	Sulfate (mg/L)	38.6
G376B	12/29/2004	09:55:00	0	Temperature (°C)	16.5
G376B	12/29/2004	09:55:00	0	Total Dissolved Solids (mg/L)	432
G376B	12/29/2004	09:55:00	0	Total Phosphorus	0.01
G376B	12/29/2004	09:55:00	0	Turbidity (NTU)	0.8
G376B	1/6/2005	10:00:00	0	Dissolved Oxygen (mg/L)	5.67
G376B	1/6/2005	10:00:00	0	pH	7.7
G376B	1/6/2005	10:00:00	0	Specific Conductivity (µmhos/cm)	681
G376B	1/6/2005	10:00:00	0	Temperature (°C)	20.4
G376B	1/6/2005	10:00:00	0	Total Phosphorus	0.013
G376B	1/10/2005	10:15:00	0	Alkalinity (mg/L)	209
G376B	1/10/2005	10:15:00	0	Dissolved Chloride (mg/L)	71.6
G376B	1/10/2005	10:15:00	0	Dissolved Oxygen (mg/L)	3.86
G376B	1/10/2005	10:15:00	0	Nitrate + Nitrite (mg/L)	0.017
G376B	1/10/2005	10:15:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	1/10/2005	10:15:00	0	pH	7.45
G376B	1/10/2005	10:15:00	0	Specific Conductivity (µmhos/cm)	694
G376B	1/10/2005	10:15:00	0	Sulfate (mg/L)	37
G376B	1/10/2005	10:15:00	0	Temperature (°C)	20.7
G376B	1/10/2005	10:15:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376B	1/10/2005	10:15:00	0	Total Dissolved Solids (mg/L)	407
G376B	1/10/2005	10:15:00	0	Total Phosphorus	0.015
G376B	1/10/2005	10:15:00	0	Turbidity (NTU)	1.1
G376B	1/18/2005	10:34:00	0	Dissolved Oxygen (mg/L)	2.71
G376B	1/18/2005	10:34:00	0	pH	7.33
G376B	1/18/2005	10:34:00	0	Specific Conductivity (µmhos/cm)	703
G376B	1/18/2005	10:34:00	0	Temperature (°C)	15.2
G376B	1/18/2005	10:34:00	0	Total Phosphorus	0.014
G376B	1/24/2005	10:20:00	0	Alkalinity (mg/L)	222
G376B	1/24/2005	10:20:00	0	Dissolved Chloride (mg/L)	67.5
G376B	1/24/2005	10:20:00	0	Dissolved Oxygen (mg/L)	5.88
G376B	1/24/2005	10:20:00	0	Nitrate + Nitrite (mg/L)	0.015
G376B	1/24/2005	10:20:00	0	Orthophosphate as P (mg/L)	<0.004

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	1/24/2005	10:20:00	0	pH	7.69
G376B	1/24/2005	10:20:00	0	Specific Conductivity (µmhos/cm)	684
G376B	1/24/2005	10:20:00	0	Sulfate (mg/L)	32.5
G376B	1/24/2005	10:20:00	0	Temperature (°C)	15.9
G376B	1/24/2005	10:20:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376B	1/24/2005	10:20:00	0	Total Dissolved Solids (mg/L)	439
G376B	1/24/2005	10:20:00	0	Total Phosphorus	0.011
G376B	1/24/2005	10:20:00	0	Turbidity (NTU)	0.9
G376B	1/31/2005	10:35:00	0	Dissolved Oxygen (mg/L)	6.23
G376B	1/31/2005	10:35:00	0	pH	7.41
G376B	1/31/2005	10:35:00	0	Specific Conductivity (µmhos/cm)	710
G376B	1/31/2005	10:35:00	0	Temperature (°C)	17.7
G376B	1/31/2005	10:35:00	0	Total Phosphorus	0.01
G376B	2/7/2005	09:45:00	0	Alkalinity (mg/L)	248
G376B	2/7/2005	09:45:00	0	Dissolved Chloride (mg/L)	91.9
G376B	2/7/2005	09:45:00	0	Dissolved Oxygen (mg/L)	3.16
G376B	2/7/2005	09:45:00	0	Nitrate + Nitrite (mg/L)	0.029
G376B	2/7/2005	09:45:00	0	Orthophosphate as P (mg/L)	0.004
G376B	2/7/2005	09:45:00	0	pH	7.4
G376B	2/7/2005	09:45:00	0	Specific Conductivity (µmhos/cm)	811
G376B	2/7/2005	09:45:00	0	Sulfate (mg/L)	37.2
G376B	2/7/2005	09:45:00	0	Temperature (°C)	17.3
G376B	2/7/2005	09:45:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376B	2/7/2005	09:45:00	0	Total Dissolved Solids (mg/L)	506
G376B	2/7/2005	09:45:00	0	Total Phosphorus	0.013
G376B	2/7/2005	09:45:00	0	Turbidity (NTU)	1.2
G376B	2/14/2005	11:11:00	0	Dissolved Oxygen (mg/L)	4.6
G376B	2/14/2005	11:11:00	0	pH	7.4
G376B	2/14/2005	11:11:00	0	Specific Conductivity (µmhos/cm)	824
G376B	2/14/2005	11:11:00	0	Temperature (°C)	16
G376B	2/14/2005	11:11:00	0	Total Phosphorus	0.009
G376B	2/22/2005	10:10:00	0	Alkalinity (mg/L)	216
G376B	2/22/2005	10:10:00	0	Dissolved Chloride (mg/L)	89.3
G376B	2/22/2005	10:10:00	0	Dissolved Oxygen (mg/L)	3.08
G376B	2/22/2005	10:10:00	0	Nitrate + Nitrite (mg/L)	0.009
G376B	2/22/2005	10:10:00	0	Orthophosphate as P (mg/L)	0.005
G376B	2/22/2005	10:10:00	0	pH	7.28
G376B	2/22/2005	10:10:00	0	Specific Conductivity (µmhos/cm)	776
G376B	2/22/2005	10:10:00	0	Sulfate (mg/L)	41.9
G376B	2/22/2005	10:10:00	0	Temperature (°C)	20
G376B	2/22/2005	10:10:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	2/22/2005	10:10:00	0	Total Dissolved Solids (mg/L)	484
G376B	2/22/2005	10:10:00	0	Total Phosphorus	0.018
G376B	2/22/2005	10:10:00	0	Turbidity (NTU)	1
G376B	2/28/2005	11:17:00	0	Dissolved Oxygen (mg/L)	2.37
G376B	2/28/2005	11:17:00	0	pH	7.21
G376B	2/28/2005	11:17:00	0	Specific Conductivity (µmhos/cm)	683
G376B	2/28/2005	11:17:00	0	Temperature (°C)	22.2

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	2/28/2005	11:17:00	0	Total Phosphorus	0.024
G376B	3/7/2005	10:05:00	0	Alkalinity (mg/L)	185
G376B	3/7/2005	10:05:00	0	Dissolved Chloride (mg/L)	59.5
G376B	3/7/2005	10:05:00	0	Dissolved Oxygen (mg/L)	1.96
G376B	3/7/2005	10:05:00	0	Nitrate + Nitrite (mg/L)	0.013
G376B	3/7/2005	10:05:00	0	Orthophosphate as P (mg/L)	0.005
G376B	3/7/2005	10:05:00	0	pH	7.22
G376B	3/7/2005	10:05:00	0	Specific Conductivity (µmhos/cm)	583
G376B	3/7/2005	10:05:00	0	Sulfate (mg/L)	28
G376B	3/7/2005	10:05:00	0	Temperature (°C)	18.1
G376B	3/7/2005	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G376B	3/7/2005	10:05:00	0	Total Dissolved Solids (mg/L)	357
G376B	3/7/2005	10:05:00	0	Total Phosphorus	0.007
G376B	3/7/2005	10:05:00	0	Turbidity (NTU)	0.5
G376B	3/14/2005	10:17:00	0	Dissolved Oxygen (mg/L)	3.05
G376B	3/14/2005	10:17:00	0	pH	7.21
G376B	3/14/2005	10:17:00	0	Specific Conductivity (µmhos/cm)	602
G376B	3/14/2005	10:17:00	0	Temperature (°C)	19.5
G376B	3/21/2005	10:05:00	0	Alkalinity (mg/L)	245
G376B	3/21/2005	10:05:00	0	Dissolved Chloride (mg/L)	79.6
G376B	3/21/2005	10:05:00	0	Dissolved Oxygen (mg/L)	1.21
G376B	3/21/2005	10:05:00	0	Nitrate + Nitrite (mg/L)	0.014
G376B	3/21/2005	10:05:00	0	Orthophosphate as P (mg/L)	0.006
G376B	3/21/2005	10:05:00	0	pH	7.3
G376B	3/21/2005	10:05:00	0	Specific Conductivity (µmhos/cm)	818
G376B	3/21/2005	10:05:00	0	Sulfate (mg/L)	59.2
G376B	3/21/2005	10:05:00	0	Temperature (°C)	21.3
G376B	3/21/2005	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376B	3/21/2005	10:05:00	0	Total Dissolved Solids (mg/L)	533
G376B	3/21/2005	10:05:00	0	Total Phosphorus	0.014
G376B	3/21/2005	10:05:00	0	Turbidity (NTU)	0.5
G376B	3/21/2005	10:10:00	24	Total Phosphorus	0.016
G376B	3/29/2005	10:48:00	0	Dissolved Oxygen (mg/L)	1.43
G376B	3/29/2005	10:48:00	0	pH	7.43
G376B	3/29/2005	10:48:00	0	Specific Conductivity (µmhos/cm)	980
G376B	3/29/2005	10:48:00	0	Temperature (°C)	23
G376B	3/29/2005	10:48:00	0	Total Phosphorus	0.012
G376B	3/29/2005	10:55:00	24	Total Phosphorus	0.016
G376B	4/4/2005	09:55:00	0	Alkalinity (mg/L)	287
G376B	4/4/2005	09:55:00	0	Dissolved Chloride (mg/L)	102
G376B	4/4/2005	09:55:00	0	Dissolved Oxygen (mg/L)	2.06
G376B	4/4/2005	09:55:00	0	Nitrate + Nitrite (mg/L)	0.008
G376B	4/4/2005	09:55:00	0	Orthophosphate as P (mg/L)	0.006
G376B	4/4/2005	09:55:00	0	pH	7.5
G376B	4/4/2005	09:55:00	0	Specific Conductivity (µmhos/cm)	998
G376B	4/4/2005	09:55:00	0	Sulfate (mg/L)	74.8
G376B	4/4/2005	09:55:00	0	Temperature (°C)	19.5
G376B	4/4/2005	09:55:00	0	Total Dissolved Phosphorus (mg/L)	0.009

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	4/4/2005	09:55:00	0	Total Dissolved Solids (mg/L)	631
G376B	4/4/2005	09:55:00	0	Total Phosphorus	0.013
G376B	4/4/2005	09:55:00	0	Turbidity (NTU)	0.7
G376B	4/4/2005	10:00:00	24	Total Phosphorus	0.014
G376B	4/11/2005	10:30:00	0	Dissolved Oxygen (mg/L)	4
G376B	4/11/2005	10:30:00	0	pH	7.58
G376B	4/11/2005	10:30:00	0	Specific Conductivity (μ mhos/cm)	931
G376B	4/11/2005	10:30:00	0	Temperature ($^{\circ}$ C)	23.3
G376B	4/11/2005	10:30:00	0	Total Phosphorus	0.018
G376B	4/11/2005	10:35:00	24	Total Phosphorus	0.015
G376B	4/18/2005	11:00:00	0	Alkalinity (mg/L)	246
G376B	4/18/2005	11:00:00	0	Dissolved Chloride (mg/L)	99.8
G376B	4/18/2005	11:00:00	0	Dissolved Oxygen (mg/L)	5.15
G376B	4/18/2005	11:00:00	0	Nitrate + Nitrite (mg/L)	0.024
G376B	4/18/2005	11:00:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	4/18/2005	11:00:00	0	pH	7.58
G376B	4/18/2005	11:00:00	0	Specific Conductivity (μ mhos/cm)	872
G376B	4/18/2005	11:00:00	0	Sulfate (mg/L)	56.6
G376B	4/18/2005	11:00:00	0	Temperature ($^{\circ}$ C)	21.5
G376B	4/18/2005	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376B	4/18/2005	11:00:00	0	Total Dissolved Solids (mg/L)	526
G376B	4/18/2005	11:00:00	0	Total Phosphorus	0.016
G376B	4/18/2005	11:00:00	0	Turbidity (NTU)	3.3
G376B	4/18/2005	11:05:00	24	Total Phosphorus	0.018
G376B	4/25/2005	09:20:00	0	Dissolved Oxygen (mg/L)	0.99
G376B	4/25/2005	09:20:00	0	pH	7.36
G376B	4/25/2005	09:20:00	0	Specific Conductivity (μ mhos/cm)	905
G376B	4/25/2005	09:20:00	0	Temperature ($^{\circ}$ C)	21.6
G376B	4/25/2005	09:20:00	0	Total Phosphorus	0.016
G376B	4/25/2005	09:25:00	24	Total Phosphorus	0.016
G376E	5/6/2004	10:05:00	0	Alkalinity (mg/L)	269
G376E	5/6/2004	10:05:00	0	Dissolved Chloride (mg/L)	118
G376E	5/6/2004	10:05:00	0	Dissolved Oxygen (mg/L)	5.9
G376E	5/6/2004	10:05:00	0	Nitrate + Nitrite (mg/L)	0.016
G376E	5/6/2004	10:05:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	5/6/2004	10:05:00	0	pH	7.82
G376E	5/6/2004	10:05:00	0	Specific Conductivity (μ mhos/cm)	950
G376E	5/6/2004	10:05:00	0	Sulfate (mg/L)	33.2
G376E	5/6/2004	10:05:00	0	Temperature ($^{\circ}$ C)	25.8
G376E	5/6/2004	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G376E	5/6/2004	10:05:00	0	Total Dissolved Solids (mg/L)	577
G376E	5/6/2004	10:05:00	0	Total Phosphorus	0.015
G376E	5/6/2004	10:05:00	0	Turbidity (NTU)	3
G376E	5/13/2004	11:10:00	0	Dissolved Oxygen (mg/L)	6.24
G376E	5/13/2004	11:10:00	0	pH	7.68
G376E	5/13/2004	11:10:00	0	Specific Conductivity (μ mhos/cm)	974
G376E	5/13/2004	11:10:00	0	Temperature ($^{\circ}$ C)	25.6
G376E	5/13/2004	11:10:00	0	Total Phosphorus	0.012

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	5/20/2004	10:37:00	0	Dissolved Chloride (mg/L)	89.6
G376E	5/20/2004	10:37:00	0	Dissolved Oxygen (mg/L)	6.23
G376E	5/20/2004	10:37:00	0	Nitrate + Nitrite (mg/L)	0.011
G376E	5/20/2004	10:37:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	5/20/2004	10:37:00	0	pH	7.59
G376E	5/20/2004	10:37:00	0	Specific Conductivity (µmhos/cm)	768.9
G376E	5/20/2004	10:37:00	0	Sulfate (mg/L)	35.1
G376E	5/20/2004	10:37:00	0	Temperature (°C)	26.8
G376E	5/20/2004	10:37:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G376E	5/20/2004	10:37:00	0	Total Phosphorus	0.014
G376E	5/27/2004	10:21:00	0	Dissolved Oxygen (mg/L)	4.8
G376E	5/27/2004	10:21:00	0	pH	7.46
G376E	5/27/2004	10:21:00	0	Specific Conductivity (µmhos/cm)	788
G376E	5/27/2004	10:21:00	0	Temperature (°C)	27.2
G376E	5/27/2004	10:21:00	0	Total Phosphorus	0.011
G376E	6/3/2004	10:11:00	0	Alkalinity (mg/L)	203
G376E	6/3/2004	10:11:00	0	Dissolved Chloride (mg/L)	77.3
G376E	6/3/2004	10:11:00	0	Dissolved Oxygen (mg/L)	2.69
G376E	6/3/2004	10:11:00	0	Nitrate + Nitrite (mg/L)	0.006
G376E	6/3/2004	10:11:00	0	Orthophosphate as P (mg/L)	0.005
G376E	6/3/2004	10:11:00	0	pH	7.23
G376E	6/3/2004	10:11:00	0	Specific Conductivity (µmhos/cm)	722
G376E	6/3/2004	10:11:00	0	Sulfate (mg/L)	34
G376E	6/3/2004	10:11:00	0	Temperature (°C)	26.6
G376E	6/3/2004	10:11:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G376E	6/3/2004	10:11:00	0	Total Dissolved Solids (mg/L)	444
G376E	6/3/2004	10:11:00	0	Total Phosphorus	0.017
G376E	6/3/2004	10:11:00	0	Turbidity (NTU)	2
G376E	6/10/2004	10:25:00	0	Dissolved Oxygen (mg/L)	2.2
G376E	6/10/2004	10:25:00	0	pH	7.4
G376E	6/10/2004	10:25:00	0	Specific Conductivity (µmhos/cm)	1076
G376E	6/10/2004	10:25:00	0	Temperature (°C)	27.6
G376E	6/10/2004	10:25:00	0	Total Phosphorus	0.016
G376E	6/17/2004	10:40:00	0	Alkalinity (mg/L)	213
G376E	6/17/2004	10:40:00	0	Dissolved Chloride (mg/L)	87
G376E	6/17/2004	10:40:00	0	Dissolved Oxygen (mg/L)	2.77
G376E	6/17/2004	10:40:00	0	Nitrate + Nitrite (mg/L)	0.005
G376E	6/17/2004	10:40:00	0	Orthophosphate as P (mg/L)	0.005
G376E	6/17/2004	10:40:00	0	pH	7.44
G376E	6/17/2004	10:40:00	0	Specific Conductivity (µmhos/cm)	783
G376E	6/17/2004	10:40:00	0	Sulfate (mg/L)	47.4
G376E	6/17/2004	10:40:00	0	Temperature (°C)	29.3
G376E	6/17/2004	10:40:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	6/17/2004	10:40:00	0	Total Dissolved Solids (mg/L)	527
G376E	6/17/2004	10:40:00	0	Total Phosphorus	0.019
G376E	6/17/2004	10:40:00	0	Turbidity (NTU)	1.5
G376E	6/24/2004	10:33:00	0	Dissolved Oxygen (mg/L)	1.99
G376E	6/24/2004	10:33:00	0	pH	7.4

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	6/24/2004	10:33:00	0	Specific Conductivity (µmhos/cm)	700
G376E	6/24/2004	10:33:00	0	Temperature (°C)	29.5
G376E	6/24/2004	10:33:00	0	Total Phosphorus	0.019
G376E	7/1/2004	11:05:00	0	Alkalinity (mg/L)	204
G376E	7/1/2004	11:05:00	0	Dissolved Chloride (mg/L)	74.2
G376E	7/1/2004	11:05:00	0	Dissolved Oxygen (mg/L)	2.81
G376E	7/1/2004	11:05:00	0	Nitrate + Nitrite (mg/L)	<0.004
G376E	7/1/2004	11:05:00	0	Orthophosphate as P (mg/L)	0.007
G376E	7/1/2004	11:05:00	0	pH	7.36
G376E	7/1/2004	11:05:00	0	Specific Conductivity (µmhos/cm)	711
G376E	7/1/2004	11:05:00	0	Sulfate (mg/L)	36.6
G376E	7/1/2004	11:05:00	0	Temperature (°C)	28.8
G376E	7/1/2004	11:05:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376E	7/1/2004	11:05:00	0	Total Dissolved Solids (mg/L)	456
G376E	7/1/2004	11:05:00	0	Total Phosphorus	0.031
G376E	7/1/2004	11:05:00	0	Turbidity (NTU)	1.7
G376E	7/8/2004	10:44:00	0	Dissolved Oxygen (mg/L)	3.95
G376E	7/8/2004	10:44:00	0	pH	7.67
G376E	7/8/2004	10:44:00	0	Specific Conductivity (µmhos/cm)	658
G376E	7/8/2004	10:44:00	0	Temperature (°C)	29.3
G376E	7/8/2004	10:44:00	0	Total Phosphorus	0.06
G376E	7/15/2004	11:00:00	0	Alkalinity (mg/L)	207
G376E	7/15/2004	11:00:00	0	Dissolved Chloride (mg/L)	69
G376E	7/15/2004	11:00:00	0	Dissolved Oxygen (mg/L)	1.88
G376E	7/15/2004	11:00:00	0	Nitrate + Nitrite (mg/L)	<0.004
G376E	7/15/2004	11:00:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	7/15/2004	11:00:00	0	pH	7.41
G376E	7/15/2004	11:00:00	0	Specific Conductivity (µmhos/cm)	648
G376E	7/15/2004	11:00:00	0	Sulfate (mg/L)	27.3
G376E	7/15/2004	11:00:00	0	Temperature (°C)	29.6
G376E	7/15/2004	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376E	7/15/2004	11:00:00	0	Total Dissolved Solids (mg/L)	423
G376E	7/15/2004	11:00:00	0	Total Phosphorus	0.026
G376E	7/15/2004	11:00:00	0	Turbidity (NTU)	3.1
G376E	7/22/2004	11:02:00	0	Dissolved Oxygen (mg/L)	2.12
G376E	7/22/2004	11:02:00	0	pH	7.51
G376E	7/22/2004	11:02:00	0	Specific Conductivity (µmhos/cm)	808
G376E	7/22/2004	11:02:00	0	Temperature (°C)	28.7
G376E	7/22/2004	11:02:00	0	Total Phosphorus	0.013
G376E	7/29/2004	11:10:00	0	Alkalinity (mg/L)	205
G376E	7/29/2004	11:10:00	0	Dissolved Chloride (mg/L)	71.5
G376E	7/29/2004	11:10:00	0	Dissolved Oxygen (mg/L)	2.57
G376E	7/29/2004	11:10:00	0	Nitrate + Nitrite (mg/L)	0.007
G376E	7/29/2004	11:10:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	7/29/2004	11:10:00	0	pH	7.4
G376E	7/29/2004	11:10:00	0	Specific Conductivity (µmhos/cm)	719
G376E	7/29/2004	11:10:00	0	Sulfate (mg/L)	46.5
G376E	7/29/2004	11:10:00	0	Temperature (°C)	28.2

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	7/29/2004	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376E	7/29/2004	11:10:00	0	Total Dissolved Solids (mg/L)	497
G376E	7/29/2004	11:10:00	0	Total Phosphorus	0.011
G376E	7/29/2004	11:10:00	0	Turbidity (NTU)	1
G376E	8/5/2004	10:42:00	0	Dissolved Oxygen (mg/L)	1.66
G376E	8/5/2004	10:42:00	0	pH	7.39
G376E	8/5/2004	10:42:00	0	Specific Conductivity (µmhos/cm)	784
G376E	8/5/2004	10:42:00	0	Temperature (°C)	28.8
G376E	8/5/2004	10:42:00	0	Total Phosphorus	0.01
G376E	8/12/2004	10:30:00	0	Alkalinity (mg/L)	312
G376E	8/12/2004	10:30:00	0	Dissolved Chloride (mg/L)	100
G376E	8/12/2004	10:30:00	0	Dissolved Oxygen (mg/L)	1.61
G376E	8/12/2004	10:30:00	0	Nitrate + Nitrite (mg/L)	0.014
G376E	8/12/2004	10:30:00	0	Orthophosphate as P (mg/L)	0.005
G376E	8/12/2004	10:30:00	0	pH	7.41
G376E	8/12/2004	10:30:00	0	Specific Conductivity (µmhos/cm)	1041
G376E	8/12/2004	10:30:00	0	Sulfate (mg/L)	75.1
G376E	8/12/2004	10:30:00	0	Temperature (°C)	30.2
G376E	8/12/2004	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G376E	8/12/2004	10:30:00	0	Total Dissolved Solids (mg/L)	677
G376E	8/12/2004	10:30:00	0	Total Phosphorus	0.015
G376E	8/12/2004	10:30:00	0	Turbidity (NTU)	0.6
G376E	8/19/2004	09:35:00	0	Dissolved Oxygen (mg/L)	2.12
G376E	8/19/2004	09:35:00	0	pH	7.43
G376E	8/19/2004	09:35:00	0	Specific Conductivity (µmhos/cm)	989
G376E	8/19/2004	09:35:00	0	Temperature (°C)	29.6
G376E	8/19/2004	09:35:00	0	Total Phosphorus	0.012
G376E	8/26/2004	10:10:00	0	Alkalinity (mg/L)	329
G376E	8/26/2004	10:10:00	0	Dissolved Chloride (mg/L)	112
G376E	8/26/2004	10:10:00	0	Dissolved Oxygen (mg/L)	2.03
G376E	8/26/2004	10:10:00	0	Nitrate + Nitrite (mg/L)	0.033
G376E	8/26/2004	10:10:00	0	Orthophosphate as P (mg/L)	0.007
G376E	8/26/2004	10:10:00	0	pH	7.47
G376E	8/26/2004	10:10:00	0	Specific Conductivity (µmhos/cm)	1114
G376E	8/26/2004	10:10:00	0	Sulfate (mg/L)	87.3
G376E	8/26/2004	10:10:00	0	Temperature (°C)	28.7
G376E	8/26/2004	10:10:00	0	Total Dissolved Solids (mg/L)	758
G376E	8/26/2004	10:10:00	0	Total Phosphorus	0.011
G376E	8/26/2004	10:10:00	0	Turbidity (NTU)	1.1
G376E	9/1/2004	09:50:00	0	Dissolved Oxygen (mg/L)	1.57
G376E	9/1/2004	09:50:00	0	pH	7.48
G376E	9/1/2004	09:50:00	0	Specific Conductivity (µmhos/cm)	1033
G376E	9/1/2004	09:50:00	0	Temperature (°C)	30.2
G376E	9/1/2004	09:50:00	0	Total Phosphorus	0.011
G376E	9/9/2004	12:35:00	0	Alkalinity (mg/L)	325
G376E	9/9/2004	12:35:00	0	Dissolved Chloride (mg/L)	91.1
G376E	9/9/2004	12:35:00	0	Dissolved Oxygen (mg/L)	2.58
G376E	9/9/2004	12:35:00	0	Nitrate + Nitrite (mg/L)	0.02

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	9/9/2004	12:35:00	0	Orthophosphate as P (mg/L)	0.005
G376E	9/9/2004	12:35:00	0	pH	7.7
G376E	9/9/2004	12:35:00	0	Specific Conductivity (µmhos/cm)	1027
G376E	9/9/2004	12:35:00	0	Sulfate (mg/L)	81
G376E	9/9/2004	12:35:00	0	Temperature (°C)	29.6
G376E	9/9/2004	12:35:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G376E	9/9/2004	12:35:00	0	Total Dissolved Solids (mg/L)	722
G376E	9/9/2004	12:35:00	0	Total Phosphorus	0.011
G376E	9/9/2004	12:35:00	0	Turbidity (NTU)	0.7
G376E	9/15/2004	10:58:00	0	Dissolved Oxygen (mg/L)	1.73
G376E	9/15/2004	10:58:00	0	pH	7.59
G376E	9/15/2004	10:58:00	0	Specific Conductivity (µmhos/cm)	974
G376E	9/15/2004	10:58:00	0	Temperature (°C)	28.2
G376E	9/15/2004	10:58:00	0	Total Phosphorus	0.011
G376E	9/22/2004	09:55:00	0	Alkalinity (mg/L)	315
G376E	9/22/2004	09:55:00	0	Dissolved Chloride (mg/L)	88.6
G376E	9/22/2004	09:55:00	0	Dissolved Oxygen (mg/L)	1.67
G376E	9/22/2004	09:55:00	0	Nitrate + Nitrite (mg/L)	0.017
G376E	9/22/2004	09:55:00	0	Orthophosphate as P (mg/L)	0.008
G376E	9/22/2004	09:55:00	0	pH	7.54
G376E	9/22/2004	09:55:00	0	Specific Conductivity (µmhos/cm)	999.8
G376E	9/22/2004	09:55:00	0	Sulfate (mg/L)	63.3
G376E	9/22/2004	09:55:00	0	Temperature (°C)	27
G376E	9/22/2004	09:55:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G376E	9/22/2004	09:55:00	0	Total Dissolved Solids (mg/L)	658
G376E	9/22/2004	09:55:00	0	Total Phosphorus	0.012
G376E	9/22/2004	09:55:00	0	Turbidity (NTU)	0.8
G376E	9/30/2004	10:55:00	0	Dissolved Oxygen (mg/L)	1.83
G376E	9/30/2004	10:55:00	0	pH	7.6
G376E	9/30/2004	10:55:00	0	Specific Conductivity (µmhos/cm)	1111
G376E	9/30/2004	10:55:00	0	Temperature (°C)	28.5
G376E	9/30/2004	10:55:00	0	Total Phosphorus	0.011
G376E	10/7/2004	10:30:00	0	Alkalinity (mg/L)	326
G376E	10/7/2004	10:30:00	0	Dissolved Chloride (mg/L)	97.4
G376E	10/7/2004	10:30:00	0	Dissolved Oxygen (mg/L)	1.95
G376E	10/7/2004	10:30:00	0	Nitrate + Nitrite (mg/L)	0.016
G376E	10/7/2004	10:30:00	0	Orthophosphate as P (mg/L)	0.007
G376E	10/7/2004	10:30:00	0	pH	7.51
G376E	10/7/2004	10:30:00	0	Specific Conductivity (µmhos/cm)	1103
G376E	10/7/2004	10:30:00	0	Sulfate (mg/L)	93.5
G376E	10/7/2004	10:30:00	0	Temperature (°C)	26.8
G376E	10/7/2004	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376E	10/7/2004	10:30:00	0	Total Dissolved Solids (mg/L)	745
G376E	10/7/2004	10:30:00	0	Total Phosphorus	0.012
G376E	10/7/2004	10:30:00	0	Turbidity (NTU)	0.6
G376E	10/14/2004	10:05:00	0	Dissolved Oxygen (mg/L)	1.38
G376E	10/14/2004	10:05:00	0	pH	7.67
G376E	10/14/2004	10:05:00	0	Specific Conductivity (µmhos/cm)	1165

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	10/14/2004	10:05:00	0	Temperature (°C)	26.2
G376E	10/14/2004	10:05:00	0	Total Phosphorus	0.012
G376E	10/21/2004	10:25:00	0	Alkalinity (mg/L)	293
G376E	10/21/2004	10:25:00	0	Dissolved Chloride (mg/L)	107
G376E	10/21/2004	10:25:00	0	Dissolved Oxygen (mg/L)	1.55
G376E	10/21/2004	10:25:00	0	Nitrate + Nitrite (mg/L)	0.015
G376E	10/21/2004	10:25:00	0	Orthophosphate as P (mg/L)	0.005
G376E	10/21/2004	10:25:00	0	pH	7.43
G376E	10/21/2004	10:25:00	0	Specific Conductivity (µmhos/cm)	1045
G376E	10/21/2004	10:25:00	0	Sulfate (mg/L)	85.7
G376E	10/21/2004	10:25:00	0	Temperature (°C)	25.4
G376E	10/21/2004	10:25:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G376E	10/21/2004	10:25:00	0	Total Dissolved Solids (mg/L)	736
G376E	10/21/2004	10:25:00	0	Total Phosphorus	0.013
G376E	10/21/2004	10:25:00	0	Turbidity (NTU)	0.8
G376E	10/28/2004	11:50:00	0	Dissolved Oxygen (mg/L)	2.5
G376E	10/28/2004	11:50:00	0	pH	7.36
G376E	10/28/2004	11:50:00	0	Specific Conductivity (µmhos/cm)	1075
G376E	10/28/2004	11:50:00	0	Temperature (°C)	23.2
G376E	10/28/2004	11:50:00	0	Total Phosphorus	0.014
G376E	11/4/2004	10:05:00	0	Alkalinity (mg/L)	250
G376E	11/4/2004	10:05:00	0	Dissolved Chloride (mg/L)	87.5
G376E	11/4/2004	10:05:00	0	Dissolved Oxygen (mg/L)	5.21
G376E	11/4/2004	10:05:00	0	Nitrate + Nitrite (mg/L)	0.111
G376E	11/4/2004	10:05:00	0	Orthophosphate as P (mg/L)	0.005
G376E	11/4/2004	10:05:00	0	Specific Conductivity (µmhos/cm)	835
G376E	11/4/2004	10:05:00	0	Sulfate (mg/L)	41.2
G376E	11/4/2004	10:05:00	0	Temperature (°C)	26.1
G376E	11/4/2004	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376E	11/4/2004	10:05:00	0	Total Dissolved Solids (mg/L)	548
G376E	11/4/2004	10:05:00	0	Total Phosphorus	0.013
G376E	11/4/2004	10:05:00	0	Turbidity (NTU)	1.1
G376E	11/10/2004	10:53:00	0	Dissolved Oxygen (mg/L)	5.98
G376E	11/10/2004	10:53:00	0	pH	7.73
G376E	11/10/2004	10:53:00	0	Specific Conductivity (µmhos/cm)	833
G376E	11/10/2004	10:53:00	0	Temperature (°C)	23.6
G376E	11/10/2004	10:53:00	0	Total Phosphorus	0.012
G376E	11/18/2004	10:07:00	0	Alkalinity (mg/L)	272
G376E	11/18/2004	10:07:00	0	Dissolved Chloride (mg/L)	103
G376E	11/18/2004	10:07:00	0	Dissolved Oxygen (mg/L)	3.12
G376E	11/18/2004	10:07:00	0	Nitrate + Nitrite (mg/L)	0.017
G376E	11/18/2004	10:07:00	0	Orthophosphate as P (mg/L)	0.006
G376E	11/18/2004	10:07:00	0	pH	7.45
G376E	11/18/2004	10:07:00	0	Specific Conductivity (µmhos/cm)	920
G376E	11/18/2004	10:07:00	0	Sulfate (mg/L)	48.3
G376E	11/18/2004	10:07:00	0	Temperature (°C)	20.1
G376E	11/18/2004	10:07:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376E	11/18/2004	10:07:00	0	Total Dissolved Solids (mg/L)	595

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	11/18/2004	10:07:00	0	Total Phosphorus	0.014
G376E	11/18/2004	10:07:00	0	Turbidity (NTU)	1.2
G376E	11/24/2004	10:00:00	0	Dissolved Oxygen (mg/L)	3.13
G376E	11/24/2004	10:00:00	0	pH	7.55
G376E	11/24/2004	10:00:00	0	Specific Conductivity (μ mhos/cm)	1106
G376E	11/24/2004	10:00:00	0	Temperature ($^{\circ}$ C)	22.4
G376E	11/24/2004	10:00:00	0	Total Phosphorus	0.012
G376E	12/2/2004	10:08:00	0	Alkalinity (mg/L)	299
G376E	12/2/2004	10:08:00	0	Dissolved Chloride (mg/L)	118
G376E	12/2/2004	10:08:00	0	Dissolved Oxygen (mg/L)	4.31
G376E	12/2/2004	10:08:00	0	Nitrate + Nitrite (mg/L)	0.032
G376E	12/2/2004	10:08:00	0	Orthophosphate as P (mg/L)	0.005
G376E	12/2/2004	10:08:00	0	pH	7.52
G376E	12/2/2004	10:08:00	0	Specific Conductivity (μ mhos/cm)	1039
G376E	12/2/2004	10:08:00	0	Sulfate (mg/L)	57.8
G376E	12/2/2004	10:08:00	0	Temperature ($^{\circ}$ C)	22.2
G376E	12/2/2004	10:08:00	0	Total Dissolved Solids (mg/L)	682
G376E	12/2/2004	10:08:00	0	Total Phosphorus	0.016
G376E	12/2/2004	10:08:00	0	Turbidity (NTU)	1.5
G376E	12/8/2004	11:00:00	0	Dissolved Oxygen (mg/L)	2.23
G376E	12/8/2004	11:00:00	0	pH	7.48
G376E	12/8/2004	11:00:00	0	Specific Conductivity (μ mhos/cm)	1114
G376E	12/8/2004	11:00:00	0	Temperature ($^{\circ}$ C)	21.5
G376E	12/8/2004	11:00:00	0	Total Phosphorus	0.014
G376E	12/16/2004	10:12:00	0	Alkalinity (mg/L)	188
G376E	12/16/2004	10:12:00	0	Dissolved Chloride (mg/L)	69.7
G376E	12/16/2004	10:12:00	0	Dissolved Oxygen (mg/L)	5.75
G376E	12/16/2004	10:12:00	0	Nitrate + Nitrite (mg/L)	0.011
G376E	12/16/2004	10:12:00	0	Orthophosphate as P (mg/L)	0.005
G376E	12/16/2004	10:12:00	0	pH	7.57
G376E	12/16/2004	10:12:00	0	Specific Conductivity (μ mhos/cm)	660
G376E	12/16/2004	10:12:00	0	Sulfate (mg/L)	40.2
G376E	12/16/2004	10:12:00	0	Temperature ($^{\circ}$ C)	14.7
G376E	12/16/2004	10:12:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	12/16/2004	10:12:00	0	Total Dissolved Solids (mg/L)	442
G376E	12/16/2004	10:12:00	0	Total Phosphorus	0.009
G376E	12/16/2004	10:12:00	0	Turbidity (NTU)	0.7
G376E	12/22/2004	10:58:00	0	pH	7.77
G376E	12/22/2004	10:58:00	0	Specific Conductivity (μ mhos/cm)	633
G376E	12/22/2004	10:58:00	0	Temperature ($^{\circ}$ C)	16.1
G376E	12/22/2004	10:58:00	0	Total Phosphorus	0.009
G376E	12/29/2004	10:18:00	0	Alkalinity (mg/L)	192
G376E	12/29/2004	10:18:00	0	Dissolved Chloride (mg/L)	67.2
G376E	12/29/2004	10:18:00	0	Dissolved Oxygen (mg/L)	5.24
G376E	12/29/2004	10:18:00	0	Nitrate + Nitrite (mg/L)	0.01
G376E	12/29/2004	10:18:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	12/29/2004	10:18:00	0	pH	7.44
G376E	12/29/2004	10:18:00	0	Specific Conductivity (μ mhos/cm)	658

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	12/29/2004	10:18:00	0	Sulfate (mg/L)	38.2
G376E	12/29/2004	10:18:00	0	Temperature (°C)	16.6
G376E	12/29/2004	10:18:00	0	Total Dissolved Solids (mg/L)	416
G376E	12/29/2004	10:18:00	0	Total Phosphorus	0.01
G376E	12/29/2004	10:18:00	0	Turbidity (NTU)	0.5
G376E	1/6/2005	10:20:00	0	Dissolved Oxygen (mg/L)	6.11
G376E	1/6/2005	10:20:00	0	pH	7.74
G376E	1/6/2005	10:20:00	0	Specific Conductivity (µmhos/cm)	688
G376E	1/6/2005	10:20:00	0	Temperature (°C)	21
G376E	1/6/2005	10:20:00	0	Total Phosphorus	0.015
G376E	1/10/2005	10:30:00	0	Alkalinity (mg/L)	212
G376E	1/10/2005	10:30:00	0	Dissolved Chloride (mg/L)	71.3
G376E	1/10/2005	10:30:00	0	Dissolved Oxygen (mg/L)	4.47
G376E	1/10/2005	10:30:00	0	Nitrate + Nitrite (mg/L)	0.015
G376E	1/10/2005	10:30:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	1/10/2005	10:30:00	0	pH	7.39
G376E	1/10/2005	10:30:00	0	Specific Conductivity (µmhos/cm)	707
G376E	1/10/2005	10:30:00	0	Sulfate (mg/L)	36.8
G376E	1/10/2005	10:30:00	0	Temperature (°C)	20.8
G376E	1/10/2005	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376E	1/10/2005	10:30:00	0	Total Dissolved Solids (mg/L)	393
G376E	1/10/2005	10:30:00	0	Total Phosphorus	0.016
G376E	1/10/2005	10:30:00	0	Turbidity (NTU)	0.8
G376E	1/18/2005	10:50:00	0	Dissolved Oxygen (mg/L)	3.71
G376E	1/18/2005	10:50:00	0	pH	7.35
G376E	1/18/2005	10:50:00	0	Specific Conductivity (µmhos/cm)	679
G376E	1/18/2005	10:50:00	0	Temperature (°C)	15.2
G376E	1/18/2005	10:50:00	0	Total Phosphorus	0.012
G376E	1/24/2005	10:35:00	0	Alkalinity (mg/L)	229
G376E	1/24/2005	10:35:00	0	Dissolved Chloride (mg/L)	69.6
G376E	1/24/2005	10:35:00	0	Dissolved Oxygen (mg/L)	5.34
G376E	1/24/2005	10:35:00	0	Nitrate + Nitrite (mg/L)	0.015
G376E	1/24/2005	10:35:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	1/24/2005	10:35:00	0	pH	7.63
G376E	1/24/2005	10:35:00	0	Specific Conductivity (µmhos/cm)	696
G376E	1/24/2005	10:35:00	0	Sulfate (mg/L)	29.7
G376E	1/24/2005	10:35:00	0	Temperature (°C)	15.1
G376E	1/24/2005	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376E	1/24/2005	10:35:00	0	Total Dissolved Solids (mg/L)	440
G376E	1/24/2005	10:35:00	0	Total Phosphorus	0.012
G376E	1/24/2005	10:35:00	0	Turbidity (NTU)	0.6
G376E	1/31/2005	11:00:00	0	Dissolved Oxygen (mg/L)	3.21
G376E	1/31/2005	11:00:00	0	pH	7.42
G376E	1/31/2005	11:00:00	0	Specific Conductivity (µmhos/cm)	776
G376E	1/31/2005	11:00:00	0	Temperature (°C)	17.9
G376E	1/31/2005	11:00:00	0	Total Phosphorus	0.01
G376E	2/7/2005	09:55:00	0	Alkalinity (mg/L)	253
G376E	2/7/2005	09:55:00	0	Dissolved Chloride (mg/L)	96.1

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	2/7/2005	09:55:00	0	Dissolved Oxygen (mg/L)	4.57
G376E	2/7/2005	09:55:00	0	Nitrate + Nitrite (mg/L)	0.025
G376E	2/7/2005	09:55:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	2/7/2005	09:55:00	0	pH	7.44
G376E	2/7/2005	09:55:00	0	Specific Conductivity (µmhos/cm)	827
G376E	2/7/2005	09:55:00	0	Sulfate (mg/L)	41.2
G376E	2/7/2005	09:55:00	0	Temperature (°C)	17.3
G376E	2/7/2005	09:55:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G376E	2/7/2005	09:55:00	0	Total Dissolved Solids (mg/L)	523
G376E	2/7/2005	09:55:00	0	Total Phosphorus	0.008
G376E	2/7/2005	09:55:00	0	Turbidity (NTU)	0.5
G376E	2/14/2005	10:57:00	0	Dissolved Oxygen (mg/L)	6.15
G376E	2/14/2005	10:57:00	0	pH	7.41
G376E	2/14/2005	10:57:00	0	Specific Conductivity (µmhos/cm)	844
G376E	2/14/2005	10:57:00	0	Temperature (°C)	16.3
G376E	2/14/2005	10:57:00	0	Total Phosphorus	0.008
G376E	2/22/2005	10:25:00	0	Alkalinity (mg/L)	203
G376E	2/22/2005	10:25:00	0	Dissolved Chloride (mg/L)	82.4
G376E	2/22/2005	10:25:00	0	Dissolved Oxygen (mg/L)	4.97
G376E	2/22/2005	10:25:00	0	Nitrate + Nitrite (mg/L)	0.015
G376E	2/22/2005	10:25:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	2/22/2005	10:25:00	0	pH	7.73
G376E	2/22/2005	10:25:00	0	Specific Conductivity (µmhos/cm)	721
G376E	2/22/2005	10:25:00	0	Sulfate (mg/L)	36.4
G376E	2/22/2005	10:25:00	0	Temperature (°C)	20.1
G376E	2/22/2005	10:25:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376E	2/22/2005	10:25:00	0	Total Dissolved Solids (mg/L)	447
G376E	2/22/2005	10:25:00	0	Total Phosphorus	0.014
G376E	2/22/2005	10:25:00	0	Turbidity (NTU)	0.6
G376E	2/28/2005	10:53:00	0	Dissolved Oxygen (mg/L)	2.44
G376E	2/28/2005	10:53:00	0	pH	7.17
G376E	2/28/2005	10:53:00	0	Specific Conductivity (µmhos/cm)	649
G376E	2/28/2005	10:53:00	0	Temperature (°C)	22.4
G376E	2/28/2005	10:53:00	0	Total Phosphorus	0.022
G376E	3/7/2005	10:35:00	0	Alkalinity (mg/L)	185
G376E	3/7/2005	10:35:00	0	Dissolved Chloride (mg/L)	60.4
G376E	3/7/2005	10:35:00	0	Dissolved Oxygen (mg/L)	4.43
G376E	3/7/2005	10:35:00	0	Nitrate + Nitrite (mg/L)	0.009
G376E	3/7/2005	10:35:00	0	Orthophosphate as P (mg/L)	0.005
G376E	3/7/2005	10:35:00	0	pH	7.34
G376E	3/7/2005	10:35:00	0	Specific Conductivity (µmhos/cm)	599
G376E	3/7/2005	10:35:00	0	Sulfate (mg/L)	29.8
G376E	3/7/2005	10:35:00	0	Temperature (°C)	18.4
G376E	3/7/2005	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376E	3/7/2005	10:35:00	0	Total Dissolved Solids (mg/L)	384
G376E	3/7/2005	10:35:00	0	Total Phosphorus	0.01
G376E	3/7/2005	10:35:00	0	Turbidity (NTU)	1
G376E	3/14/2005	10:51:00	0	Dissolved Oxygen (mg/L)	4.28

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	3/14/2005	10:51:00	0	pH	7.32
G376E	3/14/2005	10:51:00	0	Specific Conductivity (µmhos/cm)	751
G376E	3/14/2005	10:51:00	0	Temperature (°C)	20.5
G376E	3/21/2005	10:30:00	0	Alkalinity (mg/L)	260
G376E	3/21/2005	10:30:00	0	Dissolved Chloride (mg/L)	92.6
G376E	3/21/2005	10:30:00	0	Dissolved Oxygen (mg/L)	2.85
G376E	3/21/2005	10:30:00	0	Nitrate + Nitrite (mg/L)	0.207
G376E	3/21/2005	10:30:00	0	Orthophosphate as P (mg/L)	0.006
G376E	3/21/2005	10:30:00	0	pH	7.38
G376E	3/21/2005	10:30:00	0	Specific Conductivity (µmhos/cm)	884
G376E	3/21/2005	10:30:00	0	Sulfate (mg/L)	66.8
G376E	3/21/2005	10:30:00	0	Temperature (°C)	21.9
G376E	3/21/2005	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	3/21/2005	10:30:00	0	Total Dissolved Solids (mg/L)	593
G376E	3/21/2005	10:30:00	0	Total Phosphorus	0.013
G376E	3/21/2005	10:30:00	0	Turbidity (NTU)	0.5
G376E	3/21/2005	10:35:00	24	Total Phosphorus	0.03
G376E	3/29/2005	10:07:00	0	Dissolved Oxygen (mg/L)	1.93
G376E	3/29/2005	10:07:00	0	pH	7.44
G376E	3/29/2005	10:07:00	0	Specific Conductivity (µmhos/cm)	981
G376E	3/29/2005	10:07:00	0	Temperature (°C)	22.5
G376E	3/29/2005	10:07:00	0	Total Phosphorus	0.012
G376E	3/29/2005	10:10:00	24	Total Phosphorus	0.013
G376E	4/4/2005	10:20:00	0	Alkalinity (mg/L)	283
G376E	4/4/2005	10:20:00	0	Dissolved Chloride (mg/L)	103
G376E	4/4/2005	10:20:00	0	Dissolved Oxygen (mg/L)	2.17
G376E	4/4/2005	10:20:00	0	Nitrate + Nitrite (mg/L)	0.023
G376E	4/4/2005	10:20:00	0	Orthophosphate as P (mg/L)	0.004
G376E	4/4/2005	10:20:00	0	pH	7.43
G376E	4/4/2005	10:20:00	0	Specific Conductivity (µmhos/cm)	985
G376E	4/4/2005	10:20:00	0	Sulfate (mg/L)	72.7
G376E	4/4/2005	10:20:00	0	Temperature (°C)	18.6
G376E	4/4/2005	10:20:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	4/4/2005	10:20:00	0	Total Dissolved Solids (mg/L)	632
G376E	4/4/2005	10:20:00	0	Total Phosphorus	0.012
G376E	4/4/2005	10:20:00	0	Turbidity (NTU)	0.6
G376E	4/4/2005	10:25:00	24	Total Phosphorus	0.012
G376E	4/11/2005	10:52:00	0	Dissolved Oxygen (mg/L)	4.02
G376E	4/11/2005	10:52:00	0	pH	7.5
G376E	4/11/2005	10:52:00	0	Specific Conductivity (µmhos/cm)	901
G376E	4/11/2005	10:52:00	0	Temperature (°C)	23.2
G376E	4/11/2005	10:52:00	0	Total Phosphorus	0.016
G376E	4/11/2005	10:55:00	24	Total Phosphorus	0.013
G376E	4/18/2005	11:30:00	0	Alkalinity (mg/L)	241
G376E	4/18/2005	11:30:00	0	Dissolved Chloride (mg/L)	100
G376E	4/18/2005	11:30:00	0	Dissolved Oxygen (mg/L)	5.85
G376E	4/18/2005	11:30:00	0	Nitrate + Nitrite (mg/L)	0.027
G376E	4/18/2005	11:30:00	0	Orthophosphate as P (mg/L)	0.005

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	4/18/2005	11:30:00	0	pH	7.53
G376E	4/18/2005	11:30:00	0	Specific Conductivity (µmhos/cm)	854
G376E	4/18/2005	11:30:00	0	Sulfate (mg/L)	49.8
G376E	4/18/2005	11:30:00	0	Temperature (°C)	21.1
G376E	4/18/2005	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	4/18/2005	11:30:00	0	Total Dissolved Solids (mg/L)	559
G376E	4/18/2005	11:30:00	0	Total Phosphorus	0.016
G376E	4/18/2005	11:30:00	0	Turbidity (NTU)	1.4
G376E	4/18/2005	11:35:00	24	Total Phosphorus	0.02
G376E	4/25/2005	09:50:00	0	Dissolved Oxygen (mg/L)	1.77
G376E	4/25/2005	09:50:00	0	pH	7.41
G376E	4/25/2005	09:50:00	0	Specific Conductivity (µmhos/cm)	907
G376E	4/25/2005	09:50:00	0	Temperature (°C)	22.1
G376E	4/25/2005	09:50:00	0	Total Phosphorus	0.014
G376E	4/25/2005	09:55:00	24	Total Phosphorus	0.014
G379B	6/24/2004	10:46:00	0	Dissolved Oxygen (mg/L)	3.9
G379B	6/24/2004	10:46:00	0	pH	7.65
G379B	6/24/2004	10:46:00	0	Specific Conductivity (µmhos/cm)	684
G379B	6/24/2004	10:46:00	0	Temperature (°C)	30.8
G379B	6/24/2004	10:46:00	0	Total Phosphorus	0.045
G379B	6/30/2004	08:43:00	0	Atrazine (µg/L)	0.089
G379B	6/30/2004	08:43:00	0	Chlordane (µg/L)	<0.02
G379B	6/30/2004	08:43:00	0	DDD (µg/L)	<0.0048
G379B	6/30/2004	08:43:00	0	DDE (µg/L)	<0.004
G379B	6/30/2004	08:43:00	0	DDT (µg/L)	<0.006
G379B	6/30/2004	08:43:00	0	Simazine (µg/L)	<0.01
G379B	6/30/2004	08:43:00	0	Toxaphene (µg/L)	<0.1
G379B	6/30/2004	09:05:00	0	Total Arsenic (µg/L)	6.8
G379B	6/30/2004	09:05:00	0	Total Copper (µg/L)	<1.2
G379B	6/30/2004	09:05:00	0	Total Lead (µg/L)	<0.8
G379B	6/30/2004	09:05:00	0	Total Zinc (µg/L)	<4
G379B	7/1/2004	11:25:00	0	Dissolved Oxygen (mg/L)	2.9
G379B	7/1/2004	11:25:00	0	pH	7.59
G379B	7/1/2004	11:25:00	0	Specific Conductivity (µmhos/cm)	771
G379B	7/1/2004	11:25:00	0	Temperature (°C)	29.6
G379B	7/1/2004	11:25:00	0	Total Phosphorus	0.041
G379B	7/8/2004	10:54:00	0	Dissolved Oxygen (mg/L)	2.76
G379B	7/8/2004	10:54:00	0	pH	7.61
G379B	7/8/2004	10:54:00	0	Specific Conductivity (µmhos/cm)	753
G379B	7/8/2004	10:54:00	0	Temperature (°C)	30.3
G379B	7/8/2004	10:54:00	0	Total Phosphorus	0.053
G379B	7/15/2004	11:10:00	0	Dissolved Oxygen (mg/L)	3.69
G379B	7/15/2004	11:10:00	0	pH	7.66
G379B	7/15/2004	11:10:00	0	Specific Conductivity (µmhos/cm)	734
G379B	7/15/2004	11:10:00	0	Temperature (°C)	30.8
G379B	7/15/2004	11:10:00	0	Total Phosphorus	0.035
G379B	7/22/2004	11:17:00	0	Dissolved Oxygen (mg/L)	5.43
G379B	7/22/2004	11:17:00	0	pH	7.98

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	7/22/2004	11:17:00	0	Specific Conductivity (µmhos/cm)	755
G379B	7/22/2004	11:17:00	0	Temperature (°C)	30.4
G379B	7/22/2004	11:17:00	0	Total Phosphorus	0.048
G379B	7/29/2004	11:20:00	0	Dissolved Oxygen (mg/L)	4.2
G379B	7/29/2004	11:20:00	0	pH	7.73
G379B	7/29/2004	11:20:00	0	Specific Conductivity (µmhos/cm)	701
G379B	7/29/2004	11:20:00	0	Temperature (°C)	29.5
G379B	7/29/2004	11:20:00	0	Total Phosphorus	0.035
G379B	8/5/2004	11:28:00	0	Dissolved Oxygen (mg/L)	4.94
G379B	8/5/2004	11:28:00	0	pH	7.57
G379B	8/5/2004	11:28:00	0	Specific Conductivity (µmhos/cm)	655
G379B	8/5/2004	11:28:00	0	Temperature (°C)	29.3
G379B	8/5/2004	11:28:00	0	Total Phosphorus	0.029
G379B	8/12/2004	11:19:00	0	Dissolved Oxygen (mg/L)	2.72
G379B	8/12/2004	11:19:00	0	pH	7.55
G379B	8/12/2004	11:19:00	0	Specific Conductivity (µmhos/cm)	643
G379B	8/12/2004	11:19:00	0	Temperature (°C)	31.1
G379B	8/12/2004	11:19:00	0	Total Phosphorus	0.039
G379B	8/19/2004	10:18:00	0	Dissolved Oxygen (mg/L)	4.45
G379B	8/19/2004	10:18:00	0	pH	7.65
G379B	8/19/2004	10:18:00	0	Specific Conductivity (µmhos/cm)	651
G379B	8/19/2004	10:18:00	0	Temperature (°C)	30.6
G379B	8/19/2004	10:18:00	0	Total Phosphorus	0.044
G379B	8/26/2004	10:30:00	0	Dissolved Oxygen (mg/L)	2.7
G379B	8/26/2004	10:30:00	0	pH	7.5
G379B	8/26/2004	10:30:00	0	Specific Conductivity (µmhos/cm)	609
G379B	8/26/2004	10:30:00	0	Temperature (°C)	29.5
G379B	8/26/2004	10:30:00	0	Total Phosphorus	0.03
G379B	9/1/2004	10:39:00	0	Dissolved Oxygen (mg/L)	4.07
G379B	9/1/2004	10:39:00	0	pH	7.68
G379B	9/1/2004	10:39:00	0	Specific Conductivity (µmhos/cm)	626
G379B	9/1/2004	10:39:00	0	Temperature (°C)	31.1
G379B	9/1/2004	10:39:00	0	Total Phosphorus	0.026
G379B	9/9/2004	13:00:00	0	Dissolved Oxygen (mg/L)	6.4
G379B	9/9/2004	13:00:00	0	pH	8.1
G379B	9/9/2004	13:00:00	0	Specific Conductivity (µmhos/cm)	606
G379B	9/9/2004	13:00:00	0	Temperature (°C)	30.3
G379B	9/9/2004	13:00:00	0	Total Phosphorus	0.027
G379B	9/15/2004	11:10:00	0	Dissolved Oxygen (mg/L)	5.12
G379B	9/15/2004	11:10:00	0	pH	7.86
G379B	9/15/2004	11:10:00	0	Specific Conductivity (µmhos/cm)	620
G379B	9/15/2004	11:10:00	0	Temperature (°C)	27.6
G379B	9/15/2004	11:10:00	0	Total Phosphorus	0.024
G379B	9/22/2004	10:45:00	0	Dissolved Oxygen (mg/L)	4.7
G379B	9/22/2004	10:45:00	0	pH	7.79
G379B	9/22/2004	10:45:00	0	Specific Conductivity (µmhos/cm)	625.8
G379B	9/22/2004	10:45:00	0	Temperature (°C)	26.7
G379B	9/22/2004	10:45:00	0	Total Phosphorus	0.023

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	9/30/2004	11:30:00	0	Dissolved Oxygen (mg/L)	3.6
G379B	9/30/2004	11:30:00	0	pH	7.84
G379B	9/30/2004	11:30:00	0	Specific Conductivity (µmhos/cm)	652.7
G379B	9/30/2004	11:30:00	0	Temperature (°C)	28.8
G379B	9/30/2004	11:30:00	0	Total Phosphorus	0.022
G379B	10/7/2004	10:45:00	0	Alkalinity (mg/L)	209
G379B	10/7/2004	10:45:00	0	Dissolved Chloride (mg/L)	74.6
G379B	10/7/2004	10:45:00	0	Dissolved Oxygen (mg/L)	5.08
G379B	10/7/2004	10:45:00	0	Nitrate + Nitrite (mg/L)	0.031
G379B	10/7/2004	10:45:00	0	Orthophosphate as P (mg/L)	0.004
G379B	10/7/2004	10:45:00	0	pH	7.66
G379B	10/7/2004	10:45:00	0	Specific Conductivity (µmhos/cm)	704
G379B	10/7/2004	10:45:00	0	Sulfate (mg/L)	28.4
G379B	10/7/2004	10:45:00	0	Temperature (°C)	26.4
G379B	10/7/2004	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379B	10/7/2004	10:45:00	0	Total Dissolved Solids (mg/L)	448
G379B	10/7/2004	10:45:00	0	Total Phosphorus	0.02
G379B	10/7/2004	10:45:00	0	Turbidity (NTU)	2.8
G379B	10/14/2004	11:20:00	0	Dissolved Oxygen (mg/L)	5.96
G379B	10/14/2004	11:20:00	0	pH	8.05
G379B	10/14/2004	11:20:00	0	Specific Conductivity (µmhos/cm)	765
G379B	10/14/2004	11:20:00	0	Temperature (°C)	27.1
G379B	10/14/2004	11:20:00	0	Total Phosphorus	0.021
G379B	10/21/2004	11:19:00	0	Alkalinity (mg/L)	211
G379B	10/21/2004	11:19:00	0	Dissolved Chloride (mg/L)	81
G379B	10/21/2004	11:19:00	0	Dissolved Oxygen (mg/L)	4.22
G379B	10/21/2004	11:19:00	0	Nitrate + Nitrite (mg/L)	0.045
G379B	10/21/2004	11:19:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	10/21/2004	11:19:00	0	pH	7.47
G379B	10/21/2004	11:19:00	0	Specific Conductivity (µmhos/cm)	719
G379B	10/21/2004	11:19:00	0	Sulfate (mg/L)	32.5
G379B	10/21/2004	11:19:00	0	Temperature (°C)	26.4
G379B	10/21/2004	11:19:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	10/21/2004	11:19:00	0	Total Dissolved Solids (mg/L)	483
G379B	10/21/2004	11:19:00	0	Total Phosphorus	0.025
G379B	10/21/2004	11:19:00	0	Turbidity (NTU)	2.1
G379B	10/28/2004	12:05:00	0	Dissolved Oxygen (mg/L)	7.11
G379B	10/28/2004	12:05:00	0	pH	7.94
G379B	10/28/2004	12:05:00	0	Specific Conductivity (µmhos/cm)	744
G379B	10/28/2004	12:05:00	0	Temperature (°C)	24.5
G379B	10/28/2004	12:05:00	0	Total Phosphorus	0.025
G379B	11/4/2004	10:25:00	0	Alkalinity (mg/L)	214
G379B	11/4/2004	10:25:00	0	Dissolved Chloride (mg/L)	78.5
G379B	11/4/2004	10:25:00	0	Dissolved Oxygen (mg/L)	4.7
G379B	11/4/2004	10:25:00	0	Nitrate + Nitrite (mg/L)	0.048
G379B	11/4/2004	10:25:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	11/4/2004	10:25:00	0	Specific Conductivity (µmhos/cm)	744
G379B	11/4/2004	10:25:00	0	Sulfate (mg/L)	35.5

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	11/4/2004	10:25:00	0	Temperature (°C)	26.3
G379B	11/4/2004	10:25:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G379B	11/4/2004	10:25:00	0	Total Dissolved Solids (mg/L)	496
G379B	11/4/2004	10:25:00	0	Total Phosphorus	0.023
G379B	11/4/2004	10:25:00	0	Turbidity (NTU)	2
G379B	11/10/2004	12:08:00	0	Dissolved Oxygen (mg/L)	7.52
G379B	11/10/2004	12:08:00	0	pH	8.01
G379B	11/10/2004	12:08:00	0	Specific Conductivity (µmhos/cm)	737
G379B	11/10/2004	12:08:00	0	Temperature (°C)	22.8
G379B	11/10/2004	12:08:00	0	Total Phosphorus	0.023
G379B	11/18/2004	11:08:00	0	Alkalinity (mg/L)	228
G379B	11/18/2004	11:08:00	0	Dissolved Chloride (mg/L)	85.6
G379B	11/18/2004	11:08:00	0	Dissolved Oxygen (mg/L)	7.28
G379B	11/18/2004	11:08:00	0	Nitrate + Nitrite (mg/L)	0.102
G379B	11/18/2004	11:08:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	11/18/2004	11:08:00	0	pH	8.06
G379B	11/18/2004	11:08:00	0	Specific Conductivity (µmhos/cm)	734
G379B	11/18/2004	11:08:00	0	Sulfate (mg/L)	26.4
G379B	11/18/2004	11:08:00	0	Temperature (°C)	21.2
G379B	11/18/2004	11:08:00	0	Total Dissolved Phosphorus (mg/L)	0.03
G379B	11/18/2004	11:08:00	0	Total Dissolved Solids (mg/L)	478
G379B	11/18/2004	11:08:00	0	Total Phosphorus	0.045
G379B	11/18/2004	11:08:00	0	Turbidity (NTU)	1.8
G379B	11/24/2004	10:10:00	0	Dissolved Oxygen (mg/L)	5.59
G379B	11/24/2004	10:10:00	0	pH	7.87
G379B	11/24/2004	10:10:00	0	Specific Conductivity (µmhos/cm)	756
G379B	11/24/2004	10:10:00	0	Temperature (°C)	23.6
G379B	11/24/2004	10:10:00	0	Total Phosphorus	0.029
G379B	12/2/2004	11:24:00	0	Alkalinity (mg/L)	225
G379B	12/2/2004	11:24:00	0	Dissolved Chloride (mg/L)	90.2
G379B	12/2/2004	11:24:00	0	Dissolved Oxygen (mg/L)	6.31
G379B	12/2/2004	11:24:00	0	Nitrate + Nitrite (mg/L)	0.114
G379B	12/2/2004	11:24:00	0	Orthophosphate as P (mg/L)	0.004
G379B	12/2/2004	11:24:00	0	pH	7.85
G379B	12/2/2004	11:24:00	0	Specific Conductivity (µmhos/cm)	747
G379B	12/2/2004	11:24:00	0	Sulfate (mg/L)	25.4
G379B	12/2/2004	11:24:00	0	Temperature (°C)	23.4
G379B	12/2/2004	11:24:00	0	Total Dissolved Solids (mg/L)	463
G379B	12/2/2004	11:24:00	0	Total Phosphorus	0.031
G379B	12/2/2004	11:24:00	0	Turbidity (NTU)	2
G379B	12/8/2004	11:25:00	0	Dissolved Oxygen (mg/L)	5.03
G379B	12/8/2004	11:25:00	0	pH	7.98
G379B	12/8/2004	11:25:00	0	Specific Conductivity (µmhos/cm)	770
G379B	12/8/2004	11:25:00	0	Temperature (°C)	24.1
G379B	12/8/2004	11:25:00	0	Total Phosphorus	0.029
G379B	12/15/2004	10:50:00	0	Total Arsenic (µg/L)	2.5
G379B	12/15/2004	10:50:00	0	Total Copper (µg/L)	<1.2
G379B	12/15/2004	10:50:00	0	Total Lead (µg/L)	<0.8

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	12/15/2004	10:50:00	0	Total Zinc (µg/L)	<4
G379B	12/16/2004	11:14:00	0	Alkalinity (mg/L)	232
G379B	12/16/2004	11:14:00	0	Dissolved Chloride (mg/L)	93.9
G379B	12/16/2004	11:14:00	0	Dissolved Oxygen (mg/L)	9.77
G379B	12/16/2004	11:14:00	0	Nitrate + Nitrite (mg/L)	0.04
G379B	12/16/2004	11:14:00	0	Orthophosphate as P (mg/L)	0.005
G379B	12/16/2004	11:14:00	0	pH	8.3
G379B	12/16/2004	11:14:00	0	Specific Conductivity (µmhos/cm)	750
G379B	12/16/2004	11:14:00	0	Sulfate (mg/L)	22.4
G379B	12/16/2004	11:14:00	0	Temperature (°C)	14.1
G379B	12/16/2004	11:14:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G379B	12/16/2004	11:14:00	0	Total Dissolved Solids (mg/L)	542
G379B	12/16/2004	11:14:00	0	Total Phosphorus	0.02
G379B	12/16/2004	11:14:00	0	Turbidity (NTU)	2.4
G379B	12/20/2004	08:30:00	0	Atrazine (µg/L)	0.029
G379B	12/20/2004	08:30:00	0	Chlordane (µg/L)	<0.019
G379B	12/20/2004	08:30:00	0	DDD (µg/L)	<0.0046
G379B	12/20/2004	08:30:00	0	DDE (µg/L)	<0.0038
G379B	12/20/2004	08:30:00	0	DDT (µg/L)	<0.0057
G379B	12/20/2004	08:30:00	0	Simazine (µg/L)	<0.0095
G379B	12/20/2004	08:30:00	0	Toxaphene (µg/L)	<0.095
G379B	12/22/2004	11:15:00	0	pH	8.44
G379B	12/22/2004	11:15:00	0	Specific Conductivity (µmhos/cm)	748
G379B	12/22/2004	11:15:00	0	Temperature (°C)	15.8
G379B	12/22/2004	11:15:00	0	Total Phosphorus	0.018
G379B	12/29/2004	10:30:00	0	Alkalinity (mg/L)	228
G379B	12/29/2004	10:30:00	0	Dissolved Chloride (mg/L)	87.1
G379B	12/29/2004	10:30:00	0	Dissolved Oxygen (mg/L)	9.33
G379B	12/29/2004	10:30:00	0	Nitrate + Nitrite (mg/L)	0.023
G379B	12/29/2004	10:30:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	12/29/2004	10:30:00	0	pH	8.22
G379B	12/29/2004	10:30:00	0	Specific Conductivity (µmhos/cm)	738
G379B	12/29/2004	10:30:00	0	Sulfate (mg/L)	20
G379B	12/29/2004	10:30:00	0	Temperature (°C)	16.2
G379B	12/29/2004	10:30:00	0	Total Dissolved Solids (mg/L)	517
G379B	12/29/2004	10:30:00	0	Total Phosphorus	0.017
G379B	12/29/2004	10:30:00	0	Turbidity (NTU)	2
G379B	1/6/2005	10:40:00	0	Dissolved Oxygen (mg/L)	7.53
G379B	1/6/2005	10:40:00	0	pH	8.2
G379B	1/6/2005	10:40:00	0	Specific Conductivity (µmhos/cm)	758
G379B	1/6/2005	10:40:00	0	Temperature (°C)	21.6
G379B	1/6/2005	10:40:00	0	Total Phosphorus	0.019
G379B	1/10/2005	10:45:00	0	Alkalinity (mg/L)	226
G379B	1/10/2005	10:45:00	0	Dissolved Chloride (mg/L)	94.2
G379B	1/10/2005	10:45:00	0	Dissolved Oxygen (mg/L)	7.16
G379B	1/10/2005	10:45:00	0	Nitrate + Nitrite (mg/L)	0.027
G379B	1/10/2005	10:45:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	1/10/2005	10:45:00	0	pH	8.17

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	1/10/2005	10:45:00	0	Specific Conductivity (µmhos/cm)	753
G379B	1/10/2005	10:45:00	0	Sulfate (mg/L)	19.6
G379B	1/10/2005	10:45:00	0	Temperature (°C)	22.6
G379B	1/10/2005	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379B	1/10/2005	10:45:00	0	Total Dissolved Solids (mg/L)	492
G379B	1/10/2005	10:45:00	0	Total Phosphorus	0.016
G379B	1/10/2005	10:45:00	0	Turbidity (NTU)	1.5
G379B	1/18/2005	11:06:00	0	Dissolved Oxygen (mg/L)	9.33
G379B	1/18/2005	11:06:00	0	pH	8.02
G379B	1/18/2005	11:06:00	0	Specific Conductivity (µmhos/cm)	812
G379B	1/18/2005	11:06:00	0	Temperature (°C)	12.8
G379B	1/18/2005	11:06:00	0	Total Phosphorus	0.012
G379B	1/24/2005	10:55:00	0	Alkalinity (mg/L)	260
G379B	1/24/2005	10:55:00	0	Dissolved Chloride (mg/L)	104
G379B	1/24/2005	10:55:00	0	Dissolved Oxygen (mg/L)	9.29
G379B	1/24/2005	10:55:00	0	Nitrate + Nitrite (mg/L)	0.024
G379B	1/24/2005	10:55:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	1/24/2005	10:55:00	0	pH	8.22
G379B	1/24/2005	10:55:00	0	Specific Conductivity (µmhos/cm)	834
G379B	1/24/2005	10:55:00	0	Sulfate (mg/L)	21.2
G379B	1/24/2005	10:55:00	0	Temperature (°C)	15.5
G379B	1/24/2005	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379B	1/24/2005	10:55:00	0	Total Dissolved Solids (mg/L)	549
G379B	1/24/2005	10:55:00	0	Total Phosphorus	0.014
G379B	1/24/2005	10:55:00	0	Turbidity (NTU)	1.4
G379B	1/31/2005	11:20:00	0	Dissolved Oxygen (mg/L)	6.38
G379B	1/31/2005	11:20:00	0	pH	8.15
G379B	1/31/2005	11:20:00	0	Specific Conductivity (µmhos/cm)	841
G379B	1/31/2005	11:20:00	0	Temperature (°C)	19
G379B	1/31/2005	11:20:00	0	Total Phosphorus	0.016
G379B	2/7/2005	10:10:00	0	Alkalinity (mg/L)	238
G379B	2/7/2005	10:10:00	0	Dissolved Chloride (mg/L)	112
G379B	2/7/2005	10:10:00	0	Dissolved Oxygen (mg/L)	7.75
G379B	2/7/2005	10:10:00	0	Nitrate + Nitrite (mg/L)	0.022
G379B	2/7/2005	10:10:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	2/7/2005	10:10:00	0	pH	8.16
G379B	2/7/2005	10:10:00	0	Specific Conductivity (µmhos/cm)	810
G379B	2/7/2005	10:10:00	0	Sulfate (mg/L)	20.2
G379B	2/7/2005	10:10:00	0	Temperature (°C)	18.1
G379B	2/7/2005	10:10:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379B	2/7/2005	10:10:00	0	Total Dissolved Solids (mg/L)	547
G379B	2/7/2005	10:10:00	0	Total Phosphorus	0.017
G379B	2/7/2005	10:10:00	0	Turbidity (NTU)	2
G379B	2/14/2005	11:33:00	0	Dissolved Oxygen (mg/L)	7.73
G379B	2/14/2005	11:33:00	0	pH	8.13
G379B	2/14/2005	11:33:00	0	Specific Conductivity (µmhos/cm)	815
G379B	2/14/2005	11:33:00	0	Temperature (°C)	18.5
G379B	2/14/2005	11:33:00	0	Total Phosphorus	0.018

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	2/22/2005	10:40:00	0	Alkalinity (mg/L)	224
G379B	2/22/2005	10:40:00	0	Dissolved Chloride (mg/L)	112
G379B	2/22/2005	10:40:00	0	Dissolved Oxygen (mg/L)	8.38
G379B	2/22/2005	10:40:00	0	Nitrate + Nitrite (mg/L)	0.031
G379B	2/22/2005	10:40:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	2/22/2005	10:40:00	0	pH	7.8
G379B	2/22/2005	10:40:00	0	Specific Conductivity (µmhos/cm)	811
G379B	2/22/2005	10:40:00	0	Sulfate (mg/L)	18.8
G379B	2/22/2005	10:40:00	0	Temperature (°C)	21.2
G379B	2/22/2005	10:40:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379B	2/22/2005	10:40:00	0	Total Dissolved Solids (mg/L)	521
G379B	2/22/2005	10:40:00	0	Total Phosphorus	0.019
G379B	2/22/2005	10:40:00	0	Turbidity (NTU)	2.8
G379B	2/28/2005	11:50:00	0	Dissolved Oxygen (mg/L)	5.48
G379B	2/28/2005	11:50:00	0	pH	7.76
G379B	2/28/2005	11:50:00	0	Specific Conductivity (µmhos/cm)	801
G379B	2/28/2005	11:50:00	0	Temperature (°C)	22.9
G379B	2/28/2005	11:50:00	0	Total Phosphorus	0.025
G379B	3/7/2005	10:50:00	0	Alkalinity (mg/L)	222
G379B	3/7/2005	10:50:00	0	Dissolved Chloride (mg/L)	71.3
G379B	3/7/2005	10:50:00	0	Dissolved Oxygen (mg/L)	9.55
G379B	3/7/2005	10:50:00	0	Nitrate + Nitrite (mg/L)	<0.006
G379B	3/7/2005	10:50:00	0	Orthophosphate as P (mg/L)	0.004
G379B	3/7/2005	10:50:00	0	pH	8.03
G379B	3/7/2005	10:50:00	0	Specific Conductivity (µmhos/cm)	670
G379B	3/7/2005	10:50:00	0	Sulfate (mg/L)	24.3
G379B	3/7/2005	10:50:00	0	Temperature (°C)	20.8
G379B	3/7/2005	10:50:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G379B	3/7/2005	10:50:00	0	Total Dissolved Solids (mg/L)	389
G379B	3/7/2005	10:50:00	0	Total Phosphorus	0.011
G379B	3/7/2005	10:50:00	0	Turbidity (NTU)	1.3
G379B	3/14/2005	11:02:00	0	Dissolved Oxygen (mg/L)	4.32
G379B	3/14/2005	11:02:00	0	pH	7.42
G379B	3/14/2005	11:02:00	0	Specific Conductivity (µmhos/cm)	645
G379B	3/14/2005	11:02:00	0	Temperature (°C)	21.3
G379B	3/21/2005	11:00:00	0	Alkalinity (mg/L)	231
G379B	3/21/2005	11:00:00	0	Dissolved Chloride (mg/L)	90
G379B	3/21/2005	11:00:00	0	Dissolved Oxygen (mg/L)	3.29
G379B	3/21/2005	11:00:00	0	Nitrate + Nitrite (mg/L)	0.027
G379B	3/21/2005	11:00:00	0	Orthophosphate as P (mg/L)	0.004
G379B	3/21/2005	11:00:00	0	pH	7.48
G379B	3/21/2005	11:00:00	0	Specific Conductivity (µmhos/cm)	815
G379B	3/21/2005	11:00:00	0	Sulfate (mg/L)	55.4
G379B	3/21/2005	11:00:00	0	Temperature (°C)	22.1
G379B	3/21/2005	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	3/21/2005	11:00:00	0	Total Dissolved Solids (mg/L)	528
G379B	3/21/2005	11:00:00	0	Total Phosphorus	0.014
G379B	3/21/2005	11:00:00	0	Turbidity (NTU)	0.8

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	3/29/2005	11:36:00	0	Dissolved Oxygen (mg/L)	5.76
G379B	3/29/2005	11:36:00	0	pH	7.74
G379B	3/29/2005	11:36:00	0	Specific Conductivity (µmhos/cm)	940
G379B	3/29/2005	11:36:00	0	Temperature (°C)	23.1
G379B	3/29/2005	11:36:00	0	Total Phosphorus	0.013
G379B	4/4/2005	10:45:00	0	Alkalinity (mg/L)	253
G379B	4/4/2005	10:45:00	0	Dissolved Chloride (mg/L)	103
G379B	4/4/2005	10:45:00	0	Dissolved Oxygen (mg/L)	6.26
G379B	4/4/2005	10:45:00	0	Nitrate + Nitrite (mg/L)	0.035
G379B	4/4/2005	10:45:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	4/4/2005	10:45:00	0	pH	7.98
G379B	4/4/2005	10:45:00	0	Specific Conductivity (µmhos/cm)	899
G379B	4/4/2005	10:45:00	0	Sulfate (mg/L)	52.6
G379B	4/4/2005	10:45:00	0	Temperature (°C)	21.7
G379B	4/4/2005	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379B	4/4/2005	10:45:00	0	Total Dissolved Solids (mg/L)	593
G379B	4/4/2005	10:45:00	0	Total Phosphorus	0.023
G379B	4/4/2005	10:45:00	0	Turbidity (NTU)	2.8
G379B	4/4/2005	10:50:00	24	Total Phosphorus	0.018
G379B	4/11/2005	11:10:00	0	Dissolved Oxygen (mg/L)	6.72
G379B	4/11/2005	11:10:00	0	pH	8.02
G379B	4/11/2005	11:10:00	0	Specific Conductivity (µmhos/cm)	817
G379B	4/11/2005	11:10:00	0	Temperature (°C)	24.6
G379B	4/11/2005	11:10:00	0	Total Phosphorus	0.027
G379B	4/18/2005	11:50:00	0	Alkalinity (mg/L)	200
G379B	4/18/2005	11:50:00	0	Dissolved Chloride (mg/L)	107
G379B	4/18/2005	11:50:00	0	Dissolved Oxygen (mg/L)	8.12
G379B	4/18/2005	11:50:00	0	Nitrate + Nitrite (mg/L)	0.01
G379B	4/18/2005	11:50:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	4/18/2005	11:50:00	0	pH	8.14
G379B	4/18/2005	11:50:00	0	Specific Conductivity (µmhos/cm)	772
G379B	4/18/2005	11:50:00	0	Sulfate (mg/L)	31.8
G379B	4/18/2005	11:50:00	0	Temperature (°C)	22.2
G379B	4/18/2005	11:50:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379B	4/18/2005	11:50:00	0	Total Dissolved Solids (mg/L)	459
G379B	4/18/2005	11:50:00	0	Total Phosphorus	0.02
G379B	4/18/2005	11:50:00	0	Turbidity (NTU)	1.9
G379B	4/25/2005	10:15:00	0	Dissolved Oxygen (mg/L)	5.36
G379B	4/25/2005	10:15:00	0	pH	7.81
G379B	4/25/2005	10:15:00	0	Specific Conductivity (µmhos/cm)	861
G379B	4/25/2005	10:15:00	0	Temperature (°C)	20.6
G379B	4/25/2005	10:15:00	0	Total Phosphorus	0.017
G379B	4/25/2005	10:20:00	24	Total Phosphorus	0.022
G379D	6/24/2004	10:53:00	0	Dissolved Oxygen (mg/L)	3.19
G379D	6/24/2004	10:53:00	0	pH	7.63
G379D	6/24/2004	10:53:00	0	Specific Conductivity (µmhos/cm)	659
G379D	6/24/2004	10:53:00	0	Temperature (°C)	30.1
G379D	6/24/2004	10:53:00	0	Total Phosphorus	0.046

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	7/1/2004	11:35:00	0	Dissolved Oxygen (mg/L)	7.49
G379D	7/1/2004	11:35:00	0	pH	8.07
G379D	7/1/2004	11:35:00	0	Specific Conductivity (µmhos/cm)	811
G379D	7/1/2004	11:35:00	0	Temperature (°C)	30.6
G379D	7/1/2004	11:35:00	0	Total Phosphorus	0.055
G379D	7/8/2004	11:17:00	0	Dissolved Oxygen (mg/L)	2.77
G379D	7/8/2004	11:17:00	0	pH	7.73
G379D	7/8/2004	11:17:00	0	Specific Conductivity (µmhos/cm)	818
G379D	7/8/2004	11:17:00	0	Temperature (°C)	30
G379D	7/8/2004	11:17:00	0	Total Phosphorus	0.037
G379D	7/15/2004	11:20:00	0	Dissolved Oxygen (mg/L)	4.3
G379D	7/15/2004	11:20:00	0	pH	7.71
G379D	7/15/2004	11:20:00	0	Specific Conductivity (µmhos/cm)	750
G379D	7/15/2004	11:20:00	0	Temperature (°C)	30.7
G379D	7/15/2004	11:20:00	0	Total Phosphorus	0.048
G379D	7/22/2004	11:27:00	0	Dissolved Oxygen (mg/L)	5.78
G379D	7/22/2004	11:27:00	0	pH	7.93
G379D	7/22/2004	11:27:00	0	Specific Conductivity (µmhos/cm)	748
G379D	7/22/2004	11:27:00	0	Temperature (°C)	30.1
G379D	7/22/2004	11:27:00	0	Total Phosphorus	0.05
G379D	7/29/2004	11:35:00	0	Dissolved Oxygen (mg/L)	4.99
G379D	7/29/2004	11:35:00	0	pH	8.17
G379D	7/29/2004	11:35:00	0	Specific Conductivity (µmhos/cm)	658.9
G379D	7/29/2004	11:35:00	0	Temperature (°C)	29.6
G379D	7/29/2004	11:35:00	0	Total Phosphorus	0.051
G379D	8/5/2004	11:39:00	0	Dissolved Oxygen (mg/L)	3.81
G379D	8/5/2004	11:39:00	0	pH	7.58
G379D	8/5/2004	11:39:00	0	Specific Conductivity (µmhos/cm)	614
G379D	8/5/2004	11:39:00	0	Temperature (°C)	28.9
G379D	8/5/2004	11:39:00	0	Total Phosphorus	0.037
G379D	8/12/2004	11:34:00	0	Dissolved Oxygen (mg/L)	4.43
G379D	8/12/2004	11:34:00	0	pH	7.65
G379D	8/12/2004	11:34:00	0	Specific Conductivity (µmhos/cm)	642
G379D	8/12/2004	11:34:00	0	Temperature (°C)	31.1
G379D	8/12/2004	11:34:00	0	Total Phosphorus	0.046
G379D	8/19/2004	10:26:00	0	Dissolved Oxygen (mg/L)	3.88
G379D	8/19/2004	10:26:00	0	pH	7.65
G379D	8/19/2004	10:26:00	0	Specific Conductivity (µmhos/cm)	621
G379D	8/19/2004	10:26:00	0	Temperature (°C)	31.1
G379D	8/19/2004	10:26:00	0	Total Phosphorus	0.04
G379D	8/26/2004	10:40:00	0	Dissolved Oxygen (mg/L)	3.6
G379D	8/26/2004	10:40:00	0	pH	7.56
G379D	8/26/2004	10:40:00	0	Specific Conductivity (µmhos/cm)	626
G379D	8/26/2004	10:40:00	0	Temperature (°C)	29.1
G379D	8/26/2004	10:40:00	0	Total Phosphorus	0.032
G379D	9/1/2004	10:52:00	0	Dissolved Oxygen (mg/L)	4.13
G379D	9/1/2004	10:52:00	0	pH	7.75
G379D	9/1/2004	10:52:00	0	Specific Conductivity (µmhos/cm)	627

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	9/1/2004	10:52:00	0	Temperature (°C)	30.9
G379D	9/1/2004	10:52:00	0	Total Phosphorus	0.034
G379D	9/9/2004	13:10:00	0	Dissolved Oxygen (mg/L)	5.74
G379D	9/9/2004	13:10:00	0	pH	8.11
G379D	9/9/2004	13:10:00	0	Specific Conductivity (µmhos/cm)	607
G379D	9/9/2004	13:10:00	0	Temperature (°C)	30.7
G379D	9/9/2004	13:10:00	0	Total Phosphorus	0.047
G379D	9/15/2004	11:18:00	0	Dissolved Oxygen (mg/L)	6.2
G379D	9/15/2004	11:18:00	0	pH	7.93
G379D	9/15/2004	11:18:00	0	Specific Conductivity (µmhos/cm)	634
G379D	9/15/2004	11:18:00	0	Temperature (°C)	27.1
G379D	9/15/2004	11:18:00	0	Total Phosphorus	0.032
G379D	9/22/2004	10:55:00	0	Dissolved Oxygen (mg/L)	6.06
G379D	9/22/2004	10:55:00	0	pH	7.97
G379D	9/22/2004	10:55:00	0	Specific Conductivity (µmhos/cm)	626.6
G379D	9/22/2004	10:55:00	0	Temperature (°C)	26.3
G379D	9/22/2004	10:55:00	0	Total Phosphorus	0.021
G379D	9/30/2004	11:40:00	0	Dissolved Oxygen (mg/L)	6.38
G379D	9/30/2004	11:40:00	0	pH	7.86
G379D	9/30/2004	11:40:00	0	Specific Conductivity (µmhos/cm)	715.6
G379D	9/30/2004	11:40:00	0	Temperature (°C)	29.3
G379D	9/30/2004	11:40:00	0	Total Phosphorus	0.019
G379D	10/7/2004	11:05:00	0	Alkalinity (mg/L)	230
G379D	10/7/2004	11:05:00	0	Dissolved Chloride (mg/L)	78.2
G379D	10/7/2004	11:05:00	0	Dissolved Oxygen (mg/L)	6.32
G379D	10/7/2004	11:05:00	0	Nitrate + Nitrite (mg/L)	0.048
G379D	10/7/2004	11:05:00	0	Orthophosphate as P (mg/L)	0.005
G379D	10/7/2004	11:05:00	0	pH	7.83
G379D	10/7/2004	11:05:00	0	Specific Conductivity (µmhos/cm)	782
G379D	10/7/2004	11:05:00	0	Sulfate (mg/L)	40.4
G379D	10/7/2004	11:05:00	0	Temperature (°C)	26.4
G379D	10/7/2004	11:05:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379D	10/7/2004	11:05:00	0	Total Dissolved Solids (mg/L)	510
G379D	10/7/2004	11:05:00	0	Total Phosphorus	0.016
G379D	10/7/2004	11:05:00	0	Turbidity (NTU)	1.6
G379D	10/14/2004	11:35:00	0	Dissolved Oxygen (mg/L)	6.46
G379D	10/14/2004	11:35:00	0	pH	8.11
G379D	10/14/2004	11:35:00	0	Specific Conductivity (µmhos/cm)	835
G379D	10/14/2004	11:35:00	0	Temperature (°C)	26.5
G379D	10/14/2004	11:35:00	0	Total Phosphorus	0.019
G379D	10/21/2004	11:33:00	0	Alkalinity (mg/L)	229
G379D	10/21/2004	11:33:00	0	Dissolved Chloride (mg/L)	82
G379D	10/21/2004	11:33:00	0	Dissolved Oxygen (mg/L)	6.52
G379D	10/21/2004	11:33:00	0	Nitrate + Nitrite (mg/L)	0.037
G379D	10/21/2004	11:33:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	10/21/2004	11:33:00	0	pH	7.91
G379D	10/21/2004	11:33:00	0	Specific Conductivity (µmhos/cm)	756
G379D	10/21/2004	11:33:00	0	Sulfate (mg/L)	44.3

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	10/21/2004	11:33:00	0	Temperature (°C)	26.9
G379D	10/21/2004	11:33:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379D	10/21/2004	11:33:00	0	Total Dissolved Solids (mg/L)	538
G379D	10/21/2004	11:33:00	0	Total Phosphorus	0.026
G379D	10/21/2004	11:33:00	0	Turbidity (NTU)	2.2
G379D	10/28/2004	12:15:00	0	Dissolved Oxygen (mg/L)	7.25
G379D	10/28/2004	12:15:00	0	pH	7.94
G379D	10/28/2004	12:15:00	0	Specific Conductivity (µmhos/cm)	749
G379D	10/28/2004	12:15:00	0	Temperature (°C)	23.3
G379D	10/28/2004	12:15:00	0	Total Phosphorus	0.03
G379D	11/4/2004	10:40:00	0	Alkalinity (mg/L)	224
G379D	11/4/2004	10:40:00	0	Dissolved Chloride (mg/L)	78.9
G379D	11/4/2004	10:40:00	0	Dissolved Oxygen (mg/L)	6.19
G379D	11/4/2004	10:40:00	0	Nitrate + Nitrite (mg/L)	0.041
G379D	11/4/2004	10:40:00	0	Orthophosphate as P (mg/L)	0.004
G379D	11/4/2004	10:40:00	0	Specific Conductivity (µmhos/cm)	752
G379D	11/4/2004	10:40:00	0	Sulfate (mg/L)	35
G379D	11/4/2004	10:40:00	0	Temperature (°C)	26.4
G379D	11/4/2004	10:40:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G379D	11/4/2004	10:40:00	0	Total Dissolved Solids (mg/L)	481
G379D	11/4/2004	10:40:00	0	Total Phosphorus	0.021
G379D	11/4/2004	10:40:00	0	Turbidity (NTU)	2.4
G379D	11/10/2004	12:25:00	0	Dissolved Oxygen (mg/L)	8.21
G379D	11/10/2004	12:25:00	0	pH	8.1
G379D	11/10/2004	12:25:00	0	Specific Conductivity (µmhos/cm)	734
G379D	11/10/2004	12:25:00	0	Temperature (°C)	22.7
G379D	11/10/2004	12:25:00	0	Total Phosphorus	0.026
G379D	11/18/2004	11:20:00	0	Alkalinity (mg/L)	224
G379D	11/18/2004	11:20:00	0	Dissolved Chloride (mg/L)	86.8
G379D	11/18/2004	11:20:00	0	Dissolved Oxygen (mg/L)	7.51
G379D	11/18/2004	11:20:00	0	Nitrate + Nitrite (mg/L)	0.084
G379D	11/18/2004	11:20:00	0	Orthophosphate as P (mg/L)	0.004
G379D	11/18/2004	11:20:00	0	pH	8.09
G379D	11/18/2004	11:20:00	0	Specific Conductivity (µmhos/cm)	734
G379D	11/18/2004	11:20:00	0	Sulfate (mg/L)	24.3
G379D	11/18/2004	11:20:00	0	Temperature (°C)	20.2
G379D	11/18/2004	11:20:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G379D	11/18/2004	11:20:00	0	Total Dissolved Solids (mg/L)	507
G379D	11/18/2004	11:20:00	0	Total Phosphorus	0.024
G379D	11/18/2004	11:20:00	0	Turbidity (NTU)	1.6
G379D	11/24/2004	10:20:00	0	Dissolved Oxygen (mg/L)	6.29
G379D	11/24/2004	10:20:00	0	pH	8.15
G379D	11/24/2004	10:20:00	0	Specific Conductivity (µmhos/cm)	759
G379D	11/24/2004	10:20:00	0	Temperature (°C)	23.6
G379D	11/24/2004	10:20:00	0	Total Phosphorus	0.025
G379D	12/2/2004	11:43:00	0	Alkalinity (mg/L)	234
G379D	12/2/2004	11:43:00	0	Dissolved Chloride (mg/L)	91.7
G379D	12/2/2004	11:43:00	0	Dissolved Oxygen (mg/L)	6.13

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	12/2/2004	11:43:00	0	Nitrate + Nitrite (mg/L)	0.145
G379D	12/2/2004	11:43:00	0	Orthophosphate as P (mg/L)	0.004
G379D	12/2/2004	11:43:00	0	pH	8.01
G379D	12/2/2004	11:43:00	0	Specific Conductivity (µmhos/cm)	762
G379D	12/2/2004	11:43:00	0	Sulfate (mg/L)	24.7
G379D	12/2/2004	11:43:00	0	Temperature (°C)	23.6
G379D	12/2/2004	11:43:00	0	Total Dissolved Solids (mg/L)	506
G379D	12/2/2004	11:43:00	0	Total Phosphorus	0.028
G379D	12/2/2004	11:43:00	0	Turbidity (NTU)	2.5
G379D	12/8/2004	11:45:00	0	Dissolved Oxygen (mg/L)	5.37
G379D	12/8/2004	11:45:00	0	pH	8.16
G379D	12/8/2004	11:45:00	0	Specific Conductivity (µmhos/cm)	763.5
G379D	12/8/2004	11:45:00	0	Temperature (°C)	24.6
G379D	12/8/2004	11:45:00	0	Total Phosphorus	0.033
G379D	12/16/2004	11:25:00	0	Alkalinity (mg/L)	230
G379D	12/16/2004	11:25:00	0	Dissolved Chloride (mg/L)	92.5
G379D	12/16/2004	11:25:00	0	Dissolved Oxygen (mg/L)	9.61
G379D	12/16/2004	11:25:00	0	Nitrate + Nitrite (mg/L)	0.062
G379D	12/16/2004	11:25:00	0	Orthophosphate as P (mg/L)	0.005
G379D	12/16/2004	11:25:00	0	pH	8.34
G379D	12/16/2004	11:25:00	0	Specific Conductivity (µmhos/cm)	747
G379D	12/16/2004	11:25:00	0	Sulfate (mg/L)	22.2
G379D	12/16/2004	11:25:00	0	Temperature (°C)	13.8
G379D	12/16/2004	11:25:00	0	Total Dissolved Phosphorus (mg/L)	0.019
G379D	12/16/2004	11:25:00	0	Total Dissolved Solids (mg/L)	531
G379D	12/16/2004	11:25:00	0	Total Phosphorus	0.021
G379D	12/16/2004	11:25:00	0	Turbidity (NTU)	3.1
G379D	12/22/2004	11:30:00	0	pH	8.49
G379D	12/22/2004	11:30:00	0	Specific Conductivity (µmhos/cm)	759
G379D	12/22/2004	11:30:00	0	Temperature (°C)	16.6
G379D	12/22/2004	11:30:00	0	Total Phosphorus	0.015
G379D	12/29/2004	10:42:00	0	Alkalinity (mg/L)	249
G379D	12/29/2004	10:42:00	0	Dissolved Chloride (mg/L)	85
G379D	12/29/2004	10:42:00	0	Dissolved Oxygen (mg/L)	9.2
G379D	12/29/2004	10:42:00	0	Nitrate + Nitrite (mg/L)	0.022
G379D	12/29/2004	10:42:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	12/29/2004	10:42:00	0	pH	8.3
G379D	12/29/2004	10:42:00	0	Specific Conductivity (µmhos/cm)	741
G379D	12/29/2004	10:42:00	0	Sulfate (mg/L)	20.1
G379D	12/29/2004	10:42:00	0	Temperature (°C)	15.9
G379D	12/29/2004	10:42:00	0	Total Dissolved Solids (mg/L)	492
G379D	12/29/2004	10:42:00	0	Total Phosphorus	0.019
G379D	12/29/2004	10:42:00	0	Turbidity (NTU)	2.8
G379D	1/6/2005	10:50:00	0	Dissolved Oxygen (mg/L)	7.66
G379D	1/6/2005	10:50:00	0	pH	8.28
G379D	1/6/2005	10:50:00	0	Specific Conductivity (µmhos/cm)	758
G379D	1/6/2005	10:50:00	0	Temperature (°C)	21.8
G379D	1/6/2005	10:50:00	0	Total Phosphorus	0.02

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	1/10/2005	11:00:00	0	Alkalinity (mg/L)	226
G379D	1/10/2005	11:00:00	0	Dissolved Chloride (mg/L)	96.2
G379D	1/10/2005	11:00:00	0	Dissolved Oxygen (mg/L)	7.19
G379D	1/10/2005	11:00:00	0	Nitrate + Nitrite (mg/L)	0.017
G379D	1/10/2005	11:00:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	1/10/2005	11:00:00	0	pH	8.24
G379D	1/10/2005	11:00:00	0	Specific Conductivity (µmhos/cm)	765
G379D	1/10/2005	11:00:00	0	Sulfate (mg/L)	18.5
G379D	1/10/2005	11:00:00	0	Temperature (°C)	21.8
G379D	1/10/2005	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379D	1/10/2005	11:00:00	0	Total Dissolved Solids (mg/L)	496
G379D	1/10/2005	11:00:00	0	Total Phosphorus	0.02
G379D	1/10/2005	11:00:00	0	Turbidity (NTU)	2.4
G379D	1/18/2005	11:20:00	0	Dissolved Oxygen (mg/L)	10.3
G379D	1/18/2005	11:20:00	0	pH	8.19
G379D	1/18/2005	11:20:00	0	Specific Conductivity (µmhos/cm)	795
G379D	1/18/2005	11:20:00	0	Temperature (°C)	13.3
G379D	1/18/2005	11:20:00	0	Total Phosphorus	0.009
G379D	1/24/2005	11:10:00	0	Alkalinity (mg/L)	280
G379D	1/24/2005	11:10:00	0	Dissolved Chloride (mg/L)	104
G379D	1/24/2005	11:10:00	0	Dissolved Oxygen (mg/L)	9.55
G379D	1/24/2005	11:10:00	0	Nitrate + Nitrite (mg/L)	0.012
G379D	1/24/2005	11:10:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	1/24/2005	11:10:00	0	pH	8.32
G379D	1/24/2005	11:10:00	0	Specific Conductivity (µmhos/cm)	849
G379D	1/24/2005	11:10:00	0	Sulfate (mg/L)	20.6
G379D	1/24/2005	11:10:00	0	Temperature (°C)	12
G379D	1/24/2005	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379D	1/24/2005	11:10:00	0	Total Dissolved Solids (mg/L)	554
G379D	1/24/2005	11:10:00	0	Total Phosphorus	0.013
G379D	1/24/2005	11:10:00	0	Turbidity (NTU)	1.6
G379D	1/31/2005	11:40:00	0	Dissolved Oxygen (mg/L)	6.67
G379D	1/31/2005	11:40:00	0	pH	8.28
G379D	1/31/2005	11:40:00	0	Specific Conductivity (µmhos/cm)	843
G379D	1/31/2005	11:40:00	0	Temperature (°C)	18.5
G379D	1/31/2005	11:40:00	0	Total Phosphorus	0.018
G379D	2/7/2005	10:20:00	0	Alkalinity (mg/L)	232
G379D	2/7/2005	10:20:00	0	Dissolved Chloride (mg/L)	111
G379D	2/7/2005	10:20:00	0	Dissolved Oxygen (mg/L)	5.62
G379D	2/7/2005	10:20:00	0	Nitrate + Nitrite (mg/L)	0.013
G379D	2/7/2005	10:20:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	2/7/2005	10:20:00	0	pH	8.24
G379D	2/7/2005	10:20:00	0	Specific Conductivity (µmhos/cm)	807
G379D	2/7/2005	10:20:00	0	Sulfate (mg/L)	20.2
G379D	2/7/2005	10:20:00	0	Temperature (°C)	18.2
G379D	2/7/2005	10:20:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379D	2/7/2005	10:20:00	0	Total Dissolved Solids (mg/L)	546
G379D	2/7/2005	10:20:00	0	Total Phosphorus	0.016

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	2/7/2005	10:20:00	0	Turbidity (NTU)	2.3
G379D	2/14/2005	11:48:00	0	Dissolved Oxygen (mg/L)	8.56
G379D	2/14/2005	11:48:00	0	pH	8.36
G379D	2/14/2005	11:48:00	0	Specific Conductivity (µmhos/cm)	787
G379D	2/14/2005	11:48:00	0	Temperature (°C)	18.9
G379D	2/14/2005	11:48:00	0	Total Phosphorus	0.018
G379D	2/22/2005	11:00:00	0	Alkalinity (mg/L)	213
G379D	2/22/2005	11:00:00	0	Dissolved Chloride (mg/L)	111
G379D	2/22/2005	11:00:00	0	Dissolved Oxygen (mg/L)	8.52
G379D	2/22/2005	11:00:00	0	Nitrate + Nitrite (mg/L)	<0.006
G379D	2/22/2005	11:00:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	2/22/2005	11:00:00	0	pH	8.02
G379D	2/22/2005	11:00:00	0	Specific Conductivity (µmhos/cm)	792
G379D	2/22/2005	11:00:00	0	Sulfate (mg/L)	19.1
G379D	2/22/2005	11:00:00	0	Temperature (°C)	21.9
G379D	2/22/2005	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379D	2/22/2005	11:00:00	0	Total Dissolved Solids (mg/L)	429
G379D	2/22/2005	11:00:00	0	Total Phosphorus	0.017
G379D	2/22/2005	11:00:00	0	Turbidity (NTU)	2.2
G379D	2/28/2005	12:04:00	0	Dissolved Oxygen (mg/L)	7.8
G379D	2/28/2005	12:04:00	0	pH	8.07
G379D	2/28/2005	12:04:00	0	Specific Conductivity (µmhos/cm)	743
G379D	2/28/2005	12:04:00	0	Temperature (°C)	23.1
G379D	2/28/2005	12:04:00	0	Total Phosphorus	0.012
G379D	3/7/2005	11:05:00	0	Alkalinity (mg/L)	250
G379D	3/7/2005	11:05:00	0	Dissolved Chloride (mg/L)	75.4
G379D	3/7/2005	11:05:00	0	Dissolved Oxygen (mg/L)	8.81
G379D	3/7/2005	11:05:00	0	Nitrate + Nitrite (mg/L)	<0.006
G379D	3/7/2005	11:05:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	3/7/2005	11:05:00	0	pH	7.96
G379D	3/7/2005	11:05:00	0	Specific Conductivity (µmhos/cm)	724
G379D	3/7/2005	11:05:00	0	Sulfate (mg/L)	19.9
G379D	3/7/2005	11:05:00	0	Temperature (°C)	20.3
G379D	3/7/2005	11:05:00	0	Total Dissolved Phosphorus (mg/L)	0.005
G379D	3/7/2005	11:05:00	0	Total Dissolved Solids (mg/L)	434
G379D	3/7/2005	11:05:00	0	Total Phosphorus	0.011
G379D	3/7/2005	11:05:00	0	Turbidity (NTU)	1.4
G379D	3/14/2005	11:12:00	0	Dissolved Oxygen (mg/L)	8.4
G379D	3/14/2005	11:12:00	0	pH	7.63
G379D	3/14/2005	11:12:00	0	Specific Conductivity (µmhos/cm)	727
G379D	3/14/2005	11:12:00	0	Temperature (°C)	21.2
G379D	3/21/2005	11:20:00	0	Alkalinity (mg/L)	267
G379D	3/21/2005	11:20:00	0	Dissolved Chloride (mg/L)	100
G379D	3/21/2005	11:20:00	0	Dissolved Oxygen (mg/L)	6.58
G379D	3/21/2005	11:20:00	0	Nitrate + Nitrite (mg/L)	1.37
G379D	3/21/2005	11:20:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	3/21/2005	11:20:00	0	pH	7.61
G379D	3/21/2005	11:20:00	0	Specific Conductivity (µmhos/cm)	907

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	3/21/2005	11:20:00	0	Sulfate (mg/L)	52.7
G379D	3/21/2005	11:20:00	0	Temperature (°C)	22.2
G379D	3/21/2005	11:20:00	0	Total Dissolved Phosphorus (mg/L)	0.005
G379D	3/21/2005	11:20:00	0	Total Dissolved Solids (mg/L)	584
G379D	3/21/2005	11:20:00	0	Total Phosphorus	0.009
G379D	3/21/2005	11:20:00	0	Turbidity (NTU)	1
G379D	3/29/2005	11:50:00	0	Dissolved Oxygen (mg/L)	10.1
G379D	3/29/2005	11:50:00	0	pH	8.01
G379D	3/29/2005	11:50:00	0	Specific Conductivity (µmhos/cm)	844
G379D	3/29/2005	11:50:00	0	Temperature (°C)	24
G379D	3/29/2005	11:50:00	0	Total Phosphorus	0.008
G379D	4/4/2005	11:20:00	0	Alkalinity (mg/L)	246
G379D	4/4/2005	11:20:00	0	Dissolved Chloride (mg/L)	103
G379D	4/4/2005	11:20:00	0	Dissolved Oxygen (mg/L)	8.54
G379D	4/4/2005	11:20:00	0	Nitrate + Nitrite (mg/L)	<0.006
G379D	4/4/2005	11:20:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	4/4/2005	11:20:00	0	pH	8.16
G379D	4/4/2005	11:20:00	0	Specific Conductivity (µmhos/cm)	846
G379D	4/4/2005	11:20:00	0	Sulfate (mg/L)	32.5
G379D	4/4/2005	11:20:00	0	Temperature (°C)	20
G379D	4/4/2005	11:20:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G379D	4/4/2005	11:20:00	0	Total Dissolved Solids (mg/L)	558
G379D	4/4/2005	11:20:00	0	Total Phosphorus	0.012
G379D	4/4/2005	11:20:00	0	Turbidity (NTU)	2
G379D	4/4/2005	11:25:00	24	Total Phosphorus	0.012
G379D	4/11/2005	11:30:00	0	Dissolved Oxygen (mg/L)	6.7
G379D	4/11/2005	11:30:00	0	pH	7.98
G379D	4/11/2005	11:30:00	0	Specific Conductivity (µmhos/cm)	742
G379D	4/11/2005	11:30:00	0	Temperature (°C)	24
G379D	4/11/2005	11:30:00	0	Total Phosphorus	0.015
G379D	4/18/2005	12:10:00	0	Alkalinity (mg/L)	201
G379D	4/18/2005	12:10:00	0	Dissolved Chloride (mg/L)	99.4
G379D	4/18/2005	12:10:00	0	Dissolved Oxygen (mg/L)	8.31
G379D	4/18/2005	12:10:00	0	Nitrate + Nitrite (mg/L)	0.007
G379D	4/18/2005	12:10:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	4/18/2005	12:10:00	0	pH	8.15
G379D	4/18/2005	12:10:00	0	Specific Conductivity (µmhos/cm)	732
G379D	4/18/2005	12:10:00	0	Sulfate (mg/L)	24
G379D	4/18/2005	12:10:00	0	Temperature (°C)	20.8
G379D	4/18/2005	12:10:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G379D	4/18/2005	12:10:00	0	Total Dissolved Solids (mg/L)	488
G379D	4/18/2005	12:10:00	0	Total Phosphorus	0.012
G379D	4/18/2005	12:10:00	0	Turbidity (NTU)	1.3
G379D	4/25/2005	10:35:00	0	Dissolved Oxygen (mg/L)	5.96
G379D	4/25/2005	10:35:00	0	pH	7.83
G379D	4/25/2005	10:35:00	0	Specific Conductivity (µmhos/cm)	858
G379D	4/25/2005	10:35:00	0	Temperature (°C)	20.5
G379D	4/25/2005	10:35:00	0	Total Phosphorus	0.01

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	4/25/2005	10:40:00	24	Total Phosphorus	0.012
G381B	5/6/2004	11:20:00	0	Dissolved Oxygen (mg/L)	6.64
G381B	5/6/2004	11:20:00	0	pH	7.93
G381B	5/6/2004	11:20:00	0	Specific Conductivity (µmhos/cm)	827
G381B	5/6/2004	11:20:00	0	Temperature (°C)	25.8
G381B	5/6/2004	11:20:00	0	Total Phosphorus	0.015
G381B	5/13/2004	11:30:00	0	Dissolved Oxygen (mg/L)	6.36
G381B	5/13/2004	11:30:00	0	pH	7.78
G381B	5/13/2004	11:30:00	0	Specific Conductivity (µmhos/cm)	882
G381B	5/13/2004	11:30:00	0	Temperature (°C)	25.8
G381B	5/13/2004	11:30:00	0	Total Phosphorus	0.012
G381B	5/20/2004	11:46:00	0	Dissolved Oxygen (mg/L)	5.54
G381B	5/20/2004	11:46:00	0	pH	7.55
G381B	5/20/2004	11:46:00	0	Specific Conductivity (µmhos/cm)	799
G381B	5/20/2004	11:46:00	0	Temperature (°C)	27.4
G381B	5/20/2004	11:46:00	0	Total Phosphorus	0.01
G381B	5/27/2004	11:21:00	0	Dissolved Oxygen (mg/L)	4.7
G381B	5/27/2004	11:21:00	0	pH	7.59
G381B	5/27/2004	11:21:00	0	Specific Conductivity (µmhos/cm)	771
G381B	5/27/2004	11:21:00	0	Temperature (°C)	28.2
G381B	5/27/2004	11:21:00	0	Total Phosphorus	0.01
G381B	6/3/2004	10:35:00	0	Dissolved Oxygen (mg/L)	3.69
G381B	6/3/2004	10:35:00	0	pH	7.37
G381B	6/3/2004	10:35:00	0	Specific Conductivity (µmhos/cm)	720
G381B	6/3/2004	10:35:00	0	Temperature (°C)	27.8
G381B	6/3/2004	10:35:00	0	Total Phosphorus	0.01
G381B	6/10/2004	11:20:00	0	Dissolved Oxygen (mg/L)	1.49
G381B	6/10/2004	11:20:00	0	pH	7.3
G381B	6/10/2004	11:20:00	0	Specific Conductivity (µmhos/cm)	629
G381B	6/10/2004	11:20:00	0	Temperature (°C)	27.6
G381B	6/10/2004	11:20:00	0	Total Phosphorus	0.018
G381B	6/17/2004	11:45:00	0	Dissolved Oxygen (mg/L)	3.43
G381B	6/17/2004	11:45:00	0	pH	7.32
G381B	6/17/2004	11:45:00	0	Specific Conductivity (µmhos/cm)	620
G381B	6/17/2004	11:45:00	0	Temperature (°C)	29.6
G381B	6/17/2004	11:45:00	0	Total Phosphorus	0.022
G381B	6/23/2004	10:50:00	0	Atrazine (µg/L)	0.67
G381B	6/23/2004	10:50:00	0	Chlordane (µg/L)	<0.019
G381B	6/23/2004	10:50:00	0	DDD (µg/L)	<0.0046
G381B	6/23/2004	10:50:00	0	DDE (µg/L)	<0.0038
G381B	6/23/2004	10:50:00	0	DDT (µg/L)	<0.0057
G381B	6/23/2004	10:50:00	0	Simazine (µg/L)	<0.0095
G381B	6/23/2004	10:50:00	0	Total Arsenic (µg/L)	2.2
G381B	6/23/2004	10:50:00	0	Total Copper (µg/L)	<1.2
G381B	6/23/2004	10:50:00	0	Total Lead (µg/L)	<0.8
G381B	6/23/2004	10:50:00	0	Total Zinc (µg/L)	<4
G381B	6/23/2004	10:50:00	0	Toxaphene (µg/L)	<0.095
G381B	6/24/2004	11:11:00	0	Dissolved Oxygen (mg/L)	4.57

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	6/24/2004	11:11:00	0	pH	7.65
G381B	6/24/2004	11:11:00	0	Specific Conductivity (µmhos/cm)	551
G381B	6/24/2004	11:11:00	0	Temperature (°C)	29.7
G381B	6/24/2004	11:11:00	0	Total Phosphorus	0.022
G381B	7/1/2004	12:00:00	0	Alkalinity (mg/L)	192
G381B	7/1/2004	12:00:00	0	Dissolved Chloride (mg/L)	71.8
G381B	7/1/2004	12:00:00	0	Dissolved Oxygen (mg/L)	4.84
G381B	7/1/2004	12:00:00	0	Nitrate + Nitrite (mg/L)	0.005
G381B	7/1/2004	12:00:00	0	Orthophosphate as P (mg/L)	0.004
G381B	7/1/2004	12:00:00	0	pH	7.7
G381B	7/1/2004	12:00:00	0	Specific Conductivity (µmhos/cm)	686
G381B	7/1/2004	12:00:00	0	Sulfate (mg/L)	32.7
G381B	7/1/2004	12:00:00	0	Temperature (°C)	29.8
G381B	7/1/2004	12:00:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381B	7/1/2004	12:00:00	0	Total Dissolved Solids (mg/L)	456
G381B	7/1/2004	12:00:00	0	Total Phosphorus	0.023
G381B	7/1/2004	12:00:00	0	Turbidity (NTU)	4.4
G381B	7/8/2004	11:48:00	0	Dissolved Oxygen (mg/L)	5.25
G381B	7/8/2004	11:48:00	0	pH	7.77
G381B	7/8/2004	11:48:00	0	Specific Conductivity (µmhos/cm)	743
G381B	7/8/2004	11:48:00	0	Temperature (°C)	30.3
G381B	7/8/2004	11:48:00	0	Total Phosphorus	0.02
G381B	7/15/2004	11:35:00	0	Alkalinity (mg/L)	211
G381B	7/15/2004	11:35:00	0	Dissolved Chloride (mg/L)	75.8
G381B	7/15/2004	11:35:00	0	Dissolved Oxygen (mg/L)	4.35
G381B	7/15/2004	11:35:00	0	Nitrate + Nitrite (mg/L)	0.018
G381B	7/15/2004	11:35:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	7/15/2004	11:35:00	0	pH	7.69
G381B	7/15/2004	11:35:00	0	Specific Conductivity (µmhos/cm)	682
G381B	7/15/2004	11:35:00	0	Sulfate (mg/L)	27.7
G381B	7/15/2004	11:35:00	0	Temperature (°C)	30.3
G381B	7/15/2004	11:35:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381B	7/15/2004	11:35:00	0	Total Dissolved Solids (mg/L)	454
G381B	7/15/2004	11:35:00	0	Total Phosphorus	0.017
G381B	7/15/2004	11:35:00	0	Turbidity (NTU)	4.8
G381B	7/22/2004	11:42:00	0	Dissolved Oxygen (mg/L)	1.86
G381B	7/22/2004	11:42:00	0	pH	7.38
G381B	7/22/2004	11:42:00	0	Specific Conductivity (µmhos/cm)	657
G381B	7/22/2004	11:42:00	0	Temperature (°C)	28.2
G381B	7/22/2004	11:42:00	0	Total Phosphorus	0.015
G381B	7/29/2004	11:55:00	0	Alkalinity (mg/L)	152
G381B	7/29/2004	11:55:00	0	Dissolved Chloride (mg/L)	58.3
G381B	7/29/2004	11:55:00	0	Dissolved Oxygen (mg/L)	2.38
G381B	7/29/2004	11:55:00	0	Nitrate + Nitrite (mg/L)	0.005
G381B	7/29/2004	11:55:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	7/29/2004	11:55:00	0	pH	7.43
G381B	7/29/2004	11:55:00	0	Specific Conductivity (µmhos/cm)	552
G381B	7/29/2004	11:55:00	0	Sulfate (mg/L)	31

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	7/29/2004	11:55:00	0	Temperature (°C)	28.4
G381B	7/29/2004	11:55:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G381B	7/29/2004	11:55:00	0	Total Dissolved Solids (mg/L)	384
G381B	7/29/2004	11:55:00	0	Total Phosphorus	0.01
G381B	7/29/2004	11:55:00	0	Turbidity (NTU)	1.2
G381B	8/5/2004	11:52:00	0	Dissolved Oxygen (mg/L)	2.02
G381B	8/5/2004	11:52:00	0	pH	7.29
G381B	8/5/2004	11:52:00	0	Specific Conductivity (µmhos/cm)	831
G381B	8/5/2004	11:52:00	0	Temperature (°C)	28.6
G381B	8/5/2004	11:52:00	0	Total Phosphorus	0.01
G381B	8/12/2004	11:48:00	0	Alkalinity (mg/L)	250
G381B	8/12/2004	11:48:00	0	Dissolved Chloride (mg/L)	90.8
G381B	8/12/2004	11:48:00	0	Dissolved Oxygen (mg/L)	2.16
G381B	8/12/2004	11:48:00	0	Nitrate + Nitrite (mg/L)	0.045
G381B	8/12/2004	11:48:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	8/12/2004	11:48:00	0	pH	7.37
G381B	8/12/2004	11:48:00	0	Specific Conductivity (µmhos/cm)	878
G381B	8/12/2004	11:48:00	0	Sulfate (mg/L)	56
G381B	8/12/2004	11:48:00	0	Temperature (°C)	30.5
G381B	8/12/2004	11:48:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381B	8/12/2004	11:48:00	0	Total Dissolved Solids (mg/L)	569
G381B	8/12/2004	11:48:00	0	Total Phosphorus	0.013
G381B	8/12/2004	11:48:00	0	Turbidity (NTU)	0.9
G381B	8/19/2004	10:42:00	0	Dissolved Oxygen (mg/L)	1.33
G381B	8/19/2004	10:42:00	0	pH	7.31
G381B	8/19/2004	10:42:00	0	Specific Conductivity (µmhos/cm)	849
G381B	8/19/2004	10:42:00	0	Temperature (°C)	29.1
G381B	8/19/2004	10:42:00	0	Total Phosphorus	0.01
G381B	8/26/2004	10:50:00	0	Alkalinity (mg/L)	208
G381B	8/26/2004	10:50:00	0	Dissolved Chloride (mg/L)	74.2
G381B	8/26/2004	10:50:00	0	Dissolved Oxygen (mg/L)	1.62
G381B	8/26/2004	10:50:00	0	Nitrate + Nitrite (mg/L)	0.007
G381B	8/26/2004	10:50:00	0	Orthophosphate as P (mg/L)	0.005
G381B	8/26/2004	10:50:00	0	pH	7.3
G381B	8/26/2004	10:50:00	0	Specific Conductivity (µmhos/cm)	713
G381B	8/26/2004	10:50:00	0	Sulfate (mg/L)	37.8
G381B	8/26/2004	10:50:00	0	Temperature (°C)	27.9
G381B	8/26/2004	10:50:00	0	Total Dissolved Solids (mg/L)	476
G381B	8/26/2004	10:50:00	0	Total Phosphorus	0.009
G381B	8/26/2004	10:50:00	0	Turbidity (NTU)	1.1
G381B	9/1/2004	11:07:00	0	Dissolved Oxygen (mg/L)	1.39
G381B	9/1/2004	11:07:00	0	pH	7.28
G381B	9/1/2004	11:07:00	0	Specific Conductivity (µmhos/cm)	713
G381B	9/1/2004	11:07:00	0	Temperature (°C)	29.5
G381B	9/1/2004	11:07:00	0	Total Phosphorus	0.01
G381B	9/9/2004	13:22:00	0	Alkalinity (mg/L)	231
G381B	9/9/2004	13:22:00	0	Dissolved Chloride (mg/L)	89.5
G381B	9/9/2004	13:22:00	0	Dissolved Oxygen (mg/L)	2.06

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	9/9/2004	13:22:00	0	Nitrate + Nitrite (mg/L)	0.007
G381B	9/9/2004	13:22:00	0	Orthophosphate as P (mg/L)	0.004
G381B	9/9/2004	13:22:00	0	pH	7.54
G381B	9/9/2004	13:22:00	0	Specific Conductivity (µmhos/cm)	814
G381B	9/9/2004	13:22:00	0	Sulfate (mg/L)	36.6
G381B	9/9/2004	13:22:00	0	Temperature (°C)	29.6
G381B	9/9/2004	13:22:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G381B	9/9/2004	13:22:00	0	Total Dissolved Solids (mg/L)	536
G381B	9/9/2004	13:22:00	0	Total Phosphorus	0.011
G381B	9/9/2004	13:22:00	0	Turbidity (NTU)	0.8
G381B	9/15/2004	11:35:00	0	Dissolved Oxygen (mg/L)	1.48
G381B	9/15/2004	11:35:00	0	pH	7.43
G381B	9/15/2004	11:35:00	0	Specific Conductivity (µmhos/cm)	760
G381B	9/15/2004	11:35:00	0	Temperature (°C)	28.4
G381B	9/15/2004	11:35:00	0	Total Phosphorus	0.012
G381B	9/22/2004	11:05:00	0	Alkalinity (mg/L)	192
G381B	9/22/2004	11:05:00	0	Dissolved Chloride (mg/L)	57.3
G381B	9/22/2004	11:05:00	0	Dissolved Oxygen (mg/L)	1.15
G381B	9/22/2004	11:05:00	0	Nitrate + Nitrite (mg/L)	0.005
G381B	9/22/2004	11:05:00	0	Orthophosphate as P (mg/L)	0.006
G381B	9/22/2004	11:05:00	0	pH	7.4
G381B	9/22/2004	11:05:00	0	Specific Conductivity (µmhos/cm)	619.4
G381B	9/22/2004	11:05:00	0	Sulfate (mg/L)	23.9
G381B	9/22/2004	11:05:00	0	Temperature (°C)	27.7
G381B	9/22/2004	11:05:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381B	9/22/2004	11:05:00	0	Total Dissolved Solids (mg/L)	412
G381B	9/22/2004	11:05:00	0	Total Phosphorus	0.012
G381B	9/22/2004	11:05:00	0	Turbidity (NTU)	0.5
G381B	9/30/2004	11:50:00	0	Dissolved Oxygen (mg/L)	0.96
G381B	9/30/2004	11:50:00	0	pH	7.45
G381B	9/30/2004	11:50:00	0	Specific Conductivity (µmhos/cm)	718.3
G381B	9/30/2004	11:50:00	0	Temperature (°C)	28.3
G381B	9/30/2004	11:50:00	0	Total Phosphorus	0.011
G381B	10/7/2004	11:30:00	0	Alkalinity (mg/L)	228
G381B	10/7/2004	11:30:00	0	Dissolved Chloride (mg/L)	73.3
G381B	10/7/2004	11:30:00	0	Dissolved Oxygen (mg/L)	2.23
G381B	10/7/2004	11:30:00	0	Nitrate + Nitrite (mg/L)	0.005
G381B	10/7/2004	11:30:00	0	Orthophosphate as P (mg/L)	0.005
G381B	10/7/2004	11:30:00	0	pH	7.34
G381B	10/7/2004	11:30:00	0	Specific Conductivity (µmhos/cm)	758
G381B	10/7/2004	11:30:00	0	Sulfate (mg/L)	39.1
G381B	10/7/2004	11:30:00	0	Temperature (°C)	26.9
G381B	10/7/2004	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381B	10/7/2004	11:30:00	0	Total Dissolved Solids (mg/L)	494
G381B	10/7/2004	11:30:00	0	Total Phosphorus	0.01
G381B	10/7/2004	11:30:00	0	Turbidity (NTU)	0.7
G381B	10/14/2004	12:15:00	0	Dissolved Oxygen (mg/L)	2.77
G381B	10/14/2004	12:15:00	0	pH	7.74

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	10/14/2004	12:15:00	0	Specific Conductivity (µmhos/cm)	748
G381B	10/14/2004	12:15:00	0	Temperature (°C)	26.2
G381B	10/14/2004	12:15:00	0	Total Phosphorus	0.009
G381B	10/21/2004	11:51:00	0	Alkalinity (mg/L)	228
G381B	10/21/2004	11:51:00	0	Dissolved Chloride (mg/L)	76.6
G381B	10/21/2004	11:51:00	0	Dissolved Oxygen (mg/L)	5.2
G381B	10/21/2004	11:51:00	0	Nitrate + Nitrite (mg/L)	0.017
G381B	10/21/2004	11:51:00	0	Orthophosphate as P (mg/L)	0.005
G381B	10/21/2004	11:51:00	0	pH	7.45
G381B	10/21/2004	11:51:00	0	Specific Conductivity (µmhos/cm)	723
G381B	10/21/2004	11:51:00	0	Sulfate (mg/L)	33.7
G381B	10/21/2004	11:51:00	0	Temperature (°C)	25.9
G381B	10/21/2004	11:51:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381B	10/21/2004	11:51:00	0	Total Dissolved Solids (mg/L)	504
G381B	10/21/2004	11:51:00	0	Total Phosphorus	0.032
G381B	10/21/2004	11:51:00	0	Turbidity (NTU)	2.4
G381B	10/28/2004	12:30:00	0	Dissolved Oxygen (mg/L)	3.94
G381B	10/28/2004	12:30:00	0	pH	7.33
G381B	10/28/2004	12:30:00	0	Specific Conductivity (µmhos/cm)	729
G381B	10/28/2004	12:30:00	0	Temperature (°C)	24
G381B	10/28/2004	12:30:00	0	Total Phosphorus	0.025
G381B	11/4/2004	11:00:00	0	Alkalinity (mg/L)	223
G381B	11/4/2004	11:00:00	0	Dissolved Chloride (mg/L)	74.3
G381B	11/4/2004	11:00:00	0	Dissolved Oxygen (mg/L)	5.65
G381B	11/4/2004	11:00:00	0	Nitrate + Nitrite (mg/L)	0.021
G381B	11/4/2004	11:00:00	0	Orthophosphate as P (mg/L)	0.005
G381B	11/4/2004	11:00:00	0	Specific Conductivity (µmhos/cm)	728
G381B	11/4/2004	11:00:00	0	Sulfate (mg/L)	26.1
G381B	11/4/2004	11:00:00	0	Temperature (°C)	26
G381B	11/4/2004	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381B	11/4/2004	11:00:00	0	Total Dissolved Solids (mg/L)	479
G381B	11/4/2004	11:00:00	0	Total Phosphorus	0.019
G381B	11/4/2004	11:00:00	0	Turbidity (NTU)	2.3
G381B	11/10/2004	12:51:00	0	Dissolved Oxygen (mg/L)	6.95
G381B	11/10/2004	12:51:00	0	pH	7.84
G381B	11/10/2004	12:51:00	0	Specific Conductivity (µmhos/cm)	713
G381B	11/10/2004	12:51:00	0	Temperature (°C)	23.5
G381B	11/10/2004	12:51:00	0	Total Phosphorus	0.018
G381B	11/18/2004	11:42:00	0	Alkalinity (mg/L)	229
G381B	11/18/2004	11:42:00	0	Dissolved Chloride (mg/L)	79.8
G381B	11/18/2004	11:42:00	0	Dissolved Oxygen (mg/L)	7.96
G381B	11/18/2004	11:42:00	0	Nitrate + Nitrite (mg/L)	0.03
G381B	11/18/2004	11:42:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	11/18/2004	11:42:00	0	pH	7.94
G381B	11/18/2004	11:42:00	0	Specific Conductivity (µmhos/cm)	725
G381B	11/18/2004	11:42:00	0	Sulfate (mg/L)	24.6
G381B	11/18/2004	11:42:00	0	Temperature (°C)	22.1
G381B	11/18/2004	11:42:00	0	Total Dissolved Phosphorus (mg/L)	0.008

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	11/18/2004	11:42:00	0	Total Dissolved Solids (mg/L)	471
G381B	11/18/2004	11:42:00	0	Total Phosphorus	0.016
G381B	11/18/2004	11:42:00	0	Turbidity (NTU)	2.4
G381B	11/24/2004	10:30:00	0	Dissolved Oxygen (mg/L)	7.19
G381B	11/24/2004	10:30:00	0	pH	8.03
G381B	11/24/2004	10:30:00	0	Specific Conductivity (µmhos/cm)	730
G381B	11/24/2004	10:30:00	0	Temperature (°C)	23.2
G381B	11/24/2004	10:30:00	0	Total Phosphorus	0.015
G381B	12/2/2004	12:08:00	0	Alkalinity (mg/L)	232
G381B	12/2/2004	12:08:00	0	Dissolved Chloride (mg/L)	78.8
G381B	12/2/2004	12:08:00	0	Dissolved Oxygen (mg/L)	7.11
G381B	12/2/2004	12:08:00	0	Nitrate + Nitrite (mg/L)	0.028
G381B	12/2/2004	12:08:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	12/2/2004	12:08:00	0	pH	7.91
G381B	12/2/2004	12:08:00	0	Specific Conductivity (µmhos/cm)	722
G381B	12/2/2004	12:08:00	0	Sulfate (mg/L)	23
G381B	12/2/2004	12:08:00	0	Temperature (°C)	23.3
G381B	12/2/2004	12:08:00	0	Total Dissolved Solids (mg/L)	476
G381B	12/2/2004	12:08:00	0	Total Phosphorus	0.015
G381B	12/2/2004	12:08:00	0	Turbidity (NTU)	1.8
G381B	12/8/2004	12:20:00	0	Dissolved Oxygen (mg/L)	4.88
G381B	12/8/2004	12:20:00	0	pH	7.94
G381B	12/8/2004	12:20:00	0	Specific Conductivity (µmhos/cm)	724
G381B	12/8/2004	12:20:00	0	Temperature (°C)	23.7
G381B	12/8/2004	12:20:00	0	Total Phosphorus	0.014
G381B	12/15/2004	11:25:00	0	Total Arsenic (µg/L)	2.7
G381B	12/15/2004	11:25:00	0	Total Copper (µg/L)	<1.2
G381B	12/15/2004	11:25:00	0	Total Lead (µg/L)	<0.8
G381B	12/15/2004	11:25:00	0	Total Zinc (µg/L)	<4
G381B	12/16/2004	11:50:00	0	Alkalinity (mg/L)	271
G381B	12/16/2004	11:50:00	0	Dissolved Chloride (mg/L)	80.2
G381B	12/16/2004	11:50:00	0	Dissolved Oxygen (mg/L)	5.05
G381B	12/16/2004	11:50:00	0	Nitrate + Nitrite (mg/L)	0.023
G381B	12/16/2004	11:50:00	0	Orthophosphate as P (mg/L)	0.005
G381B	12/16/2004	11:50:00	0	pH	7.44
G381B	12/16/2004	11:50:00	0	Specific Conductivity (µmhos/cm)	775
G381B	12/16/2004	11:50:00	0	Sulfate (mg/L)	15.9
G381B	12/16/2004	11:50:00	0	Temperature (°C)	16.9
G381B	12/16/2004	11:50:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381B	12/16/2004	11:50:00	0	Total Dissolved Solids (mg/L)	548
G381B	12/16/2004	11:50:00	0	Total Phosphorus	0.01
G381B	12/16/2004	11:50:00	0	Turbidity (NTU)	1.3
G381B	12/20/2004	08:45:00	0	Atrazine (µg/L)	0.027
G381B	12/20/2004	08:45:00	0	Chlordane (µg/L)	<0.019
G381B	12/20/2004	08:45:00	0	DDD (µg/L)	<0.0045
G381B	12/20/2004	08:45:00	0	DDE (µg/L)	<0.0038
G381B	12/20/2004	08:45:00	0	DDT (µg/L)	<0.0057
G381B	12/20/2004	08:45:00	0	Simazine (µg/L)	<0.0094

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	12/20/2004	08:45:00	0	Toxaphene (µg/L)	<0.094
G381B	12/22/2004	11:48:00	0	pH	7.54
G381B	12/22/2004	11:48:00	0	Specific Conductivity (µmhos/cm)	771
G381B	12/22/2004	11:48:00	0	Temperature (°C)	19.8
G381B	12/22/2004	11:48:00	0	Total Phosphorus	0.012
G381B	12/29/2004	10:57:00	0	Alkalinity (mg/L)	268
G381B	12/29/2004	10:57:00	0	Dissolved Chloride (mg/L)	67.3
G381B	12/29/2004	10:57:00	0	Dissolved Oxygen (mg/L)	2.68
G381B	12/29/2004	10:57:00	0	Nitrate + Nitrite (mg/L)	0.036
G381B	12/29/2004	10:57:00	0	Orthophosphate as P (mg/L)	0.004
G381B	12/29/2004	10:57:00	0	pH	7.29
G381B	12/29/2004	10:57:00	0	Specific Conductivity (µmhos/cm)	746
G381B	12/29/2004	10:57:00	0	Sulfate (mg/L)	14.6
G381B	12/29/2004	10:57:00	0	Temperature (°C)	19.8
G381B	12/29/2004	10:57:00	0	Total Dissolved Solids (mg/L)	482
G381B	12/29/2004	10:57:00	0	Total Phosphorus	0.015
G381B	12/29/2004	10:57:00	0	Turbidity (NTU)	2.2
G381B	1/6/2005	11:15:00	0	Dissolved Oxygen (mg/L)	1.97
G381B	1/6/2005	11:15:00	0	pH	7.28
G381B	1/6/2005	11:15:00	0	Specific Conductivity (µmhos/cm)	734
G381B	1/6/2005	11:15:00	0	Temperature (°C)	22.3
G381B	1/6/2005	11:15:00	0	Total Phosphorus	0.018
G381B	1/10/2005	11:20:00	0	Alkalinity (mg/L)	261
G381B	1/10/2005	11:20:00	0	Dissolved Chloride (mg/L)	68.8
G381B	1/10/2005	11:20:00	0	Dissolved Oxygen (mg/L)	2.79
G381B	1/10/2005	11:20:00	0	Nitrate + Nitrite (mg/L)	0.019
G381B	1/10/2005	11:20:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	1/10/2005	11:20:00	0	pH	7.33
G381B	1/10/2005	11:20:00	0	Specific Conductivity (µmhos/cm)	732
G381B	1/10/2005	11:20:00	0	Sulfate (mg/L)	15.9
G381B	1/10/2005	11:20:00	0	Temperature (°C)	22.5
G381B	1/10/2005	11:20:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G381B	1/10/2005	11:20:00	0	Total Dissolved Solids (mg/L)	424
G381B	1/10/2005	11:20:00	0	Total Phosphorus	0.018
G381B	1/10/2005	11:20:00	0	Turbidity (NTU)	2.9
G381B	1/18/2005	11:39:00	0	Dissolved Oxygen (mg/L)	4.26
G381B	1/18/2005	11:39:00	0	pH	7.46
G381B	1/18/2005	11:39:00	0	Specific Conductivity (µmhos/cm)	716
G381B	1/18/2005	11:39:00	0	Temperature (°C)	18.7
G381B	1/18/2005	11:39:00	0	Total Phosphorus	0.014
G381B	1/24/2005	11:40:00	0	Alkalinity (mg/L)	250
G381B	1/24/2005	11:40:00	0	Dissolved Chloride (mg/L)	67.1
G381B	1/24/2005	11:40:00	0	Dissolved Oxygen (mg/L)	5.07
G381B	1/24/2005	11:40:00	0	Nitrate + Nitrite (mg/L)	0.034
G381B	1/24/2005	11:40:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	1/24/2005	11:40:00	0	pH	7.49
G381B	1/24/2005	11:40:00	0	Specific Conductivity (µmhos/cm)	704
G381B	1/24/2005	11:40:00	0	Sulfate (mg/L)	18.6

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	1/24/2005	11:40:00	0	Temperature (°C)	18.7
G381B	1/24/2005	11:40:00	0	Total Dissolved Phosphorus (mg/L)	0.005
G381B	1/24/2005	11:40:00	0	Total Dissolved Solids (mg/L)	448
G381B	1/24/2005	11:40:00	0	Total Phosphorus	0.012
G381B	1/24/2005	11:40:00	0	Turbidity (NTU)	2.4
G381B	3/21/2005	11:40:00	0	Alkalinity (mg/L)	243
G381B	3/21/2005	11:40:00	0	Dissolved Chloride (mg/L)	81.6
G381B	3/21/2005	11:40:00	0	Dissolved Oxygen (mg/L)	3.25
G381B	3/21/2005	11:40:00	0	Nitrate + Nitrite (mg/L)	0.038
G381B	3/21/2005	11:40:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	3/21/2005	11:40:00	0	pH	7.4
G381B	3/21/2005	11:40:00	0	Specific Conductivity (µmhos/cm)	757
G381B	3/21/2005	11:40:00	0	Sulfate (mg/L)	26.7
G381B	3/21/2005	11:40:00	0	Temperature (°C)	22.4
G381B	3/21/2005	11:40:00	0	Total Dissolved Phosphorus (mg/L)	0.005
G381B	3/21/2005	11:40:00	0	Total Dissolved Solids (mg/L)	473
G381B	3/21/2005	11:40:00	0	Total Phosphorus	0.012
G381B	3/21/2005	11:40:00	0	Turbidity (NTU)	2.9
G381B	4/25/2005	11:10:00	0	Dissolved Oxygen (mg/L)	5.33
G381B	4/25/2005	11:10:00	0	pH	7.73
G381B	4/25/2005	11:10:00	0	Specific Conductivity (µmhos/cm)	934
G381B	4/25/2005	11:10:00	0	Temperature (°C)	22.8
G381B	4/25/2005	11:10:00	0	Total Phosphorus	0.032
G381E	5/6/2004	11:30:00	0	Dissolved Oxygen (mg/L)	5.19
G381E	5/6/2004	11:30:00	0	pH	7.8
G381E	5/6/2004	11:30:00	0	Specific Conductivity (µmhos/cm)	797
G381E	5/6/2004	11:30:00	0	Temperature (°C)	25.4
G381E	5/6/2004	11:30:00	0	Total Phosphorus	0.012
G381E	5/13/2004	11:40:00	0	Dissolved Oxygen (mg/L)	6.17
G381E	5/13/2004	11:40:00	0	pH	7.64
G381E	5/13/2004	11:40:00	0	Specific Conductivity (µmhos/cm)	853
G381E	5/13/2004	11:40:00	0	Temperature (°C)	25.6
G381E	5/13/2004	11:40:00	0	Total Phosphorus	0.013
G381E	5/20/2004	11:55:00	0	Dissolved Oxygen (mg/L)	4.87
G381E	5/20/2004	11:55:00	0	pH	7.41
G381E	5/20/2004	11:55:00	0	Specific Conductivity (µmhos/cm)	786.5
G381E	5/20/2004	11:55:00	0	Temperature (°C)	27.1
G381E	5/20/2004	11:55:00	0	Total Phosphorus	0.01
G381E	5/27/2004	11:35:00	0	Dissolved Oxygen (mg/L)	5.5
G381E	5/27/2004	11:35:00	0	pH	7.73
G381E	5/27/2004	11:35:00	0	Specific Conductivity (µmhos/cm)	779
G381E	5/27/2004	11:35:00	0	Temperature (°C)	28.9
G381E	5/27/2004	11:35:00	0	Total Phosphorus	0.012
G381E	6/3/2004	10:50:00	0	Dissolved Oxygen (mg/L)	3.36
G381E	6/3/2004	10:50:00	0	pH	7.34
G381E	6/3/2004	10:50:00	0	Specific Conductivity (µmhos/cm)	720
G381E	6/3/2004	10:50:00	0	Temperature (°C)	28.4
G381E	6/3/2004	10:50:00	0	Total Phosphorus	0.011

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	6/10/2004	11:36:00	0	Dissolved Oxygen (mg/L)	1.64
G381E	6/10/2004	11:36:00	0	pH	7.27
G381E	6/10/2004	11:36:00	0	Specific Conductivity (µmhos/cm)	594
G381E	6/10/2004	11:36:00	0	Temperature (°C)	27.2
G381E	6/10/2004	11:36:00	0	Total Phosphorus	0.019
G381E	6/17/2004	12:02:00	0	Dissolved Oxygen (mg/L)	1.83
G381E	6/17/2004	12:02:00	0	pH	7.22
G381E	6/17/2004	12:02:00	0	Specific Conductivity (µmhos/cm)	636
G381E	6/17/2004	12:02:00	0	Temperature (°C)	28.7
G381E	6/17/2004	12:02:00	0	Total Phosphorus	0.025
G381E	6/24/2004	11:29:00	0	Dissolved Oxygen (mg/L)	5.15
G381E	6/24/2004	11:29:00	0	pH	7.66
G381E	6/24/2004	11:29:00	0	Specific Conductivity (µmhos/cm)	544
G381E	6/24/2004	11:29:00	0	Temperature (°C)	31.1
G381E	6/24/2004	11:29:00	0	Total Phosphorus	0.024
G381E	7/1/2004	12:25:00	0	Alkalinity (mg/L)	173
G381E	7/1/2004	12:25:00	0	Dissolved Chloride (mg/L)	58.9
G381E	7/1/2004	12:25:00	0	Dissolved Oxygen (mg/L)	5.76
G381E	7/1/2004	12:25:00	0	Nitrate + Nitrite (mg/L)	0.007
G381E	7/1/2004	12:25:00	0	Orthophosphate as P (mg/L)	0.004
G381E	7/1/2004	12:25:00	0	pH	7.77
G381E	7/1/2004	12:25:00	0	Specific Conductivity (µmhos/cm)	594
G381E	7/1/2004	12:25:00	0	Sulfate (mg/L)	29.4
G381E	7/1/2004	12:25:00	0	Temperature (°C)	31.2
G381E	7/1/2004	12:25:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	7/1/2004	12:25:00	0	Total Dissolved Solids (mg/L)	390
G381E	7/1/2004	12:25:00	0	Total Phosphorus	0.024
G381E	7/1/2004	12:25:00	0	Turbidity (NTU)	4.3
G381E	7/8/2004	11:58:00	0	Dissolved Oxygen (mg/L)	3.1
G381E	7/8/2004	11:58:00	0	pH	7.68
G381E	7/8/2004	11:58:00	0	Specific Conductivity (µmhos/cm)	678
G381E	7/8/2004	11:58:00	0	Temperature (°C)	30
G381E	7/8/2004	11:58:00	0	Total Phosphorus	0.019
G381E	7/15/2004	11:50:00	0	Alkalinity (mg/L)	209
G381E	7/15/2004	11:50:00	0	Dissolved Chloride (mg/L)	73.5
G381E	7/15/2004	11:50:00	0	Dissolved Oxygen (mg/L)	2.42
G381E	7/15/2004	11:50:00	0	Nitrate + Nitrite (mg/L)	0.023
G381E	7/15/2004	11:50:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	7/15/2004	11:50:00	0	pH	7.45
G381E	7/15/2004	11:50:00	0	Specific Conductivity (µmhos/cm)	675
G381E	7/15/2004	11:50:00	0	Sulfate (mg/L)	28.8
G381E	7/15/2004	11:50:00	0	Temperature (°C)	29.9
G381E	7/15/2004	11:50:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381E	7/15/2004	11:50:00	0	Total Dissolved Solids (mg/L)	468
G381E	7/15/2004	11:50:00	0	Total Phosphorus	0.016
G381E	7/15/2004	11:50:00	0	Turbidity (NTU)	4.3
G381E	7/22/2004	12:06:00	0	Dissolved Oxygen (mg/L)	1.93
G381E	7/22/2004	12:06:00	0	pH	7.38

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	7/22/2004	12:06:00	0	Specific Conductivity (µmhos/cm)	627
G381E	7/22/2004	12:06:00	0	Temperature (°C)	27.6
G381E	7/22/2004	12:06:00	0	Total Phosphorus	0.013
G381E	7/29/2004	12:10:00	0	Alkalinity (mg/L)	159
G381E	7/29/2004	12:10:00	0	Dissolved Chloride (mg/L)	61.1
G381E	7/29/2004	12:10:00	0	Dissolved Oxygen (mg/L)	2.22
G381E	7/29/2004	12:10:00	0	Nitrate + Nitrite (mg/L)	0.004
G381E	7/29/2004	12:10:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	7/29/2004	12:10:00	0	pH	7.36
G381E	7/29/2004	12:10:00	0	Specific Conductivity (µmhos/cm)	568.1
G381E	7/29/2004	12:10:00	0	Sulfate (mg/L)	31.1
G381E	7/29/2004	12:10:00	0	Temperature (°C)	27.7
G381E	7/29/2004	12:10:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381E	7/29/2004	12:10:00	0	Total Dissolved Solids (mg/L)	376
G381E	7/29/2004	12:10:00	0	Total Phosphorus	0.01
G381E	7/29/2004	12:10:00	0	Turbidity (NTU)	0.8
G381E	8/5/2004	12:04:00	0	Dissolved Oxygen (mg/L)	1.86
G381E	8/5/2004	12:04:00	0	pH	7.25
G381E	8/5/2004	12:04:00	0	Specific Conductivity (µmhos/cm)	829
G381E	8/5/2004	12:04:00	0	Temperature (°C)	28.5
G381E	8/5/2004	12:04:00	0	Total Phosphorus	0.01
G381E	8/12/2004	12:01:00	0	Alkalinity (mg/L)	250
G381E	8/12/2004	12:01:00	0	Dissolved Chloride (mg/L)	90.3
G381E	8/12/2004	12:01:00	0	Dissolved Oxygen (mg/L)	2.11
G381E	8/12/2004	12:01:00	0	Nitrate + Nitrite (mg/L)	0.028
G381E	8/12/2004	12:01:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	8/12/2004	12:01:00	0	pH	7.4
G381E	8/12/2004	12:01:00	0	Specific Conductivity (µmhos/cm)	851
G381E	8/12/2004	12:01:00	0	Sulfate (mg/L)	56
G381E	8/12/2004	12:01:00	0	Temperature (°C)	30
G381E	8/12/2004	12:01:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381E	8/12/2004	12:01:00	0	Total Dissolved Solids (mg/L)	572
G381E	8/12/2004	12:01:00	0	Total Phosphorus	0.012
G381E	8/12/2004	12:01:00	0	Turbidity (NTU)	0.8
G381E	8/19/2004	10:56:00	0	Dissolved Oxygen (mg/L)	1.58
G381E	8/19/2004	10:56:00	0	pH	7.34
G381E	8/19/2004	10:56:00	0	Specific Conductivity (µmhos/cm)	850
G381E	8/19/2004	10:56:00	0	Temperature (°C)	28.7
G381E	8/19/2004	10:56:00	0	Total Phosphorus	0.01
G381E	8/26/2004	11:00:00	0	Alkalinity (mg/L)	215
G381E	8/26/2004	11:00:00	0	Dissolved Chloride (mg/L)	77.3
G381E	8/26/2004	11:00:00	0	Dissolved Oxygen (mg/L)	1.75
G381E	8/26/2004	11:00:00	0	Nitrate + Nitrite (mg/L)	0.006
G381E	8/26/2004	11:00:00	0	Orthophosphate as P (mg/L)	0.006
G381E	8/26/2004	11:00:00	0	pH	7.32
G381E	8/26/2004	11:00:00	0	Specific Conductivity (µmhos/cm)	737
G381E	8/26/2004	11:00:00	0	Sulfate (mg/L)	38.2
G381E	8/26/2004	11:00:00	0	Temperature (°C)	27.5

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	8/26/2004	11:00:00	0	Total Dissolved Solids (mg/L)	487
G381E	8/26/2004	11:00:00	0	Total Phosphorus	0.009
G381E	8/26/2004	11:00:00	0	Turbidity (NTU)	0.7
G381E	9/1/2004	11:18:00	0	Dissolved Oxygen (mg/L)	1.14
G381E	9/1/2004	11:18:00	0	pH	7.32
G381E	9/1/2004	11:18:00	0	Specific Conductivity (µmhos/cm)	675
G381E	9/1/2004	11:18:00	0	Temperature (°C)	29.3
G381E	9/1/2004	11:18:00	0	Total Phosphorus	0.01
G381E	9/9/2004	13:38:00	0	Alkalinity (mg/L)	236
G381E	9/9/2004	13:38:00	0	Dissolved Chloride (mg/L)	94.4
G381E	9/9/2004	13:38:00	0	Dissolved Oxygen (mg/L)	2.31
G381E	9/9/2004	13:38:00	0	Nitrate + Nitrite (mg/L)	0.006
G381E	9/9/2004	13:38:00	0	Orthophosphate as P (mg/L)	0.004
G381E	9/9/2004	13:38:00	0	pH	7.56
G381E	9/9/2004	13:38:00	0	Specific Conductivity (µmhos/cm)	829
G381E	9/9/2004	13:38:00	0	Sulfate (mg/L)	38.2
G381E	9/9/2004	13:38:00	0	Temperature (°C)	29.4
G381E	9/9/2004	13:38:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381E	9/9/2004	13:38:00	0	Total Dissolved Solids (mg/L)	559
G381E	9/9/2004	13:38:00	0	Total Phosphorus	0.01
G381E	9/9/2004	13:38:00	0	Turbidity (NTU)	0.5
G381E	9/15/2004	11:55:00	0	Dissolved Oxygen (mg/L)	0.98
G381E	9/15/2004	11:55:00	0	pH	7.38
G381E	9/15/2004	11:55:00	0	Specific Conductivity (µmhos/cm)	757
G381E	9/15/2004	11:55:00	0	Temperature (°C)	28.3
G381E	9/15/2004	11:55:00	0	Total Phosphorus	0.013
G381E	9/22/2004	11:25:00	0	Alkalinity (mg/L)	195
G381E	9/22/2004	11:25:00	0	Dissolved Chloride (mg/L)	58
G381E	9/22/2004	11:25:00	0	Dissolved Oxygen (mg/L)	1.01
G381E	9/22/2004	11:25:00	0	Nitrate + Nitrite (mg/L)	0.006
G381E	9/22/2004	11:25:00	0	Orthophosphate as P (mg/L)	0.007
G381E	9/22/2004	11:25:00	0	pH	7.43
G381E	9/22/2004	11:25:00	0	Specific Conductivity (µmhos/cm)	635.9
G381E	9/22/2004	11:25:00	0	Sulfate (mg/L)	25.1
G381E	9/22/2004	11:25:00	0	Temperature (°C)	27.3
G381E	9/22/2004	11:25:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	9/22/2004	11:25:00	0	Total Dissolved Solids (mg/L)	418
G381E	9/22/2004	11:25:00	0	Total Phosphorus	0.014
G381E	9/22/2004	11:25:00	0	Turbidity (NTU)	0.5
G381E	9/30/2004	12:00:00	0	Dissolved Oxygen (mg/L)	1.51
G381E	9/30/2004	12:00:00	0	pH	7.48
G381E	9/30/2004	12:00:00	0	Specific Conductivity (µmhos/cm)	710.4
G381E	9/30/2004	12:00:00	0	Temperature (°C)	28
G381E	9/30/2004	12:00:00	0	Total Phosphorus	0.01
G381E	10/7/2004	11:45:00	0	Alkalinity (mg/L)	232
G381E	10/7/2004	11:45:00	0	Dissolved Chloride (mg/L)	73.8
G381E	10/7/2004	11:45:00	0	Dissolved Oxygen (mg/L)	1.9
G381E	10/7/2004	11:45:00	0	Nitrate + Nitrite (mg/L)	0.005

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	10/7/2004	11:45:00	0	Orthophosphate as P (mg/L)	0.005
G381E	10/7/2004	11:45:00	0	pH	7.36
G381E	10/7/2004	11:45:00	0	Specific Conductivity (µmhos/cm)	734
G381E	10/7/2004	11:45:00	0	Sulfate (mg/L)	39.3
G381E	10/7/2004	11:45:00	0	Temperature (°C)	26.6
G381E	10/7/2004	11:45:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381E	10/7/2004	11:45:00	0	Total Dissolved Solids (mg/L)	508
G381E	10/7/2004	11:45:00	0	Total Phosphorus	0.009
G381E	10/7/2004	11:45:00	0	Turbidity (NTU)	0.6
G381E	10/14/2004	12:45:00	0	Dissolved Oxygen (mg/L)	3.96
G381E	10/14/2004	12:45:00	0	pH	7.65
G381E	10/14/2004	12:45:00	0	Specific Conductivity (µmhos/cm)	761
G381E	10/14/2004	12:45:00	0	Temperature (°C)	26.2
G381E	10/14/2004	12:45:00	0	Total Phosphorus	0.009
G381E	10/21/2004	12:10:00	0	Alkalinity (mg/L)	224
G381E	10/21/2004	12:10:00	0	Dissolved Chloride (mg/L)	73.6
G381E	10/21/2004	12:10:00	0	Dissolved Oxygen (mg/L)	4.29
G381E	10/21/2004	12:10:00	0	Nitrate + Nitrite (mg/L)	0.021
G381E	10/21/2004	12:10:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	10/21/2004	12:10:00	0	pH	7.44
G381E	10/21/2004	12:10:00	0	Specific Conductivity (µmhos/cm)	703
G381E	10/21/2004	12:10:00	0	Sulfate (mg/L)	30.2
G381E	10/21/2004	12:10:00	0	Temperature (°C)	26.3
G381E	10/21/2004	12:10:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G381E	10/21/2004	12:10:00	0	Total Dissolved Solids (mg/L)	476
G381E	10/21/2004	12:10:00	0	Total Phosphorus	0.019
G381E	10/21/2004	12:10:00	0	Turbidity (NTU)	2.9
G381E	10/28/2004	12:40:00	0	Dissolved Oxygen (mg/L)	2.34
G381E	10/28/2004	12:40:00	0	pH	7.22
G381E	10/28/2004	12:40:00	0	Specific Conductivity (µmhos/cm)	694
G381E	10/28/2004	12:40:00	0	Temperature (°C)	23.5
G381E	10/28/2004	12:40:00	0	Total Phosphorus	0.023
G381E	11/4/2004	11:10:00	0	Alkalinity (mg/L)	222
G381E	11/4/2004	11:10:00	0	Dissolved Chloride (mg/L)	74.1
G381E	11/4/2004	11:10:00	0	Dissolved Oxygen (mg/L)	4.5
G381E	11/4/2004	11:10:00	0	Nitrate + Nitrite (mg/L)	0.026
G381E	11/4/2004	11:10:00	0	Orthophosphate as P (mg/L)	0.005
G381E	11/4/2004	11:10:00	0	Specific Conductivity (µmhos/cm)	706
G381E	11/4/2004	11:10:00	0	Sulfate (mg/L)	24.1
G381E	11/4/2004	11:10:00	0	Temperature (°C)	26.5
G381E	11/4/2004	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381E	11/4/2004	11:10:00	0	Total Dissolved Solids (mg/L)	419
G381E	11/4/2004	11:10:00	0	Total Phosphorus	0.019
G381E	11/4/2004	11:10:00	0	Turbidity (NTU)	2.5
G381E	11/10/2004	13:15:00	0	Dissolved Oxygen (mg/L)	5.66
G381E	11/10/2004	13:15:00	0	pH	7.61
G381E	11/10/2004	13:15:00	0	Specific Conductivity (µmhos/cm)	677
G381E	11/10/2004	13:15:00	0	Temperature (°C)	23.2

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	11/10/2004	13:15:00	0	Total Phosphorus	0.015
G381E	11/18/2004	11:57:00	0	Alkalinity (mg/L)	228
G381E	11/18/2004	11:57:00	0	Dissolved Chloride (mg/L)	67.4
G381E	11/18/2004	11:57:00	0	Dissolved Oxygen (mg/L)	6.95
G381E	11/18/2004	11:57:00	0	Nitrate + Nitrite (mg/L)	0.052
G381E	11/18/2004	11:57:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	11/18/2004	11:57:00	0	pH	7.79
G381E	11/18/2004	11:57:00	0	Specific Conductivity (µmhos/cm)	674
G381E	11/18/2004	11:57:00	0	Sulfate (mg/L)	16.9
G381E	11/18/2004	11:57:00	0	Temperature (°C)	22.4
G381E	11/18/2004	11:57:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381E	11/18/2004	11:57:00	0	Total Dissolved Solids (mg/L)	431
G381E	11/18/2004	11:57:00	0	Total Phosphorus	0.016
G381E	11/18/2004	11:57:00	0	Turbidity (NTU)	2.3
G381E	11/24/2004	10:40:00	0	Dissolved Oxygen (mg/L)	7.47
G381E	11/24/2004	10:40:00	0	pH	7.93
G381E	11/24/2004	10:40:00	0	Specific Conductivity (µmhos/cm)	693
G381E	11/24/2004	10:40:00	0	Temperature (°C)	23.6
G381E	11/24/2004	10:40:00	0	Total Phosphorus	0.015
G381E	12/2/2004	12:25:00	0	Alkalinity (mg/L)	233
G381E	12/2/2004	12:25:00	0	Dissolved Chloride (mg/L)	64.3
G381E	12/2/2004	12:25:00	0	Dissolved Oxygen (mg/L)	5.84
G381E	12/2/2004	12:25:00	0	Nitrate + Nitrite (mg/L)	0.039
G381E	12/2/2004	12:25:00	0	Orthophosphate as P (mg/L)	0.004
G381E	12/2/2004	12:25:00	0	pH	7.7
G381E	12/2/2004	12:25:00	0	Specific Conductivity (µmhos/cm)	657
G381E	12/2/2004	12:25:00	0	Sulfate (mg/L)	14.4
G381E	12/2/2004	12:25:00	0	Temperature (°C)	23.5
G381E	12/2/2004	12:25:00	0	Total Dissolved Solids (mg/L)	428
G381E	12/2/2004	12:25:00	0	Total Phosphorus	0.015
G381E	12/2/2004	12:25:00	0	Turbidity (NTU)	2.4
G381E	12/8/2004	12:45:00	0	Dissolved Oxygen (mg/L)	4.73
G381E	12/8/2004	12:45:00	0	pH	7.82
G381E	12/8/2004	12:45:00	0	Specific Conductivity (µmhos/cm)	680
G381E	12/8/2004	12:45:00	0	Temperature (°C)	25
G381E	12/8/2004	12:45:00	0	Total Phosphorus	0.013
G381E	12/16/2004	12:08:00	0	Alkalinity (mg/L)	258
G381E	12/16/2004	12:08:00	0	Dissolved Chloride (mg/L)	71.3
G381E	12/16/2004	12:08:00	0	Dissolved Oxygen (mg/L)	4.74
G381E	12/16/2004	12:08:00	0	Nitrate + Nitrite (mg/L)	0.035
G381E	12/16/2004	12:08:00	0	Orthophosphate as P (mg/L)	0.008
G381E	12/16/2004	12:08:00	0	pH	7.39
G381E	12/16/2004	12:08:00	0	Specific Conductivity (µmhos/cm)	727
G381E	12/16/2004	12:08:00	0	Sulfate (mg/L)	13.6
G381E	12/16/2004	12:08:00	0	Temperature (°C)	16.5
G381E	12/16/2004	12:08:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G381E	12/16/2004	12:08:00	0	Total Dissolved Solids (mg/L)	492
G381E	12/16/2004	12:08:00	0	Total Phosphorus	0.011

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	12/16/2004	12:08:00	0	Turbidity (NTU)	2.3
G381E	12/22/2004	12:05:00	0	pH	7.5
G381E	12/22/2004	12:05:00	0	Specific Conductivity (µmhos/cm)	743
G381E	12/22/2004	12:05:00	0	Temperature (°C)	19.2
G381E	12/22/2004	12:05:00	0	Total Phosphorus	0.014
G381E	12/29/2004	11:10:00	0	Alkalinity (mg/L)	245
G381E	12/29/2004	11:10:00	0	Dissolved Chloride (mg/L)	68
G381E	12/29/2004	11:10:00	0	Dissolved Oxygen (mg/L)	2.89
G381E	12/29/2004	11:10:00	0	Nitrate + Nitrite (mg/L)	0.034
G381E	12/29/2004	11:10:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	12/29/2004	11:10:00	0	pH	7.29
G381E	12/29/2004	11:10:00	0	Specific Conductivity (µmhos/cm)	711
G381E	12/29/2004	11:10:00	0	Sulfate (mg/L)	16.1
G381E	12/29/2004	11:10:00	0	Temperature (°C)	19.2
G381E	12/29/2004	11:10:00	0	Total Dissolved Solids (mg/L)	454
G381E	12/29/2004	11:10:00	0	Total Phosphorus	0.017
G381E	12/29/2004	11:10:00	0	Turbidity (NTU)	4.2
G381E	1/6/2005	11:40:00	0	Dissolved Oxygen (mg/L)	2.14
G381E	1/6/2005	11:40:00	0	pH	7.29
G381E	1/6/2005	11:40:00	0	Specific Conductivity (µmhos/cm)	715
G381E	1/6/2005	11:40:00	0	Temperature (°C)	22.1
G381E	1/6/2005	11:40:00	0	Total Phosphorus	0.021
G381E	1/10/2005	11:30:00	0	Alkalinity (mg/L)	237
G381E	1/10/2005	11:30:00	0	Dissolved Chloride (mg/L)	70.3
G381E	1/10/2005	11:30:00	0	Dissolved Oxygen (mg/L)	2.22
G381E	1/10/2005	11:30:00	0	Nitrate + Nitrite (mg/L)	0.035
G381E	1/10/2005	11:30:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	1/10/2005	11:30:00	0	pH	7.32
G381E	1/10/2005	11:30:00	0	Specific Conductivity (µmhos/cm)	704
G381E	1/10/2005	11:30:00	0	Sulfate (mg/L)	17
G381E	1/10/2005	11:30:00	0	Temperature (°C)	22
G381E	1/10/2005	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.005
G381E	1/10/2005	11:30:00	0	Total Dissolved Solids (mg/L)	443
G381E	1/10/2005	11:30:00	0	Total Phosphorus	0.022
G381E	1/10/2005	11:30:00	0	Turbidity (NTU)	5.2
G381E	1/18/2005	11:56:00	0	Dissolved Oxygen (mg/L)	4.18
G381E	1/18/2005	11:56:00	0	pH	7.42
G381E	1/18/2005	11:56:00	0	Specific Conductivity (µmhos/cm)	686
G381E	1/18/2005	11:56:00	0	Temperature (°C)	18.1
G381E	1/18/2005	11:56:00	0	Total Phosphorus	0.017
G381E	1/24/2005	11:55:00	0	Alkalinity (mg/L)	231
G381E	1/24/2005	11:55:00	0	Dissolved Chloride (mg/L)	69
G381E	1/24/2005	11:55:00	0	Dissolved Oxygen (mg/L)	4.38
G381E	1/24/2005	11:55:00	0	Nitrate + Nitrite (mg/L)	0.033
G381E	1/24/2005	11:55:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	1/24/2005	11:55:00	0	pH	7.47
G381E	1/24/2005	11:55:00	0	Specific Conductivity (µmhos/cm)	681
G381E	1/24/2005	11:55:00	0	Sulfate (mg/L)	18.8

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	1/24/2005	11:55:00	0	Temperature (°C)	18.3
G381E	1/24/2005	11:55:00	0	Total Dissolved Phosphorus (mg/L)	0.005
G381E	1/24/2005	11:55:00	0	Total Dissolved Solids (mg/L)	434
G381E	1/24/2005	11:55:00	0	Total Phosphorus	0.015
G381E	1/24/2005	11:55:00	0	Turbidity (NTU)	3.8
G381E	3/21/2005	11:50:00	0	Alkalinity (mg/L)	238
G381E	3/21/2005	11:50:00	0	Dissolved Chloride (mg/L)	81.8
G381E	3/21/2005	11:50:00	0	Dissolved Oxygen (mg/L)	3.47
G381E	3/21/2005	11:50:00	0	Nitrate + Nitrite (mg/L)	0.047
G381E	3/21/2005	11:50:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	3/21/2005	11:50:00	0	pH	7.46
G381E	3/21/2005	11:50:00	0	Specific Conductivity (µmhos/cm)	740
G381E	3/21/2005	11:50:00	0	Sulfate (mg/L)	27.5
G381E	3/21/2005	11:50:00	0	Temperature (°C)	22.2
G381E	3/21/2005	11:50:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381E	3/21/2005	11:50:00	0	Total Dissolved Solids (mg/L)	354
G381E	3/21/2005	11:50:00	0	Total Phosphorus	0.019
G381E	3/21/2005	11:50:00	0	Turbidity (NTU)	3.4
G381E	4/25/2005	11:25:00	0	Dissolved Oxygen (mg/L)	4.47
G381E	4/25/2005	11:25:00	0	pH	7.69
G381E	4/25/2005	11:25:00	0	Specific Conductivity (µmhos/cm)	901
G381E	4/25/2005	11:25:00	0	Temperature (°C)	22.3
G381E	4/25/2005	11:25:00	0	Total Phosphorus	0.017