

Appendix 4-13: Water Year 2005 Water Quality Data for STA-6

Nenad Iricanin and Guy Germain

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G354C | 5/3/2004 | 10:45:00 | 0 | Alkalinity (mg/L) | 242 |
| G354C | 5/3/2004 | 10:45:00 | 0 | Color (PCU) | 83 |
| G354C | 5/3/2004 | 10:45:00 | 0 | Dissolved Calcium (mg/L) | 83.5 |
| G354C | 5/3/2004 | 10:45:00 | 0 | Dissolved Chloride (mg/L) | 119 |
| G354C | 5/3/2004 | 10:45:00 | 0 | Dissolved Oxygen (mg/L) | 2.92 |
| G354C | 5/3/2004 | 10:45:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G354C | 5/3/2004 | 10:45:00 | 0 | pH | 7.63 |
| G354C | 5/3/2004 | 10:45:00 | 0 | Specific Conductivity (µmhos/cm) | 870.5 |
| G354C | 5/3/2004 | 10:45:00 | 0 | Temperature (°C) | 26 |
| G354C | 5/3/2004 | 10:45:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 3.52 |
| G354C | 5/3/2004 | 10:45:00 | 0 | Total Suspended Solids (mg/L) | 5 |
| G354C | 5/3/2004 | 10:45:00 | 0 | Turbidity (NTU) | 3.6 |
| G354C | 6/7/2004 | 11:30:00 | 0 | Orthophosphate as P (mg/L) | 0.01 |
| G354C | 6/7/2004 | 11:30:00 | 0 | pH | 7.74 |
| G354C | 6/7/2004 | 11:30:00 | 0 | Specific Conductivity (µmhos/cm) | 598 |
| G354C | 6/7/2004 | 11:30:00 | 0 | Temperature (°C) | 28 |
| G354C | 6/7/2004 | 11:30:00 | 0 | Total Phosphorus | 0.089 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Alkalinity (mg/L) | 131 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Color (PCU) | 96 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Dissolved Calcium (mg/L) | 67.2 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Dissolved Chloride (mg/L) | 42.9 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Dissolved Oxygen (mg/L) | 1.47 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Orthophosphate as P (mg/L) | 0.008 |
| G354C | 6/14/2004 | 11:20:00 | 0 | pH | 7.18 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Specific Conductivity (µmhos/cm) | 526 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Temperature (°C) | 27.7 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 2.37 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Total Phosphorus | 0.046 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 6/14/2004 | 11:20:00 | 0 | Turbidity (NTU) | 1.3 |
| G354C | 6/21/2004 | 10:36:00 | 0 | Dissolved Oxygen (mg/L) | 1.72 |
| G354C | 6/21/2004 | 10:36:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G354C | 6/21/2004 | 10:36:00 | 0 | pH | 7.14 |
| G354C | 6/21/2004 | 10:36:00 | 0 | Specific Conductivity (µmhos/cm) | 609 |
| G354C | 6/21/2004 | 10:36:00 | 0 | Temperature (°C) | 28.7 |
| G354C | 6/21/2004 | 10:36:00 | 0 | Total Phosphorus | 0.028 |
| G354C | 6/22/2004 | 10:25:00 | 0 | Ametryn (µg/L) | 0.019 |
| G354C | 6/22/2004 | 10:25:00 | 0 | Atrazine (µg/L) | 0.02 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Alkalinity (mg/L) | 151 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Color (PCU) | 93 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Dissolved Calcium (mg/L) | 68.8 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Dissolved Chloride (mg/L) | 72.5 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Dissolved Magnesium (mg/L) | 7.9 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Dissolved Oxygen (mg/L) | 2.79 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Dissolved Potassium (mg/L) | 4.9 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Dissolved Sodium (mg/L) | 52.9 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G354C | 6/28/2004 | 10:47:00 | 0 | pH | 7.43 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Silica (mg/L) | 18.9 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|--------|
| G354C | 6/28/2004 | 10:47:00 | 0 | Specific Conductivity (µmhos/cm) | 624.5 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Sulfate (mg/L) | 47.6 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Temperature (°C) | 28.8 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Total Iron (µg/L) | 34 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.99 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Total Phosphorus | 0.022 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 6/28/2004 | 10:47:00 | 0 | Turbidity (NTU) | 1.6 |
| G354C | 7/7/2004 | 10:51:00 | 0 | Dissolved Oxygen (mg/L) | 4.67 |
| G354C | 7/7/2004 | 10:51:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 7/7/2004 | 10:51:00 | 0 | pH | 7.69 |
| G354C | 7/7/2004 | 10:51:00 | 0 | Specific Conductivity (µmhos/cm) | 546 |
| G354C | 7/7/2004 | 10:51:00 | 0 | Temperature (°C) | 29.1 |
| G354C | 7/7/2004 | 10:51:00 | 0 | Total Phosphorus | 0.019 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Alkalinity (mg/L) | 167 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Color (PCU) | 88 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Dissolved Calcium (mg/L) | 64.6 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Dissolved Chloride (mg/L) | 70.9 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Dissolved Oxygen (mg/L) | 2.94 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G354C | 7/12/2004 | 10:35:00 | 0 | pH | 7.43 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Specific Conductivity (µmhos/cm) | 629 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Temperature (°C) | 27.9 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.97 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Total Phosphorus | 0.017 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 7/12/2004 | 10:35:00 | 0 | Turbidity (NTU) | 0.7 |
| G354C | 7/19/2004 | 10:35:00 | 0 | Dissolved Oxygen (mg/L) | 3.12 |
| G354C | 7/19/2004 | 10:35:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G354C | 7/19/2004 | 10:35:00 | 0 | pH | 7.49 |
| G354C | 7/19/2004 | 10:35:00 | 0 | Specific Conductivity (µmhos/cm) | 583 |
| G354C | 7/19/2004 | 10:35:00 | 0 | Temperature (°C) | 28.2 |
| G354C | 7/19/2004 | 10:35:00 | 0 | Total Phosphorus | 0.015 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Alkalinity (mg/L) | 206 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Color (PCU) | 89 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Dissolved Calcium (mg/L) | 75.2 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Dissolved Chloride (mg/L) | 68.8 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Dissolved Oxygen (mg/L) | 2.54 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G354C | 7/26/2004 | 10:45:00 | 0 | pH | 7.47 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Specific Conductivity (µmhos/cm) | 649 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Temperature (°C) | 28.4 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.59 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Total Phosphorus | 0.014 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 7/26/2004 | 10:45:00 | 0 | Turbidity (NTU) | 0.4 |
| G354C | 7/26/2004 | 10:47:00 | 24 | Total Phosphorus | 0.028 |
| G354C | 8/2/2004 | 10:18:00 | 0 | Dissolved Oxygen (mg/L) | 1.76 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G354C | 8/2/2004 | 10:18:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G354C | 8/2/2004 | 10:18:00 | 0 | pH | 7.34 |
| G354C | 8/2/2004 | 10:18:00 | 0 | Specific Conductivity (µmhos/cm) | 576 |
| G354C | 8/2/2004 | 10:18:00 | 0 | Temperature (°C) | 26.4 |
| G354C | 8/2/2004 | 10:18:00 | 0 | Total Phosphorus | 0.013 |
| G354C | 8/2/2004 | 10:20:00 | 24 | Total Phosphorus | 0.018 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Alkalinity (mg/L) | 192 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Color (PCU) | 141 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Dissolved Calcium (mg/L) | 73 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Dissolved Chloride (mg/L) | 38.1 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Dissolved Oxygen (mg/L) | 0.71 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G354C | 8/9/2004 | 10:40:00 | 0 | pH | 7.43 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Specific Conductivity (µmhos/cm) | 526.8 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Temperature (°C) | 28.9 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.62 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Total Phosphorus | 0.029 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 8/9/2004 | 10:40:00 | 0 | Turbidity (NTU) | 1.5 |
| G354C | 8/9/2004 | 10:45:00 | 24 | Total Phosphorus | 0.015 |
| G354C | 8/11/2004 | 10:40:00 | 0 | Ametryn (µg/L) | 0.013 |
| G354C | 8/11/2004 | 10:40:00 | 0 | Atrazine (µg/L) | 0.037 |
| G354C | 8/16/2004 | 10:05:00 | 0 | Dissolved Oxygen (mg/L) | 1.14 |
| G354C | 8/16/2004 | 10:05:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G354C | 8/16/2004 | 10:05:00 | 0 | pH | 7.42 |
| G354C | 8/16/2004 | 10:05:00 | 0 | Specific Conductivity (µmhos/cm) | 710 |
| G354C | 8/16/2004 | 10:05:00 | 0 | Temperature (°C) | 27.9 |
| G354C | 8/16/2004 | 10:05:00 | 0 | Total Phosphorus | 0.028 |
| G354C | 8/16/2004 | 10:20:00 | 24 | Total Phosphorus | 0.024 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Alkalinity (mg/L) | 219 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Color (PCU) | 101 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Dissolved Calcium (mg/L) | 80.1 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Dissolved Chloride (mg/L) | 53.7 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Dissolved Oxygen (mg/L) | 1.85 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G354C | 8/23/2004 | 11:00:00 | 0 | pH | 7.4 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Specific Conductivity (µmhos/cm) | 597 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Temperature (°C) | 27.9 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.42 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Total Phosphorus | 0.022 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 8/23/2004 | 11:00:00 | 0 | Turbidity (NTU) | 0.8 |
| G354C | 8/30/2004 | 10:33:00 | 0 | Dissolved Oxygen (mg/L) | 1.19 |
| G354C | 8/30/2004 | 10:33:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G354C | 8/30/2004 | 10:33:00 | 0 | pH | 7.35 |
| G354C | 8/30/2004 | 10:33:00 | 0 | Specific Conductivity (µmhos/cm) | 685 |
| G354C | 8/30/2004 | 10:33:00 | 0 | Temperature (°C) | 29.5 |
| G354C | 8/30/2004 | 10:33:00 | 0 | Total Phosphorus | 0.022 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G354C | 8/30/2004 | 10:40:00 | 24 | Total Phosphorus | 0.023 |
| G354C | 9/13/2004 | 11:13:00 | 0 | Dissolved Oxygen (mg/L) | 1.49 |
| G354C | 9/13/2004 | 11:13:00 | 0 | Orthophosphate as P (mg/L) | 0.008 |
| G354C | 9/13/2004 | 11:13:00 | 0 | pH | 7.33 |
| G354C | 9/13/2004 | 11:13:00 | 0 | Specific Conductivity (µmhos/cm) | 591 |
| G354C | 9/13/2004 | 11:13:00 | 0 | Temperature (°C) | 28 |
| G354C | 9/13/2004 | 11:13:00 | 0 | Total Phosphorus | 0.022 |
| G354C | 9/13/2004 | 11:20:00 | 24 | Total Phosphorus | 0.022 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Alkalinity (mg/L) | 240 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Color (PCU) | 120 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Dissolved Calcium (mg/L) | 87.8 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Dissolved Chloride (mg/L) | 68.9 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Dissolved Magnesium (mg/L) | 7.7 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Dissolved Oxygen (mg/L) | 1.74 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Dissolved Potassium (mg/L) | 5.4 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Dissolved Sodium (mg/L) | 47.8 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Orthophosphate as P (mg/L) | 0.009 |
| G354C | 9/20/2004 | 10:30:00 | 0 | pH | 7.47 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Silica (mg/L) | 12.5 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Specific Conductivity (µmhos/cm) | 725 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Sulfate (mg/L) | 11.3 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Temperature (°C) | 27 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Total Iron (µg/L) | 311 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.86 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Total Phosphorus | 0.024 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 9/20/2004 | 10:30:00 | 0 | Turbidity (NTU) | 0.8 |
| G354C | 9/20/2004 | 10:35:00 | 24 | Total Phosphorus | 0.017 |
| G354C | 9/28/2004 | 10:46:00 | 0 | Dissolved Oxygen (mg/L) | 1.07 |
| G354C | 9/28/2004 | 10:46:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G354C | 9/28/2004 | 10:46:00 | 0 | pH | 7.6 |
| G354C | 9/28/2004 | 10:46:00 | 0 | Specific Conductivity (µmhos/cm) | 741 |
| G354C | 9/28/2004 | 10:46:00 | 0 | Temperature (°C) | 27.4 |
| G354C | 9/28/2004 | 10:46:00 | 0 | Total Iron (µg/L) | 115 |
| G354C | 9/28/2004 | 10:46:00 | 0 | Total Phosphorus | 0.018 |
| G354C | 9/28/2004 | 10:50:00 | 24 | Total Phosphorus | 0.026 |
| G354C | 10/4/2004 | 10:25:00 | 0 | Alkalinity (mg/L) | 255 |
| G354C | 10/4/2004 | 10:25:00 | 0 | Color (PCU) | 89 |
| G354C | 10/4/2004 | 10:25:00 | 0 | Dissolved Calcium (mg/L) | 96.5 |
| G354C | 10/4/2004 | 10:25:00 | 0 | Dissolved Chloride (mg/L) | 78.3 |
| G354C | 10/4/2004 | 10:25:00 | 0 | Dissolved Oxygen (mg/L) | 0.85 |
| G354C | 10/4/2004 | 10:25:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G354C | 10/4/2004 | 10:25:00 | 0 | pH | 7.5 |
| G354C | 10/4/2004 | 10:25:00 | 0 | Specific Conductivity (µmhos/cm) | 792 |
| G354C | 10/4/2004 | 10:25:00 | 0 | Temperature (°C) | 27 |
| G354C | 10/4/2004 | 10:25:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.56 |
| G354C | 10/4/2004 | 10:25:00 | 0 | Total Phosphorus | 0.014 |
| G354C | 10/4/2004 | 10:25:00 | 0 | Total Suspended Solids (mg/L) | <3 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G354C | 10/4/2004 | 10:25:00 | 0 | Turbidity (NTU) | 0.4 |
| G354C | 10/4/2004 | 10:30:00 | 24 | Total Phosphorus | 0.016 |
| G354C | 10/11/2004 | 11:00:00 | 0 | Dissolved Oxygen (mg/L) | 1.78 |
| G354C | 10/11/2004 | 11:00:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G354C | 10/11/2004 | 11:00:00 | 0 | pH | 7.48 |
| G354C | 10/11/2004 | 11:00:00 | 0 | Specific Conductivity (µmhos/cm) | 721 |
| G354C | 10/11/2004 | 11:00:00 | 0 | Temperature (°C) | 26.4 |
| G354C | 10/11/2004 | 11:00:00 | 0 | Total Phosphorus | 0.013 |
| G354C | 10/11/2004 | 11:05:00 | 24 | Total Phosphorus | 0.016 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Alkalinity (mg/L) | 254 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Color (PCU) | 89 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Dissolved Calcium (mg/L) | 92.4 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Dissolved Chloride (mg/L) | 84.8 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Dissolved Oxygen (mg/L) | 2.29 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G354C | 10/18/2004 | 10:45:00 | 0 | pH | 7.37 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Specific Conductivity (µmhos/cm) | 779 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Temperature (°C) | 23.8 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.74 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Total Phosphorus | 0.015 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 10/18/2004 | 10:45:00 | 0 | Turbidity (NTU) | 0.9 |
| G354C | 10/18/2004 | 10:50:00 | 24 | Total Phosphorus | 0.021 |
| G354C | 10/25/2004 | 10:15:00 | 0 | Dissolved Oxygen (mg/L) | 1.78 |
| G354C | 10/25/2004 | 10:15:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G354C | 10/25/2004 | 10:15:00 | 0 | pH | 7.24 |
| G354C | 10/25/2004 | 10:15:00 | 0 | Specific Conductivity (µmhos/cm) | 847 |
| G354C | 10/25/2004 | 10:15:00 | 0 | Temperature (°C) | 24.1 |
| G354C | 10/25/2004 | 10:15:00 | 0 | Total Phosphorus | 0.014 |
| G354C | 10/25/2004 | 10:20:00 | 24 | Total Phosphorus | 0.02 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Alkalinity (mg/L) | 251 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Color (PCU) | 74 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Dissolved Calcium (mg/L) | 88 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Dissolved Chloride (mg/L) | 106 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Dissolved Oxygen (mg/L) | 3.11 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G354C | 11/1/2004 | 12:00:00 | 0 | pH | 7.49 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Specific Conductivity (µmhos/cm) | 850 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Temperature (°C) | 25.2 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.8 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Total Phosphorus | 0.012 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 11/1/2004 | 12:00:00 | 0 | Turbidity (NTU) | 0.9 |
| G354C | 11/1/2004 | 12:05:00 | 24 | Total Phosphorus | 0.029 |
| G354C | 11/8/2004 | 15:05:00 | 0 | Dissolved Oxygen (mg/L) | 3.01 |
| G354C | 11/8/2004 | 15:05:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G354C | 11/8/2004 | 15:05:00 | 0 | pH | 7.35 |
| G354C | 11/8/2004 | 15:05:00 | 0 | Specific Conductivity (µmhos/cm) | 777 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|---------|
| G354C | 11/8/2004 | 15:05:00 | 0 | Temperature (°C) | 21.9 |
| G354C | 11/8/2004 | 15:05:00 | 0 | Total Phosphorus | 0.012 |
| G354C | 11/8/2004 | 15:10:00 | 24 | Total Phosphorus | 0.015 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Alkalinity (mg/L) | 202 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Color (PCU) | 67 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Dissolved Calcium (mg/L) | 71.4 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Dissolved Chloride (mg/L) | 110 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Dissolved Magnesium (mg/L) | 8.8 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Dissolved Oxygen (mg/L) | 3.38 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Dissolved Potassium (mg/L) | 4.2 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Dissolved Sodium (mg/L) | 79.2 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 11/15/2004 | 11:00:00 | 0 | pH | 7.45 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Silica (mg/L) | 5.39 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Specific Conductivity (µmhos/cm) | 766.5 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Sulfate (mg/L) | 19.8 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Temperature (°C) | 20.7 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Total Iron (µg/L) | 40 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.8 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Total Phosphorus | 0.012 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 11/15/2004 | 11:00:00 | 0 | Turbidity (NTU) | 0.8 |
| G354C | 11/18/2004 | 10:10:00 | 0 | Ametryn (µg/L) | 0.01 |
| G354C | 11/18/2004 | 10:10:00 | 0 | Atrazine (µg/L) | <0.0098 |
| G354C | 11/22/2004 | 11:35:00 | 0 | Dissolved Oxygen (mg/L) | 4.4 |
| G354C | 11/22/2004 | 11:35:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 11/22/2004 | 11:35:00 | 0 | pH | 7.35 |
| G354C | 11/22/2004 | 11:35:00 | 0 | Specific Conductivity (µmhos/cm) | 863 |
| G354C | 11/22/2004 | 11:35:00 | 0 | Temperature (°C) | 20.2 |
| G354C | 11/22/2004 | 11:35:00 | 0 | Total Phosphorus | 0.017 |
| G354C | 11/22/2004 | 11:40:00 | 24 | Total Phosphorus | 0.02 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Alkalinity (mg/L) | 189 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Color (PCU) | 62 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Dissolved Calcium (mg/L) | 66.4 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Dissolved Chloride (mg/L) | 116 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Dissolved Oxygen (mg/L) | 4.02 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G354C | 11/29/2004 | 11:35:00 | 0 | pH | 7.49 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Specific Conductivity (µmhos/cm) | 782 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Temperature (°C) | 20.6 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.89 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Total Phosphorus | 0.011 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 11/29/2004 | 11:35:00 | 0 | Turbidity (NTU) | 0.7 |
| G354C | 12/6/2004 | 11:36:00 | 0 | Dissolved Oxygen (mg/L) | 1.16 |
| G354C | 12/6/2004 | 11:36:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G354C | 12/6/2004 | 11:36:00 | 0 | pH | 7.3 |
| G354C | 12/6/2004 | 11:36:00 | 0 | Specific Conductivity (µmhos/cm) | 922 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|--------|
| G354C | 12/6/2004 | 11:36:00 | 0 | Temperature (°C) | 18 |
| G354C | 12/6/2004 | 11:36:00 | 0 | Total Phosphorus | 0.017 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Alkalinity (mg/L) | 175 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Color (PCU) | 62 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Dissolved Calcium (mg/L) | 56.6 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Dissolved Chloride (mg/L) | 110 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Dissolved Oxygen (mg/L) | 3.8 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Orthophosphate as P (mg/L) | 0.008 |
| G354C | 12/13/2004 | 11:50:00 | 0 | pH | 7.4 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Specific Conductivity (µmhos/cm) | 715 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Temperature (°C) | 16.3 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.92 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Total Phosphorus | 0.011 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 12/13/2004 | 11:50:00 | 0 | Turbidity (NTU) | 0.7 |
| G354C | 12/20/2004 | 11:25:00 | 0 | Dissolved Oxygen (mg/L) | 7.06 |
| G354C | 12/20/2004 | 11:25:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 12/20/2004 | 11:25:00 | 0 | pH | 7.88 |
| G354C | 12/20/2004 | 11:25:00 | 0 | Specific Conductivity (µmhos/cm) | 760 |
| G354C | 12/20/2004 | 11:25:00 | 0 | Temperature (°C) | 14.5 |
| G354C | 12/20/2004 | 11:25:00 | 0 | Total Phosphorus | 0.009 |
| G354C | 12/27/2004 | 11:20:00 | 0 | Alkalinity (mg/L) | 205 |
| G354C | 12/27/2004 | 11:20:00 | 0 | Color (PCU) | 53 |
| G354C | 12/27/2004 | 11:20:00 | 0 | Dissolved Calcium (mg/L) | 68.1 |
| G354C | 12/27/2004 | 11:20:00 | 0 | Dissolved Chloride (mg/L) | 115 |
| G354C | 12/27/2004 | 11:20:00 | 0 | Dissolved Oxygen (mg/L) | 4.87 |
| G354C | 12/27/2004 | 11:20:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 12/27/2004 | 11:20:00 | 0 | pH | 7.76 |
| G354C | 12/27/2004 | 11:20:00 | 0 | Temperature (°C) | 14.6 |
| G354C | 12/27/2004 | 11:20:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.76 |
| G354C | 12/27/2004 | 11:20:00 | 0 | Total Phosphorus | 0.011 |
| G354C | 12/27/2004 | 11:20:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 12/27/2004 | 11:20:00 | 0 | Turbidity (NTU) | 0.9 |
| G354C | 1/3/2005 | 12:02:00 | 0 | Dissolved Oxygen (mg/L) | 5.23 |
| G354C | 1/3/2005 | 12:02:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G354C | 1/3/2005 | 12:02:00 | 0 | pH | 7.37 |
| G354C | 1/3/2005 | 12:02:00 | 0 | Specific Conductivity (µmhos/cm) | 782 |
| G354C | 1/3/2005 | 12:02:00 | 0 | Temperature (°C) | 17.4 |
| G354C | 1/3/2005 | 12:02:00 | 0 | Total Phosphorus | 0.016 |
| G354C | 1/12/2005 | 10:20:00 | 0 | Alkalinity (mg/L) | 192 |
| G354C | 1/12/2005 | 10:20:00 | 0 | Color (PCU) | 62 |
| G354C | 1/12/2005 | 10:20:00 | 0 | Dissolved Calcium (mg/L) | 65.6 |
| G354C | 1/12/2005 | 10:20:00 | 0 | Dissolved Chloride (mg/L) | 121 |
| G354C | 1/12/2005 | 10:20:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G354C | 1/12/2005 | 10:20:00 | 0 | pH | 7.47 |
| G354C | 1/12/2005 | 10:20:00 | 0 | Specific Conductivity (µmhos/cm) | 812 |
| G354C | 1/12/2005 | 10:20:00 | 0 | Temperature (°C) | 18.6 |
| G354C | 1/12/2005 | 10:20:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.76 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|---------|
| G354C | 1/12/2005 | 10:20:00 | 0 | Total Phosphorus | 0.016 |
| G354C | 1/12/2005 | 10:20:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 1/12/2005 | 10:20:00 | 0 | Turbidity (NTU) | 1.1 |
| G354C | 1/13/2005 | 12:00:00 | 0 | Ametryn (µg/L) | <0.0095 |
| G354C | 1/13/2005 | 12:00:00 | 0 | Atrazine (µg/L) | 0.015 |
| G354C | 1/18/2005 | 10:56:00 | 0 | Dissolved Oxygen (mg/L) | 3.86 |
| G354C | 1/18/2005 | 10:56:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 1/18/2005 | 10:56:00 | 0 | pH | 7.49 |
| G354C | 1/18/2005 | 10:56:00 | 0 | Specific Conductivity (µmhos/cm) | 733 |
| G354C | 1/18/2005 | 10:56:00 | 0 | Temperature (°C) | 13.8 |
| G354C | 1/18/2005 | 10:56:00 | 0 | Total Phosphorus | 0.009 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Alkalinity (mg/L) | 173 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Color (PCU) | 55 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Dissolved Calcium (mg/L) | 58.2 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Dissolved Chloride (mg/L) | 114 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Dissolved Oxygen (mg/L) | 5.3 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 1/25/2005 | 10:43:00 | 0 | pH | 7.72 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Specific Conductivity (µmhos/cm) | 733 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Temperature (°C) | 12.8 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.58 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Total Phosphorus | 0.01 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 1/25/2005 | 10:43:00 | 0 | Turbidity (NTU) | 0.7 |
| G354C | 2/1/2005 | 11:05:00 | 0 | Dissolved Oxygen (mg/L) | 3.24 |
| G354C | 2/1/2005 | 11:05:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 2/1/2005 | 11:05:00 | 0 | pH | 7.19 |
| G354C | 2/1/2005 | 11:05:00 | 0 | Specific Conductivity (µmhos/cm) | 914 |
| G354C | 2/1/2005 | 11:05:00 | 0 | Temperature (°C) | 15.3 |
| G354C | 2/1/2005 | 11:05:00 | 0 | Total Phosphorus | 0.013 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Alkalinity (mg/L) | 168 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Color (PCU) | 58 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Dissolved Calcium (mg/L) | 53.1 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Dissolved Chloride (mg/L) | 120 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Dissolved Magnesium (mg/L) | 9.3 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Dissolved Oxygen (mg/L) | 5.56 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Dissolved Potassium (mg/L) | 4 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Dissolved Sodium (mg/L) | 86.1 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G354C | 2/8/2005 | 10:51:00 | 0 | pH | 7.54 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Silica (mg/L) | 0.52 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Specific Conductivity (µmhos/cm) | 743 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Sulfate (mg/L) | 14.7 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Temperature (°C) | 16.4 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Total Iron (µg/L) | 20 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.72 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Total Phosphorus | 0.013 |
| G354C | 2/8/2005 | 10:51:00 | 0 | Total Suspended Solids (mg/L) | <3 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|--------|
| G354C | 2/8/2005 | 10:51:00 | 0 | Turbidity (NTU) | 0.6 |
| G354C | 2/15/2005 | 11:31:00 | 0 | Dissolved Oxygen (mg/L) | 5.72 |
| G354C | 2/15/2005 | 11:31:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G354C | 2/15/2005 | 11:31:00 | 0 | pH | 7.1 |
| G354C | 2/15/2005 | 11:31:00 | 0 | Specific Conductivity (µmhos/cm) | 751 |
| G354C | 2/15/2005 | 11:31:00 | 0 | Temperature (°C) | 16.3 |
| G354C | 2/15/2005 | 11:31:00 | 0 | Total Phosphorus | 0.017 |
| G354C | 2/22/2005 | 11:08:00 | 0 | Alkalinity (mg/L) | 204 |
| G354C | 2/22/2005 | 11:08:00 | 0 | Color (PCU) | 59 |
| G354C | 2/22/2005 | 11:08:00 | 0 | Dissolved Calcium (mg/L) | 68 |
| G354C | 2/22/2005 | 11:08:00 | 0 | Dissolved Chloride (mg/L) | 124 |
| G354C | 2/22/2005 | 11:08:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 2/22/2005 | 11:08:00 | 0 | pH | 7.8 |
| G354C | 2/22/2005 | 11:08:00 | 0 | Specific Conductivity (µmhos/cm) | 832 |
| G354C | 2/22/2005 | 11:08:00 | 0 | Temperature (°C) | 20.2 |
| G354C | 2/22/2005 | 11:08:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.76 |
| G354C | 2/22/2005 | 11:08:00 | 0 | Total Phosphorus | 0.013 |
| G354C | 2/22/2005 | 11:08:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 2/22/2005 | 11:08:00 | 0 | Turbidity (NTU) | 1.1 |
| G354C | 2/22/2005 | 11:12:00 | 24 | Total Phosphorus | 0.021 |
| G354C | 3/1/2005 | 10:56:00 | 0 | Dissolved Oxygen (mg/L) | 5.82 |
| G354C | 3/1/2005 | 10:56:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G354C | 3/1/2005 | 10:56:00 | 0 | pH | 7.98 |
| G354C | 3/1/2005 | 10:56:00 | 0 | Specific Conductivity (µmhos/cm) | 935 |
| G354C | 3/1/2005 | 10:56:00 | 0 | Temperature (°C) | 19.3 |
| G354C | 3/1/2005 | 10:56:00 | 0 | Total Phosphorus | 0.011 |
| G354C | 3/1/2005 | 11:00:00 | 24 | Total Phosphorus | 0.021 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Alkalinity (mg/L) | 250 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Color (PCU) | 59 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Dissolved Calcium (mg/L) | 83.2 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Dissolved Chloride (mg/L) | 124 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Dissolved Oxygen (mg/L) | 6.77 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 3/8/2005 | 10:10:00 | 0 | pH | 7.8 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Specific Conductivity (µmhos/cm) | 907 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Temperature (°C) | 20 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.54 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Total Phosphorus | 0.021 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 3/8/2005 | 10:10:00 | 0 | Turbidity (NTU) | 1.2 |
| G354C | 3/8/2005 | 10:15:00 | 24 | Total Phosphorus | 0.015 |
| G354C | 3/15/2005 | 10:20:00 | 0 | Dissolved Oxygen (mg/L) | 8.05 |
| G354C | 3/15/2005 | 10:20:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 3/15/2005 | 10:20:00 | 0 | pH | 7.73 |
| G354C | 3/15/2005 | 10:20:00 | 0 | Specific Conductivity (µmhos/cm) | 959 |
| G354C | 3/15/2005 | 10:20:00 | 0 | Temperature (°C) | 23 |
| G354C | 3/15/2005 | 10:20:00 | 0 | Total Phosphorus | 0.009 |
| G354C | 3/15/2005 | 10:30:00 | 24 | Total Phosphorus | 0.017 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|--------|
| G354C | 3/22/2005 | 10:45:00 | 0 | Alkalinity (mg/L) | 262 |
| G354C | 3/22/2005 | 10:45:00 | 0 | Color (PCU) | 60 |
| G354C | 3/22/2005 | 10:45:00 | 0 | Dissolved Calcium (mg/L) | 95.2 |
| G354C | 3/22/2005 | 10:45:00 | 0 | Dissolved Chloride (mg/L) | 114 |
| G354C | 3/22/2005 | 10:45:00 | 0 | Dissolved Oxygen (mg/L) | 7.34 |
| G354C | 3/22/2005 | 10:45:00 | 0 | pH | 7.67 |
| G354C | 3/22/2005 | 10:45:00 | 0 | Specific Conductivity (µmhos/cm) | 877 |
| G354C | 3/22/2005 | 10:45:00 | 0 | Temperature (°C) | 24 |
| G354C | 3/22/2005 | 10:45:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.44 |
| G354C | 3/22/2005 | 10:45:00 | 0 | Total Phosphorus | 0.011 |
| G354C | 3/22/2005 | 10:45:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 3/22/2005 | 10:45:00 | 0 | Turbidity (NTU) | 0.8 |
| G354C | 3/22/2005 | 10:50:00 | 24 | Total Phosphorus | 0.011 |
| G354C | 3/29/2005 | 10:20:00 | 0 | Dissolved Oxygen (mg/L) | 4.41 |
| G354C | 3/29/2005 | 10:20:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 3/29/2005 | 10:20:00 | 0 | pH | 7.74 |
| G354C | 3/29/2005 | 10:20:00 | 0 | Specific Conductivity (µmhos/cm) | 920 |
| G354C | 3/29/2005 | 10:20:00 | 0 | Temperature (°C) | 21.1 |
| G354C | 3/29/2005 | 10:20:00 | 0 | Total Phosphorus | 0.013 |
| G354C | 3/29/2005 | 10:25:00 | 24 | Total Phosphorus | 0.01 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Alkalinity (mg/L) | 245 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Color (PCU) | 69 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Dissolved Calcium (mg/L) | 87.8 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Dissolved Chloride (mg/L) | 121 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Dissolved Oxygen (mg/L) | 6.63 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G354C | 4/5/2005 | 11:00:00 | 0 | pH | 7.73 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Specific Conductivity (µmhos/cm) | 875 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Temperature (°C) | 21 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.52 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Total Phosphorus | 0.01 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 4/5/2005 | 11:00:00 | 0 | Turbidity (NTU) | 0.8 |
| G354C | 4/5/2005 | 11:10:00 | 24 | Total Phosphorus | 0.014 |
| G354C | 4/12/2005 | 10:26:00 | 0 | Dissolved Oxygen (mg/L) | 2.82 |
| G354C | 4/12/2005 | 10:26:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G354C | 4/12/2005 | 10:26:00 | 0 | pH | 7.51 |
| G354C | 4/12/2005 | 10:26:00 | 0 | Specific Conductivity (µmhos/cm) | 761 |
| G354C | 4/12/2005 | 10:26:00 | 0 | Temperature (°C) | 22.4 |
| G354C | 4/12/2005 | 10:26:00 | 0 | Total Phosphorus | 0.019 |
| G354C | 4/19/2005 | 10:43:00 | 0 | Alkalinity (mg/L) | 169 |
| G354C | 4/19/2005 | 10:43:00 | 0 | Color (PCU) | 59 |
| G354C | 4/19/2005 | 10:43:00 | 0 | Dissolved Calcium (mg/L) | 54.4 |
| G354C | 4/19/2005 | 10:43:00 | 0 | Dissolved Chloride (mg/L) | 127 |
| G354C | 4/19/2005 | 10:43:00 | 0 | Dissolved Oxygen (mg/L) | 3.35 |
| G354C | 4/19/2005 | 10:43:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G354C | 4/19/2005 | 10:43:00 | 0 | pH | 7.5 |
| G354C | 4/19/2005 | 10:43:00 | 0 | Specific Conductivity (µmhos/cm) | 835 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G354C | 4/19/2005 | 10:43:00 | 0 | Temperature (°C) | 19.2 |
| G354C | 4/19/2005 | 10:43:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.66 |
| G354C | 4/19/2005 | 10:43:00 | 0 | Total Phosphorus | 0.009 |
| G354C | 4/19/2005 | 10:43:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G354C | 4/19/2005 | 10:43:00 | 0 | Turbidity (NTU) | 0.8 |
| G354C | 4/20/2005 | 10:10:00 | 0 | Ametryn (µg/L) | 0.013 |
| G354C | 4/20/2005 | 10:10:00 | 0 | Atrazine (µg/L) | 0.45 |
| G354C | 4/26/2005 | 12:05:00 | 0 | Dissolved Oxygen (mg/L) | 3.21 |
| G354C | 4/26/2005 | 12:05:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G354C | 4/26/2005 | 12:05:00 | 0 | pH | 7.43 |
| G354C | 4/26/2005 | 12:05:00 | 0 | Specific Conductivity (µmhos/cm) | 869 |
| G354C | 4/26/2005 | 12:05:00 | 0 | Temperature (°C) | 21.6 |
| G354C | 4/26/2005 | 12:05:00 | 0 | Total Phosphorus | 0.028 |
| G393B | 5/3/2004 | 11:10:00 | 0 | Alkalinity (mg/L) | 207 |
| G393B | 5/3/2004 | 11:10:00 | 0 | Color (PCU) | 99 |
| G393B | 5/3/2004 | 11:10:00 | 0 | Dissolved Calcium (mg/L) | 74.2 |
| G393B | 5/3/2004 | 11:10:00 | 0 | Dissolved Chloride (mg/L) | 109 |
| G393B | 5/3/2004 | 11:10:00 | 0 | Dissolved Oxygen (mg/L) | 1.41 |
| G393B | 5/3/2004 | 11:10:00 | 0 | Orthophosphate as P (mg/L) | 0.008 |
| G393B | 5/3/2004 | 11:10:00 | 0 | pH | 7.3 |
| G393B | 5/3/2004 | 11:10:00 | 0 | Specific Conductivity (µmhos/cm) | 797.2 |
| G393B | 5/3/2004 | 11:10:00 | 0 | Temperature (°C) | 25 |
| G393B | 5/3/2004 | 11:10:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 3.29 |
| G393B | 5/3/2004 | 11:10:00 | 0 | Total Suspended Solids (mg/L) | 12 |
| G393B | 5/3/2004 | 11:10:00 | 0 | Turbidity (NTU) | 7.3 |
| G393B | 6/7/2004 | 12:05:00 | 0 | Orthophosphate as P (mg/L) | 0.008 |
| G393B | 6/7/2004 | 12:05:00 | 0 | pH | 7.32 |
| G393B | 6/7/2004 | 12:05:00 | 0 | Specific Conductivity (µmhos/cm) | 629 |
| G393B | 6/7/2004 | 12:05:00 | 0 | Temperature (°C) | 26 |
| G393B | 6/7/2004 | 12:05:00 | 0 | Total Phosphorus | 0.108 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Alkalinity (mg/L) | 133 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Color (PCU) | 113 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Dissolved Calcium (mg/L) | 77.9 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Dissolved Chloride (mg/L) | 35.4 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Dissolved Oxygen (mg/L) | 1.67 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Orthophosphate as P (mg/L) | 0.01 |
| G393B | 6/14/2004 | 11:45:00 | 0 | pH | 7.06 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Specific Conductivity (µmhos/cm) | 555 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Temperature (°C) | 27.3 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.82 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Total Phosphorus | 0.095 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Total Suspended Solids (mg/L) | 7 |
| G393B | 6/14/2004 | 11:45:00 | 0 | Turbidity (NTU) | 3.2 |
| G393B | 6/21/2004 | 11:03:00 | 0 | Dissolved Oxygen (mg/L) | 1.42 |
| G393B | 6/21/2004 | 11:03:00 | 0 | Orthophosphate as P (mg/L) | 0.011 |
| G393B | 6/21/2004 | 11:03:00 | 0 | pH | 7.1 |
| G393B | 6/21/2004 | 11:03:00 | 0 | Specific Conductivity (µmhos/cm) | 559 |
| G393B | 6/21/2004 | 11:03:00 | 0 | Temperature (°C) | 27.6 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G393B | 6/21/2004 | 11:03:00 | 0 | Total Phosphorus | 0.061 |
| G393B | 6/22/2004 | 09:35:00 | 0 | Ametryn (µg/L) | <0.01 |
| G393B | 6/22/2004 | 09:35:00 | 0 | Atrazine (µg/L) | 0.02 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Alkalinity (mg/L) | 197 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Color (PCU) | 150 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Dissolved Calcium (mg/L) | 86 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Dissolved Chloride (mg/L) | 42.4 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Dissolved Magnesium (mg/L) | 7 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Dissolved Oxygen (mg/L) | 1.84 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Dissolved Potassium (mg/L) | 4.8 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Dissolved Sodium (mg/L) | 32.6 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Orthophosphate as P (mg/L) | 0.009 |
| G393B | 6/28/2004 | 11:33:00 | 0 | pH | 7.14 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Silica (mg/L) | 9.98 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Specific Conductivity (µmhos/cm) | 578.9 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Sulfate (mg/L) | 37.3 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Temperature (°C) | 27.8 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Total Iron (µg/L) | 79 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.6 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Total Phosphorus | 0.052 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Total Suspended Solids (mg/L) | 4 |
| G393B | 6/28/2004 | 11:33:00 | 0 | Turbidity (NTU) | 0.8 |
| G393B | 7/7/2004 | 11:16:00 | 0 | Dissolved Oxygen (mg/L) | 1.15 |
| G393B | 7/7/2004 | 11:16:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G393B | 7/7/2004 | 11:16:00 | 0 | pH | 7.23 |
| G393B | 7/7/2004 | 11:16:00 | 0 | Specific Conductivity (µmhos/cm) | 570 |
| G393B | 7/7/2004 | 11:16:00 | 0 | Temperature (°C) | 26.3 |
| G393B | 7/7/2004 | 11:16:00 | 0 | Total Phosphorus | 0.024 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Alkalinity (mg/L) | 233 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Color (PCU) | 124 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Dissolved Calcium (mg/L) | 96.4 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Dissolved Chloride (mg/L) | 71.8 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Dissolved Oxygen (mg/L) | 3.83 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G393B | 7/12/2004 | 11:00:00 | 0 | pH | 7.22 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Specific Conductivity (µmhos/cm) | 717 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Temperature (°C) | 26.2 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.57 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Total Phosphorus | 0.023 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 7/12/2004 | 11:00:00 | 0 | Turbidity (NTU) | 0.8 |
| G393B | 7/12/2004 | 11:05:00 | 24 | Total Phosphorus | 0.028 |
| G393B | 7/19/2004 | 11:01:00 | 0 | Dissolved Oxygen (mg/L) | 0.82 |
| G393B | 7/19/2004 | 11:01:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G393B | 7/19/2004 | 11:01:00 | 0 | pH | 7.22 |
| G393B | 7/19/2004 | 11:01:00 | 0 | Specific Conductivity (µmhos/cm) | 687 |
| G393B | 7/19/2004 | 11:01:00 | 0 | Temperature (°C) | 26.4 |
| G393B | 7/19/2004 | 11:01:00 | 0 | Total Phosphorus | 0.021 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|--------|
| G393B | 7/19/2004 | 11:05:00 | 24 | Total Phosphorus | 0.028 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Alkalinity (mg/L) | 237 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Color (PCU) | 100 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Dissolved Calcium (mg/L) | 88 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Dissolved Chloride (mg/L) | 70.5 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Dissolved Oxygen (mg/L) | 2.47 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G393B | 7/26/2004 | 11:12:00 | 0 | pH | 7.28 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Specific Conductivity (µmhos/cm) | 707 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Temperature (°C) | 26.8 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.34 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Total Phosphorus | 0.014 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 7/26/2004 | 11:12:00 | 0 | Turbidity (NTU) | 0.5 |
| G393B | 7/26/2004 | 11:14:00 | 24 | Total Phosphorus | 0.017 |
| G393B | 8/2/2004 | 10:53:00 | 0 | Dissolved Oxygen (mg/L) | 1.45 |
| G393B | 8/2/2004 | 10:53:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G393B | 8/2/2004 | 10:53:00 | 0 | pH | 7.15 |
| G393B | 8/2/2004 | 10:53:00 | 0 | Specific Conductivity (µmhos/cm) | 573 |
| G393B | 8/2/2004 | 10:53:00 | 0 | Temperature (°C) | 26.3 |
| G393B | 8/2/2004 | 10:53:00 | 0 | Total Phosphorus | 0.01 |
| G393B | 8/2/2004 | 11:00:00 | 24 | Total Phosphorus | 0.015 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Alkalinity (mg/L) | 184 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Color (PCU) | 123 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Dissolved Calcium (mg/L) | 71.8 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Dissolved Chloride (mg/L) | 39.6 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Dissolved Oxygen (mg/L) | 0.71 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Orthophosphate as P (mg/L) | 0.014 |
| G393B | 8/9/2004 | 10:05:00 | 0 | pH | 7.28 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Specific Conductivity (µmhos/cm) | 512 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Temperature (°C) | 27.7 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.52 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Total Phosphorus | 0.034 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 8/9/2004 | 10:05:00 | 0 | Turbidity (NTU) | 1.2 |
| G393B | 8/9/2004 | 10:10:00 | 24 | Total Phosphorus | 0.016 |
| G393B | 8/11/2004 | 10:10:00 | 0 | Atrazine (µg/L) | 0.033 |
| G393B | 8/16/2004 | 11:05:00 | 0 | Dissolved Oxygen (mg/L) | 2.07 |
| G393B | 8/16/2004 | 11:05:00 | 0 | Orthophosphate as P (mg/L) | 0.012 |
| G393B | 8/16/2004 | 11:05:00 | 0 | pH | 7.29 |
| G393B | 8/16/2004 | 11:05:00 | 0 | Specific Conductivity (µmhos/cm) | 667 |
| G393B | 8/16/2004 | 11:05:00 | 0 | Temperature (°C) | 27.6 |
| G393B | 8/16/2004 | 11:05:00 | 0 | Total Phosphorus | 0.023 |
| G393B | 8/16/2004 | 11:10:00 | 24 | Total Phosphorus | 0.036 |
| G393B | 8/23/2004 | 13:15:00 | 0 | Alkalinity (mg/L) | 204 |
| G393B | 8/23/2004 | 13:15:00 | 0 | Color (PCU) | 87 |
| G393B | 8/23/2004 | 13:15:00 | 0 | Dissolved Calcium (mg/L) | 79.2 |
| G393B | 8/23/2004 | 13:15:00 | 0 | Dissolved Chloride (mg/L) | 53.8 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G393B | 8/23/2004 | 13:15:00 | 0 | Dissolved Oxygen (mg/L) | 2.64 |
| G393B | 8/23/2004 | 13:15:00 | 0 | Orthophosphate as P (mg/L) | 0.008 |
| G393B | 8/23/2004 | 13:15:00 | 0 | pH | 7.32 |
| G393B | 8/23/2004 | 13:15:00 | 0 | Specific Conductivity (µmhos/cm) | 597 |
| G393B | 8/23/2004 | 13:15:00 | 0 | Temperature (°C) | 28.1 |
| G393B | 8/23/2004 | 13:15:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.24 |
| G393B | 8/23/2004 | 13:15:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 8/23/2004 | 13:15:00 | 0 | Turbidity (NTU) | 0.4 |
| G393B | 8/30/2004 | 11:07:00 | 0 | Dissolved Oxygen (mg/L) | 1.68 |
| G393B | 8/30/2004 | 11:07:00 | 0 | Orthophosphate as P (mg/L) | 0.008 |
| G393B | 8/30/2004 | 11:07:00 | 0 | pH | 7.23 |
| G393B | 8/30/2004 | 11:07:00 | 0 | Specific Conductivity (µmhos/cm) | 661 |
| G393B | 8/30/2004 | 11:07:00 | 0 | Temperature (°C) | 27.9 |
| G393B | 8/30/2004 | 11:07:00 | 0 | Total Phosphorus | 0.014 |
| G393B | 8/30/2004 | 11:12:00 | 24 | Total Phosphorus | 0.016 |
| G393B | 9/13/2004 | 12:00:00 | 0 | Dissolved Oxygen (mg/L) | 2.8 |
| G393B | 9/13/2004 | 12:00:00 | 0 | Orthophosphate as P (mg/L) | 0.015 |
| G393B | 9/13/2004 | 12:00:00 | 0 | pH | 7.17 |
| G393B | 9/13/2004 | 12:00:00 | 0 | Specific Conductivity (µmhos/cm) | 587 |
| G393B | 9/13/2004 | 12:00:00 | 0 | Temperature (°C) | 28 |
| G393B | 9/13/2004 | 12:00:00 | 0 | Total Phosphorus | 0.032 |
| G393B | 9/13/2004 | 12:07:00 | 24 | Total Phosphorus | 0.017 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Alkalinity (mg/L) | 252 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Color (PCU) | 124 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Dissolved Calcium (mg/L) | 94.3 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Dissolved Chloride (mg/L) | 68 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Dissolved Magnesium (mg/L) | 7.6 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Dissolved Oxygen (mg/L) | 0.79 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Dissolved Potassium (mg/L) | 5.2 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Dissolved Sodium (mg/L) | 47.1 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Orthophosphate as P (mg/L) | 0.019 |
| G393B | 9/20/2004 | 11:00:00 | 0 | pH | 7.29 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Silica (mg/L) | 12.6 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Specific Conductivity (µmhos/cm) | 743 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Sulfate (mg/L) | 15.2 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Temperature (°C) | 26.5 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Total Iron (µg/L) | 282 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.53 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Total Phosphorus | 0.037 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 9/20/2004 | 11:00:00 | 0 | Turbidity (NTU) | 1.2 |
| G393B | 9/20/2004 | 11:15:00 | 24 | Total Phosphorus | 0.032 |
| G393B | 9/28/2004 | 11:17:00 | 0 | Dissolved Oxygen (mg/L) | 1.13 |
| G393B | 9/28/2004 | 11:17:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G393B | 9/28/2004 | 11:17:00 | 0 | pH | 7.34 |
| G393B | 9/28/2004 | 11:17:00 | 0 | Specific Conductivity (µmhos/cm) | 747 |
| G393B | 9/28/2004 | 11:17:00 | 0 | Temperature (°C) | 25.9 |
| G393B | 9/28/2004 | 11:17:00 | 0 | Total Iron (µg/L) | 110 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G393B | 9/28/2004 | 11:17:00 | 0 | Total Phosphorus | 0.017 |
| G393B | 9/28/2004 | 11:20:00 | 24 | Total Phosphorus | 0.023 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Alkalinity (mg/L) | 263 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Color (PCU) | 88 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Dissolved Calcium (mg/L) | 99.3 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Dissolved Chloride (mg/L) | 80.8 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Dissolved Oxygen (mg/L) | 0.9 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Orthophosphate as P (mg/L) | 0.008 |
| G393B | 10/4/2004 | 10:00:00 | 0 | pH | 7.28 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Specific Conductivity (µmhos/cm) | 800 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Temperature (°C) | 26.3 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.33 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Total Phosphorus | 0.011 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 10/4/2004 | 10:00:00 | 0 | Turbidity (NTU) | 0.5 |
| G393B | 10/4/2004 | 10:05:00 | 24 | Total Phosphorus | 0.017 |
| G393B | 10/11/2004 | 11:30:00 | 0 | Dissolved Oxygen (mg/L) | 1.6 |
| G393B | 10/11/2004 | 11:30:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G393B | 10/11/2004 | 11:30:00 | 0 | pH | 7.32 |
| G393B | 10/11/2004 | 11:30:00 | 0 | Specific Conductivity (µmhos/cm) | 753 |
| G393B | 10/11/2004 | 11:30:00 | 0 | Temperature (°C) | 25.2 |
| G393B | 10/11/2004 | 11:30:00 | 0 | Total Phosphorus | 0.011 |
| G393B | 10/11/2004 | 11:35:00 | 24 | Total Phosphorus | 0.01 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Alkalinity (mg/L) | 274 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Color (PCU) | 94 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Dissolved Calcium (mg/L) | 103 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Dissolved Chloride (mg/L) | 84.4 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Dissolved Oxygen (mg/L) | 2.41 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G393B | 10/18/2004 | 11:15:00 | 0 | pH | 7.21 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Specific Conductivity (µmhos/cm) | 822.3 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Temperature (°C) | 22.3 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.44 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Total Phosphorus | 0.011 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 10/18/2004 | 11:15:00 | 0 | Turbidity (NTU) | 0.9 |
| G393B | 10/18/2004 | 11:20:00 | 24 | Total Phosphorus | 0.012 |
| G393B | 10/25/2004 | 10:35:00 | 0 | Dissolved Oxygen (mg/L) | 1.93 |
| G393B | 10/25/2004 | 10:35:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G393B | 10/25/2004 | 10:35:00 | 0 | pH | 7.14 |
| G393B | 10/25/2004 | 10:35:00 | 0 | Specific Conductivity (µmhos/cm) | 842 |
| G393B | 10/25/2004 | 10:35:00 | 0 | Temperature (°C) | 22.6 |
| G393B | 10/25/2004 | 10:35:00 | 0 | Total Phosphorus | 0.01 |
| G393B | 10/25/2004 | 10:40:00 | 24 | Total Phosphorus | 0.048 |
| G393B | 11/1/2004 | 11:25:00 | 0 | Alkalinity (mg/L) | 286 |
| G393B | 11/1/2004 | 11:25:00 | 0 | Color (PCU) | 81 |
| G393B | 11/1/2004 | 11:25:00 | 0 | Dissolved Calcium (mg/L) | 104 |
| G393B | 11/1/2004 | 11:25:00 | 0 | Dissolved Chloride (mg/L) | 101 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|---------|
| G393B | 11/1/2004 | 11:25:00 | 0 | Dissolved Oxygen (mg/L) | 1.1 |
| G393B | 11/1/2004 | 11:25:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G393B | 11/1/2004 | 11:25:00 | 0 | pH | 7.25 |
| G393B | 11/1/2004 | 11:25:00 | 0 | Specific Conductivity (µmhos/cm) | 902 |
| G393B | 11/1/2004 | 11:25:00 | 0 | Temperature (°C) | 22.6 |
| G393B | 11/1/2004 | 11:25:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.34 |
| G393B | 11/1/2004 | 11:25:00 | 0 | Total Phosphorus | 0.012 |
| G393B | 11/1/2004 | 11:25:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 11/1/2004 | 11:25:00 | 0 | Turbidity (NTU) | 0.3 |
| G393B | 11/1/2004 | 11:30:00 | 24 | Total Phosphorus | 0.015 |
| G393B | 11/8/2004 | 14:10:00 | 0 | Dissolved Oxygen (mg/L) | 1.87 |
| G393B | 11/8/2004 | 14:10:00 | 0 | Orthophosphate as P (mg/L) | 0.008 |
| G393B | 11/8/2004 | 14:10:00 | 0 | pH | 7.17 |
| G393B | 11/8/2004 | 14:10:00 | 0 | Specific Conductivity (µmhos/cm) | 918 |
| G393B | 11/8/2004 | 14:10:00 | 0 | Temperature (°C) | 21.1 |
| G393B | 11/8/2004 | 14:10:00 | 0 | Total Phosphorus | 0.014 |
| G393B | 11/8/2004 | 14:15:00 | 24 | Total Phosphorus | 0.014 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Alkalinity (mg/L) | 283 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Color (PCU) | 76 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Dissolved Calcium (mg/L) | 103 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Dissolved Chloride (mg/L) | 111 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Dissolved Magnesium (mg/L) | 9.8 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Dissolved Oxygen (mg/L) | 3.4 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Dissolved Potassium (mg/L) | 4.4 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Dissolved Sodium (mg/L) | 80.7 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G393B | 11/15/2004 | 12:00:00 | 0 | pH | 7.14 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Silica (mg/L) | 9.09 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Specific Conductivity (µmhos/cm) | 907 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Sulfate (mg/L) | 20.8 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Temperature (°C) | 20.6 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Total Iron (µg/L) | 42 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.37 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Total Phosphorus | 0.011 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 11/15/2004 | 12:00:00 | 0 | Turbidity (NTU) | 0.4 |
| G393B | 11/15/2004 | 12:05:00 | 24 | Total Phosphorus | 0.035 |
| G393B | 11/18/2004 | 10:25:00 | 0 | Ametryn (µg/L) | <0.0095 |
| G393B | 11/18/2004 | 10:25:00 | 0 | Atrazine (µg/L) | <0.0095 |
| G393B | 11/22/2004 | 11:15:00 | 0 | Dissolved Oxygen (mg/L) | 0.84 |
| G393B | 11/22/2004 | 11:15:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G393B | 11/22/2004 | 11:15:00 | 0 | pH | 7.15 |
| G393B | 11/22/2004 | 11:15:00 | 0 | Specific Conductivity (µmhos/cm) | 947 |
| G393B | 11/22/2004 | 11:15:00 | 0 | Temperature (°C) | 18.8 |
| G393B | 11/22/2004 | 11:15:00 | 0 | Total Phosphorus | 0.014 |
| G393B | 11/22/2004 | 11:20:00 | 24 | Total Phosphorus | 0.012 |
| G393B | 11/29/2004 | 11:10:00 | 0 | Alkalinity (mg/L) | 295 |
| G393B | 11/29/2004 | 11:10:00 | 0 | Color (PCU) | 77 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G393B | 11/29/2004 | 11:10:00 | 0 | Dissolved Calcium (mg/L) | 105 |
| G393B | 11/29/2004 | 11:10:00 | 0 | Dissolved Chloride (mg/L) | 116 |
| G393B | 11/29/2004 | 11:10:00 | 0 | Dissolved Oxygen (mg/L) | 1.6 |
| G393B | 11/29/2004 | 11:10:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G393B | 11/29/2004 | 11:10:00 | 0 | pH | 7.33 |
| G393B | 11/29/2004 | 11:10:00 | 0 | Specific Conductivity (µmhos/cm) | 945 |
| G393B | 11/29/2004 | 11:10:00 | 0 | Temperature (°C) | 19.6 |
| G393B | 11/29/2004 | 11:10:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.36 |
| G393B | 11/29/2004 | 11:10:00 | 0 | Total Phosphorus | 0.013 |
| G393B | 11/29/2004 | 11:10:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 11/29/2004 | 11:10:00 | 0 | Turbidity (NTU) | 0.3 |
| G393B | 11/29/2004 | 11:15:00 | 24 | Total Phosphorus | 0.013 |
| G393B | 12/6/2004 | 11:13:00 | 0 | Dissolved Oxygen (mg/L) | 4.24 |
| G393B | 12/6/2004 | 11:13:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G393B | 12/6/2004 | 11:13:00 | 0 | pH | 7.47 |
| G393B | 12/6/2004 | 11:13:00 | 0 | Specific Conductivity (µmhos/cm) | 751 |
| G393B | 12/6/2004 | 11:13:00 | 0 | Temperature (°C) | 18.6 |
| G393B | 12/6/2004 | 11:13:00 | 0 | Total Phosphorus | 0.013 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Alkalinity (mg/L) | 293 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Color (PCU) | 78 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Dissolved Calcium (mg/L) | 101 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Dissolved Chloride (mg/L) | 120 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Dissolved Oxygen (mg/L) | 2.11 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G393B | 12/13/2004 | 12:17:00 | 0 | pH | 7.21 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Specific Conductivity (µmhos/cm) | 949 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Temperature (°C) | 15.2 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.4 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Total Phosphorus | 0.013 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 12/13/2004 | 12:17:00 | 0 | Turbidity (NTU) | 0.4 |
| G393B | 12/20/2004 | 11:05:00 | 0 | Dissolved Oxygen (mg/L) | 3.8 |
| G393B | 12/20/2004 | 11:05:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G393B | 12/20/2004 | 11:05:00 | 0 | pH | 7.6 |
| G393B | 12/20/2004 | 11:05:00 | 0 | Specific Conductivity (µmhos/cm) | 936 |
| G393B | 12/20/2004 | 11:05:00 | 0 | Temperature (°C) | 14 |
| G393B | 12/20/2004 | 11:05:00 | 0 | Total Phosphorus | 0.01 |
| G393B | 12/20/2004 | 11:10:00 | 24 | Total Phosphorus | 0.014 |
| G393B | 12/27/2004 | 11:00:00 | 0 | Alkalinity (mg/L) | 289 |
| G393B | 12/27/2004 | 11:00:00 | 0 | Color (PCU) | 64 |
| G393B | 12/27/2004 | 11:00:00 | 0 | Dissolved Calcium (mg/L) | 100 |
| G393B | 12/27/2004 | 11:00:00 | 0 | Dissolved Chloride (mg/L) | 109 |
| G393B | 12/27/2004 | 11:00:00 | 0 | Dissolved Oxygen (mg/L) | 4.9 |
| G393B | 12/27/2004 | 11:00:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G393B | 12/27/2004 | 11:00:00 | 0 | pH | 7.49 |
| G393B | 12/27/2004 | 11:00:00 | 0 | Temperature (°C) | 14.4 |
| G393B | 12/27/2004 | 11:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.33 |
| G393B | 12/27/2004 | 11:00:00 | 0 | Total Phosphorus | 0.01 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|---------|
| G393B | 12/27/2004 | 11:00:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 12/27/2004 | 11:00:00 | 0 | Turbidity (NTU) | 0.4 |
| G393B | 12/27/2004 | 11:05:00 | 24 | Total Phosphorus | 0.013 |
| G393B | 1/3/2005 | 12:37:00 | 0 | Dissolved Oxygen (mg/L) | 4.34 |
| G393B | 1/3/2005 | 12:37:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G393B | 1/3/2005 | 12:37:00 | 0 | pH | 7.22 |
| G393B | 1/3/2005 | 12:37:00 | 0 | Specific Conductivity (µmhos/cm) | 912 |
| G393B | 1/3/2005 | 12:37:00 | 0 | Temperature (°C) | 16.9 |
| G393B | 1/3/2005 | 12:37:00 | 0 | Total Phosphorus | 0.01 |
| G393B | 1/5/2005 | 10:00:00 | 24 | Total Phosphorus | 0.014 |
| G393B | 1/5/2005 | 10:05:00 | 0 | Total Phosphorus | 0.009 |
| G393B | 1/12/2005 | 10:10:00 | 0 | Alkalinity (mg/L) | 287 |
| G393B | 1/12/2005 | 10:10:00 | 0 | Color (PCU) | 68 |
| G393B | 1/12/2005 | 10:10:00 | 0 | Dissolved Calcium (mg/L) | 102 |
| G393B | 1/12/2005 | 10:10:00 | 0 | Dissolved Chloride (mg/L) | 117 |
| G393B | 1/12/2005 | 10:10:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G393B | 1/12/2005 | 10:10:00 | 0 | pH | 7.37 |
| G393B | 1/12/2005 | 10:10:00 | 0 | Specific Conductivity (µmhos/cm) | 948 |
| G393B | 1/12/2005 | 10:10:00 | 0 | Temperature (°C) | 17.4 |
| G393B | 1/12/2005 | 10:10:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.41 |
| G393B | 1/12/2005 | 10:10:00 | 0 | Total Phosphorus | 0.012 |
| G393B | 1/12/2005 | 10:10:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 1/12/2005 | 10:10:00 | 0 | Turbidity (NTU) | 0.6 |
| G393B | 1/13/2005 | 11:50:00 | 0 | Ametryn (µg/L) | <0.0095 |
| G393B | 1/13/2005 | 11:50:00 | 0 | Atrazine (µg/L) | <0.0095 |
| G393B | 1/18/2005 | 11:14:00 | 0 | Dissolved Oxygen (mg/L) | 2.97 |
| G393B | 1/18/2005 | 11:14:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G393B | 1/18/2005 | 11:14:00 | 0 | pH | 7.24 |
| G393B | 1/18/2005 | 11:14:00 | 0 | Specific Conductivity (µmhos/cm) | 895 |
| G393B | 1/18/2005 | 11:14:00 | 0 | Temperature (°C) | 13.4 |
| G393B | 1/18/2005 | 11:14:00 | 0 | Total Phosphorus | 0.011 |
| G393B | 1/18/2005 | 11:20:00 | 24 | Total Phosphorus | 0.017 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Alkalinity (mg/L) | 274 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Color (PCU) | 62 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Dissolved Calcium (mg/L) | 100 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Dissolved Chloride (mg/L) | 114 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Dissolved Oxygen (mg/L) | 7.58 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G393B | 1/25/2005 | 11:05:00 | 0 | pH | 7.37 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Specific Conductivity (µmhos/cm) | 913 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Temperature (°C) | 11.6 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.29 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Total Phosphorus | 0.007 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 1/25/2005 | 11:05:00 | 0 | Turbidity (NTU) | 0.4 |
| G393B | 1/25/2005 | 11:11:00 | 24 | Total Phosphorus | 0.009 |
| G393B | 2/1/2005 | 10:47:00 | 0 | Dissolved Oxygen (mg/L) | 5.44 |
| G393B | 2/1/2005 | 10:47:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|--------|
| G393B | 2/1/2005 | 10:47:00 | 0 | pH | 7.42 |
| G393B | 2/1/2005 | 10:47:00 | 0 | Specific Conductivity (µmhos/cm) | 726 |
| G393B | 2/1/2005 | 10:47:00 | 0 | Temperature (°C) | 16.8 |
| G393B | 2/1/2005 | 10:47:00 | 0 | Total Phosphorus | 0.008 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Alkalinity (mg/L) | 286 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Color (PCU) | 66 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Dissolved Calcium (mg/L) | 99.2 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Dissolved Chloride (mg/L) | 121 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Dissolved Magnesium (mg/L) | 10.4 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Dissolved Oxygen (mg/L) | 4.67 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Dissolved Potassium (mg/L) | 5.7 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Dissolved Sodium (mg/L) | 87.8 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G393B | 2/8/2005 | 11:41:00 | 0 | pH | 7.39 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Silica (mg/L) | 1.4 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Specific Conductivity (µmhos/cm) | 943 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Sulfate (mg/L) | 15.7 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Temperature (°C) | 15.9 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Total Iron (µg/L) | 22 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.4 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Total Phosphorus | 0.008 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 2/8/2005 | 11:41:00 | 0 | Turbidity (NTU) | 0.6 |
| G393B | 2/8/2005 | 11:50:00 | 24 | Total Phosphorus | 0.009 |
| G393B | 2/15/2005 | 12:18:00 | 0 | Dissolved Oxygen (mg/L) | 3.94 |
| G393B | 2/15/2005 | 12:18:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G393B | 2/15/2005 | 12:18:00 | 0 | pH | 7.31 |
| G393B | 2/15/2005 | 12:18:00 | 0 | Specific Conductivity (µmhos/cm) | 927 |
| G393B | 2/15/2005 | 12:18:00 | 0 | Temperature (°C) | 14.7 |
| G393B | 2/15/2005 | 12:18:00 | 0 | Total Phosphorus | 0.009 |
| G393B | 2/15/2005 | 12:25:00 | 24 | Total Phosphorus | 0.01 |
| G393B | 2/22/2005 | 11:35:00 | 0 | Alkalinity (mg/L) | 287 |
| G393B | 2/22/2005 | 11:35:00 | 0 | Color (PCU) | 62 |
| G393B | 2/22/2005 | 11:35:00 | 0 | Dissolved Calcium (mg/L) | 102 |
| G393B | 2/22/2005 | 11:35:00 | 0 | Dissolved Chloride (mg/L) | 118 |
| G393B | 2/22/2005 | 11:35:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G393B | 2/22/2005 | 11:35:00 | 0 | pH | 7.32 |
| G393B | 2/22/2005 | 11:35:00 | 0 | Specific Conductivity (µmhos/cm) | 938 |
| G393B | 2/22/2005 | 11:35:00 | 0 | Temperature (°C) | 17.4 |
| G393B | 2/22/2005 | 11:35:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.42 |
| G393B | 2/22/2005 | 11:35:00 | 0 | Total Phosphorus | 0.007 |
| G393B | 2/22/2005 | 11:35:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 2/22/2005 | 11:35:00 | 0 | Turbidity (NTU) | 0.6 |
| G393B | 2/22/2005 | 11:46:00 | 24 | Total Phosphorus | 0.009 |
| G393B | 3/1/2005 | 11:22:00 | 0 | Dissolved Oxygen (mg/L) | 2.24 |
| G393B | 3/1/2005 | 11:22:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G393B | 3/1/2005 | 11:22:00 | 0 | pH | 7.57 |
| G393B | 3/1/2005 | 11:22:00 | 0 | Specific Conductivity (µmhos/cm) | 879 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|--------|
| G393B | 3/1/2005 | 11:22:00 | 0 | Temperature (°C) | 18.6 |
| G393B | 3/1/2005 | 11:22:00 | 0 | Total Phosphorus | 0.01 |
| G393B | 3/1/2005 | 11:28:00 | 24 | Total Phosphorus | 0.011 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Alkalinity (mg/L) | 302 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Color (PCU) | 61 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Dissolved Calcium (mg/L) | 105 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Dissolved Chloride (mg/L) | 119 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Dissolved Oxygen (mg/L) | 2.89 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G393B | 3/8/2005 | 10:35:00 | 0 | pH | 7.36 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Specific Conductivity (µmhos/cm) | 957 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Temperature (°C) | 17.2 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.27 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Total Phosphorus | 0.009 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 3/8/2005 | 10:35:00 | 0 | Turbidity (NTU) | 0.2 |
| G393B | 3/8/2005 | 10:40:00 | 24 | Total Phosphorus | 0.014 |
| G393B | 3/15/2005 | 10:55:00 | 0 | Dissolved Oxygen (mg/L) | 3.13 |
| G393B | 3/15/2005 | 10:55:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G393B | 3/15/2005 | 10:55:00 | 0 | pH | 7.27 |
| G393B | 3/15/2005 | 10:55:00 | 0 | Specific Conductivity (µmhos/cm) | 970 |
| G393B | 3/15/2005 | 10:55:00 | 0 | Temperature (°C) | 19.1 |
| G393B | 3/15/2005 | 10:55:00 | 0 | Total Phosphorus | 0.008 |
| G393B | 3/15/2005 | 11:00:00 | 24 | Total Phosphorus | 0.011 |
| G393B | 3/22/2005 | 11:20:00 | 0 | Alkalinity (mg/L) | 300 |
| G393B | 3/22/2005 | 11:20:00 | 0 | Color (PCU) | 61 |
| G393B | 3/22/2005 | 11:20:00 | 0 | Dissolved Calcium (mg/L) | 111 |
| G393B | 3/22/2005 | 11:20:00 | 0 | Dissolved Chloride (mg/L) | 115 |
| G393B | 3/22/2005 | 11:20:00 | 0 | Dissolved Oxygen (mg/L) | 3.41 |
| G393B | 3/22/2005 | 11:20:00 | 0 | pH | 7.27 |
| G393B | 3/22/2005 | 11:20:00 | 0 | Specific Conductivity (µmhos/cm) | 957 |
| G393B | 3/22/2005 | 11:20:00 | 0 | Temperature (°C) | 21.2 |
| G393B | 3/22/2005 | 11:20:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.3 |
| G393B | 3/22/2005 | 11:20:00 | 0 | Total Phosphorus | 0.009 |
| G393B | 3/22/2005 | 11:20:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 3/22/2005 | 11:20:00 | 0 | Turbidity (NTU) | 0.3 |
| G393B | 3/22/2005 | 11:25:00 | 24 | Total Phosphorus | 0.018 |
| G393B | 3/29/2005 | 11:10:00 | 0 | Dissolved Oxygen (mg/L) | 4.5 |
| G393B | 3/29/2005 | 11:10:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G393B | 3/29/2005 | 11:10:00 | 0 | pH | 7.48 |
| G393B | 3/29/2005 | 11:10:00 | 0 | Specific Conductivity (µmhos/cm) | 958 |
| G393B | 3/29/2005 | 11:10:00 | 0 | Temperature (°C) | 22.4 |
| G393B | 3/29/2005 | 11:10:00 | 0 | Total Phosphorus | 0.009 |
| G393B | 3/29/2005 | 11:15:00 | 24 | Total Phosphorus | 0.011 |
| G393B | 4/5/2005 | 11:35:00 | 0 | Alkalinity (mg/L) | 311 |
| G393B | 4/5/2005 | 11:35:00 | 0 | Color (PCU) | 70 |
| G393B | 4/5/2005 | 11:35:00 | 0 | Dissolved Calcium (mg/L) | 118 |
| G393B | 4/5/2005 | 11:35:00 | 0 | Dissolved Chloride (mg/L) | 119 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|---------|
| G393B | 4/5/2005 | 11:35:00 | 0 | Dissolved Oxygen (mg/L) | 2.87 |
| G393B | 4/5/2005 | 11:35:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G393B | 4/5/2005 | 11:35:00 | 0 | pH | 7.4 |
| G393B | 4/5/2005 | 11:35:00 | 0 | Specific Conductivity (µmhos/cm) | 1003 |
| G393B | 4/5/2005 | 11:35:00 | 0 | Temperature (°C) | 18.6 |
| G393B | 4/5/2005 | 11:35:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.37 |
| G393B | 4/5/2005 | 11:35:00 | 0 | Total Phosphorus | 0.01 |
| G393B | 4/5/2005 | 11:35:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 4/5/2005 | 11:35:00 | 0 | Turbidity (NTU) | 0.4 |
| G393B | 4/5/2005 | 11:40:00 | 24 | Total Phosphorus | 0.014 |
| G393B | 4/12/2005 | 11:30:00 | 0 | Dissolved Oxygen (mg/L) | 3.11 |
| G393B | 4/12/2005 | 11:30:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G393B | 4/12/2005 | 11:30:00 | 0 | pH | 7.42 |
| G393B | 4/12/2005 | 11:30:00 | 0 | Specific Conductivity (µmhos/cm) | 912 |
| G393B | 4/12/2005 | 11:30:00 | 0 | Temperature (°C) | 20.7 |
| G393B | 4/12/2005 | 11:30:00 | 0 | Total Phosphorus | 0.012 |
| G393B | 4/12/2005 | 11:35:00 | 24 | Total Phosphorus | 0.015 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Alkalinity (mg/L) | 268 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Color (PCU) | 72 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Dissolved Calcium (mg/L) | 97 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Dissolved Chloride (mg/L) | 116 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Dissolved Oxygen (mg/L) | 3.01 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G393B | 4/19/2005 | 11:08:00 | 0 | pH | 7.36 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Specific Conductivity (µmhos/cm) | 906 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Temperature (°C) | 18.5 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.39 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Total Phosphorus | 0.013 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G393B | 4/19/2005 | 11:08:00 | 0 | Turbidity (NTU) | 0.6 |
| G393B | 4/20/2005 | 10:00:00 | 0 | Ametryn (µg/L) | <0.0096 |
| G393B | 4/20/2005 | 10:00:00 | 0 | Atrazine (µg/L) | 0.19 |
| G393B | 4/26/2005 | 11:50:00 | 0 | Dissolved Oxygen (mg/L) | 3.58 |
| G393B | 4/26/2005 | 11:50:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G393B | 4/26/2005 | 11:50:00 | 0 | pH | 7.35 |
| G393B | 4/26/2005 | 11:50:00 | 0 | Specific Conductivity (µmhos/cm) | 939 |
| G393B | 4/26/2005 | 11:50:00 | 0 | Temperature (°C) | 18.2 |
| G393B | 4/26/2005 | 11:50:00 | 0 | Total Phosphorus | 0.013 |
| G600 | 5/3/2004 | 12:10:00 | 0 | Alkalinity (mg/L) | 268 |
| G600 | 5/3/2004 | 12:10:00 | 0 | Color (PCU) | 67 |
| G600 | 5/3/2004 | 12:10:00 | 0 | Dissolved Calcium (mg/L) | 94.4 |
| G600 | 5/3/2004 | 12:10:00 | 0 | Dissolved Chloride (mg/L) | 108 |
| G600 | 5/3/2004 | 12:10:00 | 0 | Dissolved Oxygen (mg/L) | 3.67 |
| G600 | 5/3/2004 | 12:10:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G600 | 5/3/2004 | 12:10:00 | 0 | pH | 7.7 |
| G600 | 5/3/2004 | 12:10:00 | 0 | Specific Conductivity (µmhos/cm) | 897.1 |
| G600 | 5/3/2004 | 12:10:00 | 0 | Temperature (°C) | 26.1 |
| G600 | 5/3/2004 | 12:10:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.77 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|--------|
| G600 | 5/3/2004 | 12:10:00 | 0 | Total Phosphorus | 0.03 |
| G600 | 5/3/2004 | 12:10:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 5/3/2004 | 12:10:00 | 0 | Turbidity (NTU) | 2.4 |
| G600 | 5/10/2004 | 12:35:00 | 0 | Dissolved Oxygen (mg/L) | 5.59 |
| G600 | 5/10/2004 | 12:35:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G600 | 5/10/2004 | 12:35:00 | 0 | pH | 7.73 |
| G600 | 5/10/2004 | 12:35:00 | 0 | Specific Conductivity (µmhos/cm) | 811.6 |
| G600 | 5/10/2004 | 12:35:00 | 0 | Temperature (°C) | 25.9 |
| G600 | 5/10/2004 | 12:35:00 | 0 | Total Phosphorus | 0.039 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Alkalinity (mg/L) | 257 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Color (PCU) | 65 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Dissolved Calcium (mg/L) | 94.8 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Dissolved Chloride (mg/L) | 102 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Dissolved Oxygen (mg/L) | 5.65 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G600 | 5/17/2004 | 12:00:00 | 0 | pH | 7.54 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Specific Conductivity (µmhos/cm) | 850 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Temperature (°C) | 26.5 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 2.17 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Total Phosphorus | 0.041 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Total Suspended Solids (mg/L) | 8 |
| G600 | 5/17/2004 | 12:00:00 | 0 | Turbidity (NTU) | 4.1 |
| G600 | 5/24/2004 | 13:17:00 | 0 | Dissolved Oxygen (mg/L) | 8.3 |
| G600 | 5/24/2004 | 13:17:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G600 | 5/24/2004 | 13:17:00 | 0 | pH | 7.68 |
| G600 | 5/24/2004 | 13:17:00 | 0 | Specific Conductivity (µmhos/cm) | 905 |
| G600 | 5/24/2004 | 13:17:00 | 0 | Temperature (°C) | 28.9 |
| G600 | 5/24/2004 | 13:17:00 | 0 | Total Phosphorus | 0.037 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Alkalinity (mg/L) | 119 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Color (PCU) | 35 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Dissolved Calcium (mg/L) | 45.2 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Dissolved Chloride (mg/L) | 57.4 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Dissolved Oxygen (mg/L) | 7.48 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G600 | 6/1/2004 | 12:01:00 | 0 | pH | 8.2 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Specific Conductivity (µmhos/cm) | 492 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Temperature (°C) | 30.3 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.16 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Total Phosphorus | 0.045 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Total Suspended Solids (mg/L) | 8 |
| G600 | 6/1/2004 | 12:01:00 | 0 | Turbidity (NTU) | 5.4 |
| G600 | 6/7/2004 | 13:20:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G600 | 6/7/2004 | 13:20:00 | 0 | pH | 7.51 |
| G600 | 6/7/2004 | 13:20:00 | 0 | Specific Conductivity (µmhos/cm) | 727 |
| G600 | 6/7/2004 | 13:20:00 | 0 | Temperature (°C) | 29.7 |
| G600 | 6/7/2004 | 13:20:00 | 0 | Total Phosphorus | 0.033 |
| G600 | 6/14/2004 | 13:10:00 | 0 | Alkalinity (mg/L) | 269 |
| G600 | 6/14/2004 | 13:10:00 | 0 | Color (PCU) | 81 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|---------|
| G600 | 6/14/2004 | 13:10:00 | 0 | Dissolved Calcium (mg/L) | 99.6 |
| G600 | 6/14/2004 | 13:10:00 | 0 | Dissolved Chloride (mg/L) | 87.3 |
| G600 | 6/14/2004 | 13:10:00 | 0 | Dissolved Oxygen (mg/L) | 2.36 |
| G600 | 6/14/2004 | 13:10:00 | 0 | Orthophosphate as P (mg/L) | 0.009 |
| G600 | 6/14/2004 | 13:10:00 | 0 | pH | 7.03 |
| G600 | 6/14/2004 | 13:10:00 | 0 | Specific Conductivity (µmhos/cm) | 828 |
| G600 | 6/14/2004 | 13:10:00 | 0 | Temperature (°C) | 29.1 |
| G600 | 6/14/2004 | 13:10:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.94 |
| G600 | 6/14/2004 | 13:10:00 | 0 | Total Phosphorus | 0.059 |
| G600 | 6/14/2004 | 13:10:00 | 0 | Total Suspended Solids (mg/L) | 4 |
| G600 | 6/14/2004 | 13:10:00 | 0 | Turbidity (NTU) | 2.1 |
| G600 | 6/14/2004 | 13:15:00 | 24 | Total Phosphorus | 0.077 |
| G600 | 6/21/2004 | 12:15:00 | 0 | Dissolved Oxygen (mg/L) | 1.79 |
| G600 | 6/21/2004 | 12:15:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G600 | 6/21/2004 | 12:15:00 | 0 | pH | 7.16 |
| G600 | 6/21/2004 | 12:15:00 | 0 | Specific Conductivity (µmhos/cm) | 768 |
| G600 | 6/21/2004 | 12:15:00 | 0 | Temperature (°C) | 28.9 |
| G600 | 6/21/2004 | 12:15:00 | 0 | Total Phosphorus | 0.045 |
| G600 | 6/21/2004 | 12:20:00 | 24 | Total Phosphorus | 0.055 |
| G600 | 6/22/2004 | 11:05:00 | 0 | Ametryn (µg/L) | <0.0095 |
| G600 | 6/22/2004 | 11:05:00 | 0 | Atrazine (µg/L) | 0.067 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Alkalinity (mg/L) | 263 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Color (PCU) | 78 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Dissolved Calcium (mg/L) | 104 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Dissolved Chloride (mg/L) | 75 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Dissolved Magnesium (mg/L) | 7.9 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Dissolved Oxygen (mg/L) | 3.84 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Dissolved Potassium (mg/L) | 4.5 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Dissolved Sodium (mg/L) | 52.9 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G600 | 6/28/2004 | 13:00:00 | 0 | pH | 7.37 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Silica (mg/L) | 10.9 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Specific Conductivity (µmhos/cm) | 762.5 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Sulfate (mg/L) | 17.2 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Temperature (°C) | 29.6 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Total Iron (µg/L) | 180 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.71 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Total Phosphorus | 0.044 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Total Suspended Solids (mg/L) | 4 |
| G600 | 6/28/2004 | 13:00:00 | 0 | Turbidity (NTU) | 2.4 |
| G600 | 7/7/2004 | 12:32:00 | 0 | Dissolved Oxygen (mg/L) | 0.85 |
| G600 | 7/7/2004 | 12:32:00 | 0 | Orthophosphate as P (mg/L) | 0.047 |
| G600 | 7/7/2004 | 12:32:00 | 0 | pH | 7.14 |
| G600 | 7/7/2004 | 12:32:00 | 0 | Specific Conductivity (µmhos/cm) | 664 |
| G600 | 7/7/2004 | 12:32:00 | 0 | Temperature (°C) | 29.3 |
| G600 | 7/7/2004 | 12:32:00 | 0 | Total Phosphorus | 0.125 |
| G600 | 7/7/2004 | 12:39:00 | 24 | Total Phosphorus | 0.105 |
| G600 | 7/12/2004 | 12:30:00 | 0 | Alkalinity (mg/L) | 282 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G600 | 7/12/2004 | 12:30:00 | 0 | Color (PCU) | 101 |
| G600 | 7/12/2004 | 12:30:00 | 0 | Dissolved Calcium (mg/L) | 111 |
| G600 | 7/12/2004 | 12:30:00 | 0 | Dissolved Chloride (mg/L) | 84.1 |
| G600 | 7/12/2004 | 12:30:00 | 0 | Dissolved Oxygen (mg/L) | 0.44 |
| G600 | 7/12/2004 | 12:30:00 | 0 | Orthophosphate as P (mg/L) | 0.008 |
| G600 | 7/12/2004 | 12:30:00 | 0 | pH | 7.14 |
| G600 | 7/12/2004 | 12:30:00 | 0 | Specific Conductivity (µmhos/cm) | 848 |
| G600 | 7/12/2004 | 12:30:00 | 0 | Temperature (°C) | 29 |
| G600 | 7/12/2004 | 12:30:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.94 |
| G600 | 7/12/2004 | 12:30:00 | 0 | Total Phosphorus | 0.057 |
| G600 | 7/12/2004 | 12:30:00 | 0 | Total Suspended Solids (mg/L) | 5 |
| G600 | 7/12/2004 | 12:30:00 | 0 | Turbidity (NTU) | 4.3 |
| G600 | 7/12/2004 | 12:35:00 | 24 | Total Phosphorus | 0.079 |
| G600 | 7/19/2004 | 12:17:00 | 0 | Dissolved Oxygen (mg/L) | 2.87 |
| G600 | 7/19/2004 | 12:17:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G600 | 7/19/2004 | 12:17:00 | 0 | pH | 7.28 |
| G600 | 7/19/2004 | 12:17:00 | 0 | Specific Conductivity (µmhos/cm) | 781 |
| G600 | 7/19/2004 | 12:17:00 | 0 | Temperature (°C) | 28.9 |
| G600 | 7/19/2004 | 12:17:00 | 0 | Total Phosphorus | 0.066 |
| G600 | 7/19/2004 | 12:20:00 | 24 | Total Phosphorus | 0.082 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Alkalinity (mg/L) | 265 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Color (PCU) | 91 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Dissolved Calcium (mg/L) | 106 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Dissolved Chloride (mg/L) | 70.7 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Dissolved Oxygen (mg/L) | 1.32 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G600 | 7/26/2004 | 12:45:00 | 0 | pH | 7.27 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Specific Conductivity (µmhos/cm) | 759 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Temperature (°C) | 28.9 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 2.28 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Total Phosphorus | 0.1 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Total Suspended Solids (mg/L) | 8 |
| G600 | 7/26/2004 | 12:45:00 | 0 | Turbidity (NTU) | 3.7 |
| G600 | 7/26/2004 | 12:47:00 | 24 | Total Phosphorus | 0.07 |
| G600 | 8/2/2004 | 12:45:00 | 0 | Dissolved Oxygen (mg/L) | 0.66 |
| G600 | 8/2/2004 | 12:45:00 | 0 | Orthophosphate as P (mg/L) | 0.129 |
| G600 | 8/2/2004 | 12:45:00 | 0 | pH | 6.91 |
| G600 | 8/2/2004 | 12:45:00 | 0 | Specific Conductivity (µmhos/cm) | 494 |
| G600 | 8/2/2004 | 12:45:00 | 0 | Temperature (°C) | 26.9 |
| G600 | 8/2/2004 | 12:45:00 | 0 | Total Phosphorus | 0.192 |
| G600 | 8/2/2004 | 12:50:00 | 24 | Total Phosphorus | 0.123 |
| G600 | 8/9/2004 | 12:15:00 | 0 | Alkalinity (mg/L) | 248 |
| G600 | 8/9/2004 | 12:15:00 | 0 | Color (PCU) | 124 |
| G600 | 8/9/2004 | 12:15:00 | 0 | Dissolved Calcium (mg/L) | 97.6 |
| G600 | 8/9/2004 | 12:15:00 | 0 | Dissolved Chloride (mg/L) | 65.6 |
| G600 | 8/9/2004 | 12:15:00 | 0 | Dissolved Oxygen (mg/L) | 0.38 |
| G600 | 8/9/2004 | 12:15:00 | 0 | Orthophosphate as P (mg/L) | 0.065 |
| G600 | 8/9/2004 | 12:15:00 | 0 | pH | 7.12 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|---------|
| G600 | 8/9/2004 | 12:15:00 | 0 | Specific Conductivity (µmhos/cm) | 731 |
| G600 | 8/9/2004 | 12:15:00 | 0 | Temperature (°C) | 27.5 |
| G600 | 8/9/2004 | 12:15:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 2.12 |
| G600 | 8/9/2004 | 12:15:00 | 0 | Total Phosphorus | 0.123 |
| G600 | 8/9/2004 | 12:15:00 | 0 | Total Suspended Solids (mg/L) | 4 |
| G600 | 8/9/2004 | 12:15:00 | 0 | Turbidity (NTU) | 3.7 |
| G600 | 8/9/2004 | 12:20:00 | 24 | Total Phosphorus | 0.209 |
| G600 | 8/11/2004 | 11:10:00 | 0 | Ametryn (µg/L) | <0.0095 |
| G600 | 8/11/2004 | 11:10:00 | 0 | Atrazine (µg/L) | 0.04 |
| G600 | 8/16/2004 | 13:25:00 | 0 | Dissolved Oxygen (mg/L) | 0.39 |
| G600 | 8/16/2004 | 13:25:00 | 0 | Orthophosphate as P (mg/L) | 0.054 |
| G600 | 8/16/2004 | 13:25:00 | 0 | pH | 7.01 |
| G600 | 8/16/2004 | 13:25:00 | 0 | Specific Conductivity (µmhos/cm) | 716 |
| G600 | 8/16/2004 | 13:25:00 | 0 | Temperature (°C) | 27.7 |
| G600 | 8/16/2004 | 13:25:00 | 0 | Total Phosphorus | 0.106 |
| G600 | 8/16/2004 | 13:30:00 | 24 | Total Phosphorus | 0.114 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Alkalinity (mg/L) | 212 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Color (PCU) | 124 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Dissolved Calcium (mg/L) | 81 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Dissolved Chloride (mg/L) | 54.5 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Dissolved Oxygen (mg/L) | 1.22 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Orthophosphate as P (mg/L) | 0.056 |
| G600 | 8/23/2004 | 14:40:00 | 0 | pH | 7.14 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Specific Conductivity (µmhos/cm) | 605 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Temperature (°C) | 28.5 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.89 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Total Phosphorus | 0.111 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 8/23/2004 | 14:40:00 | 0 | Turbidity (NTU) | 2.1 |
| G600 | 8/23/2004 | 14:45:00 | 24 | Total Phosphorus | 0.107 |
| G600 | 8/30/2004 | 13:35:00 | 0 | Dissolved Oxygen (mg/L) | 0.77 |
| G600 | 8/30/2004 | 13:35:00 | 0 | Orthophosphate as P (mg/L) | 0.031 |
| G600 | 8/30/2004 | 13:35:00 | 0 | pH | 7.03 |
| G600 | 8/30/2004 | 13:35:00 | 0 | Specific Conductivity (µmhos/cm) | 774 |
| G600 | 8/30/2004 | 13:35:00 | 0 | Temperature (°C) | 28.8 |
| G600 | 8/30/2004 | 13:35:00 | 0 | Total Phosphorus | 0.075 |
| G600 | 8/30/2004 | 13:40:00 | 24 | Total Phosphorus | 0.109 |
| G600 | 9/13/2004 | 14:30:00 | 0 | Dissolved Oxygen (mg/L) | 2.19 |
| G600 | 9/13/2004 | 14:30:00 | 0 | Orthophosphate as P (mg/L) | 0.034 |
| G600 | 9/13/2004 | 14:30:00 | 0 | pH | 7.09 |
| G600 | 9/13/2004 | 14:30:00 | 0 | Specific Conductivity (µmhos/cm) | 772 |
| G600 | 9/13/2004 | 14:30:00 | 0 | Temperature (°C) | 28 |
| G600 | 9/13/2004 | 14:30:00 | 0 | Total Phosphorus | 0.094 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Alkalinity (mg/L) | 280 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Color (PCU) | 84 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Dissolved Calcium (mg/L) | 105 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Dissolved Chloride (mg/L) | 89.6 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Dissolved Magnesium (mg/L) | 7.6 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G600 | 9/20/2004 | 12:50:00 | 0 | Dissolved Potassium (mg/L) | 4.2 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Dissolved Sodium (mg/L) | 66.8 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Orthophosphate as P (mg/L) | 0.011 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Silica (mg/L) | 12.1 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Sulfate (mg/L) | 21.9 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Total Iron (µg/L) | 352 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.96 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Total Phosphorus | 0.084 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Total Suspended Solids (mg/L) | 5 |
| G600 | 9/20/2004 | 12:50:00 | 0 | Turbidity (NTU) | 3.3 |
| G600 | 9/28/2004 | 13:15:00 | 0 | Dissolved Oxygen (mg/L) | 1.05 |
| G600 | 9/28/2004 | 13:15:00 | 0 | Orthophosphate as P (mg/L) | 0.012 |
| G600 | 9/28/2004 | 13:15:00 | 0 | pH | 7.21 |
| G600 | 9/28/2004 | 13:15:00 | 0 | Specific Conductivity (µmhos/cm) | 936 |
| G600 | 9/28/2004 | 13:15:00 | 0 | Temperature (°C) | 27.1 |
| G600 | 9/28/2004 | 13:15:00 | 0 | Total Iron (µg/L) | 422 |
| G600 | 9/28/2004 | 13:15:00 | 0 | Total Phosphorus | 0.059 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Alkalinity (mg/L) | 274 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Color (PCU) | 108 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Dissolved Calcium (mg/L) | 105 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Dissolved Chloride (mg/L) | 73.5 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Dissolved Oxygen (mg/L) | 0.37 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Orthophosphate as P (mg/L) | 0.033 |
| G600 | 10/4/2004 | 12:05:00 | 0 | pH | 7.04 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Specific Conductivity (µmhos/cm) | 804 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Temperature (°C) | 27.1 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.94 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Total Phosphorus | 0.07 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 10/4/2004 | 12:05:00 | 0 | Turbidity (NTU) | 2 |
| G600 | 10/4/2004 | 12:10:00 | 7 | Total Phosphorus | 0.061 |
| G600 | 10/11/2004 | 13:45:00 | 0 | Dissolved Oxygen (mg/L) | 0.72 |
| G600 | 10/11/2004 | 13:45:00 | 0 | Orthophosphate as P (mg/L) | 0.017 |
| G600 | 10/11/2004 | 13:45:00 | 0 | pH | 7.19 |
| G600 | 10/11/2004 | 13:45:00 | 0 | Specific Conductivity (µmhos/cm) | 954 |
| G600 | 10/11/2004 | 13:45:00 | 0 | Temperature (°C) | 26.4 |
| G600 | 10/11/2004 | 13:45:00 | 0 | Total Phosphorus | 0.04 |
| G600 | 10/11/2004 | 13:50:00 | 7 | Total Phosphorus | 0.054 |
| G600 | 10/18/2004 | 12:55:00 | 0 | Alkalinity (mg/L) | 316 |
| G600 | 10/18/2004 | 12:55:00 | 0 | Color (PCU) | 77 |
| G600 | 10/18/2004 | 12:55:00 | 0 | Dissolved Calcium (mg/L) | 113 |
| G600 | 10/18/2004 | 12:55:00 | 0 | Dissolved Chloride (mg/L) | 102 |
| G600 | 10/18/2004 | 12:55:00 | 0 | Dissolved Oxygen (mg/L) | 0.89 |
| G600 | 10/18/2004 | 12:55:00 | 0 | Orthophosphate as P (mg/L) | 0.011 |
| G600 | 10/18/2004 | 12:55:00 | 0 | pH | 7 |
| G600 | 10/18/2004 | 12:55:00 | 0 | Specific Conductivity (µmhos/cm) | 954 |
| G600 | 10/18/2004 | 12:55:00 | 0 | Temperature (°C) | 24.9 |
| G600 | 10/18/2004 | 12:55:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.67 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G600 | 10/18/2004 | 12:55:00 | 0 | Total Phosphorus | 0.042 |
| G600 | 10/18/2004 | 12:55:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 10/18/2004 | 12:55:00 | 0 | Turbidity (NTU) | 2.1 |
| G600 | 10/18/2004 | 13:05:00 | 7 | Total Phosphorus | 0.044 |
| G600 | 10/25/2004 | 11:40:00 | 0 | Dissolved Oxygen (mg/L) | 0.95 |
| G600 | 10/25/2004 | 11:40:00 | 0 | Orthophosphate as P (mg/L) | 0.012 |
| G600 | 10/25/2004 | 11:40:00 | 0 | pH | 6.98 |
| G600 | 10/25/2004 | 11:40:00 | 0 | Specific Conductivity (µmhos/cm) | 971 |
| G600 | 10/25/2004 | 11:40:00 | 0 | Temperature (°C) | 25.1 |
| G600 | 10/25/2004 | 11:40:00 | 0 | Total Phosphorus | 0.029 |
| G600 | 10/25/2004 | 11:45:00 | 7 | Total Phosphorus | 0.038 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Alkalinity (mg/L) | 310 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Color (PCU) | 72 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Dissolved Calcium (mg/L) | 113 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Dissolved Chloride (mg/L) | 112 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Dissolved Oxygen (mg/L) | 2.25 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G600 | 11/1/2004 | 13:25:00 | 0 | pH | 7.21 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Specific Conductivity (µmhos/cm) | 999 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Temperature (°C) | 25.4 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.68 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Total Phosphorus | 0.027 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 11/1/2004 | 13:25:00 | 0 | Turbidity (NTU) | 1.2 |
| G600 | 11/1/2004 | 13:30:00 | 7 | Total Phosphorus | 0.033 |
| G600 | 11/8/2004 | 11:50:00 | 0 | Dissolved Oxygen (mg/L) | 1.26 |
| G600 | 11/8/2004 | 11:50:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G600 | 11/8/2004 | 11:50:00 | 0 | pH | 7.19 |
| G600 | 11/8/2004 | 11:50:00 | 0 | Specific Conductivity (µmhos/cm) | 969 |
| G600 | 11/8/2004 | 11:50:00 | 0 | Temperature (°C) | 23.3 |
| G600 | 11/8/2004 | 11:50:00 | 0 | Total Phosphorus | 0.021 |
| G600 | 11/8/2004 | 11:55:00 | 7 | Total Phosphorus | 0.028 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Alkalinity (mg/L) | 280 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Color (PCU) | 70 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Dissolved Calcium (mg/L) | 106 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Dissolved Chloride (mg/L) | 96.6 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Dissolved Magnesium (mg/L) | 10.2 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Dissolved Oxygen (mg/L) | 2.72 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Dissolved Potassium (mg/L) | 4.1 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Dissolved Sodium (mg/L) | 72 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G600 | 11/15/2004 | 14:00:00 | 0 | pH | 7.12 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Silica (mg/L) | 10.6 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Specific Conductivity (µmhos/cm) | 877 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Sulfate (mg/L) | 21.8 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Temperature (°C) | 22.4 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Total Iron (µg/L) | 221 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.83 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|---------|
| G600 | 11/15/2004 | 14:00:00 | 0 | Total Phosphorus | 0.024 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Total Suspended Solids (mg/L) | 3 |
| G600 | 11/15/2004 | 14:00:00 | 0 | Turbidity (NTU) | 2.1 |
| G600 | 11/15/2004 | 14:05:00 | 7 | Total Phosphorus | 0.026 |
| G600 | 11/18/2004 | 10:55:00 | 0 | Ametryn (µg/L) | <0.0097 |
| G600 | 11/18/2004 | 10:55:00 | 0 | Atrazine (µg/L) | <0.0097 |
| G600 | 11/22/2004 | 12:40:00 | 0 | Dissolved Oxygen (mg/L) | 0.83 |
| G600 | 11/22/2004 | 12:40:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G600 | 11/22/2004 | 12:40:00 | 0 | pH | 7.05 |
| G600 | 11/22/2004 | 12:40:00 | 0 | Specific Conductivity (µmhos/cm) | 910 |
| G600 | 11/22/2004 | 12:40:00 | 0 | Temperature (°C) | 22.3 |
| G600 | 11/22/2004 | 12:40:00 | 0 | Total Phosphorus | 0.028 |
| G600 | 11/22/2004 | 12:45:00 | 7 | Total Phosphorus | 0.037 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Alkalinity (mg/L) | 305 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Color (PCU) | 71 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Dissolved Calcium (mg/L) | 110 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Dissolved Chloride (mg/L) | 99.5 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Dissolved Oxygen (mg/L) | 1.5 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G600 | 11/29/2004 | 13:15:00 | 0 | pH | 7.4 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Specific Conductivity (µmhos/cm) | 912 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Temperature (°C) | 23.1 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.7 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Total Phosphorus | 0.037 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 11/29/2004 | 13:15:00 | 0 | Turbidity (NTU) | 1 |
| G600 | 11/29/2004 | 13:20:00 | 7 | Total Phosphorus | 0.028 |
| G600 | 12/6/2004 | 13:00:00 | 0 | Dissolved Oxygen (mg/L) | 2.16 |
| G600 | 12/6/2004 | 13:00:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G600 | 12/6/2004 | 13:00:00 | 0 | pH | 7.29 |
| G600 | 12/6/2004 | 13:00:00 | 0 | Specific Conductivity (µmhos/cm) | 942 |
| G600 | 12/6/2004 | 13:00:00 | 0 | Temperature (°C) | 21.3 |
| G600 | 12/6/2004 | 13:00:00 | 0 | Total Phosphorus | 0.021 |
| G600 | 12/6/2004 | 13:05:00 | 7 | Total Phosphorus | 0.026 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Alkalinity (mg/L) | 297 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Color (PCU) | 66 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Dissolved Calcium (mg/L) | 109 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Dissolved Chloride (mg/L) | 107 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Dissolved Oxygen (mg/L) | 1.62 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G600 | 12/13/2004 | 13:46:00 | 0 | pH | 7.36 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Specific Conductivity (µmhos/cm) | 927 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Temperature (°C) | 20.8 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.51 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Total Phosphorus | 0.02 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 12/13/2004 | 13:46:00 | 0 | Turbidity (NTU) | 0.9 |
| G600 | 12/13/2004 | 13:50:00 | 7 | Total Phosphorus | 0.025 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|---------|
| G600 | 12/20/2004 | 12:30:00 | 0 | Dissolved Oxygen (mg/L) | 4.11 |
| G600 | 12/20/2004 | 12:30:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G600 | 12/20/2004 | 12:30:00 | 0 | pH | 7.63 |
| G600 | 12/20/2004 | 12:30:00 | 0 | Specific Conductivity (µmhos/cm) | 956 |
| G600 | 12/20/2004 | 12:30:00 | 0 | Temperature (°C) | 16.9 |
| G600 | 12/20/2004 | 12:30:00 | 0 | Total Phosphorus | 0.015 |
| G600 | 12/20/2004 | 12:35:00 | 7 | Total Phosphorus | 0.02 |
| G600 | 12/27/2004 | 12:20:00 | 0 | Alkalinity (mg/L) | 300 |
| G600 | 12/27/2004 | 12:20:00 | 0 | Color (PCU) | 65 |
| G600 | 12/27/2004 | 12:20:00 | 0 | Dissolved Calcium (mg/L) | 110 |
| G600 | 12/27/2004 | 12:20:00 | 0 | Dissolved Chloride (mg/L) | 109 |
| G600 | 12/27/2004 | 12:20:00 | 0 | Dissolved Oxygen (mg/L) | 4.39 |
| G600 | 12/27/2004 | 12:20:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G600 | 12/27/2004 | 12:20:00 | 0 | pH | 7.51 |
| G600 | 12/27/2004 | 12:20:00 | 0 | Temperature (°C) | 17.5 |
| G600 | 12/27/2004 | 12:20:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.42 |
| G600 | 12/27/2004 | 12:20:00 | 0 | Total Phosphorus | 0.015 |
| G600 | 12/27/2004 | 12:20:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 12/27/2004 | 12:20:00 | 0 | Turbidity (NTU) | 1.6 |
| G600 | 12/27/2004 | 12:25:00 | 7 | Total Phosphorus | 0.018 |
| G600 | 1/3/2005 | 14:37:00 | 0 | Dissolved Oxygen (mg/L) | 2.23 |
| G600 | 1/3/2005 | 14:37:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G600 | 1/3/2005 | 14:37:00 | 0 | pH | 7.21 |
| G600 | 1/3/2005 | 14:37:00 | 0 | Specific Conductivity (µmhos/cm) | 917 |
| G600 | 1/3/2005 | 14:37:00 | 0 | Temperature (°C) | 20.4 |
| G600 | 1/3/2005 | 14:37:00 | 0 | Total Phosphorus | 0.022 |
| G600 | 1/3/2005 | 14:45:00 | 7 | Total Phosphorus | 0.02 |
| G600 | 1/12/2005 | 12:25:00 | 0 | Alkalinity (mg/L) | 317 |
| G600 | 1/12/2005 | 12:25:00 | 0 | Color (PCU) | 66 |
| G600 | 1/12/2005 | 12:25:00 | 0 | Dissolved Calcium (mg/L) | 115 |
| G600 | 1/12/2005 | 12:25:00 | 0 | Dissolved Chloride (mg/L) | 118 |
| G600 | 1/12/2005 | 12:25:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G600 | 1/12/2005 | 12:25:00 | 0 | pH | 7.34 |
| G600 | 1/12/2005 | 12:25:00 | 0 | Specific Conductivity (µmhos/cm) | 1013 |
| G600 | 1/12/2005 | 12:25:00 | 0 | Temperature (°C) | 21.1 |
| G600 | 1/12/2005 | 12:25:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.46 |
| G600 | 1/12/2005 | 12:25:00 | 0 | Total Phosphorus | 0.021 |
| G600 | 1/12/2005 | 12:25:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 1/12/2005 | 12:25:00 | 0 | Turbidity (NTU) | 1.1 |
| G600 | 1/12/2005 | 12:30:00 | 7 | Total Phosphorus | 0.024 |
| G600 | 1/13/2005 | 12:55:00 | 0 | Ametryn (µg/L) | <0.0095 |
| G600 | 1/13/2005 | 12:55:00 | 0 | Atrazine (µg/L) | 0.016 |
| G600 | 1/18/2005 | 12:28:00 | 0 | Dissolved Oxygen (mg/L) | 3.82 |
| G600 | 1/18/2005 | 12:28:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G600 | 1/18/2005 | 12:28:00 | 0 | pH | 7.42 |
| G600 | 1/18/2005 | 12:28:00 | 0 | Specific Conductivity (µmhos/cm) | 937 |
| G600 | 1/18/2005 | 12:28:00 | 0 | Temperature (°C) | 17.6 |
| G600 | 1/18/2005 | 12:28:00 | 0 | Total Phosphorus | 0.017 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|--------|
| G600 | 1/18/2005 | 12:35:00 | 7 | Total Phosphorus | 0.023 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Alkalinity (mg/L) | 306 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Color (PCU) | 67 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Dissolved Calcium (mg/L) | 114 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Dissolved Chloride (mg/L) | 113 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Dissolved Oxygen (mg/L) | 4.26 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Orthophosphate as P (mg/L) | <0.004 |
| G600 | 1/25/2005 | 12:23:00 | 0 | pH | 7.43 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Specific Conductivity (µmhos/cm) | 966 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Temperature (°C) | 16.2 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.56 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Total Phosphorus | 0.016 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 1/25/2005 | 12:23:00 | 0 | Turbidity (NTU) | 1 |
| G600 | 2/1/2005 | 12:05:00 | 0 | Dissolved Oxygen (mg/L) | 2.17 |
| G600 | 2/1/2005 | 12:05:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G600 | 2/1/2005 | 12:05:00 | 0 | pH | 7.2 |
| G600 | 2/1/2005 | 12:05:00 | 0 | Specific Conductivity (µmhos/cm) | 933 |
| G600 | 2/1/2005 | 12:05:00 | 0 | Temperature (°C) | 19.1 |
| G600 | 2/1/2005 | 12:05:00 | 0 | Total Phosphorus | 0.021 |
| G600 | 2/1/2005 | 12:10:00 | 7 | Total Phosphorus | 0.026 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Alkalinity (mg/L) | 303 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Color (PCU) | 65 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Dissolved Calcium (mg/L) | 115 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Dissolved Chloride (mg/L) | 81.6 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Dissolved Magnesium (mg/L) | 8.7 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Dissolved Oxygen (mg/L) | 1.81 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Dissolved Potassium (mg/L) | 3.8 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Dissolved Sodium (mg/L) | 57.7 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G600 | 2/8/2005 | 13:05:00 | 0 | pH | 7.39 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Silica (mg/L) | 9.7 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Specific Conductivity (µmhos/cm) | 844 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Sulfate (mg/L) | 16.3 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Temperature (°C) | 20 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Total Iron (µg/L) | 118 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.72 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Total Phosphorus | 0.03 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 2/8/2005 | 13:05:00 | 0 | Turbidity (NTU) | 1.7 |
| G600 | 2/8/2005 | 13:10:00 | 7 | Total Phosphorus | 0.036 |
| G600 | 2/15/2005 | 13:25:00 | 0 | Dissolved Oxygen (mg/L) | 2.46 |
| G600 | 2/15/2005 | 13:25:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G600 | 2/15/2005 | 13:25:00 | 0 | pH | 7.24 |
| G600 | 2/15/2005 | 13:25:00 | 0 | Specific Conductivity (µmhos/cm) | 984 |
| G600 | 2/15/2005 | 13:25:00 | 0 | Temperature (°C) | 20 |
| G600 | 2/15/2005 | 13:25:00 | 0 | Total Phosphorus | 0.02 |
| G600 | 2/15/2005 | 13:30:00 | 7 | Total Phosphorus | 0.026 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G600 | 2/22/2005 | 13:26:00 | 0 | Alkalinity (mg/L) | 323 |
| G600 | 2/22/2005 | 13:26:00 | 0 | Color (PCU) | 67 |
| G600 | 2/22/2005 | 13:26:00 | 0 | Dissolved Calcium (mg/L) | 118 |
| G600 | 2/22/2005 | 13:26:00 | 0 | Dissolved Chloride (mg/L) | 133 |
| G600 | 2/22/2005 | 13:26:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G600 | 2/22/2005 | 13:26:00 | 0 | pH | 7.14 |
| G600 | 2/22/2005 | 13:26:00 | 0 | Specific Conductivity (µmhos/cm) | 1071 |
| G600 | 2/22/2005 | 13:26:00 | 0 | Temperature (°C) | 22.2 |
| G600 | 2/22/2005 | 13:26:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.69 |
| G600 | 2/22/2005 | 13:26:00 | 0 | Total Phosphorus | 0.023 |
| G600 | 2/22/2005 | 13:26:00 | 0 | Total Suspended Solids (mg/L) | 3 |
| G600 | 2/22/2005 | 13:26:00 | 0 | Turbidity (NTU) | 2.1 |
| G600 | 2/22/2005 | 13:40:00 | 7 | Total Phosphorus | 0.028 |
| G600 | 3/1/2005 | 12:55:00 | 0 | Dissolved Oxygen (mg/L) | 1.26 |
| G600 | 3/1/2005 | 12:55:00 | 0 | Orthophosphate as P (mg/L) | 0.009 |
| G600 | 3/1/2005 | 12:55:00 | 0 | pH | 7.5 |
| G600 | 3/1/2005 | 12:55:00 | 0 | Specific Conductivity (µmhos/cm) | 1069 |
| G600 | 3/1/2005 | 12:55:00 | 0 | Temperature (°C) | 22.1 |
| G600 | 3/1/2005 | 12:55:00 | 0 | Total Phosphorus | 0.028 |
| G600 | 3/1/2005 | 13:00:00 | 7 | Total Phosphorus | 0.027 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Alkalinity (mg/L) | 336 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Color (PCU) | 66 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Dissolved Calcium (mg/L) | 126 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Dissolved Chloride (mg/L) | 123 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Dissolved Oxygen (mg/L) | 4.08 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G600 | 3/8/2005 | 12:16:00 | 0 | pH | 7.22 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Specific Conductivity (µmhos/cm) | 1051 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Temperature (°C) | 20.9 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.67 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Total Phosphorus | 0.024 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 3/8/2005 | 12:16:00 | 0 | Turbidity (NTU) | 1.4 |
| G600 | 3/8/2005 | 12:20:00 | 7 | Total Phosphorus | 0.029 |
| G600 | 3/15/2005 | 13:14:00 | 0 | Dissolved Oxygen (mg/L) | 0.4 |
| G600 | 3/15/2005 | 13:14:00 | 0 | Orthophosphate as P (mg/L) | 0.005 |
| G600 | 3/15/2005 | 13:14:00 | 0 | pH | 6.97 |
| G600 | 3/15/2005 | 13:14:00 | 0 | Specific Conductivity (µmhos/cm) | 1048 |
| G600 | 3/15/2005 | 13:14:00 | 0 | Temperature (°C) | 23.2 |
| G600 | 3/15/2005 | 13:14:00 | 0 | Total Phosphorus | 0.027 |
| G600 | 3/15/2005 | 13:20:00 | 7 | Total Phosphorus | 0.033 |
| G600 | 3/22/2005 | 13:00:00 | 0 | Alkalinity (mg/L) | 321 |
| G600 | 3/22/2005 | 13:00:00 | 0 | Color (PCU) | 76 |
| G600 | 3/22/2005 | 13:00:00 | 0 | Dissolved Calcium (mg/L) | 121 |
| G600 | 3/22/2005 | 13:00:00 | 0 | Dissolved Chloride (mg/L) | 114 |
| G600 | 3/22/2005 | 13:00:00 | 0 | Dissolved Oxygen (mg/L) | 3.41 |
| G600 | 3/22/2005 | 13:00:00 | 0 | pH | 7.27 |
| G600 | 3/22/2005 | 13:00:00 | 0 | Specific Conductivity (µmhos/cm) | 956 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|----------------------------------|-------|
| G600 | 3/22/2005 | 13:00:00 | 0 | Temperature (°C) | 21.2 |
| G600 | 3/22/2005 | 13:00:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.85 |
| G600 | 3/22/2005 | 13:00:00 | 0 | Total Phosphorus | 0.034 |
| G600 | 3/22/2005 | 13:00:00 | 0 | Total Suspended Solids (mg/L) | 3 |
| G600 | 3/22/2005 | 13:00:00 | 0 | Turbidity (NTU) | 1.4 |
| G600 | 3/22/2005 | 13:05:00 | 7 | Total Phosphorus | 0.04 |
| G600 | 3/29/2005 | 13:15:00 | 0 | Dissolved Oxygen (mg/L) | 2.47 |
| G600 | 3/29/2005 | 13:15:00 | 0 | Orthophosphate as P (mg/L) | 0.011 |
| G600 | 3/29/2005 | 13:15:00 | 0 | pH | 7.16 |
| G600 | 3/29/2005 | 13:15:00 | 0 | Specific Conductivity (µmhos/cm) | 1085 |
| G600 | 3/29/2005 | 13:15:00 | 0 | Temperature (°C) | 23.5 |
| G600 | 3/29/2005 | 13:15:00 | 0 | Total Phosphorus | 0.03 |
| G600 | 3/29/2005 | 13:20:00 | 7 | Total Phosphorus | 0.034 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Alkalinity (mg/L) | 314 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Color (PCU) | 72 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Dissolved Calcium (mg/L) | 119 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Dissolved Chloride (mg/L) | 111 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Dissolved Oxygen (mg/L) | 1.8 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Orthophosphate as P (mg/L) | 0.007 |
| G600 | 4/5/2005 | 13:42:00 | 0 | pH | 7.34 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Specific Conductivity (µmhos/cm) | 980 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Temperature (°C) | 23.7 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.77 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Total Phosphorus | 0.031 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Total Suspended Solids (mg/L) | <3 |
| G600 | 4/5/2005 | 13:42:00 | 0 | Turbidity (NTU) | 1 |
| G600 | 4/5/2005 | 13:50:00 | 7 | Total Phosphorus | 0.037 |
| G600 | 4/12/2005 | 13:47:00 | 0 | Dissolved Oxygen (mg/L) | 1.65 |
| G600 | 4/12/2005 | 13:47:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G600 | 4/12/2005 | 13:47:00 | 0 | pH | 7.44 |
| G600 | 4/12/2005 | 13:47:00 | 0 | Specific Conductivity (µmhos/cm) | 903 |
| G600 | 4/12/2005 | 13:47:00 | 0 | Temperature (°C) | 25.2 |
| G600 | 4/12/2005 | 13:47:00 | 0 | Total Phosphorus | 0.04 |
| G600 | 4/12/2005 | 13:55:00 | 7 | Total Phosphorus | 0.033 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Alkalinity (mg/L) | 291 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Color (PCU) | 65 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Dissolved Calcium (mg/L) | 109 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Dissolved Chloride (mg/L) | 77.3 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Dissolved Oxygen (mg/L) | 3.03 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Orthophosphate as P (mg/L) | 0.004 |
| G600 | 4/19/2005 | 12:35:00 | 0 | pH | 7.38 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Specific Conductivity (µmhos/cm) | 804 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Temperature (°C) | 23.2 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Total Kjeldahl Nitrogen (mg/L) | 1.52 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Total Phosphorus | 0.028 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Total Suspended Solids (mg/L) | 4 |
| G600 | 4/19/2005 | 12:35:00 | 0 | Turbidity (NTU) | 1 |
| G600 | 4/19/2005 | 12:40:00 | 7 | Total Phosphorus | 0.028 |

| Station | Date and Time Sampled | | Sample Type | Parameter (Units) | Value |
|---------|-----------------------|----------|-------------|---|---------|
| G600 | 4/20/2005 | 10:30:00 | 0 | Ametryn ($\mu\text{g/L}$) | <0.0096 |
| G600 | 4/20/2005 | 10:30:00 | 0 | Atrazine ($\mu\text{g/L}$) | 0.067 |
| G600 | 4/26/2005 | 13:00:00 | 0 | Dissolved Oxygen (mg/L) | 1.87 |
| G600 | 4/26/2005 | 13:00:00 | 0 | Orthophosphate as P (mg/L) | 0.006 |
| G600 | 4/26/2005 | 13:00:00 | 0 | pH | 7.33 |
| G600 | 4/26/2005 | 13:00:00 | 0 | Specific Conductivity ($\mu\text{mhos/cm}$) | 817 |
| G600 | 4/26/2005 | 13:00:00 | 0 | Temperature ($^{\circ}\text{C}$) | 24 |
| G600 | 4/26/2005 | 13:00:00 | 0 | Total Phosphorus | 0.038 |
| G600 | 4/26/2005 | 13:05:00 | 7 | Total Phosphorus | 0.034 |