

Appendix 5-13: Water Year 2007 Water Quality Data for STA-3/4

Nenad Iricanin and Guy Germain

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	5/2/2005	08:35:00	0	Alkalinity (mg/L)	112
G370	5/2/2005	08:35:00	0	Ammonia as N (mg/L)	0.031
G370	5/2/2005	08:35:00	0	Dissolved Chloride (mg/L)	43.3
G370	5/2/2005	08:35:00	0	Dissolved Oxygen (mg/L)	6.46
G370	5/2/2005	08:35:00	0	Nitrate + Nitrite (mg/L)	0.517
G370	5/2/2005	08:35:00	0	Orthophosphate as P (mg/L)	0.086
G370	5/2/2005	08:35:00	0	pH	6.99
G370	5/2/2005	08:35:00	0	Specific Conductivity (μ S/cm)	412
G370	5/2/2005	08:35:00	0	Sulfate (mg/L)	26.5
G370	5/2/2005	08:35:00	0	Temperature ($^{\circ}$ C)	24.6
G370	5/2/2005	08:35:00	0	Total Dissolved Phosphorus (mg/L)	0.086
G370	5/2/2005	08:35:00	0	Total Dissolved Solids (mg/L)	280
G370	5/2/2005	08:35:00	0	Total Phosphorus (mg/L)	0.18
G370	5/2/2005	08:35:00	0	Turbidity (NTU)	39.4
G370	5/2/2005	08:40:00	7	Total Phosphorus (mg/L)	0.251
G370	5/9/2005	09:05:00	0	Dissolved Oxygen (mg/L)	4.62
G370	5/9/2005	09:05:00	0	Orthophosphate as P (mg/L)	0.077
G370	5/9/2005	09:05:00	0	pH	7.38
G370	5/9/2005	09:05:00	0	Specific Conductivity (μ S/cm)	888
G370	5/9/2005	09:05:00	0	Temperature ($^{\circ}$ C)	25.2
G370	5/9/2005	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.082
G370	5/9/2005	09:05:00	0	Total Phosphorus (mg/L)	0.104
G370	5/9/2005	09:10:00	7	Total Phosphorus (mg/L)	0.18
G370	5/16/2005	08:40:00	0	Alkalinity (mg/L)	273
G370	5/16/2005	08:40:00	0	Ammonia as N (mg/L)	0.017
G370	5/16/2005	08:40:00	0	Dissolved Chloride (mg/L)	95.4
G370	5/16/2005	08:40:00	0	Dissolved Oxygen (mg/L)	8.69
G370	5/16/2005	08:40:00	0	Nitrate + Nitrite (mg/L)	0.529
G370	5/16/2005	08:40:00	0	Orthophosphate as P (mg/L)	0.007
G370	5/16/2005	08:40:00	0	pH	8.04
G370	5/16/2005	08:40:00	0	Specific Conductivity (μ S/cm)	929
G370	5/16/2005	08:40:00	0	Sulfate (mg/L)	55.4
G370	5/16/2005	08:40:00	0	Temperature ($^{\circ}$ C)	26.3
G370	5/16/2005	08:40:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G370	5/16/2005	08:40:00	0	Total Dissolved Solids (mg/L)	558
G370	5/16/2005	08:40:00	0	Total Phosphorus (mg/L)	0.082
G370	5/16/2005	08:40:00	0	Turbidity (NTU)	6
G370	5/16/2005	08:45:00	7	Total Phosphorus (mg/L)	0.084
G370	5/23/2005	09:10:00	0	Dissolved Oxygen (mg/L)	6.92
G370	5/23/2005	09:10:00	0	Orthophosphate as P (mg/L)	0.006
G370	5/23/2005	09:10:00	0	pH	8.01
G370	5/23/2005	09:10:00	0	Specific Conductivity (μ S/cm)	870
G370	5/23/2005	09:10:00	0	Temperature ($^{\circ}$ C)	28.1
G370	5/23/2005	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.018
G370	5/23/2005	09:10:00	0	Total Phosphorus (mg/L)	0.067
G370	5/23/2005	09:15:00	7	Total Phosphorus (mg/L)	0.06
G370	5/31/2005	08:45:00	0	Alkalinity (mg/L)	168
G370	5/31/2005	08:45:00	0	Ammonia as N (mg/L)	0.072
G370	5/31/2005	08:45:00	0	Dissolved Chloride (mg/L)	58.4
G370	5/31/2005	08:45:00	0	Nitrate + Nitrite (mg/L)	0.413
G370	5/31/2005	08:45:00	0	Orthophosphate as P (mg/L)	0.073

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	5/31/2005	08:45:00	0	Sulfate (mg/L)	37.6
G370	5/31/2005	08:45:00	0	Total Dissolved Phosphorus (mg/L)	0.078
G370	5/31/2005	08:45:00	0	Total Dissolved Solids (mg/L)	382
G370	5/31/2005	08:45:00	0	Total Phosphorus (mg/L)	0.093
G370	5/31/2005	08:45:00	0	Turbidity (NTU)	5.6
G370	5/31/2005	08:50:00	7	Total Phosphorus (mg/L)	0.078
G370	6/6/2005	09:00:00	0	Dissolved Oxygen (mg/L)	2.59
G370	6/6/2005	09:00:00	0	Orthophosphate as P (mg/L)	0.091
G370	6/6/2005	09:00:00	0	pH	7.06
G370	6/6/2005	09:00:00	0	Specific Conductivity (μ S/cm)	953
G370	6/6/2005	09:00:00	0	Temperature ($^{\circ}$ C)	25.7
G370	6/6/2005	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.098
G370	6/6/2005	09:00:00	0	Total Phosphorus (mg/L)	0.122
G370	6/6/2005	09:05:00	7	Total Phosphorus (mg/L)	0.137
G370	6/13/2005	09:15:00	0	Alkalinity (mg/L)	326
G370	6/13/2005	09:15:00	0	Ammonia as N (mg/L)	0.259
G370	6/13/2005	09:15:00	0	Dissolved Chloride (mg/L)	82.4
G370	6/13/2005	09:15:00	0	Dissolved Oxygen (mg/L)	2.51
G370	6/13/2005	09:15:00	0	Nitrate + Nitrite (mg/L)	1.14
G370	6/13/2005	09:15:00	0	Orthophosphate as P (mg/L)	0.098
G370	6/13/2005	09:15:00	0	Specific Conductivity (μ S/cm)	963
G370	6/13/2005	09:15:00	0	Sulfate (mg/L)	60.8
G370	6/13/2005	09:15:00	0	Temperature ($^{\circ}$ C)	27.2
G370	6/13/2005	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.114
G370	6/13/2005	09:15:00	0	Total Dissolved Solids (mg/L)	633
G370	6/13/2005	09:15:00	0	Total Phosphorus (mg/L)	0.118
G370	6/13/2005	09:15:00	0	Turbidity (NTU)	1.1
G370	6/13/2005	09:45:00	7	Total Phosphorus (mg/L)	0.124
G370	6/20/2005	09:10:00	0	Orthophosphate as P (mg/L)	0.063
G370	6/20/2005	09:10:00	0	Temperature ($^{\circ}$ C)	28.5
G370	6/20/2005	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.075
G370	6/20/2005	09:10:00	0	Total Phosphorus (mg/L)	0.084
G370	6/20/2005	09:15:00	7	Total Phosphorus (mg/L)	0.081
G370	6/27/2005	08:40:00	0	Alkalinity (mg/L)	355
G370	6/27/2005	08:40:00	0	Ammonia as N (mg/L)	0.183
G370	6/27/2005	08:40:00	0	Dissolved Chloride (mg/L)	87.6
G370	6/27/2005	08:40:00	0	Dissolved Oxygen (mg/L)	3.57
G370	6/27/2005	08:40:00	0	Nitrate + Nitrite (mg/L)	0.417
G370	6/27/2005	08:40:00	0	Orthophosphate as P (mg/L)	0.028
G370	6/27/2005	08:40:00	0	pH	7.02
G370	6/27/2005	08:40:00	0	Specific Conductivity (μ S/cm)	1047
G370	6/27/2005	08:40:00	0	Sulfate (mg/L)	54.3
G370	6/27/2005	08:40:00	0	Temperature ($^{\circ}$ C)	28
G370	6/27/2005	08:40:00	0	Total Dissolved Phosphorus (mg/L)	0.037
G370	6/27/2005	08:40:00	0	Total Dissolved Solids (mg/L)	684
G370	6/27/2005	08:40:00	0	Total Phosphorus (mg/L)	0.058
G370	6/27/2005	09:05:00	7	Total Phosphorus (mg/L)	0.058
G370	7/5/2005	09:30:00	0	Dissolved Oxygen (mg/L)	3.45
G370	7/5/2005	09:30:00	0	Orthophosphate as P (mg/L)	0.039
G370	7/5/2005	09:30:00	0	pH	7.09

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	7/5/2005	09:30:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1127
G370	7/5/2005	09:30:00	0	Temperature ($^{\circ}\text{C}$)	29
G370	7/5/2005	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.048
G370	7/5/2005	09:30:00	0	Total Phosphorus (mg/L)	0.061
G370	7/5/2005	09:35:00	7	Total Phosphorus (mg/L)	0.095
G370	7/11/2005	09:05:00	0	Alkalinity (mg/L)	360
G370	7/11/2005	09:05:00	0	Ammonia as N (mg/L)	0.34
G370	7/11/2005	09:05:00	0	Dissolved Chloride (mg/L)	90.3
G370	7/11/2005	09:05:00	0	Dissolved Oxygen (mg/L)	3.51
G370	7/11/2005	09:05:00	0	Nitrate + Nitrite (mg/L)	0.801
G370	7/11/2005	09:05:00	0	Orthophosphate as P (mg/L)	0.059
G370	7/11/2005	09:05:00	0	pH	7.06
G370	7/11/2005	09:05:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1086
G370	7/11/2005	09:05:00	0	Sulfate (mg/L)	63.2
G370	7/11/2005	09:05:00	0	Temperature ($^{\circ}\text{C}$)	26
G370	7/11/2005	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.066
G370	7/11/2005	09:05:00	0	Total Dissolved Solids (mg/L)	730
G370	7/11/2005	09:05:00	0	Total Phosphorus (mg/L)	0.08
G370	7/11/2005	09:05:00	0	Turbidity (NTU)	3.4
G370	7/11/2005	09:10:00	7	Total Phosphorus (mg/L)	0.117
G370	7/18/2005	08:55:00	0	Dissolved Oxygen (mg/L)	4.51
G370	7/18/2005	08:55:00	0	Orthophosphate as P (mg/L)	0.016
G370	7/18/2005	08:55:00	0	pH	7.34
G370	7/18/2005	08:55:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1101
G370	7/18/2005	08:55:00	0	Temperature ($^{\circ}\text{C}$)	28.9
G370	7/18/2005	08:55:00	0	Total Dissolved Phosphorus (mg/L)	0.024
G370	7/18/2005	08:55:00	0	Total Phosphorus (mg/L)	0.048
G370	7/18/2005	09:00:00	7	Total Phosphorus (mg/L)	0.059
G370	7/25/2005	09:14:00	0	Alkalinity (mg/L)	355
G370	7/25/2005	09:14:00	0	Ammonia as N (mg/L)	0.069
G370	7/25/2005	09:14:00	0	Dissolved Chloride (mg/L)	101
G370	7/25/2005	09:14:00	0	Dissolved Oxygen (mg/L)	5.66
G370	7/25/2005	09:14:00	0	Nitrate + Nitrite (mg/L)	0.069
G370	7/25/2005	09:14:00	0	Orthophosphate as P (mg/L)	0.005
G370	7/25/2005	09:14:00	0	pH	7.7
G370	7/25/2005	09:14:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1107
G370	7/25/2005	09:14:00	0	Sulfate (mg/L)	57.6
G370	7/25/2005	09:14:00	0	Temperature ($^{\circ}\text{C}$)	30
G370	7/25/2005	09:14:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G370	7/25/2005	09:14:00	0	Total Dissolved Solids (mg/L)	692
G370	7/25/2005	09:14:00	0	Total Phosphorus (mg/L)	0.043
G370	7/25/2005	09:14:00	0	Turbidity (NTU)	2
G370	7/25/2005	09:20:00	7	Total Phosphorus (mg/L)	0.061
G370	8/1/2005	09:00:00	0	Dissolved Oxygen (mg/L)	4.17
G370	8/1/2005	09:00:00	0	Orthophosphate as P (mg/L)	0.023
G370	8/1/2005	09:00:00	0	pH	7.72
G370	8/1/2005	09:00:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1063
G370	8/1/2005	09:00:00	0	Temperature ($^{\circ}\text{C}$)	29.7
G370	8/1/2005	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.034
G370	8/1/2005	09:00:00	0	Total Phosphorus (mg/L)	0.042

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	8/1/2005	09:05:00	7	Total Phosphorus (mg/L)	0.043
G370	8/8/2005	09:05:00	0	Alkalinity (mg/L)	311
G370	8/8/2005	09:05:00	0	Ammonia as N (mg/L)	0.106
G370	8/8/2005	09:05:00	0	Dissolved Chloride (mg/L)	95.9
G370	8/8/2005	09:05:00	0	Dissolved Oxygen (mg/L)	3.85
G370	8/8/2005	09:05:00	0	Nitrate + Nitrite (mg/L)	0.201
G370	8/8/2005	09:05:00	0	Orthophosphate as P (mg/L)	0.039
G370	8/8/2005	09:05:00	0	pH	7.44
G370	8/8/2005	09:05:00	0	Specific Conductivity (μ S/cm)	1007
G370	8/8/2005	09:05:00	0	Sulfate (mg/L)	53.1
G370	8/8/2005	09:05:00	0	Temperature ($^{\circ}$ C)	29.7
G370	8/8/2005	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.047
G370	8/8/2005	09:05:00	0	Total Dissolved Solids (mg/L)	680
G370	8/8/2005	09:05:00	0	Total Phosphorus (mg/L)	0.059
G370	8/8/2005	09:05:00	0	Turbidity (NTU)	1.1
G370	8/8/2005	09:10:00	7	Total Phosphorus (mg/L)	0.063
G370	8/15/2005	09:00:00	0	Dissolved Oxygen (mg/L)	3.87
G370	8/15/2005	09:00:00	0	Orthophosphate as P (mg/L)	0.004
G370	8/15/2005	09:00:00	0	pH	7.37
G370	8/15/2005	09:00:00	0	Specific Conductivity (μ S/cm)	1054
G370	8/15/2005	09:00:00	0	Temperature ($^{\circ}$ C)	29.6
G370	8/15/2005	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G370	8/15/2005	09:00:00	0	Total Phosphorus (mg/L)	0.039
G370	8/15/2005	09:05:00	7	Total Phosphorus (mg/L)	0.04
G370	8/22/2005	09:17:00	0	Alkalinity (mg/L)	325
G370	8/22/2005	09:17:00	0	Ammonia as N (mg/L)	0.014
G370	8/22/2005	09:17:00	0	Dissolved Chloride (mg/L)	98.7
G370	8/22/2005	09:17:00	0	Dissolved Oxygen (mg/L)	5.86
G370	8/22/2005	09:17:00	0	Nitrate + Nitrite (mg/L)	0.029
G370	8/22/2005	09:17:00	0	Orthophosphate as P (mg/L)	<0.004
G370	8/22/2005	09:17:00	0	pH	7.51
G370	8/22/2005	09:17:00	0	Specific Conductivity (μ S/cm)	1038
G370	8/22/2005	09:17:00	0	Sulfate (mg/L)	52.4
G370	8/22/2005	09:17:00	0	Temperature ($^{\circ}$ C)	29.8
G370	8/22/2005	09:17:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G370	8/22/2005	09:17:00	0	Total Dissolved Solids (mg/L)	649
G370	8/22/2005	09:17:00	0	Total Phosphorus (mg/L)	0.038
G370	8/22/2005	09:17:00	0	Turbidity (NTU)	2.1
G370	8/22/2005	09:25:00	7	Total Phosphorus (mg/L)	0.042
G370	8/29/2005	09:35:00	0	Dissolved Oxygen (mg/L)	3
G370	8/29/2005	09:35:00	0	Orthophosphate as P (mg/L)	0.033
G370	8/29/2005	09:35:00	0	pH	7.27
G370	8/29/2005	09:35:00	0	Specific Conductivity (μ S/cm)	1174
G370	8/29/2005	09:35:00	0	Temperature ($^{\circ}$ C)	28.3
G370	8/29/2005	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.04
G370	8/29/2005	09:35:00	0	Total Phosphorus (mg/L)	0.054
G370	8/29/2005	09:40:00	7	Total Phosphorus (mg/L)	0.052
G370	9/6/2005	08:45:00	0	Alkalinity (mg/L)	374
G370	9/6/2005	08:45:00	0	Ammonia as N (mg/L)	0.339
G370	9/6/2005	08:45:00	0	Dissolved Chloride (mg/L)	109

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	9/6/2005	08:45:00	0	Dissolved Oxygen (mg/L)	2.3
G370	9/6/2005	08:45:00	0	Nitrate + Nitrite (mg/L)	1.25
G370	9/6/2005	08:45:00	0	Orthophosphate as P (mg/L)	0.043
G370	9/6/2005	08:45:00	0	pH	7.21
G370	9/6/2005	08:45:00	0	Specific Conductivity (μ S/cm)	1236
G370	9/6/2005	08:45:00	0	Sulfate (mg/L)	100
G370	9/6/2005	08:45:00	0	Temperature ($^{\circ}$ C)	27.1
G370	9/6/2005	08:45:00	0	Total Dissolved Phosphorus (mg/L)	0.052
G370	9/6/2005	08:45:00	0	Total Dissolved Solids (mg/L)	806
G370	9/6/2005	08:45:00	0	Total Phosphorus (mg/L)	0.072
G370	9/6/2005	08:45:00	0	Turbidity (NTU)	5.2
G370	9/6/2005	08:50:00	7	Total Phosphorus (mg/L)	0.072
G370	9/12/2005	09:00:00	0	Dissolved Oxygen (mg/L)	6.71
G370	9/12/2005	09:00:00	0	Orthophosphate as P (mg/L)	0.012
G370	9/12/2005	09:00:00	0	pH	7.57
G370	9/12/2005	09:00:00	0	Specific Conductivity (μ S/cm)	1178
G370	9/12/2005	09:00:00	0	Temperature ($^{\circ}$ C)	29.6
G370	9/12/2005	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.023
G370	9/12/2005	09:00:00	0	Total Phosphorus (mg/L)	0.063
G370	9/12/2005	09:10:00	7	Total Phosphorus (mg/L)	0.071
G370	9/21/2005	08:40:00	0	Alkalinity (mg/L)	376
G370	9/21/2005	08:40:00	0	Ammonia as N (mg/L)	0.128
G370	9/21/2005	08:40:00	0	Dissolved Chloride (mg/L)	111
G370	9/21/2005	08:40:00	0	Dissolved Oxygen (mg/L)	3.9
G370	9/21/2005	08:40:00	0	Nitrate + Nitrite (mg/L)	0.32
G370	9/21/2005	08:40:00	0	Orthophosphate as P (mg/L)	0.011
G370	9/21/2005	08:40:00	0	pH	7.63
G370	9/21/2005	08:40:00	0	Specific Conductivity (μ S/cm)	1205
G370	9/21/2005	08:40:00	0	Sulfate (mg/L)	93.2
G370	9/21/2005	08:40:00	0	Temperature ($^{\circ}$ C)	28.3
G370	9/21/2005	08:40:00	0	Total Dissolved Phosphorus (mg/L)	0.023
G370	9/21/2005	08:40:00	0	Total Dissolved Solids (mg/L)	832
G370	9/21/2005	08:40:00	0	Total Phosphorus (mg/L)	0.048
G370	9/21/2005	08:40:00	0	Turbidity (NTU)	3.3
G370	9/21/2005	08:45:00	7	Total Phosphorus (mg/L)	0.056
G370	9/26/2005	08:50:00	0	Dissolved Oxygen (mg/L)	5.94
G370	9/26/2005	08:50:00	0	Orthophosphate as P (mg/L)	0.006
G370	9/26/2005	08:50:00	0	pH	7.87
G370	9/26/2005	08:50:00	0	Specific Conductivity (μ S/cm)	1075
G370	9/26/2005	08:50:00	0	Temperature ($^{\circ}$ C)	28.6
G370	9/26/2005	08:50:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G370	9/26/2005	08:50:00	0	Total Phosphorus (mg/L)	0.047
G370	9/26/2005	08:55:00	7	Total Phosphorus (mg/L)	0.051
G370	10/3/2005	09:16:00	0	Alkalinity (mg/L)	309
G370	10/3/2005	09:16:00	0	Ammonia as N (mg/L)	0.165
G370	10/3/2005	09:16:00	0	Dissolved Chloride (mg/L)	100
G370	10/3/2005	09:16:00	0	Dissolved Oxygen (mg/L)	3.26
G370	10/3/2005	09:16:00	0	Nitrate + Nitrite (mg/L)	0.511
G370	10/3/2005	09:16:00	0	Orthophosphate as P (mg/L)	0.025
G370	10/3/2005	09:16:00	0	pH	7.36

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	10/3/2005	09:16:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1002
G370	10/3/2005	09:16:00	0	Sulfate (mg/L)	62
G370	10/3/2005	09:16:00	0	Temperature ($^{\circ}\text{C}$)	27.8
G370	10/3/2005	09:16:00	0	Total Dissolved Solids (mg/L)	672
G370	10/3/2005	09:16:00	0	Total Phosphorus (mg/L)	0.046
G370	10/3/2005	09:16:00	0	Turbidity (NTU)	3.2
G370	10/3/2005	09:25:00	7	Total Phosphorus (mg/L)	0.063
G370	10/10/2005	09:20:00	0	Dissolved Oxygen (mg/L)	0.4
G370	10/10/2005	09:20:00	0	Orthophosphate as P (mg/L)	0.064
G370	10/10/2005	09:20:00	0	pH	7.23
G370	10/10/2005	09:20:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1522
G370	10/10/2005	09:20:00	0	Temperature ($^{\circ}\text{C}$)	28.1
G370	10/10/2005	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.079
G370	10/10/2005	09:20:00	0	Total Phosphorus (mg/L)	0.109
G370	10/10/2005	09:25:00	7	Total Phosphorus (mg/L)	0.085
G370	10/17/2005	09:10:00	0	Alkalinity (mg/L)	349
G370	10/17/2005	09:10:00	0	Ammonia as N (mg/L)	0.317
G370	10/17/2005	09:10:00	0	Dissolved Chloride (mg/L)	137
G370	10/17/2005	09:10:00	0	Dissolved Oxygen (mg/L)	2.48
G370	10/17/2005	09:10:00	0	Nitrate + Nitrite (mg/L)	0.429
G370	10/17/2005	09:10:00	0	Orthophosphate as P (mg/L)	0.046
G370	10/17/2005	09:10:00	0	pH	7.45
G370	10/17/2005	09:10:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1237
G370	10/17/2005	09:10:00	0	Sulfate (mg/L)	84.8
G370	10/17/2005	09:10:00	0	Temperature ($^{\circ}\text{C}$)	27.2
G370	10/17/2005	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.057
G370	10/17/2005	09:10:00	0	Total Dissolved Solids (mg/L)	824
G370	10/17/2005	09:10:00	0	Total Phosphorus (mg/L)	0.075
G370	10/17/2005	09:10:00	0	Turbidity (NTU)	2.4
G370	10/17/2005	09:15:00	7	Total Phosphorus (mg/L)	0.083
G370	10/31/2005	09:50:00	0	Dissolved Oxygen (mg/L)	3.23
G370	10/31/2005	09:50:00	0	Orthophosphate as P (mg/L)	0.056
G370	10/31/2005	09:50:00	0	pH	7.53
G370	10/31/2005	09:50:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1069
G370	10/31/2005	09:50:00	0	Temperature ($^{\circ}\text{C}$)	22.3
G370	10/31/2005	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.063
G370	10/31/2005	09:50:00	0	Total Phosphorus (mg/L)	0.076
G370	10/31/2005	09:55:00	7	Total Phosphorus (mg/L)	0.17
G370	11/7/2005	09:00:00	0	Dissolved Oxygen (mg/L)	6.43
G370	11/7/2005	09:00:00	0	Orthophosphate as P (mg/L)	0.016
G370	11/7/2005	09:00:00	0	pH	7.62
G370	11/7/2005	09:00:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1135
G370	11/7/2005	09:00:00	0	Temperature ($^{\circ}\text{C}$)	25
G370	11/7/2005	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.025
G370	11/7/2005	09:00:00	0	Total Phosphorus (mg/L)	0.063
G370	11/7/2005	09:05:00	7	Total Phosphorus (mg/L)	0.079
G370	11/14/2005	09:30:00	0	Alkalinity (mg/L)	349
G370	11/14/2005	09:30:00	0	Ammonia as N (mg/L)	0.083
G370	11/14/2005	09:30:00	0	Dissolved Chloride (mg/L)	134
G370	11/14/2005	09:30:00	0	Dissolved Oxygen (mg/L)	3.98

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	11/14/2005	09:30:00	0	Nitrate + Nitrite (mg/L)	0.494
G370	11/14/2005	09:30:00	0	Orthophosphate as P (mg/L)	0.013
G370	11/14/2005	09:30:00	0	pH	7.45
G370	11/14/2005	09:30:00	0	Specific Conductivity (μ S/cm)	1153
G370	11/14/2005	09:30:00	0	Sulfate (mg/L)	55.2
G370	11/14/2005	09:30:00	0	Temperature ($^{\circ}$ C)	24.1
G370	11/14/2005	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.024
G370	11/14/2005	09:30:00	0	Total Dissolved Solids (mg/L)	749
G370	11/14/2005	09:30:00	0	Total Phosphorus (mg/L)	0.055
G370	11/14/2005	09:30:00	0	Turbidity (NTU)	4.2
G370	11/14/2005	09:35:00	7	Total Phosphorus (mg/L)	0.056
G370	11/21/2005	09:10:00	0	Dissolved Oxygen (mg/L)	3.86
G370	11/21/2005	09:10:00	0	Orthophosphate as P (mg/L)	0.098
G370	11/21/2005	09:10:00	0	pH	7.7
G370	11/21/2005	09:10:00	0	Specific Conductivity (μ S/cm)	1116
G370	11/21/2005	09:10:00	0	Temperature ($^{\circ}$ C)	24.1
G370	11/21/2005	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.11
G370	11/21/2005	09:10:00	0	Total Phosphorus (mg/L)	0.137
G370	11/21/2005	09:15:00	7	Total Phosphorus (mg/L)	0.067
G370	11/28/2005	09:35:00	0	Alkalinity (mg/L)	302
G370	11/28/2005	09:35:00	0	Ammonia as N (mg/L)	0.059
G370	11/28/2005	09:35:00	0	Dissolved Chloride (mg/L)	129
G370	11/28/2005	09:35:00	0	Dissolved Oxygen (mg/L)	5.56
G370	11/28/2005	09:35:00	0	Nitrate + Nitrite (mg/L)	0.547
G370	11/28/2005	09:35:00	0	Orthophosphate as P (mg/L)	0.055
G370	11/28/2005	09:35:00	0	pH	7.57
G370	11/28/2005	09:35:00	0	Specific Conductivity (μ S/cm)	1034
G370	11/28/2005	09:35:00	0	Sulfate (mg/L)	50.8
G370	11/28/2005	09:35:00	0	Temperature ($^{\circ}$ C)	22.4
G370	11/28/2005	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.067
G370	11/28/2005	09:35:00	0	Total Dissolved Solids (mg/L)	706
G370	11/28/2005	09:35:00	0	Total Phosphorus (mg/L)	0.092
G370	11/28/2005	09:35:00	0	Turbidity (NTU)	6.1
G370	11/28/2005	09:40:00	7	Total Phosphorus (mg/L)	0.12
G370	12/5/2005	09:15:00	0	Dissolved Oxygen (mg/L)	6.73
G370	12/5/2005	09:15:00	0	Orthophosphate as P (mg/L)	0.032
G370	12/5/2005	09:15:00	0	pH	7.67
G370	12/5/2005	09:15:00	0	Specific Conductivity (μ S/cm)	1137
G370	12/5/2005	09:15:00	0	Temperature ($^{\circ}$ C)	21.3
G370	12/5/2005	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.041
G370	12/5/2005	09:15:00	0	Total Phosphorus (mg/L)	0.062
G370	12/5/2005	09:20:00	7	Total Phosphorus (mg/L)	0.061
G370	12/12/2005	09:50:00	0	Alkalinity (mg/L)	328
G370	12/12/2005	09:50:00	0	Ammonia as N (mg/L)	0.086
G370	12/12/2005	09:50:00	0	Dissolved Chloride (mg/L)	157
G370	12/12/2005	09:50:00	0	Dissolved Oxygen (mg/L)	6.54
G370	12/12/2005	09:50:00	0	Nitrate + Nitrite (mg/L)	0.802
G370	12/12/2005	09:50:00	0	Orthophosphate as P (mg/L)	0.064
G370	12/12/2005	09:50:00	0	pH	7.88
G370	12/12/2005	09:50:00	0	Specific Conductivity (μ S/cm)	1262

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	12/12/2005	09:50:00	0	Sulfate (mg/L)	78.1
G370	12/12/2005	09:50:00	0	Temperature (°C)	21.4
G370	12/12/2005	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.074
G370	12/12/2005	09:50:00	0	Total Dissolved Solids (mg/L)	839
G370	12/12/2005	09:50:00	0	Total Phosphorus (mg/L)	0.088
G370	12/12/2005	09:50:00	0	Turbidity (NTU)	3
G370	12/12/2005	09:55:00	7	Total Phosphorus (mg/L)	0.084
G370	12/19/2005	09:20:00	0	Dissolved Oxygen (mg/L)	8.3
G370	12/19/2005	09:20:00	0	Orthophosphate as P (mg/L)	0.019
G370	12/19/2005	09:20:00	0	pH	7.68
G370	12/19/2005	09:20:00	0	Specific Conductivity (µS/cm)	1290
G370	12/19/2005	09:20:00	0	Temperature (°C)	22
G370	12/19/2005	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.026
G370	12/19/2005	09:20:00	0	Total Phosphorus (mg/L)	0.05
G370	12/19/2005	09:25:00	7	Total Phosphorus (mg/L)	0.072
G370	12/27/2005	09:00:00	0	Alkalinity (mg/L)	380
G370	12/27/2005	09:00:00	0	Ammonia as N (mg/L)	0.118
G370	12/27/2005	09:00:00	0	Dissolved Chloride (mg/L)	163
G370	12/27/2005	09:00:00	0	Dissolved Oxygen (mg/L)	6.89
G370	12/27/2005	09:00:00	0	Nitrate + Nitrite (mg/L)	0.649
G370	12/27/2005	09:00:00	0	Orthophosphate as P (mg/L)	0.027
G370	12/27/2005	09:00:00	0	pH	7.83
G370	12/27/2005	09:00:00	0	Specific Conductivity (µS/cm)	1261
G370	12/27/2005	09:00:00	0	Sulfate (mg/L)	41.9
G370	12/27/2005	09:00:00	0	Temperature (°C)	18.3
G370	12/27/2005	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.034
G370	12/27/2005	09:00:00	0	Total Dissolved Solids (mg/L)	799
G370	12/27/2005	09:00:00	0	Total Phosphorus (mg/L)	0.039
G370	12/27/2005	09:00:00	0	Turbidity (NTU)	2.7
G370	12/27/2005	09:15:00	7	Total Phosphorus (mg/L)	0.041
G370	1/3/2006	10:30:00	0	Dissolved Oxygen (mg/L)	7.7
G370	1/3/2006	10:30:00	0	Orthophosphate as P (mg/L)	0.007
G370	1/3/2006	10:30:00	0	pH	7.84
G370	1/3/2006	10:30:00	0	Specific Conductivity (µS/cm)	1248
G370	1/3/2006	10:30:00	0	Temperature (°C)	21.4
G370	1/3/2006	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G370	1/3/2006	10:30:00	0	Total Phosphorus (mg/L)	0.035
G370	1/3/2006	10:35:00	7	Total Phosphorus (mg/L)	0.033
G370	1/9/2006	08:50:00	0	Alkalinity (mg/L)	168
G370	1/9/2006	08:50:00	0	Ammonia as N (mg/L)	0.019
G370	1/9/2006	08:50:00	0	Dissolved Chloride (mg/L)	61.5
G370	1/9/2006	08:50:00	0	Dissolved Oxygen (mg/L)	7.15
G370	1/9/2006	08:50:00	0	Nitrate + Nitrite (mg/L)	0.726
G370	1/9/2006	08:50:00	0	Orthophosphate as P (mg/L)	0.112
G370	1/9/2006	08:50:00	0	pH	7.76
G370	1/9/2006	08:50:00	0	Specific Conductivity (µS/cm)	589
G370	1/9/2006	08:50:00	0	Sulfate (mg/L)	29.1
G370	1/9/2006	08:50:00	0	Temperature (°C)	16.9
G370	1/9/2006	08:50:00	0	Total Dissolved Phosphorus (mg/L)	0.112
G370	1/9/2006	08:50:00	0	Total Dissolved Solids (mg/L)	324

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	1/9/2006	08:50:00	0	Total Phosphorus (mg/L)	0.165
G370	1/9/2006	08:50:00	0	Turbidity (NTU)	21
G370	1/9/2006	09:05:00	7	Total Phosphorus (mg/L)	0.092
G370	1/17/2006	09:20:00	0	Dissolved Oxygen (mg/L)	7.34
G370	1/17/2006	09:20:00	0	Orthophosphate as P (mg/L)	0.053
G370	1/17/2006	09:20:00	0	pH	7.69
G370	1/17/2006	09:20:00	0	Specific Conductivity (μ S/cm)	658
G370	1/17/2006	09:20:00	0	Temperature ($^{\circ}$ C)	17.4
G370	1/17/2006	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.061
G370	1/17/2006	09:20:00	0	Total Phosphorus (mg/L)	0.123
G370	1/17/2006	09:25:00	7	Total Phosphorus (mg/L)	0.19
G370	1/23/2006	08:35:00	0	Alkalinity (mg/L)	184
G370	1/23/2006	08:35:00	0	Ammonia as N (mg/L)	0.094
G370	1/23/2006	08:35:00	0	Dissolved Chloride (mg/L)	74.8
G370	1/23/2006	08:35:00	0	Dissolved Oxygen (mg/L)	6.57
G370	1/23/2006	08:35:00	0	Nitrate + Nitrite (mg/L)	0.627
G370	1/23/2006	08:35:00	0	Orthophosphate as P (mg/L)	0.054
G370	1/23/2006	08:35:00	0	pH	7.56
G370	1/23/2006	08:35:00	0	Specific Conductivity (μ S/cm)	605
G370	1/23/2006	08:35:00	0	Sulfate (mg/L)	25.6
G370	1/23/2006	08:35:00	0	Temperature ($^{\circ}$ C)	19.2
G370	1/23/2006	08:35:00	0	Total Dissolved Phosphorus (mg/L)	0.062
G370	1/23/2006	08:35:00	0	Total Dissolved Solids (mg/L)	411
G370	1/23/2006	08:35:00	0	Total Phosphorus (mg/L)	0.175
G370	1/23/2006	08:35:00	0	Turbidity (NTU)	54.4
G370	1/23/2006	08:40:00	24	Total Phosphorus (mg/L)	0.234
G370	1/30/2006	08:55:00	0	Dissolved Oxygen (mg/L)	6.63
G370	1/30/2006	08:55:00	0	Orthophosphate as P (mg/L)	0.057
G370	1/30/2006	08:55:00	0	pH	7.52
G370	1/30/2006	08:55:00	0	Specific Conductivity (μ S/cm)	788
G370	1/30/2006	08:55:00	0	Temperature ($^{\circ}$ C)	19.8
G370	1/30/2006	08:55:00	0	Total Dissolved Phosphorus (mg/L)	0.06
G370	1/30/2006	08:55:00	0	Total Phosphorus (mg/L)	0.108
G370	2/6/2006	08:50:00	0	Alkalinity (mg/L)	232
G370	2/6/2006	08:50:00	0	Ammonia as N (mg/L)	0.226
G370	2/6/2006	08:50:00	0	Dissolved Chloride (mg/L)	66.3
G370	2/6/2006	08:50:00	0	Dissolved Oxygen (mg/L)	4.44
G370	2/6/2006	08:50:00	0	Nitrate + Nitrite (mg/L)	2.63
G370	2/6/2006	08:50:00	0	Orthophosphate as P (mg/L)	0.138
G370	2/6/2006	08:50:00	0	pH	7.16
G370	2/6/2006	08:50:00	0	Specific Conductivity (μ S/cm)	777
G370	2/6/2006	08:50:00	0	Sulfate (mg/L)	62.9
G370	2/6/2006	08:50:00	0	Temperature ($^{\circ}$ C)	17.9
G370	2/6/2006	08:50:00	0	Total Dissolved Phosphorus (mg/L)	0.144
G370	2/6/2006	08:50:00	0	Total Dissolved Solids (mg/L)	494
G370	2/6/2006	08:50:00	0	Total Phosphorus (mg/L)	0.208
G370	2/6/2006	08:50:00	0	Turbidity (NTU)	19.7
G370	2/6/2006	08:55:00	24	Total Phosphorus (mg/L)	0.211
G370	2/13/2006	09:05:00	0	Dissolved Oxygen (mg/L)	7.02
G370	2/13/2006	09:05:00	0	Orthophosphate as P (mg/L)	0.061

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	2/13/2006	09:05:00	0	pH	7.74
G370	2/13/2006	09:05:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1096
G370	2/13/2006	09:05:00	0	Temperature ($^{\circ}\text{C}$)	17.3
G370	2/13/2006	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.065
G370	2/13/2006	09:05:00	0	Total Phosphorus (mg/L)	0.076
G370	2/13/2006	09:10:00	24	Total Phosphorus (mg/L)	0.18
G370	2/21/2006	09:15:00	0	Alkalinity (mg/L)	375
G370	2/21/2006	09:15:00	0	Ammonia as N (mg/L)	0.068
G370	2/21/2006	09:15:00	0	Dissolved Chloride (mg/L)	149
G370	2/21/2006	09:15:00	0	Dissolved Oxygen (mg/L)	9.52
G370	2/21/2006	09:15:00	0	Nitrate + Nitrite (mg/L)	0.448
G370	2/21/2006	09:15:00	0	Orthophosphate as P (mg/L)	<0.004
G370	2/21/2006	09:15:00	0	pH	7.58
G370	2/21/2006	09:15:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1228
G370	2/21/2006	09:15:00	0	Sulfate (mg/L)	45.9
G370	2/21/2006	09:15:00	0	Temperature ($^{\circ}\text{C}$)	22.2
G370	2/21/2006	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G370	2/21/2006	09:15:00	0	Total Dissolved Solids (mg/L)	766
G370	2/21/2006	09:15:00	0	Total Phosphorus (mg/L)	0.043
G370	2/21/2006	09:15:00	0	Turbidity (NTU)	2.9
G370	2/27/2006	09:15:00	0	Dissolved Oxygen (mg/L)	6.74
G370	2/27/2006	09:15:00	0	Orthophosphate as P (mg/L)	0.066
G370	2/27/2006	09:15:00	0	pH	7.64
G370	2/27/2006	09:15:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	709
G370	2/27/2006	09:15:00	0	Temperature ($^{\circ}\text{C}$)	19.4
G370	2/27/2006	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.073
G370	2/27/2006	09:15:00	0	Total Phosphorus (mg/L)	0.135
G370	2/27/2006	09:20:00	24	Total Phosphorus (mg/L)	0.122
G370	3/6/2006	09:33:00	0	Alkalinity (mg/L)	324
G370	3/6/2006	09:33:00	0	Ammonia as N (mg/L)	0.024
G370	3/6/2006	09:33:00	0	Dissolved Chloride (mg/L)	112
G370	3/6/2006	09:33:00	0	Dissolved Oxygen (mg/L)	9.17
G370	3/6/2006	09:33:00	0	Nitrate + Nitrite (mg/L)	0.397
G370	3/6/2006	09:33:00	0	Orthophosphate as P (mg/L)	0.004
G370	3/6/2006	09:33:00	0	pH	7.9
G370	3/6/2006	09:33:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1015
G370	3/6/2006	09:33:00	0	Sulfate (mg/L)	46
G370	3/6/2006	09:33:00	0	Temperature ($^{\circ}\text{C}$)	22.1
G370	3/6/2006	09:33:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G370	3/6/2006	09:33:00	0	Total Dissolved Solids (mg/L)	649
G370	3/6/2006	09:33:00	0	Total Phosphorus (mg/L)	0.051
G370	3/6/2006	09:33:00	0	Turbidity (NTU)	4.9
G370	3/13/2006	09:05:00	0	Dissolved Oxygen (mg/L)	7.25
G370	3/13/2006	09:05:00	0	Orthophosphate as P (mg/L)	<0.004
G370	3/13/2006	09:05:00	0	pH	7.77
G370	3/13/2006	09:05:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1235
G370	3/13/2006	09:05:00	0	Temperature ($^{\circ}\text{C}$)	23.1
G370	3/13/2006	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G370	3/13/2006	09:05:00	0	Total Phosphorus (mg/L)	0.033
G370	3/20/2006	09:30:00	0	Alkalinity (mg/L)	312

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	3/20/2006	09:30:00	0	Ammonia as N (mg/L)	0.062
G370	3/20/2006	09:30:00	0	Dissolved Chloride (mg/L)	140
G370	3/20/2006	09:30:00	0	Dissolved Oxygen (mg/L)	7.5
G370	3/20/2006	09:30:00	0	Nitrate + Nitrite (mg/L)	0.33
G370	3/20/2006	09:30:00	0	Orthophosphate as P (mg/L)	0.012
G370	3/20/2006	09:30:00	0	pH	7.75
G370	3/20/2006	09:30:00	0	Specific Conductivity (µS/cm)	1088
G370	3/20/2006	09:30:00	0	Sulfate (mg/L)	36.6
G370	3/20/2006	09:30:00	0	Temperature (°C)	24.1
G370	3/20/2006	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.021
G370	3/20/2006	09:30:00	0	Total Dissolved Solids (mg/L)	643
G370	3/20/2006	09:30:00	0	Total Phosphorus (mg/L)	0.046
G370	3/20/2006	09:30:00	0	Turbidity (NTU)	4.4
G370	3/27/2006	09:10:00	0	Dissolved Oxygen (mg/L)	5.4
G370	3/27/2006	09:10:00	0	Orthophosphate as P (mg/L)	0.147
G370	3/27/2006	09:10:00	0	pH	7.52
G370	3/27/2006	09:10:00	0	Specific Conductivity (µS/cm)	762
G370	3/27/2006	09:10:00	0	Temperature (°C)	20.1
G370	3/27/2006	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.156
G370	3/27/2006	09:10:00	0	Total Phosphorus (mg/L)	0.189
G370	3/27/2006	09:15:00	24	Total Phosphorus (mg/L)	0.27
G370	4/3/2006	09:55:00	0	Alkalinity (mg/L)	332
G370	4/3/2006	09:55:00	0	Ammonia as N (mg/L)	<0.009
G370	4/3/2006	09:55:00	0	Dissolved Chloride (mg/L)	174
G370	4/3/2006	09:55:00	0	Dissolved Oxygen (mg/L)	9.35
G370	4/3/2006	09:55:00	0	Nitrate + Nitrite (mg/L)	0.411
G370	4/3/2006	09:55:00	0	Orthophosphate as P (mg/L)	<0.004
G370	4/3/2006	09:55:00	0	pH	8
G370	4/3/2006	09:55:00	0	Specific Conductivity (µS/cm)	1260
G370	4/3/2006	09:55:00	0	Sulfate (mg/L)	43.8
G370	4/3/2006	09:55:00	0	Temperature (°C)	24
G370	4/3/2006	09:55:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G370	4/3/2006	09:55:00	0	Total Dissolved Solids (mg/L)	789
G370	4/3/2006	09:55:00	0	Total Phosphorus (mg/L)	0.061
G370	4/3/2006	09:55:00	0	Turbidity (NTU)	5
G370	4/10/2006	10:45:00	0	Dissolved Oxygen (mg/L)	7.05
G370	4/10/2006	10:45:00	0	Orthophosphate as P (mg/L)	0.005
G370	4/10/2006	10:45:00	0	pH	7.75
G370	4/10/2006	10:45:00	0	Specific Conductivity (µS/cm)	1316
G370	4/10/2006	10:45:00	0	Temperature (°C)	24.8
G370	4/10/2006	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G370	4/10/2006	10:45:00	0	Total Phosphorus (mg/L)	0.039
G370	4/17/2006	09:20:00	0	Alkalinity (mg/L)	382
G370	4/17/2006	09:20:00	0	Ammonia as N (mg/L)	0.017
G370	4/17/2006	09:20:00	0	Dissolved Chloride (mg/L)	174
G370	4/17/2006	09:20:00	0	Dissolved Oxygen (mg/L)	6.44
G370	4/17/2006	09:20:00	0	Nitrate + Nitrite (mg/L)	0.183
G370	4/17/2006	09:20:00	0	Orthophosphate as P (mg/L)	<0.004
G370	4/17/2006	09:20:00	0	pH	7.91
G370	4/17/2006	09:20:00	0	Specific Conductivity (µS/cm)	1272

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G370	4/17/2006	09:20:00	0	Sulfate (mg/L)	36.1
G370	4/17/2006	09:20:00	0	Temperature (°C)	24.9
G370	4/17/2006	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G370	4/17/2006	09:20:00	0	Total Dissolved Solids (mg/L)	850
G370	4/17/2006	09:20:00	0	Total Phosphorus (mg/L)	0.033
G370	4/17/2006	09:20:00	0	Turbidity (NTU)	3.1
G370	4/24/2006	09:00:00	0	Dissolved Oxygen (mg/L)	7.24
G370	4/24/2006	09:00:00	0	Orthophosphate as P (mg/L)	<0.004
G370	4/24/2006	09:00:00	0	pH	7.74
G370	4/24/2006	09:00:00	0	Specific Conductivity (µS/cm)	1163
G370	4/24/2006	09:00:00	0	Temperature (°C)	27
G370	4/24/2006	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G370	4/24/2006	09:00:00	0	Total Phosphorus (mg/L)	0.058
G372	5/2/2005	12:10:00	0	Alkalinity (mg/L)	109
G372	5/2/2005	12:10:00	0	Ammonia as N (mg/L)	0.015
G372	5/2/2005	12:10:00	0	Dissolved Chloride (mg/L)	43.2
G372	5/2/2005	12:10:00	0	Dissolved Oxygen (mg/L)	7.06
G372	5/2/2005	12:10:00	0	Nitrate + Nitrite (mg/L)	0.616
G372	5/2/2005	12:10:00	0	Orthophosphate as P (mg/L)	0.078
G372	5/2/2005	12:10:00	0	pH	7.91
G372	5/2/2005	12:10:00	0	Specific Conductivity (µS/cm)	394
G372	5/2/2005	12:10:00	0	Sulfate (mg/L)	28.3
G372	5/2/2005	12:10:00	0	Temperature (°C)	24.4
G372	5/2/2005	12:10:00	0	Total Dissolved Phosphorus (mg/L)	0.079
G372	5/2/2005	12:10:00	0	Total Dissolved Solids (mg/L)	304
G372	5/2/2005	12:10:00	0	Total Phosphorus (mg/L)	0.192
G372	5/2/2005	12:10:00	0	Turbidity (NTU)	56.6
G372	5/2/2005	12:15:00	7	Total Phosphorus (mg/L)	0.22
G372	5/9/2005	14:15:00	0	Dissolved Oxygen (mg/L)	3.75
G372	5/9/2005	14:15:00	0	Orthophosphate as P (mg/L)	0.041
G372	5/9/2005	14:15:00	0	pH	7.31
G372	5/9/2005	14:15:00	0	Specific Conductivity (µS/cm)	753
G372	5/9/2005	14:15:00	0	Temperature (°C)	24.9
G372	5/9/2005	14:15:00	0	Total Dissolved Phosphorus (mg/L)	0.047
G372	5/9/2005	14:15:00	0	Total Phosphorus (mg/L)	0.062
G372	5/9/2005	14:20:00	7	Total Phosphorus (mg/L)	0.174
G372	5/16/2005	12:21:00	0	Alkalinity (mg/L)	202
G372	5/16/2005	12:21:00	0	Ammonia as N (mg/L)	0.024
G372	5/16/2005	12:21:00	0	Dissolved Chloride (mg/L)	82.6
G372	5/16/2005	12:21:00	0	Dissolved Oxygen (mg/L)	7.18
G372	5/16/2005	12:21:00	0	Nitrate + Nitrite (mg/L)	2.55
G372	5/16/2005	12:21:00	0	Orthophosphate as P (mg/L)	0.005
G372	5/16/2005	12:21:00	0	pH	7.62
G372	5/16/2005	12:21:00	0	Specific Conductivity (µS/cm)	780
G372	5/16/2005	12:21:00	0	Sulfate (mg/L)	46.9
G372	5/16/2005	12:21:00	0	Temperature (°C)	25.6
G372	5/16/2005	12:21:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G372	5/16/2005	12:21:00	0	Total Dissolved Solids (mg/L)	456
G372	5/16/2005	12:21:00	0	Total Phosphorus (mg/L)	0.039
G372	5/16/2005	12:21:00	0	Turbidity (NTU)	2.9

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	5/16/2005	12:25:00	7	Total Phosphorus (mg/L)	0.056
G372	5/23/2005	14:05:00	0	Dissolved Oxygen (mg/L)	8.79
G372	5/23/2005	14:05:00	0	Orthophosphate as P (mg/L)	<0.004
G372	5/23/2005	14:05:00	0	pH	8.15
G372	5/23/2005	14:05:00	0	Specific Conductivity (μ S/cm)	744
G372	5/23/2005	14:05:00	0	Temperature ($^{\circ}$ C)	31.4
G372	5/23/2005	14:05:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G372	5/23/2005	14:05:00	0	Total Phosphorus (mg/L)	0.047
G372	5/23/2005	14:10:00	7	Total Phosphorus (mg/L)	0.038
G372	5/31/2005	12:40:00	0	Alkalinity (mg/L)	122
G372	5/31/2005	12:40:00	0	Ammonia as N (mg/L)	0.025
G372	5/31/2005	12:40:00	0	Dissolved Chloride (mg/L)	46.2
G372	5/31/2005	12:40:00	0	Dissolved Oxygen (mg/L)	4
G372	5/31/2005	12:40:00	0	Nitrate + Nitrite (mg/L)	0.419
G372	5/31/2005	12:40:00	0	Orthophosphate as P (mg/L)	0.068
G372	5/31/2005	12:40:00	0	pH	7.53
G372	5/31/2005	12:40:00	0	Specific Conductivity (μ S/cm)	456
G372	5/31/2005	12:40:00	0	Sulfate (mg/L)	30.2
G372	5/31/2005	12:40:00	0	Temperature ($^{\circ}$ C)	29.2
G372	5/31/2005	12:40:00	0	Total Dissolved Phosphorus (mg/L)	0.073
G372	5/31/2005	12:40:00	0	Total Dissolved Solids (mg/L)	308
G372	5/31/2005	12:40:00	0	Total Phosphorus (mg/L)	0.112
G372	5/31/2005	12:40:00	0	Turbidity (NTU)	16.8
G372	5/31/2005	12:45:00	7	Total Phosphorus (mg/L)	0.08
G372	6/6/2005	14:00:00	0	Dissolved Oxygen (mg/L)	3.05
G372	6/6/2005	14:00:00	0	Orthophosphate as P (mg/L)	0.054
G372	6/6/2005	14:00:00	0	pH	7.18
G372	6/6/2005	14:00:00	0	Specific Conductivity (μ S/cm)	828
G372	6/6/2005	14:00:00	0	Temperature ($^{\circ}$ C)	26.5
G372	6/6/2005	14:00:00	0	Total Dissolved Phosphorus (mg/L)	0.063
G372	6/6/2005	14:00:00	0	Total Phosphorus (mg/L)	0.085
G372	6/6/2005	14:05:00	7	Total Phosphorus (mg/L)	0.106
G372	6/13/2005	14:00:00	0	Alkalinity (mg/L)	183
G372	6/13/2005	14:00:00	0	Ammonia as N (mg/L)	0.173
G372	6/13/2005	14:00:00	0	Dissolved Chloride (mg/L)	50.1
G372	6/13/2005	14:00:00	0	Dissolved Oxygen (mg/L)	2.34
G372	6/13/2005	14:00:00	0	Nitrate + Nitrite (mg/L)	1.92
G372	6/13/2005	14:00:00	0	Orthophosphate as P (mg/L)	0.182
G372	6/13/2005	14:00:00	0	Specific Conductivity (μ S/cm)	595
G372	6/13/2005	14:00:00	0	Sulfate (mg/L)	41.7
G372	6/13/2005	14:00:00	0	Temperature ($^{\circ}$ C)	28.2
G372	6/13/2005	14:00:00	0	Total Dissolved Phosphorus (mg/L)	0.2
G372	6/13/2005	14:00:00	0	Total Dissolved Solids (mg/L)	407
G372	6/13/2005	14:00:00	0	Total Phosphorus (mg/L)	0.227
G372	6/13/2005	14:00:00	0	Turbidity (NTU)	7.3
G372	6/13/2005	14:10:00	7	Total Phosphorus (mg/L)	0.162
G372	6/20/2005	14:25:00	0	Orthophosphate as P (mg/L)	0.085
G372	6/20/2005	14:25:00	0	pH	7.2
G372	6/20/2005	14:25:00	0	Specific Conductivity (μ S/cm)	840
G372	6/20/2005	14:25:00	0	Temperature ($^{\circ}$ C)	29.1

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	6/20/2005	14:25:00	0	Total Dissolved Phosphorus (mg/L)	0.1
G372	6/20/2005	14:25:00	0	Total Phosphorus (mg/L)	0.11
G372	6/20/2005	14:30:00	7	Total Phosphorus (mg/L)	0.166
G372	6/27/2005	12:40:00	0	Alkalinity (mg/L)	266
G372	6/27/2005	12:40:00	0	Ammonia as N (mg/L)	0.125
G372	6/27/2005	12:40:00	0	Dissolved Chloride (mg/L)	85.8
G372	6/27/2005	12:40:00	0	Dissolved Oxygen (mg/L)	3.15
G372	6/27/2005	12:40:00	0	Nitrate + Nitrite (mg/L)	1.4
G372	6/27/2005	12:40:00	0	Orthophosphate as P (mg/L)	0.067
G372	6/27/2005	12:40:00	0	pH	7.09
G372	6/27/2005	12:40:00	0	Specific Conductivity (μ S/cm)	919
G372	6/27/2005	12:40:00	0	Sulfate (mg/L)	58.9
G372	6/27/2005	12:40:00	0	Temperature ($^{\circ}$ C)	28.9
G372	6/27/2005	12:40:00	0	Total Dissolved Phosphorus (mg/L)	0.078
G372	6/27/2005	12:40:00	0	Total Dissolved Solids (mg/L)	620
G372	6/27/2005	12:40:00	0	Total Phosphorus (mg/L)	0.094
G372	6/27/2005	12:40:00	0	Turbidity (NTU)	3.8
G372	6/27/2005	12:45:00	7	Total Phosphorus (mg/L)	0.11
G372	7/5/2005	13:30:00	0	Dissolved Oxygen (mg/L)	2.03
G372	7/5/2005	13:30:00	0	Orthophosphate as P (mg/L)	0.057
G372	7/5/2005	13:30:00	0	pH	7.15
G372	7/5/2005	13:30:00	0	Specific Conductivity (μ S/cm)	712
G372	7/5/2005	13:30:00	0	Temperature ($^{\circ}$ C)	30
G372	7/5/2005	13:30:00	0	Total Dissolved Phosphorus (mg/L)	0.067
G372	7/5/2005	13:30:00	0	Total Phosphorus (mg/L)	0.077
G372	7/5/2005	13:35:00	7	Total Phosphorus (mg/L)	0.113
G372	7/11/2005	13:31:00	0	Alkalinity (mg/L)	242
G372	7/11/2005	13:31:00	0	Ammonia as N (mg/L)	0.169
G372	7/11/2005	13:31:00	0	Dissolved Chloride (mg/L)	67.6
G372	7/11/2005	13:31:00	0	Dissolved Oxygen (mg/L)	2.93
G372	7/11/2005	13:31:00	0	Nitrate + Nitrite (mg/L)	0.958
G372	7/11/2005	13:31:00	0	Orthophosphate as P (mg/L)	0.043
G372	7/11/2005	13:31:00	0	pH	7.26
G372	7/11/2005	13:31:00	0	Specific Conductivity (μ S/cm)	779
G372	7/11/2005	13:31:00	0	Sulfate (mg/L)	44.3
G372	7/11/2005	13:31:00	0	Temperature ($^{\circ}$ C)	28.1
G372	7/11/2005	13:31:00	0	Total Dissolved Phosphorus (mg/L)	0.054
G372	7/11/2005	13:31:00	0	Total Dissolved Solids (mg/L)	509
G372	7/11/2005	13:31:00	0	Total Phosphorus (mg/L)	0.069
G372	7/11/2005	13:31:00	0	Turbidity (NTU)	4.7
G372	7/11/2005	13:35:00	7	Total Phosphorus (mg/L)	0.096
G372	7/18/2005	13:35:00	0	Dissolved Oxygen (mg/L)	3.12
G372	7/18/2005	13:35:00	0	Orthophosphate as P (mg/L)	0.046
G372	7/18/2005	13:35:00	0	pH	7.62
G372	7/18/2005	13:35:00	0	Specific Conductivity (μ S/cm)	835
G372	7/18/2005	13:35:00	0	Temperature ($^{\circ}$ C)	28.9
G372	7/18/2005	13:35:00	0	Total Dissolved Phosphorus (mg/L)	0.056
G372	7/18/2005	13:35:00	0	Total Phosphorus (mg/L)	0.082
G372	7/18/2005	13:40:00	7	Total Phosphorus (mg/L)	0.088
G372	7/25/2005	13:14:00	0	Alkalinity (mg/L)	222

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	7/25/2005	13:14:00	0	Ammonia as N (mg/L)	0.011
G372	7/25/2005	13:14:00	0	Dissolved Chloride (mg/L)	62.8
G372	7/25/2005	13:14:00	0	Dissolved Oxygen (mg/L)	17.7
G372	7/25/2005	13:14:00	0	Nitrate + Nitrite (mg/L)	0.006
G372	7/25/2005	13:14:00	0	Orthophosphate as P (mg/L)	0.006
G372	7/25/2005	13:14:00	0	pH	8.71
G372	7/25/2005	13:14:00	0	Specific Conductivity (μ S/cm)	676
G372	7/25/2005	13:14:00	0	Sulfate (mg/L)	35.9
G372	7/25/2005	13:14:00	0	Temperature ($^{\circ}$ C)	34.6
G372	7/25/2005	13:14:00	0	Total Dissolved Phosphorus (mg/L)	0.034
G372	7/25/2005	13:14:00	0	Total Dissolved Solids (mg/L)	262
G372	7/25/2005	13:14:00	0	Total Phosphorus (mg/L)	0.315
G372	7/25/2005	13:14:00	0	Turbidity (NTU)	12.8
G372	7/25/2005	13:20:00	7	Total Phosphorus (mg/L)	0.066
G372	8/1/2005	12:55:00	0	Dissolved Oxygen (mg/L)	1.84
G372	8/1/2005	12:55:00	0	Orthophosphate as P (mg/L)	0.024
G372	8/1/2005	12:55:00	0	pH	7.29
G372	8/1/2005	12:55:00	0	Specific Conductivity (μ S/cm)	942
G372	8/1/2005	12:55:00	0	Temperature ($^{\circ}$ C)	29.6
G372	8/1/2005	12:55:00	0	Total Dissolved Phosphorus (mg/L)	0.034
G372	8/1/2005	12:55:00	0	Total Phosphorus (mg/L)	0.049
G372	8/1/2005	13:00:00	7	Total Phosphorus (mg/L)	0.069
G372	8/8/2005	11:20:00	0	Alkalinity (mg/L)	252
G372	8/8/2005	11:20:00	0	Ammonia as N (mg/L)	0.176
G372	8/8/2005	11:20:00	0	Dissolved Chloride (mg/L)	87.6
G372	8/8/2005	11:20:00	0	Dissolved Oxygen (mg/L)	2.45
G372	8/8/2005	11:20:00	0	Nitrate + Nitrite (mg/L)	0.652
G372	8/8/2005	11:20:00	0	Orthophosphate as P (mg/L)	0.03
G372	8/8/2005	11:20:00	0	pH	7.26
G372	8/8/2005	11:20:00	0	Specific Conductivity (μ S/cm)	880
G372	8/8/2005	11:20:00	0	Sulfate (mg/L)	53.1
G372	8/8/2005	11:20:00	0	Temperature ($^{\circ}$ C)	29.8
G372	8/8/2005	11:20:00	0	Total Dissolved Phosphorus (mg/L)	0.042
G372	8/8/2005	11:20:00	0	Total Dissolved Solids (mg/L)	582
G372	8/8/2005	11:20:00	0	Total Phosphorus (mg/L)	0.089
G372	8/8/2005	11:20:00	0	Turbidity (NTU)	10.5
G372	8/8/2005	11:25:00	7	Total Phosphorus (mg/L)	0.053
G372	8/15/2005	10:45:00	0	Dissolved Oxygen (mg/L)	2.62
G372	8/15/2005	10:45:00	0	Orthophosphate as P (mg/L)	0.03
G372	8/15/2005	10:45:00	0	pH	7.22
G372	8/15/2005	10:45:00	0	Specific Conductivity (μ S/cm)	1032
G372	8/15/2005	10:45:00	0	Temperature ($^{\circ}$ C)	30.3
G372	8/15/2005	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.043
G372	8/15/2005	10:45:00	0	Total Phosphorus (mg/L)	0.061
G372	8/15/2005	10:50:00	7	Total Phosphorus (mg/L)	0.08
G372	8/22/2005	11:34:00	0	Alkalinity (mg/L)	292
G372	8/22/2005	11:34:00	0	Ammonia as N (mg/L)	0.009
G372	8/22/2005	11:34:00	0	Dissolved Chloride (mg/L)	116
G372	8/22/2005	11:34:00	0	Dissolved Oxygen (mg/L)	7.59
G372	8/22/2005	11:34:00	0	Nitrate + Nitrite (mg/L)	0.136

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	8/22/2005	11:34:00	0	Orthophosphate as P (mg/L)	<0.004
G372	8/22/2005	11:34:00	0	pH	7.53
G372	8/22/2005	11:34:00	0	Specific Conductivity (μ S/cm)	1019
G372	8/22/2005	11:34:00	0	Sulfate (mg/L)	51.9
G372	8/22/2005	11:34:00	0	Temperature ($^{\circ}$ C)	31
G372	8/22/2005	11:34:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G372	8/22/2005	11:34:00	0	Total Dissolved Solids (mg/L)	668
G372	8/22/2005	11:34:00	0	Total Phosphorus (mg/L)	0.037
G372	8/22/2005	11:34:00	0	Turbidity (NTU)	2.5
G372	8/22/2005	11:40:00	7	Total Phosphorus (mg/L)	0.065
G372	8/29/2005	11:50:00	0	Dissolved Oxygen (mg/L)	3.65
G372	8/29/2005	11:50:00	0	Orthophosphate as P (mg/L)	0.019
G372	8/29/2005	11:50:00	0	pH	7.45
G372	8/29/2005	11:50:00	0	Specific Conductivity (μ S/cm)	1155
G372	8/29/2005	11:50:00	0	Temperature ($^{\circ}$ C)	29
G372	8/29/2005	11:50:00	0	Total Dissolved Phosphorus (mg/L)	0.029
G372	8/29/2005	11:50:00	0	Total Phosphorus (mg/L)	0.062
G372	8/29/2005	11:55:00	7	Total Phosphorus (mg/L)	0.049
G372	9/6/2005	12:00:00	0	Alkalinity (mg/L)	292
G372	9/6/2005	12:00:00	0	Ammonia as N (mg/L)	0.178
G372	9/6/2005	12:00:00	0	Dissolved Chloride (mg/L)	89.9
G372	9/6/2005	12:00:00	0	Dissolved Oxygen (mg/L)	2.84
G372	9/6/2005	12:00:00	0	Nitrate + Nitrite (mg/L)	1.82
G372	9/6/2005	12:00:00	0	Orthophosphate as P (mg/L)	0.021
G372	9/6/2005	12:00:00	0	pH	7.17
G372	9/6/2005	12:00:00	0	Specific Conductivity (μ S/cm)	984
G372	9/6/2005	12:00:00	0	Sulfate (mg/L)	67
G372	9/6/2005	12:00:00	0	Temperature ($^{\circ}$ C)	27.6
G372	9/6/2005	12:00:00	0	Total Dissolved Phosphorus (mg/L)	0.029
G372	9/6/2005	12:00:00	0	Total Dissolved Solids (mg/L)	666
G372	9/6/2005	12:00:00	0	Total Phosphorus (mg/L)	0.067
G372	9/6/2005	12:00:00	0	Turbidity (NTU)	13.3
G372	9/6/2005	12:05:00	7	Total Phosphorus (mg/L)	0.066
G372	9/12/2005	12:04:00	0	Dissolved Oxygen (mg/L)	4.99
G372	9/12/2005	12:04:00	0	Orthophosphate as P (mg/L)	0.004
G372	9/12/2005	12:04:00	0	pH	7.3
G372	9/12/2005	12:04:00	0	Specific Conductivity (μ S/cm)	1031
G372	9/12/2005	12:04:00	0	Temperature ($^{\circ}$ C)	36.1
G372	9/12/2005	12:04:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G372	9/12/2005	12:04:00	0	Total Phosphorus (mg/L)	0.042
G372	9/12/2005	12:10:00	7	Total Phosphorus (mg/L)	0.05
G372	9/21/2005	10:50:00	0	Alkalinity (mg/L)	307
G372	9/21/2005	10:50:00	0	Ammonia as N (mg/L)	0.113
G372	9/21/2005	10:50:00	0	Dissolved Chloride (mg/L)	112
G372	9/21/2005	10:50:00	0	Dissolved Oxygen (mg/L)	3.91
G372	9/21/2005	10:50:00	0	Nitrate + Nitrite (mg/L)	0.297
G372	9/21/2005	10:50:00	0	Orthophosphate as P (mg/L)	0.008
G372	9/21/2005	10:50:00	0	pH	7.5
G372	9/21/2005	10:50:00	0	Specific Conductivity (μ S/cm)	1035
G372	9/21/2005	10:50:00	0	Sulfate (mg/L)	56

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	9/21/2005	10:50:00	0	Temperature (°C)	28.7
G372	9/21/2005	10:50:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G372	9/21/2005	10:50:00	0	Total Dissolved Solids (mg/L)	662
G372	9/21/2005	10:50:00	0	Total Phosphorus (mg/L)	0.031
G372	9/21/2005	10:50:00	0	Turbidity (NTU)	3.8
G372	9/21/2005	10:55:00	7	Total Phosphorus (mg/L)	0.051
G372	9/26/2005	10:45:00	0	Dissolved Oxygen (mg/L)	4.19
G372	9/26/2005	10:45:00	0	Orthophosphate as P (mg/L)	0.007
G372	9/26/2005	10:45:00	0	pH	7.52
G372	9/26/2005	10:45:00	0	Specific Conductivity (µS/cm)	1082
G372	9/26/2005	10:45:00	0	Temperature (°C)	28.4
G372	9/26/2005	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G372	9/26/2005	10:45:00	0	Total Phosphorus (mg/L)	0.025
G372	9/26/2005	10:50:00	0	Total Phosphorus (mg/L)	0.032
G372	10/3/2005	12:00:00	0	Alkalinity (mg/L)	310
G372	10/3/2005	12:00:00	0	Ammonia as N (mg/L)	0.11
G372	10/3/2005	12:00:00	0	Dissolved Chloride (mg/L)	119
G372	10/3/2005	12:00:00	0	Dissolved Oxygen (mg/L)	3.16
G372	10/3/2005	12:00:00	0	Nitrate + Nitrite (mg/L)	1.26
G372	10/3/2005	12:00:00	0	Orthophosphate as P (mg/L)	0.009
G372	10/3/2005	12:00:00	0	pH	7.35
G372	10/3/2005	12:00:00	0	Specific Conductivity (µS/cm)	1068
G372	10/3/2005	12:00:00	0	Sulfate (mg/L)	59
G372	10/3/2005	12:00:00	0	Temperature (°C)	28.2
G372	10/3/2005	12:00:00	0	Total Dissolved Solids (mg/L)	693
G372	10/3/2005	12:00:00	0	Total Phosphorus (mg/L)	0.032
G372	10/3/2005	12:00:00	0	Turbidity (NTU)	5.2
G372	10/3/2005	12:05:00	7	Total Phosphorus (mg/L)	0.042
G372	10/10/2005	11:35:00	0	Dissolved Oxygen (mg/L)	2.03
G372	10/10/2005	11:35:00	0	Orthophosphate as P (mg/L)	0.044
G372	10/10/2005	11:35:00	0	pH	7.24
G372	10/10/2005	11:35:00	0	Specific Conductivity (µS/cm)	1074
G372	10/10/2005	11:35:00	0	Temperature (°C)	28.4
G372	10/10/2005	11:35:00	0	Total Dissolved Phosphorus (mg/L)	0.053
G372	10/10/2005	11:35:00	0	Total Phosphorus (mg/L)	0.066
G372	10/10/2005	11:40:00	7	Total Phosphorus (mg/L)	0.062
G372	10/17/2005	11:55:00	0	Alkalinity (mg/L)	314
G372	10/17/2005	11:55:00	0	Ammonia as N (mg/L)	0.042
G372	10/17/2005	11:55:00	0	Dissolved Chloride (mg/L)	109
G372	10/17/2005	11:55:00	0	Dissolved Oxygen (mg/L)	3.47
G372	10/17/2005	11:55:00	0	Nitrate + Nitrite (mg/L)	0.991
G372	10/17/2005	11:55:00	0	Orthophosphate as P (mg/L)	0.026
G372	10/17/2005	11:55:00	0	pH	7.46
G372	10/17/2005	11:55:00	0	Specific Conductivity (µS/cm)	1085
G372	10/17/2005	11:55:00	0	Sulfate (mg/L)	74.1
G372	10/17/2005	11:55:00	0	Temperature (°C)	28.5
G372	10/17/2005	11:55:00	0	Total Dissolved Phosphorus (mg/L)	0.036
G372	10/17/2005	11:55:00	0	Total Dissolved Solids (mg/L)	763
G372	10/17/2005	11:55:00	0	Total Phosphorus (mg/L)	0.052
G372	10/17/2005	11:55:00	0	Turbidity (NTU)	2.6

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	10/17/2005	12:15:00	7	Total Phosphorus (mg/L)	0.055
G372	10/31/2005	12:18:00	0	Dissolved Oxygen (mg/L)	3.64
G372	10/31/2005	12:18:00	0	Orthophosphate as P (mg/L)	0.083
G372	10/31/2005	12:18:00	0	pH	7.64
G372	10/31/2005	12:18:00	0	Specific Conductivity (μ S/cm)	890
G372	10/31/2005	12:18:00	0	Temperature ($^{\circ}$ C)	22.8
G372	10/31/2005	12:18:00	0	Total Dissolved Phosphorus (mg/L)	0.091
G372	10/31/2005	12:18:00	0	Total Phosphorus (mg/L)	0.105
G372	10/31/2005	12:25:00	7	Total Phosphorus (mg/L)	0.126
G372	11/7/2005	10:45:00	0	Dissolved Oxygen (mg/L)	2.82
G372	11/7/2005	10:45:00	0	Orthophosphate as P (mg/L)	0.094
G372	11/7/2005	10:45:00	0	pH	7.3
G372	11/7/2005	10:45:00	0	Specific Conductivity (μ S/cm)	946
G372	11/7/2005	10:45:00	0	Temperature ($^{\circ}$ C)	24.7
G372	11/7/2005	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.106
G372	11/7/2005	10:45:00	0	Total Phosphorus (mg/L)	0.12
G372	11/7/2005	10:50:00	7	Total Phosphorus (mg/L)	0.13
G372	11/14/2005	11:40:00	0	Alkalinity (mg/L)	317
G372	11/14/2005	11:40:00	0	Ammonia as N (mg/L)	0.057
G372	11/14/2005	11:40:00	0	Dissolved Chloride (mg/L)	122
G372	11/14/2005	11:40:00	0	Dissolved Oxygen (mg/L)	2.19
G372	11/14/2005	11:40:00	0	Nitrate + Nitrite (mg/L)	1.28
G372	11/14/2005	11:40:00	0	Orthophosphate as P (mg/L)	0.06
G372	11/14/2005	11:40:00	0	pH	7.22
G372	11/14/2005	11:40:00	0	Specific Conductivity (μ S/cm)	1098
G372	11/14/2005	11:40:00	0	Sulfate (mg/L)	63.8
G372	11/14/2005	11:40:00	0	Temperature ($^{\circ}$ C)	24.7
G372	11/14/2005	11:40:00	0	Total Dissolved Phosphorus (mg/L)	0.077
G372	11/14/2005	11:40:00	0	Total Dissolved Solids (mg/L)	725
G372	11/14/2005	11:40:00	0	Total Phosphorus (mg/L)	0.087
G372	11/14/2005	11:40:00	0	Turbidity (NTU)	2.4
G372	11/14/2005	11:45:00	7	Total Phosphorus (mg/L)	0.104
G372	11/21/2005	12:00:00	0	Dissolved Oxygen (mg/L)	4.17
G372	11/21/2005	12:00:00	0	Orthophosphate as P (mg/L)	0.062
G372	11/21/2005	12:00:00	0	pH	7.7
G372	11/21/2005	12:00:00	0	Specific Conductivity (μ S/cm)	1064
G372	11/21/2005	12:00:00	0	Temperature ($^{\circ}$ C)	24.5
G372	11/21/2005	12:00:00	0	Total Dissolved Phosphorus (mg/L)	0.072
G372	11/21/2005	12:00:00	0	Total Phosphorus (mg/L)	0.09
G372	11/21/2005	12:05:00	7	Total Phosphorus (mg/L)	0.089
G372	11/28/2005	12:00:00	0	Alkalinity (mg/L)	270
G372	11/28/2005	12:00:00	0	Ammonia as N (mg/L)	0.045
G372	11/28/2005	12:00:00	0	Dissolved Chloride (mg/L)	117
G372	11/28/2005	12:00:00	0	Dissolved Oxygen (mg/L)	4.07
G372	11/28/2005	12:00:00	0	Nitrate + Nitrite (mg/L)	0.888
G372	11/28/2005	12:00:00	0	Orthophosphate as P (mg/L)	0.057
G372	11/28/2005	12:00:00	0	pH	7.5
G372	11/28/2005	12:00:00	0	Specific Conductivity (μ S/cm)	978
G372	11/28/2005	12:00:00	0	Sulfate (mg/L)	69.4
G372	11/28/2005	12:00:00	0	Temperature ($^{\circ}$ C)	22.4

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	11/28/2005	12:00:00	0	Total Dissolved Phosphorus (mg/L)	0.065
G372	11/28/2005	12:00:00	0	Total Dissolved Solids (mg/L)	683
G372	11/28/2005	12:00:00	0	Total Phosphorus (mg/L)	0.076
G372	11/28/2005	12:00:00	0	Turbidity (NTU)	3.5
G372	11/28/2005	12:05:00	7	Total Phosphorus (mg/L)	0.084
G372	12/5/2005	11:13:00	0	Dissolved Oxygen (mg/L)	5.19
G372	12/5/2005	11:13:00	0	Orthophosphate as P (mg/L)	0.047
G372	12/5/2005	11:13:00	0	pH	7.79
G372	12/5/2005	11:13:00	0	Specific Conductivity (μ S/cm)	1099
G372	12/5/2005	11:13:00	0	Temperature ($^{\circ}$ C)	21.3
G372	12/5/2005	11:13:00	0	Total Dissolved Phosphorus (mg/L)	0.057
G372	12/5/2005	11:13:00	0	Total Phosphorus (mg/L)	0.062
G372	12/5/2005	11:20:00	7	Total Phosphorus (mg/L)	0.067
G372	12/12/2005	12:15:00	0	Alkalinity (mg/L)	288
G372	12/12/2005	12:15:00	0	Ammonia as N (mg/L)	0.015
G372	12/12/2005	12:15:00	0	Dissolved Chloride (mg/L)	141
G372	12/12/2005	12:15:00	0	Dissolved Oxygen (mg/L)	7.14
G372	12/12/2005	12:15:00	0	Nitrate + Nitrite (mg/L)	0.688
G372	12/12/2005	12:15:00	0	Orthophosphate as P (mg/L)	0.031
G372	12/12/2005	12:15:00	0	pH	8.01
G372	12/12/2005	12:15:00	0	Specific Conductivity (μ S/cm)	1147
G372	12/12/2005	12:15:00	0	Sulfate (mg/L)	82.7
G372	12/12/2005	12:15:00	0	Temperature ($^{\circ}$ C)	22.2
G372	12/12/2005	12:15:00	0	Total Dissolved Phosphorus (mg/L)	0.04
G372	12/12/2005	12:15:00	0	Total Dissolved Solids (mg/L)	800
G372	12/12/2005	12:15:00	0	Total Phosphorus (mg/L)	0.053
G372	12/12/2005	12:15:00	0	Turbidity (NTU)	2.9
G372	12/12/2005	12:20:00	7	Total Phosphorus (mg/L)	0.055
G372	12/19/2005	11:50:00	0	Dissolved Oxygen (mg/L)	7.56
G372	12/19/2005	11:50:00	0	Orthophosphate as P (mg/L)	0.033
G372	12/19/2005	11:50:00	0	pH	7.82
G372	12/19/2005	11:50:00	0	Specific Conductivity (μ S/cm)	1138
G372	12/19/2005	11:50:00	0	Temperature ($^{\circ}$ C)	21.2
G372	12/19/2005	11:50:00	0	Total Dissolved Phosphorus (mg/L)	0.042
G372	12/19/2005	11:50:00	0	Total Phosphorus (mg/L)	0.046
G372	12/19/2005	11:55:00	7	Total Phosphorus (mg/L)	0.048
G372	12/27/2005	12:20:00	0	Alkalinity (mg/L)	285
G372	12/27/2005	12:20:00	0	Ammonia as N (mg/L)	0.038
G372	12/27/2005	12:20:00	0	Dissolved Chloride (mg/L)	136
G372	12/27/2005	12:20:00	0	Dissolved Oxygen (mg/L)	7.81
G372	12/27/2005	12:20:00	0	Nitrate + Nitrite (mg/L)	0.599
G372	12/27/2005	12:20:00	0	Orthophosphate as P (mg/L)	0.034
G372	12/27/2005	12:20:00	0	pH	8.12
G372	12/27/2005	12:20:00	0	Specific Conductivity (μ S/cm)	1073
G372	12/27/2005	12:20:00	0	Sulfate (mg/L)	69.9
G372	12/27/2005	12:20:00	0	Temperature ($^{\circ}$ C)	19
G372	12/27/2005	12:20:00	0	Total Dissolved Phosphorus (mg/L)	0.041
G372	12/27/2005	12:20:00	0	Total Dissolved Solids (mg/L)	693
G372	12/27/2005	12:20:00	0	Total Phosphorus (mg/L)	0.052
G372	12/27/2005	12:20:00	0	Turbidity (NTU)	2.9

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	12/27/2005	12:35:00	7	Total Phosphorus (mg/L)	0.047
G372	1/3/2006	12:45:00	0	Dissolved Oxygen (mg/L)	7.31
G372	1/3/2006	12:45:00	0	Orthophosphate as P (mg/L)	0.027
G372	1/3/2006	12:45:00	0	pH	7.94
G372	1/3/2006	12:45:00	0	Specific Conductivity (μ S/cm)	1041
G372	1/3/2006	12:45:00	0	Temperature ($^{\circ}$ C)	20.3
G372	1/3/2006	12:45:00	0	Total Dissolved Phosphorus (mg/L)	0.035
G372	1/3/2006	12:45:00	0	Total Phosphorus (mg/L)	0.042
G372	1/3/2006	12:50:00	7	Total Phosphorus (mg/L)	0.046
G372	1/9/2006	11:15:00	0	Alkalinity (mg/L)	122
G372	1/9/2006	11:15:00	0	Ammonia as N (mg/L)	<0.009
G372	1/9/2006	11:15:00	0	Dissolved Chloride (mg/L)	39.9
G372	1/9/2006	11:15:00	0	Dissolved Oxygen (mg/L)	7.52
G372	1/9/2006	11:15:00	0	Nitrate + Nitrite (mg/L)	0.649
G372	1/9/2006	11:15:00	0	Orthophosphate as P (mg/L)	0.103
G372	1/9/2006	11:15:00	0	pH	8.01
G372	1/9/2006	11:15:00	0	Specific Conductivity (μ S/cm)	402
G372	1/9/2006	11:15:00	0	Sulfate (mg/L)	26.1
G372	1/9/2006	11:15:00	0	Temperature ($^{\circ}$ C)	17.6
G372	1/9/2006	11:15:00	0	Total Dissolved Phosphorus (mg/L)	0.108
G372	1/9/2006	11:15:00	0	Total Dissolved Solids (mg/L)	245
G372	1/9/2006	11:15:00	0	Total Phosphorus (mg/L)	0.173
G372	1/9/2006	11:15:00	0	Turbidity (NTU)	25.6
G372	1/9/2006	11:20:00	7	Total Phosphorus (mg/L)	0.088
G372	1/17/2006	11:25:00	0	Dissolved Oxygen (mg/L)	8.78
G372	1/17/2006	11:25:00	0	Orthophosphate as P (mg/L)	0.082
G372	1/17/2006	11:25:00	0	pH	8.07
G372	1/17/2006	11:25:00	0	Specific Conductivity (μ S/cm)	333
G372	1/17/2006	11:25:00	0	Temperature ($^{\circ}$ C)	17.8
G372	1/17/2006	11:25:00	0	Total Dissolved Phosphorus (mg/L)	0.092
G372	1/17/2006	11:25:00	0	Total Phosphorus (mg/L)	0.191
G372	1/17/2006	11:30:00	7	Total Phosphorus (mg/L)	0.189
G372	1/23/2006	10:40:00	0	Alkalinity (mg/L)	105
G372	1/23/2006	10:40:00	0	Ammonia as N (mg/L)	0.01
G372	1/23/2006	10:40:00	0	Dissolved Chloride (mg/L)	34
G372	1/23/2006	10:40:00	0	Dissolved Oxygen (mg/L)	7.33
G372	1/23/2006	10:40:00	0	Nitrate + Nitrite (mg/L)	0.676
G372	1/23/2006	10:40:00	0	Orthophosphate as P (mg/L)	0.067
G372	1/23/2006	10:40:00	0	pH	7.78
G372	1/23/2006	10:40:00	0	Specific Conductivity (μ S/cm)	349
G372	1/23/2006	10:40:00	0	Sulfate (mg/L)	22.6
G372	1/23/2006	10:40:00	0	Temperature ($^{\circ}$ C)	18.6
G372	1/23/2006	10:40:00	0	Total Dissolved Phosphorus (mg/L)	0.075
G372	1/23/2006	10:40:00	0	Total Dissolved Solids (mg/L)	284
G372	1/23/2006	10:40:00	0	Total Phosphorus (mg/L)	0.216
G372	1/23/2006	10:40:00	0	Turbidity (NTU)	71
G372	1/23/2006	10:45:00	24	Total Phosphorus (mg/L)	0.233
G372	1/30/2006	11:40:00	0	Dissolved Oxygen (mg/L)	7.06
G372	1/30/2006	11:40:00	0	Orthophosphate as P (mg/L)	0.064
G372	1/30/2006	11:40:00	0	pH	7.71

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	1/30/2006	11:40:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	564
G372	1/30/2006	11:40:00	0	Temperature ($^{\circ}\text{C}$)	20.2
G372	1/30/2006	11:40:00	0	Total Dissolved Phosphorus (mg/L)	0.066
G372	1/30/2006	11:40:00	0	Total Phosphorus (mg/L)	0.135
G372	1/30/2006	11:45:00	24	Total Phosphorus (mg/L)	0.196
G372	2/6/2006	11:00:00	0	Alkalinity (mg/L)	235
G372	2/6/2006	11:00:00	0	Ammonia as N (mg/L)	0.241
G372	2/6/2006	11:00:00	0	Dissolved Chloride (mg/L)	83.6
G372	2/6/2006	11:00:00	0	Dissolved Oxygen (mg/L)	3.79
G372	2/6/2006	11:00:00	0	Nitrate + Nitrite (mg/L)	4.17
G372	2/6/2006	11:00:00	0	Orthophosphate as P (mg/L)	0.051
G372	2/6/2006	11:00:00	0	pH	7.27
G372	2/6/2006	11:00:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	857
G372	2/6/2006	11:00:00	0	Sulfate (mg/L)	68.1
G372	2/6/2006	11:00:00	0	Temperature ($^{\circ}\text{C}$)	18.4
G372	2/6/2006	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.064
G372	2/6/2006	11:00:00	0	Total Dissolved Solids (mg/L)	537
G372	2/6/2006	11:00:00	0	Total Phosphorus (mg/L)	0.13
G372	2/6/2006	11:00:00	0	Turbidity (NTU)	15.8
G372	2/6/2006	11:05:00	24	Total Phosphorus (mg/L)	0.23
G372	2/13/2006	11:15:00	0	Dissolved Oxygen (mg/L)	6.26
G372	2/13/2006	11:15:00	0	Orthophosphate as P (mg/L)	0.054
G372	2/13/2006	11:15:00	0	pH	7.71
G372	2/13/2006	11:15:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1083
G372	2/13/2006	11:15:00	0	Temperature ($^{\circ}\text{C}$)	17.4
G372	2/13/2006	11:15:00	0	Total Dissolved Phosphorus (mg/L)	0.058
G372	2/13/2006	11:15:00	0	Total Phosphorus (mg/L)	0.067
G372	2/13/2006	11:20:00	24	Total Phosphorus (mg/L)	0.121
G372	2/21/2006	11:00:00	0	Alkalinity (mg/L)	294
G372	2/21/2006	11:00:00	0	Ammonia as N (mg/L)	0.049
G372	2/21/2006	11:00:00	0	Dissolved Chloride (mg/L)	129
G372	2/21/2006	11:00:00	0	Dissolved Oxygen (mg/L)	9.7
G372	2/21/2006	11:00:00	0	Nitrate + Nitrite (mg/L)	1.22
G372	2/21/2006	11:00:00	0	Orthophosphate as P (mg/L)	<0.004
G372	2/21/2006	11:00:00	0	pH	7.7
G372	2/21/2006	11:00:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1086
G372	2/21/2006	11:00:00	0	Sulfate (mg/L)	69.2
G372	2/21/2006	11:00:00	0	Temperature ($^{\circ}\text{C}$)	20.6
G372	2/21/2006	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G372	2/21/2006	11:00:00	0	Total Dissolved Solids (mg/L)	754
G372	2/21/2006	11:00:00	0	Total Phosphorus (mg/L)	0.038
G372	2/21/2006	11:00:00	0	Turbidity (NTU)	2.2
G372	2/27/2006	11:13:00	0	Dissolved Oxygen (mg/L)	6.24
G372	2/27/2006	11:13:00	0	Orthophosphate as P (mg/L)	0.051
G372	2/27/2006	11:13:00	0	pH	7.84
G372	2/27/2006	11:13:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	874
G372	2/27/2006	11:13:00	0	Temperature ($^{\circ}\text{C}$)	20.1
G372	2/27/2006	11:13:00	0	Total Dissolved Phosphorus (mg/L)	0.059
G372	2/27/2006	11:13:00	0	Total Phosphorus (mg/L)	0.093
G372	2/27/2006	11:15:00	24	Total Phosphorus (mg/L)	0.083

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	3/6/2006	11:40:00	0	Alkalinity (mg/L)	218
G372	3/6/2006	11:40:00	0	Ammonia as N (mg/L)	0.037
G372	3/6/2006	11:40:00	0	Dissolved Chloride (mg/L)	86
G372	3/6/2006	11:40:00	0	Dissolved Oxygen (mg/L)	9.76
G372	3/6/2006	11:40:00	0	Nitrate + Nitrite (mg/L)	0.523
G372	3/6/2006	11:40:00	0	Orthophosphate as P (mg/L)	0.011
G372	3/6/2006	11:40:00	0	pH	8.36
G372	3/6/2006	11:40:00	0	Specific Conductivity (μ S/cm)	781
G372	3/6/2006	11:40:00	0	Sulfate (mg/L)	58.9
G372	3/6/2006	11:40:00	0	Temperature ($^{\circ}$ C)	23.5
G372	3/6/2006	11:40:00	0	Total Dissolved Phosphorus (mg/L)	0.028
G372	3/6/2006	11:40:00	0	Total Dissolved Solids (mg/L)	526
G372	3/6/2006	11:40:00	0	Total Phosphorus (mg/L)	0.08
G372	3/6/2006	11:40:00	0	Turbidity (NTU)	7.4
G372	3/13/2006	11:20:00	0	Dissolved Oxygen (mg/L)	7.15
G372	3/13/2006	11:20:00	0	Orthophosphate as P (mg/L)	0.044
G372	3/13/2006	11:20:00	0	pH	7.99
G372	3/13/2006	11:20:00	0	Specific Conductivity (μ S/cm)	753
G372	3/13/2006	11:20:00	0	Temperature ($^{\circ}$ C)	21.8
G372	3/13/2006	11:20:00	0	Total Dissolved Phosphorus (mg/L)	0.052
G372	3/13/2006	11:20:00	0	Total Phosphorus (mg/L)	0.065
G372	3/20/2006	11:45:00	0	Alkalinity (mg/L)	182
G372	3/20/2006	11:45:00	0	Ammonia as N (mg/L)	0.022
G372	3/20/2006	11:45:00	0	Dissolved Chloride (mg/L)	70.1
G372	3/20/2006	11:45:00	0	Dissolved Oxygen (mg/L)	7.48
G372	3/20/2006	11:45:00	0	Nitrate + Nitrite (mg/L)	0.608
G372	3/20/2006	11:45:00	0	Orthophosphate as P (mg/L)	0.043
G372	3/20/2006	11:45:00	0	pH	8.14
G372	3/20/2006	11:45:00	0	Specific Conductivity (μ S/cm)	662
G372	3/20/2006	11:45:00	0	Sulfate (mg/L)	50.4
G372	3/20/2006	11:45:00	0	Temperature ($^{\circ}$ C)	23.5
G372	3/20/2006	11:45:00	0	Total Dissolved Phosphorus (mg/L)	0.052
G372	3/20/2006	11:45:00	0	Total Dissolved Solids (mg/L)	441
G372	3/20/2006	11:45:00	0	Total Phosphorus (mg/L)	0.075
G372	3/20/2006	11:45:00	0	Turbidity (NTU)	6.7
G372	3/27/2006	11:20:00	0	Dissolved Oxygen (mg/L)	5.61
G372	3/27/2006	11:20:00	0	Orthophosphate as P (mg/L)	0.058
G372	3/27/2006	11:20:00	0	pH	7.65
G372	3/27/2006	11:20:00	0	Specific Conductivity (μ S/cm)	774
G372	3/27/2006	11:20:00	0	Temperature ($^{\circ}$ C)	20.4
G372	3/27/2006	11:20:00	0	Total Dissolved Phosphorus (mg/L)	0.068
G372	3/27/2006	11:20:00	0	Total Phosphorus (mg/L)	0.094
G372	3/27/2006	11:25:00	24	Total Phosphorus (mg/L)	0.179
G372	4/3/2006	12:35:00	0	Alkalinity (mg/L)	202
G372	4/3/2006	12:35:00	0	Ammonia as N (mg/L)	0.009
G372	4/3/2006	12:35:00	0	Dissolved Chloride (mg/L)	70.8
G372	4/3/2006	12:35:00	0	Dissolved Oxygen (mg/L)	7.87
G372	4/3/2006	12:35:00	0	Nitrate + Nitrite (mg/L)	0.919
G372	4/3/2006	12:35:00	0	Orthophosphate as P (mg/L)	0.037
G372	4/3/2006	12:35:00	0	pH	7.94

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G372	4/3/2006	12:35:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	740
G372	4/3/2006	12:35:00	0	Sulfate (mg/L)	58.7
G372	4/3/2006	12:35:00	0	Temperature ($^{\circ}\text{C}$)	24
G372	4/3/2006	12:35:00	0	Total Dissolved Phosphorus (mg/L)	0.049
G372	4/3/2006	12:35:00	0	Total Dissolved Solids (mg/L)	525
G372	4/3/2006	12:35:00	0	Total Phosphorus (mg/L)	0.077
G372	4/3/2006	12:35:00	0	Turbidity (NTU)	4.5
G372	4/10/2006	13:20:00	0	Dissolved Oxygen (mg/L)	6.8
G372	4/10/2006	13:20:00	0	Orthophosphate as P (mg/L)	0.073
G372	4/10/2006	13:20:00	0	pH	7.81
G372	4/10/2006	13:20:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	516
G372	4/10/2006	13:20:00	0	Temperature ($^{\circ}\text{C}$)	24.4
G372	4/10/2006	13:20:00	0	Total Dissolved Phosphorus (mg/L)	0.08
G372	4/10/2006	13:20:00	0	Total Phosphorus (mg/L)	0.124
G372	4/10/2006	13:40:00	24	Total Phosphorus (mg/L)	0.097
G372	4/17/2006	11:22:00	0	Alkalinity (mg/L)	103
G372	4/17/2006	11:22:00	0	Ammonia as N (mg/L)	<0.009
G372	4/17/2006	11:22:00	0	Dissolved Chloride (mg/L)	37.2
G372	4/17/2006	11:22:00	0	Dissolved Oxygen (mg/L)	6.87
G372	4/17/2006	11:22:00	0	Nitrate + Nitrite (mg/L)	0.465
G372	4/17/2006	11:22:00	0	Orthophosphate as P (mg/L)	0.073
G372	4/17/2006	11:22:00	0	pH	7.89
G372	4/17/2006	11:22:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	363
G372	4/17/2006	11:22:00	0	Sulfate (mg/L)	25.6
G372	4/17/2006	11:22:00	0	Temperature ($^{\circ}\text{C}$)	24.7
G372	4/17/2006	11:22:00	0	Total Dissolved Phosphorus (mg/L)	0.079
G372	4/17/2006	11:22:00	0	Total Dissolved Solids (mg/L)	232
G372	4/17/2006	11:22:00	0	Total Phosphorus (mg/L)	0.141
G372	4/17/2006	11:22:00	0	Turbidity (NTU)	27.6
G372	4/24/2006	11:30:00	0	Dissolved Oxygen (mg/L)	5.56
G372	4/24/2006	11:30:00	0	Orthophosphate as P (mg/L)	0.068
G372	4/24/2006	11:30:00	0	pH	7.65
G372	4/24/2006	11:30:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	397
G372	4/24/2006	11:30:00	0	Temperature ($^{\circ}\text{C}$)	27.8
G372	4/24/2006	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.076
G372	4/24/2006	11:30:00	0	Total Phosphorus (mg/L)	0.13
G372	4/24/2006	11:35:00	24	Total Phosphorus (mg/L)	0.157
G376B	5/2/2005	09:35:00	0	Alkalinity (mg/L)	164
G376B	5/2/2005	09:35:00	0	Ammonia as N (mg/L)	<0.009
G376B	5/2/2005	09:35:00	0	Dissolved Chloride (mg/L)	54.9
G376B	5/2/2005	09:35:00	0	Dissolved Oxygen (mg/L)	1.04
G376B	5/2/2005	09:35:00	0	Nitrate + Nitrite (mg/L)	<0.006
G376B	5/2/2005	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	5/2/2005	09:35:00	0	pH	7.17
G376B	5/2/2005	09:35:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	557
G376B	5/2/2005	09:35:00	0	Sulfate (mg/L)	29.8
G376B	5/2/2005	09:35:00	0	Temperature ($^{\circ}\text{C}$)	25.5
G376B	5/2/2005	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376B	5/2/2005	09:35:00	0	Total Dissolved Solids (mg/L)	328
G376B	5/2/2005	09:35:00	0	Total Phosphorus (mg/L)	0.012

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	5/2/2005	09:35:00	0	Turbidity (NTU)	0.4
G376B	5/2/2005	09:40:00	24	Total Phosphorus (mg/L)	0.014
G376B	5/9/2005	10:05:00	0	Dissolved Oxygen (mg/L)	1.37
G376B	5/9/2005	10:05:00	0	Orthophosphate as P (mg/L)	0.005
G376B	5/9/2005	10:05:00	0	pH	7.33
G376B	5/9/2005	10:05:00	0	Specific Conductivity (μ S/cm)	492
G376B	5/9/2005	10:05:00	0	Temperature ($^{\circ}$ C)	24.4
G376B	5/9/2005	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376B	5/9/2005	10:05:00	0	Total Phosphorus (mg/L)	0.011
G376B	5/9/2005	10:10:00	24	Total Phosphorus (mg/L)	0.015
G376B	5/16/2005	09:25:00	0	Alkalinity (mg/L)	167
G376B	5/16/2005	09:25:00	0	Ammonia as N (mg/L)	0.023
G376B	5/16/2005	09:25:00	0	Dissolved Chloride (mg/L)	57.2
G376B	5/16/2005	09:25:00	0	Dissolved Oxygen (mg/L)	3.26
G376B	5/16/2005	09:25:00	0	Nitrate + Nitrite (mg/L)	0.008
G376B	5/16/2005	09:25:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	5/16/2005	09:25:00	0	pH	7.37
G376B	5/16/2005	09:25:00	0	Specific Conductivity (μ S/cm)	594
G376B	5/16/2005	09:25:00	0	Sulfate (mg/L)	33.5
G376B	5/16/2005	09:25:00	0	Temperature ($^{\circ}$ C)	25.8
G376B	5/16/2005	09:25:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376B	5/16/2005	09:25:00	0	Total Dissolved Solids (mg/L)	365
G376B	5/16/2005	09:25:00	0	Total Phosphorus (mg/L)	0.016
G376B	5/16/2005	09:25:00	0	Turbidity (NTU)	1
G376B	5/16/2005	09:30:00	24	Total Phosphorus (mg/L)	0.016
G376B	5/23/2005	10:17:00	0	Dissolved Oxygen (mg/L)	5.79
G376B	5/23/2005	10:17:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	5/23/2005	10:17:00	0	pH	7.69
G376B	5/23/2005	10:17:00	0	Specific Conductivity (μ S/cm)	626
G376B	5/23/2005	10:17:00	0	Temperature ($^{\circ}$ C)	28.7
G376B	5/23/2005	10:17:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376B	5/23/2005	10:17:00	0	Total Phosphorus (mg/L)	0.014
G376B	5/23/2005	10:20:00	24	Total Phosphorus (mg/L)	0.021
G376B	5/31/2005	09:30:00	0	Alkalinity (mg/L)	166
G376B	5/31/2005	09:30:00	0	Ammonia as N (mg/L)	0.028
G376B	5/31/2005	09:30:00	0	Dissolved Chloride (mg/L)	57.7
G376B	5/31/2005	09:30:00	0	Nitrate + Nitrite (mg/L)	<0.006
G376B	5/31/2005	09:30:00	0	Orthophosphate as P (mg/L)	0.005
G376B	5/31/2005	09:30:00	0	Sulfate (mg/L)	29.5
G376B	5/31/2005	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376B	5/31/2005	09:30:00	0	Total Dissolved Solids (mg/L)	308
G376B	5/31/2005	09:30:00	0	Total Phosphorus (mg/L)	0.019
G376B	5/31/2005	09:30:00	0	Turbidity (NTU)	1
G376B	5/31/2005	09:35:00	24	Total Phosphorus (mg/L)	0.022
G376B	6/6/2005	09:45:00	0	Dissolved Oxygen (mg/L)	2.28
G376B	6/6/2005	09:45:00	0	Orthophosphate as P (mg/L)	0.006
G376B	6/6/2005	09:45:00	0	pH	7.37
G376B	6/6/2005	09:45:00	0	Specific Conductivity (μ S/cm)	682
G376B	6/6/2005	09:45:00	0	Temperature ($^{\circ}$ C)	26.4
G376B	6/6/2005	09:45:00	0	Total Dissolved Phosphorus (mg/L)	0.008

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	6/6/2005	09:45:00	0	Total Phosphorus (mg/L)	0.012
G376B	6/13/2005	10:00:00	0	Alkalinity (mg/L)	264
G376B	6/13/2005	10:00:00	0	Ammonia as N (mg/L)	0.026
G376B	6/13/2005	10:00:00	0	Dissolved Chloride (mg/L)	73.7
G376B	6/13/2005	10:00:00	0	Dissolved Oxygen (mg/L)	0.77
G376B	6/13/2005	10:00:00	0	Nitrate + Nitrite (mg/L)	0.011
G376B	6/13/2005	10:00:00	0	Orthophosphate as P (mg/L)	0.007
G376B	6/13/2005	10:00:00	0	Specific Conductivity (μ S/cm)	854
G376B	6/13/2005	10:00:00	0	Sulfate (mg/L)	75.2
G376B	6/13/2005	10:00:00	0	Temperature ($^{\circ}$ C)	28.5
G376B	6/13/2005	10:00:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376B	6/13/2005	10:00:00	0	Total Dissolved Solids (mg/L)	491
G376B	6/13/2005	10:00:00	0	Total Phosphorus (mg/L)	0.011
G376B	6/13/2005	10:00:00	0	Turbidity (NTU)	0.5
G376B	6/13/2005	10:10:00	24	Total Phosphorus (mg/L)	0.019
G376B	6/20/2005	10:00:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	6/20/2005	10:00:00	0	Temperature ($^{\circ}$ C)	27.7
G376B	6/20/2005	10:00:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	6/20/2005	10:00:00	0	Total Phosphorus (mg/L)	0.017
G376B	6/20/2005	10:05:00	24	Total Phosphorus (mg/L)	0.015
G376B	6/27/2005	09:40:00	0	Alkalinity (mg/L)	277
G376B	6/27/2005	09:40:00	0	Ammonia as N (mg/L)	0.012
G376B	6/27/2005	09:40:00	0	Dissolved Chloride (mg/L)	79.5
G376B	6/27/2005	09:40:00	0	Dissolved Oxygen (mg/L)	0.62
G376B	6/27/2005	09:40:00	0	Nitrate + Nitrite (mg/L)	<0.006
G376B	6/27/2005	09:40:00	0	Orthophosphate as P (mg/L)	0.004
G376B	6/27/2005	09:40:00	0	pH	7.28
G376B	6/27/2005	09:40:00	0	Specific Conductivity (μ S/cm)	862
G376B	6/27/2005	09:40:00	0	Sulfate (mg/L)	44.5
G376B	6/27/2005	09:40:00	0	Temperature ($^{\circ}$ C)	28.4
G376B	6/27/2005	09:40:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G376B	6/27/2005	09:40:00	0	Total Dissolved Solids (mg/L)	564
G376B	6/27/2005	09:40:00	0	Total Phosphorus (mg/L)	0.021
G376B	6/27/2005	09:40:00	0	Turbidity (NTU)	0.6
G376B	6/27/2005	09:50:00	24	Total Phosphorus (mg/L)	0.023
G376B	7/5/2005	10:03:00	0	Dissolved Oxygen (mg/L)	0.72
G376B	7/5/2005	10:03:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	7/5/2005	10:03:00	0	pH	7.47
G376B	7/5/2005	10:03:00	0	Specific Conductivity (μ S/cm)	1027
G376B	7/5/2005	10:03:00	0	Temperature ($^{\circ}$ C)	30.2
G376B	7/5/2005	10:03:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376B	7/5/2005	10:03:00	0	Total Phosphorus (mg/L)	0.021
G376B	7/5/2005	10:09:00	24	Total Phosphorus (mg/L)	0.022
G376B	7/11/2005	10:00:00	0	Alkalinity (mg/L)	309
G376B	7/11/2005	10:00:00	0	Ammonia as N (mg/L)	0.015
G376B	7/11/2005	10:00:00	0	Dissolved Chloride (mg/L)	85.2
G376B	7/11/2005	10:00:00	0	Dissolved Oxygen (mg/L)	0.93
G376B	7/11/2005	10:00:00	0	Nitrate + Nitrite (mg/L)	0.006
G376B	7/11/2005	10:00:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	7/11/2005	10:00:00	0	pH	7.35

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	7/11/2005	10:00:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	977
G376B	7/11/2005	10:00:00	0	Sulfate (mg/L)	68
G376B	7/11/2005	10:00:00	0	Temperature ($^{\circ}\text{C}$)	27.6
G376B	7/11/2005	10:00:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G376B	7/11/2005	10:00:00	0	Total Dissolved Solids (mg/L)	651
G376B	7/11/2005	10:00:00	0	Total Phosphorus (mg/L)	0.017
G376B	7/11/2005	10:00:00	0	Turbidity (NTU)	0.6
G376B	7/11/2005	10:07:00	24	Total Phosphorus (mg/L)	0.023
G376B	7/18/2005	09:45:00	0	Dissolved Oxygen (mg/L)	1.75
G376B	7/18/2005	09:45:00	0	Orthophosphate as P (mg/L)	0.006
G376B	7/18/2005	09:45:00	0	pH	7.79
G376B	7/18/2005	09:45:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1016
G376B	7/18/2005	09:45:00	0	Temperature ($^{\circ}\text{C}$)	29
G376B	7/18/2005	09:45:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G376B	7/18/2005	09:45:00	0	Total Phosphorus (mg/L)	0.021
G376B	7/18/2005	09:50:00	24	Total Phosphorus (mg/L)	0.019
G376B	7/25/2005	09:56:00	0	Alkalinity (mg/L)	279
G376B	7/25/2005	09:56:00	0	Ammonia as N (mg/L)	0.056
G376B	7/25/2005	09:56:00	0	Dissolved Chloride (mg/L)	83.3
G376B	7/25/2005	09:56:00	0	Dissolved Oxygen (mg/L)	1.69
G376B	7/25/2005	09:56:00	0	Nitrate + Nitrite (mg/L)	0.057
G376B	7/25/2005	09:56:00	0	Orthophosphate as P (mg/L)	0.006
G376B	7/25/2005	09:56:00	0	pH	7.51
G376B	7/25/2005	09:56:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	892
G376B	7/25/2005	09:56:00	0	Sulfate (mg/L)	46.1
G376B	7/25/2005	09:56:00	0	Temperature ($^{\circ}\text{C}$)	30.1
G376B	7/25/2005	09:56:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G376B	7/25/2005	09:56:00	0	Total Dissolved Solids (mg/L)	592
G376B	7/25/2005	09:56:00	0	Total Phosphorus (mg/L)	0.025
G376B	7/25/2005	09:56:00	0	Turbidity (NTU)	1.1
G376B	7/25/2005	10:00:00	24	Total Phosphorus (mg/L)	0.02
G376B	8/1/2005	09:45:00	0	Dissolved Oxygen (mg/L)	2.37
G376B	8/1/2005	09:45:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	8/1/2005	09:45:00	0	pH	7.43
G376B	8/1/2005	09:45:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	711
G376B	8/1/2005	09:45:00	0	Temperature ($^{\circ}\text{C}$)	29.6
G376B	8/1/2005	09:45:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G376B	8/1/2005	09:45:00	0	Total Phosphorus (mg/L)	0.021
G376B	8/1/2005	09:50:00	24	Total Phosphorus (mg/L)	0.036
G376B	8/8/2005	09:50:00	0	Alkalinity (mg/L)	208
G376B	8/8/2005	09:50:00	0	Ammonia as N (mg/L)	0.03
G376B	8/8/2005	09:50:00	0	Dissolved Chloride (mg/L)	66.4
G376B	8/8/2005	09:50:00	0	Dissolved Oxygen (mg/L)	1.14
G376B	8/8/2005	09:50:00	0	Nitrate + Nitrite (mg/L)	0.014
G376B	8/8/2005	09:50:00	0	Orthophosphate as P (mg/L)	0.006
G376B	8/8/2005	09:50:00	0	pH	7.29
G376B	8/8/2005	09:50:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	684
G376B	8/8/2005	09:50:00	0	Sulfate (mg/L)	27.9
G376B	8/8/2005	09:50:00	0	Temperature ($^{\circ}\text{C}$)	29
G376B	8/8/2005	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.016

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	8/8/2005	09:50:00	0	Total Dissolved Solids (mg/L)	388
G376B	8/8/2005	09:50:00	0	Total Phosphorus (mg/L)	0.024
G376B	8/8/2005	09:50:00	0	Turbidity (NTU)	1.5
G376B	8/8/2005	09:55:00	24	Total Phosphorus (mg/L)	0.03
G376B	8/15/2005	09:05:00	0	Dissolved Oxygen (mg/L)	1.07
G376B	8/15/2005	09:05:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	8/15/2005	09:05:00	0	pH	7.42
G376B	8/15/2005	09:05:00	0	Specific Conductivity (μ S/cm)	753
G376B	8/15/2005	09:05:00	0	Temperature ($^{\circ}$ C)	28
G376B	8/15/2005	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376B	8/15/2005	09:05:00	0	Total Phosphorus (mg/L)	0.019
G376B	8/15/2005	09:10:00	24	Total Phosphorus (mg/L)	0.022
G376B	8/22/2005	09:22:00	0	Alkalinity (mg/L)	203
G376B	8/22/2005	09:22:00	0	Ammonia as N (mg/L)	0.096
G376B	8/22/2005	09:22:00	0	Dissolved Chloride (mg/L)	69.1
G376B	8/22/2005	09:22:00	0	Dissolved Oxygen (mg/L)	2.01
G376B	8/22/2005	09:22:00	0	Nitrate + Nitrite (mg/L)	0.057
G376B	8/22/2005	09:22:00	0	Orthophosphate as P (mg/L)	0.005
G376B	8/22/2005	09:22:00	0	pH	7.44
G376B	8/22/2005	09:22:00	0	Specific Conductivity (μ S/cm)	687
G376B	8/22/2005	09:22:00	0	Sulfate (mg/L)	27.6
G376B	8/22/2005	09:22:00	0	Temperature ($^{\circ}$ C)	30.8
G376B	8/22/2005	09:22:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G376B	8/22/2005	09:22:00	0	Total Dissolved Solids (mg/L)	441
G376B	8/22/2005	09:22:00	0	Total Phosphorus (mg/L)	0.018
G376B	8/22/2005	09:22:00	0	Turbidity (NTU)	1.5
G376B	8/22/2005	09:25:00	24	Total Phosphorus (mg/L)	0.024
G376B	8/29/2005	09:16:00	0	Dissolved Oxygen (mg/L)	0.63
G376B	8/29/2005	09:16:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	8/29/2005	09:16:00	0	pH	7.3
G376B	8/29/2005	09:16:00	0	Specific Conductivity (μ S/cm)	761
G376B	8/29/2005	09:16:00	0	Temperature ($^{\circ}$ C)	27.7
G376B	8/29/2005	09:16:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376B	8/29/2005	09:16:00	0	Total Phosphorus (mg/L)	0.015
G376B	8/29/2005	09:20:00	24	Total Phosphorus (mg/L)	0.019
G376B	9/6/2005	09:50:00	0	Alkalinity (mg/L)	216
G376B	9/6/2005	09:50:00	0	Ammonia as N (mg/L)	0.018
G376B	9/6/2005	09:50:00	0	Dissolved Chloride (mg/L)	79.8
G376B	9/6/2005	09:50:00	0	Dissolved Oxygen (mg/L)	0.66
G376B	9/6/2005	09:50:00	0	Nitrate + Nitrite (mg/L)	0.009
G376B	9/6/2005	09:50:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	9/6/2005	09:50:00	0	pH	7.31
G376B	9/6/2005	09:50:00	0	Specific Conductivity (μ S/cm)	755
G376B	9/6/2005	09:50:00	0	Sulfate (mg/L)	35.3
G376B	9/6/2005	09:50:00	0	Temperature ($^{\circ}$ C)	26.8
G376B	9/6/2005	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376B	9/6/2005	09:50:00	0	Total Dissolved Solids (mg/L)	481
G376B	9/6/2005	09:50:00	0	Total Phosphorus (mg/L)	0.014
G376B	9/6/2005	09:50:00	0	Turbidity (NTU)	0.7
G376B	9/6/2005	10:00:00	24	Total Phosphorus (mg/L)	0.018

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	9/12/2005	09:35:00	0	Dissolved Oxygen (mg/L)	0.82
G376B	9/12/2005	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	9/12/2005	09:35:00	0	pH	7.47
G376B	9/12/2005	09:35:00	0	Specific Conductivity (µS/cm)	1103
G376B	9/12/2005	09:35:00	0	Temperature (°C)	28
G376B	9/12/2005	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	9/12/2005	09:35:00	0	Total Phosphorus (mg/L)	0.028
G376B	9/12/2005	09:40:00	24	Total Phosphorus (mg/L)	0.018
G376B	9/21/2005	09:13:00	0	Alkalinity (mg/L)	293
G376B	9/21/2005	09:13:00	0	Ammonia as N (mg/L)	0.054
G376B	9/21/2005	09:13:00	0	Dissolved Chloride (mg/L)	104
G376B	9/21/2005	09:13:00	0	Dissolved Oxygen (mg/L)	3.59
G376B	9/21/2005	09:13:00	0	Nitrate + Nitrite (mg/L)	0.053
G376B	9/21/2005	09:13:00	0	Orthophosphate as P (mg/L)	0.004
G376B	9/21/2005	09:13:00	0	pH	7.66
G376B	9/21/2005	09:13:00	0	Specific Conductivity (µS/cm)	1006
G376B	9/21/2005	09:13:00	0	Sulfate (mg/L)	69.9
G376B	9/21/2005	09:13:00	0	Temperature (°C)	26.6
G376B	9/21/2005	09:13:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G376B	9/21/2005	09:13:00	0	Total Dissolved Solids (mg/L)	675
G376B	9/21/2005	09:13:00	0	Total Phosphorus (mg/L)	0.018
G376B	9/21/2005	09:13:00	0	Turbidity (NTU)	1.2
G376B	9/21/2005	09:20:00	24	Total Phosphorus (mg/L)	0.025
G376B	9/26/2005	09:20:00	0	Dissolved Oxygen (mg/L)	1.87
G376B	9/26/2005	09:20:00	0	Orthophosphate as P (mg/L)	0.004
G376B	9/26/2005	09:20:00	0	pH	7.56
G376B	9/26/2005	09:20:00	0	Specific Conductivity (µS/cm)	901
G376B	9/26/2005	09:20:00	0	Temperature (°C)	28
G376B	9/26/2005	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	9/26/2005	09:20:00	0	Total Phosphorus (mg/L)	0.016
G376B	9/26/2005	09:25:00	24	Total Phosphorus (mg/L)	0.017
G376B	10/3/2005	09:05:00	0	Alkalinity (mg/L)	265
G376B	10/3/2005	09:05:00	0	Ammonia as N (mg/L)	0.04
G376B	10/3/2005	09:05:00	0	Dissolved Chloride (mg/L)	98.6
G376B	10/3/2005	09:05:00	0	Dissolved Oxygen (mg/L)	1.4
G376B	10/3/2005	09:05:00	0	Nitrate + Nitrite (mg/L)	0.025
G376B	10/3/2005	09:05:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	10/3/2005	09:05:00	0	pH	7.43
G376B	10/3/2005	09:05:00	0	Specific Conductivity (µS/cm)	923
G376B	10/3/2005	09:05:00	0	Sulfate (mg/L)	59
G376B	10/3/2005	09:05:00	0	Temperature (°C)	27.2
G376B	10/3/2005	09:05:00	0	Total Dissolved Solids (mg/L)	524
G376B	10/3/2005	09:05:00	0	Total Phosphorus (mg/L)	0.015
G376B	10/3/2005	09:05:00	0	Turbidity (NTU)	1.5
G376B	10/3/2005	09:10:00	24	Total Phosphorus (mg/L)	0.023
G376B	10/10/2005	09:35:00	0	Dissolved Oxygen (mg/L)	1.1
G376B	10/10/2005	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	10/10/2005	09:35:00	0	pH	7.33
G376B	10/10/2005	09:35:00	0	Specific Conductivity (µS/cm)	1012
G376B	10/10/2005	09:35:00	0	Temperature (°C)	27.6

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	10/10/2005	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376B	10/10/2005	09:35:00	0	Total Phosphorus (mg/L)	0.013
G376B	10/10/2005	09:40:00	24	Total Phosphorus (mg/L)	0.016
G376B	10/17/2005	09:25:00	0	Alkalinity (mg/L)	324
G376B	10/17/2005	09:25:00	0	Ammonia as N (mg/L)	0.061
G376B	10/17/2005	09:25:00	0	Dissolved Chloride (mg/L)	122
G376B	10/17/2005	09:25:00	0	Dissolved Oxygen (mg/L)	2.47
G376B	10/17/2005	09:25:00	0	Nitrate + Nitrite (mg/L)	0.033
G376B	10/17/2005	09:25:00	0	Orthophosphate as P (mg/L)	0.005
G376B	10/17/2005	09:25:00	0	pH	7.5
G376B	10/17/2005	09:25:00	0	Specific Conductivity (μ S/cm)	1145
G376B	10/17/2005	09:25:00	0	Sulfate (mg/L)	86
G376B	10/17/2005	09:25:00	0	Temperature ($^{\circ}$ C)	26.1
G376B	10/17/2005	09:25:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376B	10/17/2005	09:25:00	0	Total Dissolved Solids (mg/L)	810
G376B	10/17/2005	09:25:00	0	Total Phosphorus (mg/L)	0.015
G376B	10/17/2005	09:25:00	0	Turbidity (NTU)	1.4
G376B	10/17/2005	09:35:00	24	Total Phosphorus (mg/L)	0.015
G376B	10/31/2005	09:40:00	0	Dissolved Oxygen (mg/L)	1.51
G376B	10/31/2005	09:40:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	10/31/2005	09:40:00	0	pH	7.4
G376B	10/31/2005	09:40:00	0	Specific Conductivity (μ S/cm)	1215
G376B	10/31/2005	09:40:00	0	Temperature ($^{\circ}$ C)	21.1
G376B	10/31/2005	09:40:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376B	10/31/2005	09:40:00	0	Total Phosphorus (mg/L)	0.012
G376B	10/31/2005	09:45:00	24	Total Phosphorus (mg/L)	0.018
G376B	11/7/2005	09:05:00	0	Dissolved Oxygen (mg/L)	1.36
G376B	11/7/2005	09:05:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	11/7/2005	09:05:00	0	pH	7.26
G376B	11/7/2005	09:05:00	0	Specific Conductivity (μ S/cm)	1139
G376B	11/7/2005	09:05:00	0	Temperature ($^{\circ}$ C)	24.1
G376B	11/7/2005	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G376B	11/7/2005	09:05:00	0	Total Phosphorus (mg/L)	0.013
G376B	11/7/2005	09:10:00	24	Total Phosphorus (mg/L)	0.02
G376B	11/14/2005	09:15:00	0	Alkalinity (mg/L)	237
G376B	11/14/2005	09:15:00	0	Ammonia as N (mg/L)	0.072
G376B	11/14/2005	09:15:00	0	Dissolved Chloride (mg/L)	73.6
G376B	11/14/2005	09:15:00	0	Dissolved Oxygen (mg/L)	3.53
G376B	11/14/2005	09:15:00	0	Nitrate + Nitrite (mg/L)	0.188
G376B	11/14/2005	09:15:00	0	Orthophosphate as P (mg/L)	0.007
G376B	11/14/2005	09:15:00	0	pH	7.53
G376B	11/14/2005	09:15:00	0	Specific Conductivity (μ S/cm)	732
G376B	11/14/2005	09:15:00	0	Sulfate (mg/L)	47.1
G376B	11/14/2005	09:15:00	0	Temperature ($^{\circ}$ C)	24.1
G376B	11/14/2005	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G376B	11/14/2005	09:15:00	0	Total Dissolved Solids (mg/L)	506
G376B	11/14/2005	09:15:00	0	Total Phosphorus (mg/L)	0.021
G376B	11/14/2005	09:15:00	0	Turbidity (NTU)	1.4
G376B	11/14/2005	09:20:00	24	Total Phosphorus (mg/L)	0.02
G376B	11/21/2005	09:05:00	0	Dissolved Oxygen (mg/L)	2.63

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	11/21/2005	09:05:00	0	Orthophosphate as P (mg/L)	0.007
G376B	11/21/2005	09:05:00	0	pH	7.07
G376B	11/21/2005	09:05:00	0	Specific Conductivity (µS/cm)	998
G376B	11/21/2005	09:05:00	0	Temperature (°C)	24.3
G376B	11/21/2005	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.031
G376B	11/21/2005	09:05:00	0	Total Phosphorus (mg/L)	0.04
G376B	11/21/2005	09:10:00	24	Total Phosphorus (mg/L)	0.057
G376B	11/28/2005	09:30:00	0	Alkalinity (mg/L)	298
G376B	11/28/2005	09:30:00	0	Ammonia as N (mg/L)	0.058
G376B	11/28/2005	09:30:00	0	Dissolved Chloride (mg/L)	108
G376B	11/28/2005	09:30:00	0	Dissolved Oxygen (mg/L)	2.79
G376B	11/28/2005	09:30:00	0	Nitrate + Nitrite (mg/L)	0.054
G376B	11/28/2005	09:30:00	0	Orthophosphate as P (mg/L)	0.005
G376B	11/28/2005	09:30:00	0	pH	7.54
G376B	11/28/2005	09:30:00	0	Specific Conductivity (µS/cm)	1044
G376B	11/28/2005	09:30:00	0	Sulfate (mg/L)	70
G376B	11/28/2005	09:30:00	0	Temperature (°C)	21.3
G376B	11/28/2005	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G376B	11/28/2005	09:30:00	0	Total Dissolved Solids (mg/L)	723
G376B	11/28/2005	09:30:00	0	Total Phosphorus (mg/L)	0.017
G376B	11/28/2005	09:30:00	0	Turbidity (NTU)	1.7
G376B	11/28/2005	09:35:00	24	Total Phosphorus (mg/L)	0.019
G376B	12/5/2005	10:00:00	0	Dissolved Oxygen (mg/L)	5.06
G376B	12/5/2005	10:00:00	0	Orthophosphate as P (mg/L)	0.006
G376B	12/5/2005	10:00:00	0	pH	7.07
G376B	12/5/2005	10:00:00	0	Specific Conductivity (µS/cm)	867
G376B	12/5/2005	10:00:00	0	Temperature (°C)	19.7
G376B	12/5/2005	10:00:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G376B	12/5/2005	10:00:00	0	Total Phosphorus (mg/L)	0.018
G376B	12/5/2005	10:05:00	24	Total Phosphorus (mg/L)	0.017
G376B	12/6/2005	09:10:00	0	Atrazine (µg/L)	0.066
G376B	12/6/2005	09:10:00	0	Chlordane (µg/L)	<0.02
G376B	12/6/2005	09:10:00	0	DDD (µg/L)	<0.0048
G376B	12/6/2005	09:10:00	0	DDE (µg/L)	<0.004
G376B	12/6/2005	09:10:00	0	DDT (µg/L)	<0.006
G376B	12/6/2005	09:10:00	0	Simazine (µg/L)	<0.01
G376B	12/6/2005	09:10:00	0	Toxaphene (µg/L)	<0.1
G376B	12/6/2005	09:30:00	0	Total Arsenic (µg/L)	3.3
G376B	12/6/2005	09:30:00	0	Total Copper (µg/L)	1.7
G376B	12/6/2005	09:30:00	0	Total Lead (µg/L)	<0.8
G376B	12/6/2005	09:30:00	0	Total Zinc (µg/L)	<4
G376B	12/12/2005	09:35:00	0	Alkalinity (mg/L)	304
G376B	12/12/2005	09:35:00	0	Ammonia as N (mg/L)	0.053
G376B	12/12/2005	09:35:00	0	Dissolved Chloride (mg/L)	118
G376B	12/12/2005	09:35:00	0	Dissolved Oxygen (mg/L)	2.9
G376B	12/12/2005	09:35:00	0	Nitrate + Nitrite (mg/L)	0.04
G376B	12/12/2005	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	12/12/2005	09:35:00	0	pH	7.47
G376B	12/12/2005	09:35:00	0	Specific Conductivity (µS/cm)	1079
G376B	12/12/2005	09:35:00	0	Sulfate (mg/L)	71.2

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	12/12/2005	09:35:00	0	Temperature (°C)	20
G376B	12/12/2005	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	12/12/2005	09:35:00	0	Total Dissolved Solids (mg/L)	736
G376B	12/12/2005	09:35:00	0	Total Phosphorus (mg/L)	0.014
G376B	12/12/2005	09:35:00	0	Turbidity (NTU)	1.3
G376B	12/12/2005	09:40:00	24	Total Phosphorus (mg/L)	0.016
G376B	12/19/2005	09:35:00	0	Dissolved Oxygen (mg/L)	5.6
G376B	12/19/2005	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	12/19/2005	09:35:00	0	pH	7.7
G376B	12/19/2005	09:35:00	0	Specific Conductivity (µS/cm)	1030
G376B	12/19/2005	09:35:00	0	Temperature (°C)	21.3
G376B	12/19/2005	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376B	12/19/2005	09:35:00	0	Total Phosphorus (mg/L)	0.033
G376B	12/27/2005	09:50:00	0	Alkalinity (mg/L)	316
G376B	12/27/2005	09:50:00	0	Ammonia as N (mg/L)	0.106
G376B	12/27/2005	09:50:00	0	Dissolved Chloride (mg/L)	107
G376B	12/27/2005	09:50:00	0	Nitrate + Nitrite (mg/L)	0.092
G376B	12/27/2005	09:50:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	12/27/2005	09:50:00	0	pH	6.59
G376B	12/27/2005	09:50:00	0	Specific Conductivity (µS/cm)	1015
G376B	12/27/2005	09:50:00	0	Sulfate (mg/L)	57.9
G376B	12/27/2005	09:50:00	0	Temperature (°C)	18.8
G376B	12/27/2005	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376B	12/27/2005	09:50:00	0	Total Dissolved Solids (mg/L)	699
G376B	12/27/2005	09:50:00	0	Total Phosphorus (mg/L)	0.017
G376B	12/27/2005	09:50:00	0	Turbidity (NTU)	2.2
G376B	1/3/2006	10:15:00	0	Dissolved Oxygen (mg/L)	3.12
G376B	1/3/2006	10:15:00	0	Orthophosphate as P (mg/L)	0.004
G376B	1/3/2006	10:15:00	0	pH	7.5
G376B	1/3/2006	10:15:00	0	Specific Conductivity (µS/cm)	969
G376B	1/3/2006	10:15:00	0	Temperature (°C)	21.6
G376B	1/3/2006	10:15:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376B	1/3/2006	10:15:00	0	Total Phosphorus (mg/L)	0.018
G376B	1/9/2006	09:17:00	0	Alkalinity (mg/L)	307
G376B	1/9/2006	09:17:00	0	Ammonia as N (mg/L)	0.083
G376B	1/9/2006	09:17:00	0	Dissolved Chloride (mg/L)	96.6
G376B	1/9/2006	09:17:00	0	Dissolved Oxygen (mg/L)	5.26
G376B	1/9/2006	09:17:00	0	Orthophosphate as P (mg/L)	0.004
G376B	1/9/2006	09:17:00	0	pH	7.59
G376B	1/9/2006	09:17:00	0	Specific Conductivity (µS/cm)	921
G376B	1/9/2006	09:17:00	0	Sulfate (mg/L)	45.2
G376B	1/9/2006	09:17:00	0	Temperature (°C)	17.1
G376B	1/9/2006	09:17:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	1/9/2006	09:17:00	0	Total Dissolved Solids (mg/L)	608
G376B	1/9/2006	09:17:00	0	Total Phosphorus (mg/L)	0.019
G376B	1/9/2006	09:17:00	0	Turbidity (NTU)	2.6
G376B	1/9/2006	09:25:00	24	Total Phosphorus (mg/L)	0.028
G376B	1/17/2006	09:05:00	0	Dissolved Oxygen (mg/L)	2.22
G376B	1/17/2006	09:05:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	1/17/2006	09:05:00	0	pH	7.44

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	1/17/2006	09:05:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1161
G376B	1/17/2006	09:05:00	0	Temperature ($^{\circ}\text{C}$)	16.4
G376B	1/17/2006	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	1/17/2006	09:05:00	0	Total Phosphorus (mg/L)	0.013
G376B	1/17/2006	09:10:00	24	Total Phosphorus (mg/L)	0.018
G376B	1/23/2006	09:35:00	0	Alkalinity (mg/L)	244
G376B	1/23/2006	09:35:00	0	Ammonia as N (mg/L)	0.021
G376B	1/23/2006	09:35:00	0	Dissolved Chloride (mg/L)	93.1
G376B	1/23/2006	09:35:00	0	Dissolved Oxygen (mg/L)	1.75
G376B	1/23/2006	09:35:00	0	Nitrate + Nitrite (mg/L)	0.008
G376B	1/23/2006	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	1/23/2006	09:35:00	0	pH	7.37
G376B	1/23/2006	09:35:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	835
G376B	1/23/2006	09:35:00	0	Sulfate (mg/L)	46.3
G376B	1/23/2006	09:35:00	0	Temperature ($^{\circ}\text{C}$)	21
G376B	1/23/2006	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	1/23/2006	09:35:00	0	Total Dissolved Solids (mg/L)	570
G376B	1/23/2006	09:35:00	0	Total Phosphorus (mg/L)	0.015
G376B	1/23/2006	09:35:00	0	Turbidity (NTU)	0.6
G376B	1/23/2006	09:40:00	24	Total Phosphorus (mg/L)	0.015
G376B	1/30/2006	09:37:00	0	Dissolved Oxygen (mg/L)	1.59
G376B	1/30/2006	09:37:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	1/30/2006	09:37:00	0	pH	6.7
G376B	1/30/2006	09:37:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	672
G376B	1/30/2006	09:37:00	0	Temperature ($^{\circ}\text{C}$)	19.8
G376B	1/30/2006	09:37:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376B	1/30/2006	09:37:00	0	Total Phosphorus (mg/L)	0.011
G376B	1/30/2006	09:45:00	24	Total Phosphorus (mg/L)	0.014
G376B	2/6/2006	09:27:00	0	Alkalinity (mg/L)	205
G376B	2/6/2006	09:27:00	0	Ammonia as N (mg/L)	0.016
G376B	2/6/2006	09:27:00	0	Dissolved Chloride (mg/L)	53.4
G376B	2/6/2006	09:27:00	0	Dissolved Oxygen (mg/L)	1.44
G376B	2/6/2006	09:27:00	0	Nitrate + Nitrite (mg/L)	0.015
G376B	2/6/2006	09:27:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	2/6/2006	09:27:00	0	pH	7.44
G376B	2/6/2006	09:27:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	587
G376B	2/6/2006	09:27:00	0	Sulfate (mg/L)	24.1
G376B	2/6/2006	09:27:00	0	Temperature ($^{\circ}\text{C}$)	16.4
G376B	2/6/2006	09:27:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	2/6/2006	09:27:00	0	Total Dissolved Solids (mg/L)	294
G376B	2/6/2006	09:27:00	0	Total Phosphorus (mg/L)	0.013
G376B	2/6/2006	09:27:00	0	Turbidity (NTU)	0.6
G376B	2/6/2006	09:35:00	24	Total Phosphorus (mg/L)	0.015
G376B	2/13/2006	09:30:00	0	Dissolved Oxygen (mg/L)	2.18
G376B	2/13/2006	09:30:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	2/13/2006	09:30:00	0	pH	7.09
G376B	2/13/2006	09:30:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	756
G376B	2/13/2006	09:30:00	0	Temperature ($^{\circ}\text{C}$)	12.8
G376B	2/13/2006	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	2/13/2006	09:30:00	0	Total Phosphorus (mg/L)	0.01

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	2/13/2006	09:35:00	24	Total Phosphorus (mg/L)	0.013
G376B	2/21/2006	09:15:00	0	Alkalinity (mg/L)	246
G376B	2/21/2006	09:15:00	0	Ammonia as N (mg/L)	0.064
G376B	2/21/2006	09:15:00	0	Dissolved Chloride (mg/L)	77.1
G376B	2/21/2006	09:15:00	0	Dissolved Oxygen (mg/L)	4.07
G376B	2/21/2006	09:15:00	0	Nitrate + Nitrite (mg/L)	0.029
G376B	2/21/2006	09:15:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	2/21/2006	09:15:00	0	pH	7.55
G376B	2/21/2006	09:15:00	0	Specific Conductivity (µS/cm)	808
G376B	2/21/2006	09:15:00	0	Sulfate (mg/L)	56.8
G376B	2/21/2006	09:15:00	0	Temperature (°C)	21
G376B	2/21/2006	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376B	2/21/2006	09:15:00	0	Total Dissolved Solids (mg/L)	526
G376B	2/21/2006	09:15:00	0	Total Phosphorus (mg/L)	0.018
G376B	2/21/2006	09:15:00	0	Turbidity (NTU)	0.9
G376B	2/21/2006	09:20:00	24	Total Phosphorus (mg/L)	0.015
G376B	2/27/2006	09:45:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	2/27/2006	09:45:00	0	pH	7.69
G376B	2/27/2006	09:45:00	0	Specific Conductivity (µS/cm)	829
G376B	2/27/2006	09:45:00	0	Temperature (°C)	19.6
G376B	2/27/2006	09:45:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376B	2/27/2006	09:45:00	0	Total Phosphorus (mg/L)	0.022
G376B	3/6/2006	09:35:00	0	Alkalinity (mg/L)	254
G376B	3/6/2006	09:35:00	0	Ammonia as N (mg/L)	0.047
G376B	3/6/2006	09:35:00	0	Dissolved Chloride (mg/L)	83.4
G376B	3/6/2006	09:35:00	0	Dissolved Oxygen (mg/L)	4.7
G376B	3/6/2006	09:35:00	0	Nitrate + Nitrite (mg/L)	0.018
G376B	3/6/2006	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	3/6/2006	09:35:00	0	pH	7.71
G376B	3/6/2006	09:35:00	0	Specific Conductivity (µS/cm)	829
G376B	3/6/2006	09:35:00	0	Sulfate (mg/L)	53.2
G376B	3/6/2006	09:35:00	0	Temperature (°C)	21.2
G376B	3/6/2006	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	3/6/2006	09:35:00	0	Total Dissolved Solids (mg/L)	559
G376B	3/6/2006	09:35:00	0	Total Phosphorus (mg/L)	0.022
G376B	3/6/2006	09:35:00	0	Turbidity (NTU)	2.4
G376B	3/13/2006	09:13:00	0	Dissolved Oxygen (mg/L)	4.14
G376B	3/13/2006	09:13:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	3/13/2006	09:13:00	0	pH	7.6
G376B	3/13/2006	09:13:00	0	Specific Conductivity (µS/cm)	852
G376B	3/13/2006	09:13:00	0	Temperature (°C)	22.6
G376B	3/13/2006	09:13:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376B	3/13/2006	09:13:00	0	Total Phosphorus (mg/L)	0.019
G376B	3/20/2006	09:35:00	0	Alkalinity (mg/L)	268
G376B	3/20/2006	09:35:00	0	Ammonia as N (mg/L)	0.079
G376B	3/20/2006	09:35:00	0	Dissolved Chloride (mg/L)	89.8
G376B	3/20/2006	09:35:00	0	Dissolved Oxygen (mg/L)	1.52
G376B	3/20/2006	09:35:00	0	Nitrate + Nitrite (mg/L)	0.016
G376B	3/20/2006	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	3/20/2006	09:35:00	0	pH	7.41

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	3/20/2006	09:35:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	897
G376B	3/20/2006	09:35:00	0	Sulfate (mg/L)	60.8
G376B	3/20/2006	09:35:00	0	Temperature ($^{\circ}\text{C}$)	21.8
G376B	3/20/2006	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376B	3/20/2006	09:35:00	0	Total Dissolved Solids (mg/L)	624
G376B	3/20/2006	09:35:00	0	Total Phosphorus (mg/L)	0.017
G376B	3/20/2006	09:35:00	0	Turbidity (NTU)	1.1
G376B	3/20/2006	09:40:00	24	Total Phosphorus (mg/L)	0.03
G376B	3/27/2006	09:50:00	0	Dissolved Oxygen (mg/L)	1.97
G376B	3/27/2006	09:50:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	3/27/2006	09:50:00	0	pH	7.3
G376B	3/27/2006	09:50:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	833
G376B	3/27/2006	09:50:00	0	Temperature ($^{\circ}\text{C}$)	17
G376B	3/27/2006	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G376B	3/27/2006	09:50:00	0	Total Phosphorus (mg/L)	0.022
G376B	4/3/2006	09:18:00	0	Dissolved Oxygen (mg/L)	3.36
G376B	4/3/2006	09:18:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	4/3/2006	09:18:00	0	pH	7.63
G376B	4/3/2006	09:18:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	828
G376B	4/3/2006	09:18:00	0	Temperature ($^{\circ}\text{C}$)	24.7
G376B	4/3/2006	09:18:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G376B	4/3/2006	09:18:00	0	Total Phosphorus (mg/L)	0.025
G376B	4/3/2006	09:25:00	24	Total Phosphorus (mg/L)	0.023
G376B	4/10/2006	10:20:00	0	Dissolved Oxygen (mg/L)	4.05
G376B	4/10/2006	10:20:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	4/10/2006	10:20:00	0	pH	7.66
G376B	4/10/2006	10:20:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	815
G376B	4/10/2006	10:20:00	0	Temperature ($^{\circ}\text{C}$)	24.5
G376B	4/10/2006	10:20:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376B	4/10/2006	10:20:00	0	Total Phosphorus (mg/L)	0.023
G376B	4/10/2006	10:25:00	24	Total Phosphorus (mg/L)	0.025
G376B	4/17/2006	09:15:00	0	Alkalinity (mg/L)	242
G376B	4/17/2006	09:15:00	0	Ammonia as N (mg/L)	0.032
G376B	4/17/2006	09:15:00	0	Dissolved Chloride (mg/L)	94.7
G376B	4/17/2006	09:15:00	0	Dissolved Oxygen (mg/L)	5.65
G376B	4/17/2006	09:15:00	0	Nitrate + Nitrite (mg/L)	0.045
G376B	4/17/2006	09:15:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	4/17/2006	09:15:00	0	pH	7.58
G376B	4/17/2006	09:15:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	864
G376B	4/17/2006	09:15:00	0	Sulfate (mg/L)	43.9
G376B	4/17/2006	09:15:00	0	Temperature ($^{\circ}\text{C}$)	25
G376B	4/17/2006	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376B	4/17/2006	09:15:00	0	Total Dissolved Solids (mg/L)	479
G376B	4/17/2006	09:15:00	0	Total Phosphorus (mg/L)	0.021
G376B	4/17/2006	09:15:00	0	Turbidity (NTU)	1.8
G376B	4/24/2006	09:25:00	0	Dissolved Oxygen (mg/L)	4.29
G376B	4/24/2006	09:25:00	0	Orthophosphate as P (mg/L)	<0.004
G376B	4/24/2006	09:25:00	0	pH	7.46
G376B	4/24/2006	09:25:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	838
G376B	4/24/2006	09:25:00	0	Temperature ($^{\circ}\text{C}$)	26.7

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376B	4/24/2006	09:25:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376B	4/24/2006	09:25:00	0	Total Phosphorus (mg/L)	0.022
G376E	5/2/2005	10:00:00	0	Alkalinity (mg/L)	156
G376E	5/2/2005	10:00:00	0	Ammonia as N (mg/L)	<0.009
G376E	5/2/2005	10:00:00	0	Dissolved Chloride (mg/L)	52.4
G376E	5/2/2005	10:00:00	0	Dissolved Oxygen (mg/L)	1.88
G376E	5/2/2005	10:00:00	0	Nitrate + Nitrite (mg/L)	<0.006
G376E	5/2/2005	10:00:00	0	Orthophosphate as P (mg/L)	0.006
G376E	5/2/2005	10:00:00	0	pH	7.33
G376E	5/2/2005	10:00:00	0	Specific Conductivity (μ S/cm)	529
G376E	5/2/2005	10:00:00	0	Sulfate (mg/L)	28.6
G376E	5/2/2005	10:00:00	0	Temperature ($^{\circ}$ C)	25.4
G376E	5/2/2005	10:00:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	5/2/2005	10:00:00	0	Total Dissolved Solids (mg/L)	364
G376E	5/2/2005	10:00:00	0	Total Phosphorus (mg/L)	0.014
G376E	5/2/2005	10:00:00	0	Turbidity (NTU)	0.4
G376E	5/9/2005	10:35:00	0	Dissolved Oxygen (mg/L)	2.62
G376E	5/9/2005	10:35:00	0	Orthophosphate as P (mg/L)	0.005
G376E	5/9/2005	10:35:00	0	pH	7.3
G376E	5/9/2005	10:35:00	0	Specific Conductivity (μ S/cm)	498
G376E	5/9/2005	10:35:00	0	Temperature ($^{\circ}$ C)	24.7
G376E	5/9/2005	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376E	5/9/2005	10:35:00	0	Total Phosphorus (mg/L)	0.015
G376E	5/9/2005	10:40:00	24	Total Phosphorus (mg/L)	0.016
G376E	5/16/2005	09:50:00	0	Alkalinity (mg/L)	174
G376E	5/16/2005	09:50:00	0	Ammonia as N (mg/L)	0.009
G376E	5/16/2005	09:50:00	0	Dissolved Chloride (mg/L)	29.5
G376E	5/16/2005	09:50:00	0	Dissolved Oxygen (mg/L)	3.86
G376E	5/16/2005	09:50:00	0	Nitrate + Nitrite (mg/L)	<0.006
G376E	5/16/2005	09:50:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	5/16/2005	09:50:00	0	pH	7.39
G376E	5/16/2005	09:50:00	0	Specific Conductivity (μ S/cm)	607
G376E	5/16/2005	09:50:00	0	Sulfate (mg/L)	16.9
G376E	5/16/2005	09:50:00	0	Temperature ($^{\circ}$ C)	26.2
G376E	5/16/2005	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	5/16/2005	09:50:00	0	Total Dissolved Solids (mg/L)	389
G376E	5/16/2005	09:50:00	0	Total Phosphorus (mg/L)	0.017
G376E	5/16/2005	09:50:00	0	Turbidity (NTU)	0.9
G376E	5/16/2005	09:55:00	24	Total Phosphorus (mg/L)	0.013
G376E	5/23/2005	10:57:00	0	Dissolved Oxygen (mg/L)	5.81
G376E	5/23/2005	10:57:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	5/23/2005	10:57:00	0	pH	7.62
G376E	5/23/2005	10:57:00	0	Specific Conductivity (μ S/cm)	617
G376E	5/23/2005	10:57:00	0	Temperature ($^{\circ}$ C)	28.3
G376E	5/23/2005	10:57:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376E	5/23/2005	10:57:00	0	Total Phosphorus (mg/L)	0.014
G376E	5/23/2005	11:00:00	24	Total Phosphorus (mg/L)	0.018
G376E	5/31/2005	10:05:00	0	Alkalinity (mg/L)	167
G376E	5/31/2005	10:05:00	0	Ammonia as N (mg/L)	0.012
G376E	5/31/2005	10:05:00	0	Dissolved Chloride (mg/L)	61.1

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	5/31/2005	10:05:00	0	Nitrate + Nitrite (mg/L)	0.008
G376E	5/31/2005	10:05:00	0	Orthophosphate as P (mg/L)	0.004
G376E	5/31/2005	10:05:00	0	Sulfate (mg/L)	25.8
G376E	5/31/2005	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	5/31/2005	10:05:00	0	Total Dissolved Solids (mg/L)	347
G376E	5/31/2005	10:05:00	0	Total Phosphorus (mg/L)	0.021
G376E	5/31/2005	10:05:00	0	Turbidity (NTU)	0.8
G376E	5/31/2005	10:10:00	24	Total Phosphorus (mg/L)	0.024
G376E	6/6/2005	10:15:00	0	Dissolved Oxygen (mg/L)	1.59
G376E	6/6/2005	10:15:00	0	Orthophosphate as P (mg/L)	0.005
G376E	6/6/2005	10:15:00	0	pH	7.28
G376E	6/6/2005	10:15:00	0	Specific Conductivity (µS/cm)	694
G376E	6/6/2005	10:15:00	0	Temperature (°C)	26.5
G376E	6/6/2005	10:15:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376E	6/6/2005	10:15:00	0	Total Phosphorus (mg/L)	0.013
G376E	6/13/2005	10:30:00	0	Alkalinity (mg/L)	218
G376E	6/13/2005	10:30:00	0	Ammonia as N (mg/L)	0.024
G376E	6/13/2005	10:30:00	0	Dissolved Chloride (mg/L)	68.7
G376E	6/13/2005	10:30:00	0	Dissolved Oxygen (mg/L)	1.22
G376E	6/13/2005	10:30:00	0	Nitrate + Nitrite (mg/L)	0.228
G376E	6/13/2005	10:30:00	0	Orthophosphate as P (mg/L)	0.007
G376E	6/13/2005	10:30:00	0	Specific Conductivity (µS/cm)	749
G376E	6/13/2005	10:30:00	0	Sulfate (mg/L)	62.2
G376E	6/13/2005	10:30:00	0	Temperature (°C)	28.6
G376E	6/13/2005	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376E	6/13/2005	10:30:00	0	Total Dissolved Solids (mg/L)	494
G376E	6/13/2005	10:30:00	0	Total Phosphorus (mg/L)	0.024
G376E	6/13/2005	10:30:00	0	Turbidity (NTU)	0.4
G376E	6/13/2005	10:40:00	24	Total Phosphorus (mg/L)	0.02
G376E	6/20/2005	10:33:00	0	Orthophosphate as P (mg/L)	0.03
G376E	6/20/2005	10:33:00	0	pH	7.26
G376E	6/20/2005	10:33:00	0	Specific Conductivity (µS/cm)	706
G376E	6/20/2005	10:33:00	0	Temperature (°C)	28.2
G376E	6/20/2005	10:33:00	0	Total Dissolved Phosphorus (mg/L)	0.041
G376E	6/20/2005	10:33:00	0	Total Phosphorus (mg/L)	0.043
G376E	6/20/2005	10:35:00	24	Total Phosphorus (mg/L)	0.023
G376E	6/27/2005	10:05:00	0	Alkalinity (mg/L)	287
G376E	6/27/2005	10:05:00	0	Ammonia as N (mg/L)	<0.009
G376E	6/27/2005	10:05:00	0	Dissolved Chloride (mg/L)	83.1
G376E	6/27/2005	10:05:00	0	Dissolved Oxygen (mg/L)	1.32
G376E	6/27/2005	10:05:00	0	Nitrate + Nitrite (mg/L)	0.013
G376E	6/27/2005	10:05:00	0	Orthophosphate as P (mg/L)	0.04
G376E	6/27/2005	10:05:00	0	pH	7.36
G376E	6/27/2005	10:05:00	0	Specific Conductivity (µS/cm)	921
G376E	6/27/2005	10:05:00	0	Sulfate (mg/L)	52.1
G376E	6/27/2005	10:05:00	0	Temperature (°C)	28.8
G376E	6/27/2005	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.052
G376E	6/27/2005	10:05:00	0	Total Dissolved Solids (mg/L)	593
G376E	6/27/2005	10:05:00	0	Total Phosphorus (mg/L)	0.054
G376E	6/27/2005	10:05:00	0	Turbidity (NTU)	0.4

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	6/27/2005	10:10:00	24	Total Phosphorus (mg/L)	0.074
G376E	7/5/2005	10:30:00	0	Dissolved Oxygen (mg/L)	1.15
G376E	7/5/2005	10:30:00	0	Orthophosphate as P (mg/L)	0.018
G376E	7/5/2005	10:30:00	0	pH	7.45
G376E	7/5/2005	10:30:00	0	Specific Conductivity (μ S/cm)	1010
G376E	7/5/2005	10:30:00	0	Temperature ($^{\circ}$ C)	30.4
G376E	7/5/2005	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.027
G376E	7/5/2005	10:30:00	0	Total Phosphorus (mg/L)	0.03
G376E	7/5/2005	10:40:00	24	Total Phosphorus (mg/L)	0.037
G376E	7/11/2005	10:33:00	0	Alkalinity (mg/L)	267
G376E	7/11/2005	10:33:00	0	Ammonia as N (mg/L)	0.017
G376E	7/11/2005	10:33:00	0	Dissolved Chloride (mg/L)	76.9
G376E	7/11/2005	10:33:00	0	Dissolved Oxygen (mg/L)	1.64
G376E	7/11/2005	10:33:00	0	Nitrate + Nitrite (mg/L)	0.015
G376E	7/11/2005	10:33:00	0	Orthophosphate as P (mg/L)	0.021
G376E	7/11/2005	10:33:00	0	pH	7.46
G376E	7/11/2005	10:33:00	0	Specific Conductivity (μ S/cm)	848
G376E	7/11/2005	10:33:00	0	Sulfate (mg/L)	56.3
G376E	7/11/2005	10:33:00	0	Temperature ($^{\circ}$ C)	27.8
G376E	7/11/2005	10:33:00	0	Total Dissolved Phosphorus (mg/L)	0.032
G376E	7/11/2005	10:33:00	0	Total Dissolved Solids (mg/L)	524
G376E	7/11/2005	10:33:00	0	Total Phosphorus (mg/L)	0.035
G376E	7/11/2005	10:33:00	0	Turbidity (NTU)	1
G376E	7/11/2005	10:40:00	24	Total Phosphorus (mg/L)	0.028
G376E	7/18/2005	10:20:00	0	Dissolved Oxygen (mg/L)	1.88
G376E	7/18/2005	10:20:00	0	Orthophosphate as P (mg/L)	0.031
G376E	7/18/2005	10:20:00	0	pH	7.88
G376E	7/18/2005	10:20:00	0	Specific Conductivity (μ S/cm)	955
G376E	7/18/2005	10:20:00	0	Temperature ($^{\circ}$ C)	29.3
G376E	7/18/2005	10:20:00	0	Total Dissolved Phosphorus (mg/L)	0.04
G376E	7/18/2005	10:20:00	0	Total Phosphorus (mg/L)	0.043
G376E	7/18/2005	10:25:00	24	Total Phosphorus (mg/L)	0.041
G376E	7/25/2005	10:26:00	0	Alkalinity (mg/L)	211
G376E	7/25/2005	10:26:00	0	Ammonia as N (mg/L)	0.04
G376E	7/25/2005	10:26:00	0	Dissolved Chloride (mg/L)	68.1
G376E	7/25/2005	10:26:00	0	Dissolved Oxygen (mg/L)	1.31
G376E	7/25/2005	10:26:00	0	Nitrate + Nitrite (mg/L)	0.064
G376E	7/25/2005	10:26:00	0	Orthophosphate as P (mg/L)	0.012
G376E	7/25/2005	10:26:00	0	pH	7.36
G376E	7/25/2005	10:26:00	0	Specific Conductivity (μ S/cm)	706
G376E	7/25/2005	10:26:00	0	Sulfate (mg/L)	34.6
G376E	7/25/2005	10:26:00	0	Temperature ($^{\circ}$ C)	30.2
G376E	7/25/2005	10:26:00	0	Total Dissolved Phosphorus (mg/L)	0.022
G376E	7/25/2005	10:26:00	0	Total Dissolved Solids (mg/L)	398
G376E	7/25/2005	10:26:00	0	Total Phosphorus (mg/L)	0.034
G376E	7/25/2005	10:26:00	0	Turbidity (NTU)	1
G376E	7/25/2005	10:30:00	24	Total Phosphorus (mg/L)	0.037
G376E	8/1/2005	10:15:00	0	Dissolved Oxygen (mg/L)	3.11
G376E	8/1/2005	10:15:00	0	Orthophosphate as P (mg/L)	0.004
G376E	8/1/2005	10:15:00	0	pH	7.43

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	8/1/2005	10:15:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	691
G376E	8/1/2005	10:15:00	0	Temperature ($^{\circ}\text{C}$)	30.1
G376E	8/1/2005	10:15:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G376E	8/1/2005	10:15:00	0	Total Phosphorus (mg/L)	0.021
G376E	8/1/2005	10:20:00	24	Total Phosphorus (mg/L)	0.045
G376E	8/8/2005	10:28:00	0	Alkalinity (mg/L)	201
G376E	8/8/2005	10:28:00	0	Ammonia as N (mg/L)	0.02
G376E	8/8/2005	10:28:00	0	Dissolved Chloride (mg/L)	67.5
G376E	8/8/2005	10:28:00	0	Dissolved Oxygen (mg/L)	0.77
G376E	8/8/2005	10:28:00	0	Nitrate + Nitrite (mg/L)	0.012
G376E	8/8/2005	10:28:00	0	Orthophosphate as P (mg/L)	0.006
G376E	8/8/2005	10:28:00	0	pH	7.29
G376E	8/8/2005	10:28:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	676
G376E	8/8/2005	10:28:00	0	Sulfate (mg/L)	26.9
G376E	8/8/2005	10:28:00	0	Temperature ($^{\circ}\text{C}$)	29.2
G376E	8/8/2005	10:28:00	0	Total Dissolved Phosphorus (mg/L)	0.02
G376E	8/8/2005	10:28:00	0	Total Dissolved Solids (mg/L)	448
G376E	8/8/2005	10:28:00	0	Total Phosphorus (mg/L)	0.031
G376E	8/8/2005	10:28:00	0	Turbidity (NTU)	1.3
G376E	8/8/2005	10:35:00	24	Total Phosphorus (mg/L)	0.027
G376E	8/15/2005	09:35:00	0	Dissolved Oxygen (mg/L)	3.15
G376E	8/15/2005	09:35:00	0	Orthophosphate as P (mg/L)	0.004
G376E	8/15/2005	09:35:00	0	pH	7.4
G376E	8/15/2005	09:35:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	698
G376E	8/15/2005	09:35:00	0	Temperature ($^{\circ}\text{C}$)	28.4
G376E	8/15/2005	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376E	8/15/2005	09:35:00	0	Total Phosphorus (mg/L)	0.019
G376E	8/22/2005	10:00:00	0	Alkalinity (mg/L)	198
G376E	8/22/2005	10:00:00	0	Ammonia as N (mg/L)	0.08
G376E	8/22/2005	10:00:00	0	Dissolved Chloride (mg/L)	65
G376E	8/22/2005	10:00:00	0	Dissolved Oxygen (mg/L)	1.96
G376E	8/22/2005	10:00:00	0	Nitrate + Nitrite (mg/L)	0.07
G376E	8/22/2005	10:00:00	0	Orthophosphate as P (mg/L)	0.005
G376E	8/22/2005	10:00:00	0	pH	7.41
G376E	8/22/2005	10:00:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	659
G376E	8/22/2005	10:00:00	0	Sulfate (mg/L)	24.9
G376E	8/22/2005	10:00:00	0	Temperature ($^{\circ}\text{C}$)	31.1
G376E	8/22/2005	10:00:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G376E	8/22/2005	10:00:00	0	Total Dissolved Solids (mg/L)	416
G376E	8/22/2005	10:00:00	0	Total Phosphorus (mg/L)	0.02
G376E	8/22/2005	10:00:00	0	Turbidity (NTU)	1.4
G376E	8/22/2005	10:05:00	24	Total Phosphorus (mg/L)	0.028
G376E	8/29/2005	09:56:00	0	Dissolved Oxygen (mg/L)	1.26
G376E	8/29/2005	09:56:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	8/29/2005	09:56:00	0	pH	7.32
G376E	8/29/2005	09:56:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	756
G376E	8/29/2005	09:56:00	0	Temperature ($^{\circ}\text{C}$)	27.8
G376E	8/29/2005	09:56:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G376E	8/29/2005	09:56:00	0	Total Phosphorus (mg/L)	0.016
G376E	8/29/2005	10:05:00	24	Total Phosphorus (mg/L)	0.024

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	9/6/2005	10:35:00	0	Alkalinity (mg/L)	223
G376E	9/6/2005	10:35:00	0	Ammonia as N (mg/L)	0.018
G376E	9/6/2005	10:35:00	0	Dissolved Chloride (mg/L)	81.8
G376E	9/6/2005	10:35:00	0	Dissolved Oxygen (mg/L)	0.96
G376E	9/6/2005	10:35:00	0	Nitrate + Nitrite (mg/L)	0.015
G376E	9/6/2005	10:35:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	9/6/2005	10:35:00	0	pH	7.3
G376E	9/6/2005	10:35:00	0	Specific Conductivity (μ S/cm)	784
G376E	9/6/2005	10:35:00	0	Sulfate (mg/L)	42.2
G376E	9/6/2005	10:35:00	0	Temperature ($^{\circ}$ C)	26.6
G376E	9/6/2005	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376E	9/6/2005	10:35:00	0	Total Dissolved Solids (mg/L)	496
G376E	9/6/2005	10:35:00	0	Total Phosphorus (mg/L)	0.016
G376E	9/6/2005	10:35:00	0	Turbidity (NTU)	0.5
G376E	9/6/2005	10:40:00	24	Total Phosphorus (mg/L)	0.02
G376E	9/12/2005	10:05:00	0	Dissolved Oxygen (mg/L)	1.36
G376E	9/12/2005	10:05:00	0	Orthophosphate as P (mg/L)	0.004
G376E	9/12/2005	10:05:00	0	pH	7.48
G376E	9/12/2005	10:05:00	0	Specific Conductivity (μ S/cm)	1110
G376E	9/12/2005	10:05:00	0	Temperature ($^{\circ}$ C)	28.3
G376E	9/12/2005	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376E	9/12/2005	10:05:00	0	Total Phosphorus (mg/L)	0.016
G376E	9/12/2005	10:10:00	24	Total Phosphorus (mg/L)	0.016
G376E	9/21/2005	09:42:00	0	Alkalinity (mg/L)	282
G376E	9/21/2005	09:42:00	0	Ammonia as N (mg/L)	0.062
G376E	9/21/2005	09:42:00	0	Dissolved Chloride (mg/L)	102
G376E	9/21/2005	09:42:00	0	Dissolved Oxygen (mg/L)	3.71
G376E	9/21/2005	09:42:00	0	Nitrate + Nitrite (mg/L)	0.078
G376E	9/21/2005	09:42:00	0	Orthophosphate as P (mg/L)	0.004
G376E	9/21/2005	09:42:00	0	pH	7.66
G376E	9/21/2005	09:42:00	0	Specific Conductivity (μ S/cm)	964
G376E	9/21/2005	09:42:00	0	Sulfate (mg/L)	63.4
G376E	9/21/2005	09:42:00	0	Temperature ($^{\circ}$ C)	26.9
G376E	9/21/2005	09:42:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376E	9/21/2005	09:42:00	0	Total Dissolved Solids (mg/L)	642
G376E	9/21/2005	09:42:00	0	Total Phosphorus (mg/L)	0.018
G376E	9/21/2005	09:42:00	0	Turbidity (NTU)	1.3
G376E	9/21/2005	09:45:00	24	Total Phosphorus (mg/L)	0.019
G376E	9/26/2005	09:55:00	0	Dissolved Oxygen (mg/L)	1.71
G376E	9/26/2005	09:55:00	0	Orthophosphate as P (mg/L)	0.006
G376E	9/26/2005	09:55:00	0	pH	7.55
G376E	9/26/2005	09:55:00	0	Specific Conductivity (μ S/cm)	890
G376E	9/26/2005	09:55:00	0	Temperature ($^{\circ}$ C)	27.8
G376E	9/26/2005	09:55:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G376E	9/26/2005	09:55:00	0	Total Phosphorus (mg/L)	0.021
G376E	9/26/2005	10:00:00	24	Total Phosphorus (mg/L)	0.023
G376E	10/3/2005	09:35:00	0	Alkalinity (mg/L)	248
G376E	10/3/2005	09:35:00	0	Ammonia as N (mg/L)	0.029
G376E	10/3/2005	09:35:00	0	Dissolved Chloride (mg/L)	95.7
G376E	10/3/2005	09:35:00	0	Dissolved Oxygen (mg/L)	0.85

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	10/3/2005	09:35:00	0	Nitrate + Nitrite (mg/L)	0.027
G376E	10/3/2005	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	10/3/2005	09:35:00	0	pH	7.39
G376E	10/3/2005	09:35:00	0	Specific Conductivity (μ S/cm)	882
G376E	10/3/2005	09:35:00	0	Sulfate (mg/L)	51.6
G376E	10/3/2005	09:35:00	0	Temperature ($^{\circ}$ C)	26.8
G376E	10/3/2005	09:35:00	0	Total Dissolved Solids (mg/L)	542
G376E	10/3/2005	09:35:00	0	Total Phosphorus (mg/L)	0.018
G376E	10/3/2005	09:35:00	0	Turbidity (NTU)	0.8
G376E	10/3/2005	09:40:00	24	Total Phosphorus (mg/L)	0.022
G376E	10/10/2005	10:00:00	0	Dissolved Oxygen (mg/L)	1.54
G376E	10/10/2005	10:00:00	0	Orthophosphate as P (mg/L)	0.004
G376E	10/10/2005	10:00:00	0	pH	7.5
G376E	10/10/2005	10:00:00	0	Specific Conductivity (μ S/cm)	1044
G376E	10/10/2005	10:00:00	0	Temperature ($^{\circ}$ C)	27.9
G376E	10/10/2005	10:00:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G376E	10/10/2005	10:00:00	0	Total Phosphorus (mg/L)	0.016
G376E	10/10/2005	10:05:00	24	Total Phosphorus (mg/L)	0.017
G376E	10/17/2005	09:52:00	0	Alkalinity (mg/L)	324
G376E	10/17/2005	09:52:00	0	Ammonia as N (mg/L)	0.044
G376E	10/17/2005	09:52:00	0	Dissolved Chloride (mg/L)	133
G376E	10/17/2005	09:52:00	0	Dissolved Oxygen (mg/L)	1.4
G376E	10/17/2005	09:52:00	0	Nitrate + Nitrite (mg/L)	0.044
G376E	10/17/2005	09:52:00	0	Orthophosphate as P (mg/L)	0.008
G376E	10/17/2005	09:52:00	0	pH	7.47
G376E	10/17/2005	09:52:00	0	Specific Conductivity (μ S/cm)	1210
G376E	10/17/2005	09:52:00	0	Sulfate (mg/L)	95
G376E	10/17/2005	09:52:00	0	Temperature ($^{\circ}$ C)	25.1
G376E	10/17/2005	09:52:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G376E	10/17/2005	09:52:00	0	Total Dissolved Solids (mg/L)	820
G376E	10/17/2005	09:52:00	0	Total Phosphorus (mg/L)	0.02
G376E	10/17/2005	09:52:00	0	Turbidity (NTU)	0.8
G376E	10/17/2005	09:58:00	24	Total Phosphorus (mg/L)	0.02
G376E	10/31/2005	10:20:00	0	Dissolved Oxygen (mg/L)	2.61
G376E	10/31/2005	10:20:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	10/31/2005	10:20:00	0	pH	7.49
G376E	10/31/2005	10:20:00	0	Specific Conductivity (μ S/cm)	1134
G376E	10/31/2005	10:20:00	0	Temperature ($^{\circ}$ C)	21
G376E	10/31/2005	10:20:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376E	10/31/2005	10:20:00	0	Total Phosphorus (mg/L)	0.014
G376E	10/31/2005	10:25:00	24	Total Phosphorus (mg/L)	0.024
G376E	11/7/2005	09:30:00	0	Dissolved Oxygen (mg/L)	1.78
G376E	11/7/2005	09:30:00	0	Orthophosphate as P (mg/L)	0.004
G376E	11/7/2005	09:30:00	0	pH	7.23
G376E	11/7/2005	09:30:00	0	Specific Conductivity (μ S/cm)	1072
G376E	11/7/2005	09:30:00	0	Temperature ($^{\circ}$ C)	24.4
G376E	11/7/2005	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376E	11/7/2005	09:30:00	0	Total Phosphorus (mg/L)	0.016
G376E	11/14/2005	09:42:00	0	Alkalinity (mg/L)	214
G376E	11/14/2005	09:42:00	0	Ammonia as N (mg/L)	0.084

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	11/14/2005	09:42:00	0	Dissolved Chloride (mg/L)	63.9
G376E	11/14/2005	09:42:00	0	Dissolved Oxygen (mg/L)	3.8
G376E	11/14/2005	09:42:00	0	Nitrate + Nitrite (mg/L)	0.207
G376E	11/14/2005	09:42:00	0	Orthophosphate as P (mg/L)	0.014
G376E	11/14/2005	09:42:00	0	pH	7.48
G376E	11/14/2005	09:42:00	0	Specific Conductivity (µS/cm)	656
G376E	11/14/2005	09:42:00	0	Sulfate (mg/L)	36.5
G376E	11/14/2005	09:42:00	0	Temperature (°C)	24.1
G376E	11/14/2005	09:42:00	0	Total Dissolved Phosphorus (mg/L)	0.022
G376E	11/14/2005	09:42:00	0	Total Dissolved Solids (mg/L)	516
G376E	11/14/2005	09:42:00	0	Total Phosphorus (mg/L)	0.03
G376E	11/14/2005	09:42:00	0	Turbidity (NTU)	1.8
G376E	11/21/2005	10:00:00	0	Dissolved Oxygen (mg/L)	1.46
G376E	11/21/2005	10:00:00	0	Orthophosphate as P (mg/L)	0.004
G376E	11/21/2005	10:00:00	0	pH	7.3
G376E	11/21/2005	10:00:00	0	Specific Conductivity (µS/cm)	1016
G376E	11/21/2005	10:00:00	0	Temperature (°C)	24.1
G376E	11/21/2005	10:00:00	0	Total Dissolved Phosphorus (mg/L)	0.022
G376E	11/21/2005	10:00:00	0	Total Phosphorus (mg/L)	0.031
G376E	11/21/2005	10:05:00	24	Total Phosphorus (mg/L)	0.046
G376E	11/28/2005	10:05:00	0	Alkalinity (mg/L)	277
G376E	11/28/2005	10:05:00	0	Ammonia as N (mg/L)	0.07
G376E	11/28/2005	10:05:00	0	Dissolved Chloride (mg/L)	103
G376E	11/28/2005	10:05:00	0	Dissolved Oxygen (mg/L)	2.23
G376E	11/28/2005	10:05:00	0	Nitrate + Nitrite (mg/L)	0.084
G376E	11/28/2005	10:05:00	0	Orthophosphate as P (mg/L)	0.006
G376E	11/28/2005	10:05:00	0	pH	7.52
G376E	11/28/2005	10:05:00	0	Specific Conductivity (µS/cm)	971
G376E	11/28/2005	10:05:00	0	Sulfate (mg/L)	63.8
G376E	11/28/2005	10:05:00	0	Temperature (°C)	21.4
G376E	11/28/2005	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G376E	11/28/2005	10:05:00	0	Total Dissolved Solids (mg/L)	634
G376E	11/28/2005	10:05:00	0	Total Phosphorus (mg/L)	0.02
G376E	11/28/2005	10:05:00	0	Turbidity (NTU)	1.4
G376E	11/28/2005	10:10:00	24	Total Phosphorus (mg/L)	0.019
G376E	12/5/2005	10:35:00	0	Dissolved Oxygen (mg/L)	5.92
G376E	12/5/2005	10:35:00	0	Orthophosphate as P (mg/L)	0.005
G376E	12/5/2005	10:35:00	0	pH	7.85
G376E	12/5/2005	10:35:00	0	Specific Conductivity (µS/cm)	873
G376E	12/5/2005	10:35:00	0	Temperature (°C)	20.9
G376E	12/5/2005	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G376E	12/5/2005	10:35:00	0	Total Phosphorus (mg/L)	0.021
G376E	12/5/2005	10:40:00	24	Total Phosphorus (mg/L)	0.023
G376E	12/12/2005	10:05:00	0	Alkalinity (mg/L)	313
G376E	12/12/2005	10:05:00	0	Ammonia as N (mg/L)	0.042
G376E	12/12/2005	10:05:00	0	Dissolved Chloride (mg/L)	118
G376E	12/12/2005	10:05:00	0	Dissolved Oxygen (mg/L)	2.46
G376E	12/12/2005	10:05:00	0	Nitrate + Nitrite (mg/L)	0.044
G376E	12/12/2005	10:05:00	0	Orthophosphate as P (mg/L)	0.006
G376E	12/12/2005	10:05:00	0	pH	7.6

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	12/12/2005	10:05:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1080
G376E	12/12/2005	10:05:00	0	Sulfate (mg/L)	67.5
G376E	12/12/2005	10:05:00	0	Temperature ($^{\circ}\text{C}$)	19.4
G376E	12/12/2005	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G376E	12/12/2005	10:05:00	0	Total Dissolved Solids (mg/L)	748
G376E	12/12/2005	10:05:00	0	Total Phosphorus (mg/L)	0.018
G376E	12/12/2005	10:05:00	0	Turbidity (NTU)	1.1
G376E	12/12/2005	10:10:00	24	Total Phosphorus (mg/L)	0.021
G376E	12/19/2005	10:05:00	0	Dissolved Oxygen (mg/L)	4.46
G376E	12/19/2005	10:05:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	12/19/2005	10:05:00	0	pH	7.62
G376E	12/19/2005	10:05:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1037
G376E	12/19/2005	10:05:00	0	Temperature ($^{\circ}\text{C}$)	21.2
G376E	12/19/2005	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376E	12/19/2005	10:05:00	0	Total Phosphorus (mg/L)	0.03
G376E	12/27/2005	10:10:00	0	Alkalinity (mg/L)	312
G376E	12/27/2005	10:10:00	0	Ammonia as N (mg/L)	0.173
G376E	12/27/2005	10:10:00	0	Dissolved Chloride (mg/L)	101
G376E	12/27/2005	10:10:00	0	Nitrate + Nitrite (mg/L)	0.128
G376E	12/27/2005	10:10:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	12/27/2005	10:10:00	0	pH	7.47
G376E	12/27/2005	10:10:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	969
G376E	12/27/2005	10:10:00	0	Sulfate (mg/L)	49.4
G376E	12/27/2005	10:10:00	0	Temperature ($^{\circ}\text{C}$)	19.3
G376E	12/27/2005	10:10:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	12/27/2005	10:10:00	0	Total Dissolved Solids (mg/L)	602
G376E	12/27/2005	10:10:00	0	Total Phosphorus (mg/L)	0.017
G376E	12/27/2005	10:10:00	0	Turbidity (NTU)	2.3
G376E	1/3/2006	10:40:00	0	Dissolved Oxygen (mg/L)	3.94
G376E	1/3/2006	10:40:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	1/3/2006	10:40:00	0	pH	7.57
G376E	1/3/2006	10:40:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	892
G376E	1/3/2006	10:40:00	0	Temperature ($^{\circ}\text{C}$)	21.8
G376E	1/3/2006	10:40:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	1/3/2006	10:40:00	0	Total Phosphorus (mg/L)	0.021
G376E	1/9/2006	09:44:00	0	Alkalinity (mg/L)	286
G376E	1/9/2006	09:44:00	0	Ammonia as N (mg/L)	0.057
G376E	1/9/2006	09:44:00	0	Dissolved Chloride (mg/L)	88.9
G376E	1/9/2006	09:44:00	0	Dissolved Oxygen (mg/L)	6.12
G376E	1/9/2006	09:44:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	1/9/2006	09:44:00	0	pH	7.77
G376E	1/9/2006	09:44:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	855
G376E	1/9/2006	09:44:00	0	Sulfate (mg/L)	39.8
G376E	1/9/2006	09:44:00	0	Temperature ($^{\circ}\text{C}$)	16.9
G376E	1/9/2006	09:44:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G376E	1/9/2006	09:44:00	0	Total Dissolved Solids (mg/L)	485
G376E	1/9/2006	09:44:00	0	Total Phosphorus (mg/L)	0.015
G376E	1/9/2006	09:44:00	0	Turbidity (NTU)	1.2
G376E	1/9/2006	09:50:00	24	Total Phosphorus (mg/L)	0.016
G376E	1/17/2006	09:55:00	0	Dissolved Oxygen (mg/L)	3.85

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	1/17/2006	09:55:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	1/17/2006	09:55:00	0	pH	7.51
G376E	1/17/2006	09:55:00	0	Specific Conductivity (µS/cm)	1050
G376E	1/17/2006	09:55:00	0	Temperature (°C)	16.2
G376E	1/17/2006	09:55:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G376E	1/17/2006	09:55:00	0	Total Phosphorus (mg/L)	0.018
G376E	1/17/2006	10:00:00	24	Total Phosphorus (mg/L)	0.022
G376E	1/23/2006	10:05:00	0	Alkalinity (mg/L)	229
G376E	1/23/2006	10:05:00	0	Ammonia as N (mg/L)	0.011
G376E	1/23/2006	10:05:00	0	Dissolved Chloride (mg/L)	87.8
G376E	1/23/2006	10:05:00	0	Dissolved Oxygen (mg/L)	1.7
G376E	1/23/2006	10:05:00	0	Nitrate + Nitrite (mg/L)	0.007
G376E	1/23/2006	10:05:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	1/23/2006	10:05:00	0	pH	7.34
G376E	1/23/2006	10:05:00	0	Specific Conductivity (µS/cm)	786
G376E	1/23/2006	10:05:00	0	Sulfate (mg/L)	43.4
G376E	1/23/2006	10:05:00	0	Temperature (°C)	20.7
G376E	1/23/2006	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G376E	1/23/2006	10:05:00	0	Total Dissolved Solids (mg/L)	506
G376E	1/23/2006	10:05:00	0	Total Phosphorus (mg/L)	0.018
G376E	1/23/2006	10:05:00	0	Turbidity (NTU)	0.9
G376E	1/23/2006	10:10:00	24	Total Phosphorus (mg/L)	0.024
G376E	1/30/2006	10:19:00	0	Dissolved Oxygen (mg/L)	1.8
G376E	1/30/2006	10:19:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	1/30/2006	10:19:00	0	pH	7.75
G376E	1/30/2006	10:19:00	0	Specific Conductivity (µS/cm)	629
G376E	1/30/2006	10:19:00	0	Temperature (°C)	19.3
G376E	1/30/2006	10:19:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376E	1/30/2006	10:19:00	0	Total Phosphorus (mg/L)	0.014
G376E	1/30/2006	10:25:00	24	Total Phosphorus (mg/L)	0.028
G376E	2/6/2006	10:05:00	24	Total Phosphorus (mg/L)	0.021
G376E	2/6/2006	10:06:00	0	Alkalinity (mg/L)	194
G376E	2/6/2006	10:06:00	0	Ammonia as N (mg/L)	<0.009
G376E	2/6/2006	10:06:00	0	Dissolved Chloride (mg/L)	52.9
G376E	2/6/2006	10:06:00	0	Dissolved Oxygen (mg/L)	2.87
G376E	2/6/2006	10:06:00	0	Nitrate + Nitrite (mg/L)	0.022
G376E	2/6/2006	10:06:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	2/6/2006	10:06:00	0	pH	7.56
G376E	2/6/2006	10:06:00	0	Specific Conductivity (µS/cm)	564
G376E	2/6/2006	10:06:00	0	Sulfate (mg/L)	22.6
G376E	2/6/2006	10:06:00	0	Temperature (°C)	16.5
G376E	2/6/2006	10:06:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G376E	2/6/2006	10:06:00	0	Total Dissolved Solids (mg/L)	346
G376E	2/6/2006	10:06:00	0	Total Phosphorus (mg/L)	0.018
G376E	2/6/2006	10:06:00	0	Turbidity (NTU)	0.9
G376E	2/13/2006	09:58:00	0	Dissolved Oxygen (mg/L)	4.97
G376E	2/13/2006	09:58:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	2/13/2006	09:58:00	0	pH	7.37
G376E	2/13/2006	09:58:00	0	Specific Conductivity (µS/cm)	749
G376E	2/13/2006	09:58:00	0	Temperature (°C)	13.3

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	2/13/2006	09:58:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376E	2/13/2006	09:58:00	0	Total Phosphorus (mg/L)	0.013
G376E	2/13/2006	10:05:00	24	Total Phosphorus (mg/L)	0.019
G376E	2/21/2006	09:40:00	0	Alkalinity (mg/L)	248
G376E	2/21/2006	09:40:00	0	Ammonia as N (mg/L)	0.075
G376E	2/21/2006	09:40:00	0	Dissolved Chloride (mg/L)	84.3
G376E	2/21/2006	09:40:00	0	Dissolved Oxygen (mg/L)	3.96
G376E	2/21/2006	09:40:00	0	Nitrate + Nitrite (mg/L)	0.035
G376E	2/21/2006	09:40:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	2/21/2006	09:40:00	0	pH	7.58
G376E	2/21/2006	09:40:00	0	Specific Conductivity (μ S/cm)	842
G376E	2/21/2006	09:40:00	0	Sulfate (mg/L)	62.8
G376E	2/21/2006	09:40:00	0	Temperature ($^{\circ}$ C)	22.1
G376E	2/21/2006	09:40:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G376E	2/21/2006	09:40:00	0	Total Dissolved Solids (mg/L)	566
G376E	2/21/2006	09:40:00	0	Total Phosphorus (mg/L)	0.025
G376E	2/21/2006	09:40:00	0	Turbidity (NTU)	1.3
G376E	2/21/2006	09:45:00	24	Total Phosphorus (mg/L)	0.012
G376E	2/27/2006	10:10:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	2/27/2006	10:10:00	0	pH	7.71
G376E	2/27/2006	10:10:00	0	Specific Conductivity (μ S/cm)	846
G376E	2/27/2006	10:10:00	0	Temperature ($^{\circ}$ C)	19.7
G376E	2/27/2006	10:10:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	2/27/2006	10:10:00	0	Total Phosphorus (mg/L)	0.026
G376E	3/6/2006	10:00:00	0	Alkalinity (mg/L)	254
G376E	3/6/2006	10:00:00	0	Ammonia as N (mg/L)	0.039
G376E	3/6/2006	10:00:00	0	Dissolved Chloride (mg/L)	86.2
G376E	3/6/2006	10:00:00	0	Dissolved Oxygen (mg/L)	4.92
G376E	3/6/2006	10:00:00	0	Nitrate + Nitrite (mg/L)	0.012
G376E	3/6/2006	10:00:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	3/6/2006	10:00:00	0	pH	7.78
G376E	3/6/2006	10:00:00	0	Specific Conductivity (μ S/cm)	835
G376E	3/6/2006	10:00:00	0	Sulfate (mg/L)	53.1
G376E	3/6/2006	10:00:00	0	Temperature ($^{\circ}$ C)	22.1
G376E	3/6/2006	10:00:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G376E	3/6/2006	10:00:00	0	Total Dissolved Solids (mg/L)	556
G376E	3/6/2006	10:00:00	0	Total Phosphorus (mg/L)	0.026
G376E	3/6/2006	10:00:00	0	Turbidity (NTU)	2.8
G376E	3/13/2006	09:50:00	0	Dissolved Oxygen (mg/L)	5.01
G376E	3/13/2006	09:50:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	3/13/2006	09:50:00	0	pH	7.7
G376E	3/13/2006	09:50:00	0	Specific Conductivity (μ S/cm)	856
G376E	3/13/2006	09:50:00	0	Temperature ($^{\circ}$ C)	23.1
G376E	3/13/2006	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G376E	3/13/2006	09:50:00	0	Total Phosphorus (mg/L)	0.023
G376E	3/20/2006	10:15:00	0	Alkalinity (mg/L)	262
G376E	3/20/2006	10:15:00	0	Dissolved Chloride (mg/L)	85.2
G376E	3/20/2006	10:15:00	0	Dissolved Oxygen (mg/L)	3
G376E	3/20/2006	10:15:00	0	Orthophosphate as P (mg/L)	0.005
G376E	3/20/2006	10:15:00	0	pH	7.29

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	3/20/2006	10:15:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	848
G376E	3/20/2006	10:15:00	0	Sulfate (mg/L)	45.5
G376E	3/20/2006	10:15:00	0	Temperature ($^{\circ}\text{C}$)	22.4
G376E	3/20/2006	10:15:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G376E	3/20/2006	10:15:00	0	Total Dissolved Solids (mg/L)	604
G376E	3/20/2006	10:15:00	0	Total Phosphorus (mg/L)	0.023
G376E	3/20/2006	10:15:00	0	Turbidity (NTU)	1.6
G376E	3/20/2006	10:20:00	24	Total Phosphorus (mg/L)	0.039
G376E	3/27/2006	10:26:00	0	Dissolved Oxygen (mg/L)	3.49
G376E	3/27/2006	10:26:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	3/27/2006	10:26:00	0	pH	7.45
G376E	3/27/2006	10:26:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	850
G376E	3/27/2006	10:26:00	0	Temperature ($^{\circ}\text{C}$)	17
G376E	3/27/2006	10:26:00	0	Total Dissolved Phosphorus (mg/L)	0.024
G376E	3/27/2006	10:26:00	0	Total Phosphorus (mg/L)	0.032
G376E	3/27/2006	10:30:00	24	Total Phosphorus (mg/L)	0.035
G376E	4/3/2006	09:43:00	0	Dissolved Oxygen (mg/L)	4.3
G376E	4/3/2006	09:43:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	4/3/2006	09:43:00	0	pH	7.72
G376E	4/3/2006	09:43:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	793
G376E	4/3/2006	09:43:00	0	Temperature ($^{\circ}\text{C}$)	24.4
G376E	4/3/2006	09:43:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G376E	4/3/2006	09:43:00	0	Total Phosphorus (mg/L)	0.033
G376E	4/3/2006	09:50:00	24	Total Phosphorus (mg/L)	0.031
G376E	4/10/2006	10:50:00	0	Dissolved Oxygen (mg/L)	4.25
G376E	4/10/2006	10:50:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	4/10/2006	10:50:00	0	pH	7.85
G376E	4/10/2006	10:50:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	803
G376E	4/10/2006	10:50:00	0	Temperature ($^{\circ}\text{C}$)	24.2
G376E	4/10/2006	10:50:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G376E	4/10/2006	10:50:00	0	Total Phosphorus (mg/L)	0.027
G376E	4/10/2006	10:55:00	24	Total Phosphorus (mg/L)	0.034
G376E	4/17/2006	09:50:00	0	Alkalinity (mg/L)	249
G376E	4/17/2006	09:50:00	0	Ammonia as N (mg/L)	0.081
G376E	4/17/2006	09:50:00	0	Dissolved Chloride (mg/L)	92.5
G376E	4/17/2006	09:50:00	0	Dissolved Oxygen (mg/L)	3.27
G376E	4/17/2006	09:50:00	0	Nitrate + Nitrite (mg/L)	0.022
G376E	4/17/2006	09:50:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	4/17/2006	09:50:00	0	pH	7.31
G376E	4/17/2006	09:50:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	865
G376E	4/17/2006	09:50:00	0	Sulfate (mg/L)	41.2
G376E	4/17/2006	09:50:00	0	Temperature ($^{\circ}\text{C}$)	23.6
G376E	4/17/2006	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G376E	4/17/2006	09:50:00	0	Total Dissolved Solids (mg/L)	501
G376E	4/17/2006	09:50:00	0	Total Phosphorus (mg/L)	0.023
G376E	4/17/2006	09:50:00	0	Turbidity (NTU)	2.2
G376E	4/24/2006	10:00:00	0	Dissolved Oxygen (mg/L)	4.57
G376E	4/24/2006	10:00:00	0	Orthophosphate as P (mg/L)	<0.004
G376E	4/24/2006	10:00:00	0	pH	7.67
G376E	4/24/2006	10:00:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	842

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G376E	4/24/2006	10:00:00	0	Temperature (°C)	27.1
G376E	4/24/2006	10:00:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G376E	4/24/2006	10:00:00	0	Total Phosphorus (mg/L)	0.026
G379B	5/2/2005	10:20:00	0	Alkalinity (mg/L)	180
G379B	5/2/2005	10:20:00	0	Ammonia as N (mg/L)	0.033
G379B	5/2/2005	10:20:00	0	Dissolved Chloride (mg/L)	66.6
G379B	5/2/2005	10:20:00	0	Dissolved Oxygen (mg/L)	1.94
G379B	5/2/2005	10:20:00	0	Nitrate + Nitrite (mg/L)	0.006
G379B	5/2/2005	10:20:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	5/2/2005	10:20:00	0	pH	7.43
G379B	5/2/2005	10:20:00	0	Specific Conductivity (µS/cm)	626
G379B	5/2/2005	10:20:00	0	Sulfate (mg/L)	33
G379B	5/2/2005	10:20:00	0	Temperature (°C)	25.2
G379B	5/2/2005	10:20:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	5/2/2005	10:20:00	0	Total Dissolved Solids (mg/L)	424
G379B	5/2/2005	10:20:00	0	Total Phosphorus (mg/L)	0.015
G379B	5/2/2005	10:20:00	0	Turbidity (NTU)	0.8
G379B	5/2/2005	10:25:00	24	Total Phosphorus (mg/L)	0.021
G379B	5/9/2005	11:00:00	0	Dissolved Oxygen (mg/L)	2.99
G379B	5/9/2005	11:00:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	5/9/2005	11:00:00	0	pH	7.49
G379B	5/9/2005	11:00:00	0	Specific Conductivity (µS/cm)	490
G379B	5/9/2005	11:00:00	0	Temperature (°C)	24.5
G379B	5/9/2005	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	5/9/2005	11:00:00	0	Total Phosphorus (mg/L)	0.015
G379B	5/9/2005	11:05:00	24	Total Phosphorus (mg/L)	0.02
G379B	5/16/2005	10:18:00	0	Alkalinity (mg/L)	154
G379B	5/16/2005	10:18:00	0	Ammonia as N (mg/L)	0.056
G379B	5/16/2005	10:18:00	0	Dissolved Chloride (mg/L)	60.8
G379B	5/16/2005	10:18:00	0	Dissolved Oxygen (mg/L)	5.93
G379B	5/16/2005	10:18:00	0	Nitrate + Nitrite (mg/L)	0.008
G379B	5/16/2005	10:18:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	5/16/2005	10:18:00	0	pH	7.95
G379B	5/16/2005	10:18:00	0	Specific Conductivity (µS/cm)	572
G379B	5/16/2005	10:18:00	0	Sulfate (mg/L)	32.6
G379B	5/16/2005	10:18:00	0	Temperature (°C)	27.1
G379B	5/16/2005	10:18:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379B	5/16/2005	10:18:00	0	Total Dissolved Solids (mg/L)	352
G379B	5/16/2005	10:18:00	0	Total Phosphorus (mg/L)	0.023
G379B	5/16/2005	10:18:00	0	Turbidity (NTU)	2.2
G379B	5/16/2005	10:20:00	24	Total Phosphorus (mg/L)	0.017
G379B	5/23/2005	11:33:00	0	Dissolved Oxygen (mg/L)	5.4
G379B	5/23/2005	11:33:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	5/23/2005	11:33:00	0	pH	7.87
G379B	5/23/2005	11:33:00	0	Specific Conductivity (µS/cm)	576
G379B	5/23/2005	11:33:00	0	Temperature (°C)	28.8
G379B	5/23/2005	11:33:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G379B	5/23/2005	11:33:00	0	Total Phosphorus (mg/L)	0.034
G379B	5/31/2005	10:25:00	0	Alkalinity (mg/L)	145
G379B	5/31/2005	10:25:00	0	Ammonia as N (mg/L)	0.076

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	5/31/2005	10:25:00	0	Dissolved Chloride (mg/L)	58.5
G379B	5/31/2005	10:25:00	0	Nitrate + Nitrite (mg/L)	0.012
G379B	5/31/2005	10:25:00	0	Orthophosphate as P (mg/L)	0.004
G379B	5/31/2005	10:25:00	0	Sulfate (mg/L)	21.7
G379B	5/31/2005	10:25:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G379B	5/31/2005	10:25:00	0	Total Dissolved Solids (mg/L)	325
G379B	5/31/2005	10:25:00	0	Total Phosphorus (mg/L)	0.027
G379B	5/31/2005	10:25:00	0	Turbidity (NTU)	2.5
G379B	5/31/2005	10:30:00	24	Total Phosphorus (mg/L)	0.031
G379B	6/6/2005	10:50:00	0	Dissolved Oxygen (mg/L)	3.23
G379B	6/6/2005	10:50:00	0	Orthophosphate as P (mg/L)	0.004
G379B	6/6/2005	10:50:00	0	pH	7.46
G379B	6/6/2005	10:50:00	0	Specific Conductivity (µS/cm)	580
G379B	6/6/2005	10:50:00	0	Temperature (°C)	27.2
G379B	6/6/2005	10:50:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	6/6/2005	10:50:00	0	Total Phosphorus (mg/L)	0.014
G379B	6/13/2005	10:50:00	0	Alkalinity (mg/L)	191
G379B	6/13/2005	10:50:00	0	Ammonia as N (mg/L)	0.113
G379B	6/13/2005	10:50:00	0	Dissolved Chloride (mg/L)	69
G379B	6/13/2005	10:50:00	0	Dissolved Oxygen (mg/L)	4.27
G379B	6/13/2005	10:50:00	0	Nitrate + Nitrite (mg/L)	1.49
G379B	6/13/2005	10:50:00	0	Orthophosphate as P (mg/L)	0.004
G379B	6/13/2005	10:50:00	0	Specific Conductivity (µS/cm)	704
G379B	6/13/2005	10:50:00	0	Sulfate (mg/L)	57.1
G379B	6/13/2005	10:50:00	0	Temperature (°C)	28.6
G379B	6/13/2005	10:50:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G379B	6/13/2005	10:50:00	0	Total Dissolved Solids (mg/L)	477
G379B	6/13/2005	10:50:00	0	Total Phosphorus (mg/L)	0.012
G379B	6/13/2005	10:50:00	0	Turbidity (NTU)	0.6
G379B	6/13/2005	11:00:00	24	Total Phosphorus (mg/L)	0.014
G379B	6/20/2005	11:30:00	0	Orthophosphate as P (mg/L)	0.004
G379B	6/20/2005	11:30:00	0	pH	7.33
G379B	6/20/2005	11:30:00	0	Specific Conductivity (µS/cm)	650
G379B	6/20/2005	11:30:00	0	Temperature (°C)	27.5
G379B	6/20/2005	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379B	6/20/2005	11:30:00	0	Total Phosphorus (mg/L)	0.021
G379B	6/20/2005	11:35:00	24	Total Phosphorus (mg/L)	0.015
G379B	6/27/2005	10:30:00	0	Alkalinity (mg/L)	204
G379B	6/27/2005	10:30:00	0	Ammonia as N (mg/L)	<0.009
G379B	6/27/2005	10:30:00	0	Dissolved Chloride (mg/L)	66.2
G379B	6/27/2005	10:30:00	0	Dissolved Oxygen (mg/L)	1.84
G379B	6/27/2005	10:30:00	0	Nitrate + Nitrite (mg/L)	<0.006
G379B	6/27/2005	10:30:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	6/27/2005	10:30:00	0	pH	7.29
G379B	6/27/2005	10:30:00	0	Specific Conductivity (µS/cm)	701
G379B	6/27/2005	10:30:00	0	Sulfate (mg/L)	37.7
G379B	6/27/2005	10:30:00	0	Temperature (°C)	28.7
G379B	6/27/2005	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	6/27/2005	10:30:00	0	Total Dissolved Solids (mg/L)	425
G379B	6/27/2005	10:30:00	0	Total Phosphorus (mg/L)	0.018

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	6/27/2005	10:30:00	0	Turbidity (NTU)	0.8
G379B	6/27/2005	10:35:00	24	Total Phosphorus (mg/L)	0.02
G379B	7/5/2005	11:00:00	0	Dissolved Oxygen (mg/L)	2.1
G379B	7/5/2005	11:00:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	7/5/2005	11:00:00	0	pH	7.45
G379B	7/5/2005	11:00:00	0	Specific Conductivity (μ S/cm)	805
G379B	7/5/2005	11:00:00	0	Temperature ($^{\circ}$ C)	30.8
G379B	7/5/2005	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	7/5/2005	11:00:00	0	Total Phosphorus (mg/L)	0.013
G379B	7/5/2005	11:05:00	24	Total Phosphorus (mg/L)	0.017
G379B	7/11/2005	10:57:00	0	Alkalinity (mg/L)	204
G379B	7/11/2005	10:57:00	0	Ammonia as N (mg/L)	0.02
G379B	7/11/2005	10:57:00	0	Dissolved Chloride (mg/L)	67.4
G379B	7/11/2005	10:57:00	0	Dissolved Oxygen (mg/L)	2.91
G379B	7/11/2005	10:57:00	0	Nitrate + Nitrite (mg/L)	0.012
G379B	7/11/2005	10:57:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	7/11/2005	10:57:00	0	pH	7.5
G379B	7/11/2005	10:57:00	0	Specific Conductivity (μ S/cm)	713
G379B	7/11/2005	10:57:00	0	Sulfate (mg/L)	46.6
G379B	7/11/2005	10:57:00	0	Temperature ($^{\circ}$ C)	28
G379B	7/11/2005	10:57:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379B	7/11/2005	10:57:00	0	Total Dissolved Solids (mg/L)	456
G379B	7/11/2005	10:57:00	0	Total Phosphorus (mg/L)	0.015
G379B	7/11/2005	10:57:00	0	Turbidity (NTU)	0.7
G379B	7/11/2005	11:05:00	24	Total Phosphorus (mg/L)	0.022
G379B	7/18/2005	10:55:00	0	Dissolved Oxygen (mg/L)	2.97
G379B	7/18/2005	10:55:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	7/18/2005	10:55:00	0	pH	7.85
G379B	7/18/2005	10:55:00	0	Specific Conductivity (μ S/cm)	790
G379B	7/18/2005	10:55:00	0	Temperature ($^{\circ}$ C)	29.3
G379B	7/18/2005	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379B	7/18/2005	10:55:00	0	Total Phosphorus (mg/L)	0.016
G379B	7/18/2005	11:00:00	24	Total Phosphorus (mg/L)	0.016
G379B	7/25/2005	10:55:00	0	Alkalinity (mg/L)	188
G379B	7/25/2005	10:55:00	0	Ammonia as N (mg/L)	0.073
G379B	7/25/2005	10:55:00	0	Dissolved Chloride (mg/L)	68.9
G379B	7/25/2005	10:55:00	0	Dissolved Oxygen (mg/L)	3.26
G379B	7/25/2005	10:55:00	0	Nitrate + Nitrite (mg/L)	0.029
G379B	7/25/2005	10:55:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	7/25/2005	10:55:00	0	pH	7.48
G379B	7/25/2005	10:55:00	0	Specific Conductivity (μ S/cm)	666
G379B	7/25/2005	10:55:00	0	Sulfate (mg/L)	32.7
G379B	7/25/2005	10:55:00	0	Temperature ($^{\circ}$ C)	30.5
G379B	7/25/2005	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	7/25/2005	10:55:00	0	Total Dissolved Solids (mg/L)	451
G379B	7/25/2005	10:55:00	0	Total Phosphorus (mg/L)	0.017
G379B	7/25/2005	10:55:00	0	Turbidity (NTU)	1.2
G379B	7/25/2005	11:00:00	24	Total Phosphorus (mg/L)	0.016
G379B	8/1/2005	10:40:00	0	Dissolved Oxygen (mg/L)	2.32
G379B	8/1/2005	10:40:00	0	Orthophosphate as P (mg/L)	0.005

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	8/1/2005	10:40:00	0	pH	7.37
G379B	8/1/2005	10:40:00	0	Specific Conductivity (µS/cm)	655
G379B	8/1/2005	10:40:00	0	Temperature (°C)	29.6
G379B	8/1/2005	10:40:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G379B	8/1/2005	10:40:00	0	Total Phosphorus (mg/L)	0.023
G379B	8/1/2005	10:45:00	24	Total Phosphorus (mg/L)	0.047
G379B	8/8/2005	11:00:00	0	Alkalinity (mg/L)	162
G379B	8/8/2005	11:00:00	0	Ammonia as N (mg/L)	0.063
G379B	8/8/2005	11:00:00	0	Dissolved Chloride (mg/L)	62.1
G379B	8/8/2005	11:00:00	0	Dissolved Oxygen (mg/L)	2.45
G379B	8/8/2005	11:00:00	0	Nitrate + Nitrite (mg/L)	0.014
G379B	8/8/2005	11:00:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	8/8/2005	11:00:00	0	pH	7.49
G379B	8/8/2005	11:00:00	0	Specific Conductivity (µS/cm)	570
G379B	8/8/2005	11:00:00	0	Sulfate (mg/L)	19.1
G379B	8/8/2005	11:00:00	0	Temperature (°C)	30.2
G379B	8/8/2005	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G379B	8/8/2005	11:00:00	0	Total Dissolved Solids (mg/L)	380
G379B	8/8/2005	11:00:00	0	Total Phosphorus (mg/L)	0.025
G379B	8/8/2005	11:00:00	0	Turbidity (NTU)	2.4
G379B	8/8/2005	11:05:00	24	Total Phosphorus (mg/L)	0.037
G379B	8/15/2005	10:05:00	0	Dissolved Oxygen (mg/L)	2.64
G379B	8/15/2005	10:05:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	8/15/2005	10:05:00	0	pH	7.51
G379B	8/15/2005	10:05:00	0	Specific Conductivity (µS/cm)	697
G379B	8/15/2005	10:05:00	0	Temperature (°C)	28.5
G379B	8/15/2005	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379B	8/15/2005	10:05:00	0	Total Phosphorus (mg/L)	0.018
G379B	8/22/2005	10:30:00	0	Alkalinity (mg/L)	186
G379B	8/22/2005	10:30:00	0	Ammonia as N (mg/L)	0.094
G379B	8/22/2005	10:30:00	0	Dissolved Chloride (mg/L)	79.7
G379B	8/22/2005	10:30:00	0	Dissolved Oxygen (mg/L)	2.48
G379B	8/22/2005	10:30:00	0	Nitrate + Nitrite (mg/L)	0.026
G379B	8/22/2005	10:30:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	8/22/2005	10:30:00	0	pH	7.46
G379B	8/22/2005	10:30:00	0	Specific Conductivity (µS/cm)	718
G379B	8/22/2005	10:30:00	0	Sulfate (mg/L)	35.4
G379B	8/22/2005	10:30:00	0	Temperature (°C)	31.2
G379B	8/22/2005	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G379B	8/22/2005	10:30:00	0	Total Dissolved Solids (mg/L)	376
G379B	8/22/2005	10:30:00	0	Total Phosphorus (mg/L)	0.029
G379B	8/22/2005	10:30:00	0	Turbidity (NTU)	2.6
G379B	8/22/2005	10:35:00	24	Total Phosphorus (mg/L)	0.028
G379B	8/29/2005	10:20:00	0	Dissolved Oxygen (mg/L)	2.13
G379B	8/29/2005	10:20:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	8/29/2005	10:20:00	0	pH	7.43
G379B	8/29/2005	10:20:00	0	Specific Conductivity (µS/cm)	655
G379B	8/29/2005	10:20:00	0	Temperature (°C)	28.3
G379B	8/29/2005	10:20:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	8/29/2005	10:20:00	0	Total Phosphorus (mg/L)	0.015

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	8/29/2005	10:25:00	24	Total Phosphorus (mg/L)	0.019
G379B	9/6/2005	11:00:00	0	Alkalinity (mg/L)	135
G379B	9/6/2005	11:00:00	0	Ammonia as N (mg/L)	0.036
G379B	9/6/2005	11:00:00	0	Dissolved Chloride (mg/L)	61.3
G379B	9/6/2005	11:00:00	0	Dissolved Oxygen (mg/L)	4.91
G379B	9/6/2005	11:00:00	0	Nitrate + Nitrite (mg/L)	0.02
G379B	9/6/2005	11:00:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	9/6/2005	11:00:00	0	pH	7.71
G379B	9/6/2005	11:00:00	0	Specific Conductivity (μ S/cm)	540
G379B	9/6/2005	11:00:00	0	Sulfate (mg/L)	28.4
G379B	9/6/2005	11:00:00	0	Temperature ($^{\circ}$ C)	26.2
G379B	9/6/2005	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G379B	9/6/2005	11:00:00	0	Total Dissolved Solids (mg/L)	322
G379B	9/6/2005	11:00:00	0	Total Phosphorus (mg/L)	0.011
G379B	9/6/2005	11:00:00	0	Turbidity (NTU)	0.8
G379B	9/6/2005	11:05:00	24	Total Phosphorus (mg/L)	0.018
G379B	9/12/2005	10:35:00	0	Dissolved Oxygen (mg/L)	2.46
G379B	9/12/2005	10:35:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	9/12/2005	10:35:00	0	pH	7.39
G379B	9/12/2005	10:35:00	0	Specific Conductivity (μ S/cm)	963
G379B	9/12/2005	10:35:00	0	Temperature ($^{\circ}$ C)	28.8
G379B	9/12/2005	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G379B	9/12/2005	10:35:00	0	Total Phosphorus (mg/L)	0.013
G379B	9/12/2005	10:40:00	24	Total Phosphorus (mg/L)	0.058
G379B	9/21/2005	10:46:00	0	Alkalinity (mg/L)	177
G379B	9/21/2005	10:46:00	0	Ammonia as N (mg/L)	0.047
G379B	9/21/2005	10:46:00	0	Dissolved Chloride (mg/L)	107
G379B	9/21/2005	10:46:00	0	Dissolved Oxygen (mg/L)	3.72
G379B	9/21/2005	10:46:00	0	Nitrate + Nitrite (mg/L)	0.033
G379B	9/21/2005	10:46:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	9/21/2005	10:46:00	0	pH	7.71
G379B	9/21/2005	10:46:00	0	Specific Conductivity (μ S/cm)	801
G379B	9/21/2005	10:46:00	0	Sulfate (mg/L)	57.5
G379B	9/21/2005	10:46:00	0	Temperature ($^{\circ}$ C)	28.8
G379B	9/21/2005	10:46:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	9/21/2005	10:46:00	0	Total Dissolved Solids (mg/L)	556
G379B	9/21/2005	10:46:00	0	Total Phosphorus (mg/L)	0.017
G379B	9/21/2005	10:46:00	0	Turbidity (NTU)	2.2
G379B	9/21/2005	10:50:00	24	Total Phosphorus (mg/L)	0.021
G379B	9/26/2005	10:15:00	0	Dissolved Oxygen (mg/L)	2.95
G379B	9/26/2005	10:15:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	9/26/2005	10:15:00	0	pH	7.65
G379B	9/26/2005	10:15:00	0	Specific Conductivity (μ S/cm)	758
G379B	9/26/2005	10:15:00	0	Temperature ($^{\circ}$ C)	27.5
G379B	9/26/2005	10:15:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	9/26/2005	10:15:00	0	Total Phosphorus (mg/L)	0.018
G379B	9/26/2005	10:20:00	24	Total Phosphorus (mg/L)	0.018
G379B	10/3/2005	10:00:00	0	Alkalinity (mg/L)	167
G379B	10/3/2005	10:00:00	0	Ammonia as N (mg/L)	0.038
G379B	10/3/2005	10:00:00	0	Dissolved Chloride (mg/L)	95.1

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	10/3/2005	10:00:00	0	Dissolved Oxygen (mg/L)	5.7
G379B	10/3/2005	10:00:00	0	Nitrate + Nitrite (mg/L)	0.017
G379B	10/3/2005	10:00:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	10/3/2005	10:00:00	0	pH	7.87
G379B	10/3/2005	10:00:00	0	Specific Conductivity (µS/cm)	733
G379B	10/3/2005	10:00:00	0	Sulfate (mg/L)	43.2
G379B	10/3/2005	10:00:00	0	Temperature (°C)	27.1
G379B	10/3/2005	10:00:00	0	Total Dissolved Solids (mg/L)	472
G379B	10/3/2005	10:00:00	0	Total Phosphorus (mg/L)	0.014
G379B	10/3/2005	10:00:00	0	Turbidity (NTU)	2.3
G379B	10/3/2005	10:05:00	24	Total Phosphorus (mg/L)	0.022
G379B	10/10/2005	10:30:00	0	Dissolved Oxygen (mg/L)	1.96
G379B	10/10/2005	10:30:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	10/10/2005	10:30:00	0	pH	7.45
G379B	10/10/2005	10:30:00	0	Specific Conductivity (µS/cm)	892
G379B	10/10/2005	10:30:00	0	Temperature (°C)	28.2
G379B	10/10/2005	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G379B	10/10/2005	10:30:00	0	Total Phosphorus (mg/L)	0.011
G379B	10/10/2005	10:35:00	24	Total Phosphorus (mg/L)	0.02
G379B	10/17/2005	10:14:00	0	Alkalinity (mg/L)	228
G379B	10/17/2005	10:14:00	0	Ammonia as N (mg/L)	0.063
G379B	10/17/2005	10:14:00	0	Dissolved Chloride (mg/L)	110
G379B	10/17/2005	10:14:00	0	Dissolved Oxygen (mg/L)	5.9
G379B	10/17/2005	10:14:00	0	Nitrate + Nitrite (mg/L)	0.034
G379B	10/17/2005	10:14:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	10/17/2005	10:14:00	0	pH	7.63
G379B	10/17/2005	10:14:00	0	Specific Conductivity (µS/cm)	920
G379B	10/17/2005	10:14:00	0	Sulfate (mg/L)	63.4
G379B	10/17/2005	10:14:00	0	Temperature (°C)	25.6
G379B	10/17/2005	10:14:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379B	10/17/2005	10:14:00	0	Total Dissolved Solids (mg/L)	625
G379B	10/17/2005	10:14:00	0	Total Phosphorus (mg/L)	0.012
G379B	10/17/2005	10:14:00	0	Turbidity (NTU)	0.9
G379B	10/17/2005	10:20:00	24	Total Phosphorus (mg/L)	0.016
G379B	10/31/2005	10:55:00	0	Dissolved Oxygen (mg/L)	5.84
G379B	10/31/2005	10:55:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	10/31/2005	10:55:00	0	pH	7.73
G379B	10/31/2005	10:55:00	0	Specific Conductivity (µS/cm)	927
G379B	10/31/2005	10:55:00	0	Temperature (°C)	20.6
G379B	10/31/2005	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G379B	10/31/2005	10:55:00	0	Total Phosphorus (mg/L)	0.015
G379B	10/31/2005	11:00:00	24	Total Phosphorus (mg/L)	0.044
G379B	11/7/2005	09:55:00	0	Dissolved Oxygen (mg/L)	2.86
G379B	11/7/2005	09:55:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	11/7/2005	09:55:00	0	pH	7.44
G379B	11/7/2005	09:55:00	0	Specific Conductivity (µS/cm)	875
G379B	11/7/2005	09:55:00	0	Temperature (°C)	23.8
G379B	11/7/2005	09:55:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G379B	11/7/2005	09:55:00	0	Total Phosphorus (mg/L)	0.018
G379B	11/7/2005	10:00:00	24	Total Phosphorus (mg/L)	0.032

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	11/14/2005	10:03:00	0	Alkalinity (mg/L)	202
G379B	11/14/2005	10:03:00	0	Ammonia as N (mg/L)	0.1
G379B	11/14/2005	10:03:00	0	Dissolved Chloride (mg/L)	59.3
G379B	11/14/2005	10:03:00	0	Dissolved Oxygen (mg/L)	4.14
G379B	11/14/2005	10:03:00	0	Nitrate + Nitrite (mg/L)	0.203
G379B	11/14/2005	10:03:00	0	Orthophosphate as P (mg/L)	0.019
G379B	11/14/2005	10:03:00	0	pH	7.49
G379B	11/14/2005	10:03:00	0	Specific Conductivity (μ S/cm)	604
G379B	11/14/2005	10:03:00	0	Sulfate (mg/L)	31.8
G379B	11/14/2005	10:03:00	0	Temperature ($^{\circ}$ C)	24
G379B	11/14/2005	10:03:00	0	Total Dissolved Phosphorus (mg/L)	0.031
G379B	11/14/2005	10:03:00	0	Total Dissolved Solids (mg/L)	396
G379B	11/14/2005	10:03:00	0	Total Phosphorus (mg/L)	0.037
G379B	11/14/2005	10:03:00	0	Turbidity (NTU)	2
G379B	11/14/2005	10:10:00	24	Total Phosphorus (mg/L)	0.027
G379B	11/21/2005	10:25:00	0	Dissolved Oxygen (mg/L)	4.28
G379B	11/21/2005	10:25:00	0	Orthophosphate as P (mg/L)	0.007
G379B	11/21/2005	10:25:00	0	pH	7.79
G379B	11/21/2005	10:25:00	0	Specific Conductivity (μ S/cm)	768
G379B	11/21/2005	10:25:00	0	Temperature ($^{\circ}$ C)	25.2
G379B	11/21/2005	10:25:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G379B	11/21/2005	10:25:00	0	Total Phosphorus (mg/L)	0.031
G379B	11/21/2005	10:30:00	24	Total Phosphorus (mg/L)	0.03
G379B	11/28/2005	10:30:00	0	Alkalinity (mg/L)	243
G379B	11/28/2005	10:30:00	0	Ammonia as N (mg/L)	0.209
G379B	11/28/2005	10:30:00	0	Dissolved Chloride (mg/L)	87.7
G379B	11/28/2005	10:30:00	0	Dissolved Oxygen (mg/L)	4.93
G379B	11/28/2005	10:30:00	0	Nitrate + Nitrite (mg/L)	0.152
G379B	11/28/2005	10:30:00	0	Orthophosphate as P (mg/L)	0.006
G379B	11/28/2005	10:30:00	0	pH	7.7
G379B	11/28/2005	10:30:00	0	Specific Conductivity (μ S/cm)	840
G379B	11/28/2005	10:30:00	0	Sulfate (mg/L)	47.8
G379B	11/28/2005	10:30:00	0	Temperature ($^{\circ}$ C)	22.4
G379B	11/28/2005	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379B	11/28/2005	10:30:00	0	Total Dissolved Solids (mg/L)	561
G379B	11/28/2005	10:30:00	0	Total Phosphorus (mg/L)	0.023
G379B	11/28/2005	10:30:00	0	Turbidity (NTU)	2.3
G379B	11/28/2005	10:35:00	24	Total Phosphorus (mg/L)	0.029
G379B	12/5/2005	11:05:00	0	Dissolved Oxygen (mg/L)	5.88
G379B	12/5/2005	11:05:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	12/5/2005	11:05:00	0	pH	7.95
G379B	12/5/2005	11:05:00	0	Specific Conductivity (μ S/cm)	903
G379B	12/5/2005	11:05:00	0	Temperature ($^{\circ}$ C)	20.1
G379B	12/5/2005	11:05:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G379B	12/5/2005	11:05:00	0	Total Phosphorus (mg/L)	0.029
G379B	12/5/2005	11:10:00	24	Total Phosphorus (mg/L)	0.025
G379B	12/6/2005	10:10:00	0	Atrazine (μ g/L)	0.071
G379B	12/6/2005	10:10:00	0	Chlordane (μ g/L)	<0.019
G379B	12/6/2005	10:10:00	0	DDD (μ g/L)	<0.0046
G379B	12/6/2005	10:10:00	0	DDE (μ g/L)	<0.0038

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	12/6/2005	10:10:00	0	DDT (µg/L)	<0.0058
G379B	12/6/2005	10:10:00	0	Simazine (µg/L)	<0.0096
G379B	12/6/2005	10:10:00	0	Toxaphene (µg/L)	<0.096
G379B	12/6/2005	10:15:00	0	Total Arsenic (µg/L)	3.5
G379B	12/6/2005	10:15:00	0	Total Copper (µg/L)	2.9
G379B	12/6/2005	10:15:00	0	Total Lead (µg/L)	<0.8
G379B	12/6/2005	10:15:00	0	Total Zinc (µg/L)	<4
G379B	12/12/2005	10:35:00	0	Alkalinity (mg/L)	225
G379B	12/12/2005	10:35:00	0	Ammonia as N (mg/L)	0.439
G379B	12/12/2005	10:35:00	0	Dissolved Chloride (mg/L)	108
G379B	12/12/2005	10:35:00	0	Dissolved Oxygen (mg/L)	4.88
G379B	12/12/2005	10:35:00	0	Nitrate + Nitrite (mg/L)	0.196
G379B	12/12/2005	10:35:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	12/12/2005	10:35:00	0	pH	7.83
G379B	12/12/2005	10:35:00	0	Specific Conductivity (µS/cm)	890
G379B	12/12/2005	10:35:00	0	Sulfate (mg/L)	54.6
G379B	12/12/2005	10:35:00	0	Temperature (°C)	20.2
G379B	12/12/2005	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G379B	12/12/2005	10:35:00	0	Total Dissolved Solids (mg/L)	642
G379B	12/12/2005	10:35:00	0	Total Phosphorus (mg/L)	0.024
G379B	12/12/2005	10:35:00	0	Turbidity (NTU)	1
G379B	12/19/2005	10:45:00	0	Dissolved Oxygen (mg/L)	5.44
G379B	12/19/2005	10:45:00	0	Orthophosphate as P (mg/L)	0.004
G379B	12/19/2005	10:45:00	0	pH	7.87
G379B	12/19/2005	10:45:00	0	Specific Conductivity (µS/cm)	919
G379B	12/19/2005	10:45:00	0	Temperature (°C)	22
G379B	12/19/2005	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G379B	12/19/2005	10:45:00	0	Total Phosphorus (mg/L)	0.024
G379B	12/27/2005	10:25:00	0	Alkalinity (mg/L)	248
G379B	12/27/2005	10:25:00	0	Ammonia as N (mg/L)	0.657
G379B	12/27/2005	10:25:00	0	Dissolved Chloride (mg/L)	111
G379B	12/27/2005	10:25:00	0	Nitrate + Nitrite (mg/L)	0.347
G379B	12/27/2005	10:25:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	12/27/2005	10:25:00	0	pH	7.93
G379B	12/27/2005	10:25:00	0	Specific Conductivity (µS/cm)	916
G379B	12/27/2005	10:25:00	0	Sulfate (mg/L)	56.2
G379B	12/27/2005	10:25:00	0	Temperature (°C)	16.3
G379B	12/27/2005	10:25:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G379B	12/27/2005	10:25:00	0	Total Dissolved Solids (mg/L)	602
G379B	12/27/2005	10:25:00	0	Total Phosphorus (mg/L)	0.021
G379B	12/27/2005	10:25:00	0	Turbidity (NTU)	2
G379B	1/3/2006	11:00:00	0	Dissolved Oxygen (mg/L)	4.03
G379B	1/3/2006	11:00:00	0	Orthophosphate as P (mg/L)	0.005
G379B	1/3/2006	11:00:00	0	pH	7.73
G379B	1/3/2006	11:00:00	0	Specific Conductivity (µS/cm)	900
G379B	1/3/2006	11:00:00	0	Temperature (°C)	21.9
G379B	1/3/2006	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379B	1/3/2006	11:00:00	0	Total Phosphorus (mg/L)	0.03
G379B	1/9/2006	10:10:00	0	Alkalinity (mg/L)	281
G379B	1/9/2006	10:10:00	0	Ammonia as N (mg/L)	0.255

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	1/9/2006	10:10:00	0	Dissolved Chloride (mg/L)	126
G379B	1/9/2006	10:10:00	0	Dissolved Oxygen (mg/L)	7.98
G379B	1/9/2006	10:10:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	1/9/2006	10:10:00	0	pH	8
G379B	1/9/2006	10:10:00	0	Specific Conductivity (μ S/cm)	983
G379B	1/9/2006	10:10:00	0	Sulfate (mg/L)	52
G379B	1/9/2006	10:10:00	0	Temperature ($^{\circ}$ C)	14.5
G379B	1/9/2006	10:10:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G379B	1/9/2006	10:10:00	0	Total Dissolved Solids (mg/L)	669
G379B	1/9/2006	10:10:00	0	Total Phosphorus (mg/L)	0.019
G379B	1/9/2006	10:10:00	0	Turbidity (NTU)	1.2
G379B	1/9/2006	10:15:00	24	Total Phosphorus (mg/L)	0.03
G379B	1/17/2006	10:15:00	0	Dissolved Oxygen (mg/L)	8.28
G379B	1/17/2006	10:15:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	1/17/2006	10:15:00	0	pH	8.01
G379B	1/17/2006	10:15:00	0	Specific Conductivity (μ S/cm)	934
G379B	1/17/2006	10:15:00	0	Temperature ($^{\circ}$ C)	16.8
G379B	1/17/2006	10:15:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379B	1/17/2006	10:15:00	0	Total Phosphorus (mg/L)	0.016
G379B	1/17/2006	10:20:00	24	Total Phosphorus (mg/L)	0.055
G379B	1/23/2006	10:30:00	0	Alkalinity (mg/L)	227
G379B	1/23/2006	10:30:00	0	Ammonia as N (mg/L)	0.222
G379B	1/23/2006	10:30:00	0	Dissolved Chloride (mg/L)	90.8
G379B	1/23/2006	10:30:00	0	Dissolved Oxygen (mg/L)	4.49
G379B	1/23/2006	10:30:00	0	Nitrate + Nitrite (mg/L)	0.078
G379B	1/23/2006	10:30:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	1/23/2006	10:30:00	0	pH	7.61
G379B	1/23/2006	10:30:00	0	Specific Conductivity (μ S/cm)	790
G379B	1/23/2006	10:30:00	0	Sulfate (mg/L)	40.2
G379B	1/23/2006	10:30:00	0	Temperature ($^{\circ}$ C)	22
G379B	1/23/2006	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G379B	1/23/2006	10:30:00	0	Total Dissolved Solids (mg/L)	534
G379B	1/23/2006	10:30:00	0	Total Phosphorus (mg/L)	0.024
G379B	1/23/2006	10:30:00	0	Turbidity (NTU)	1.3
G379B	1/23/2006	10:35:00	24	Total Phosphorus (mg/L)	0.03
G379B	1/30/2006	10:48:00	0	Dissolved Oxygen (mg/L)	5.41
G379B	1/30/2006	10:48:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	1/30/2006	10:48:00	0	pH	7.92
G379B	1/30/2006	10:48:00	0	Specific Conductivity (μ S/cm)	684
G379B	1/30/2006	10:48:00	0	Temperature ($^{\circ}$ C)	20.4
G379B	1/30/2006	10:48:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G379B	1/30/2006	10:48:00	0	Total Phosphorus (mg/L)	0.024
G379B	1/30/2006	10:55:00	24	Total Phosphorus (mg/L)	0.032
G379B	2/6/2006	10:22:00	0	Alkalinity (mg/L)	189
G379B	2/6/2006	10:22:00	0	Ammonia as N (mg/L)	0.163
G379B	2/6/2006	10:22:00	0	Dissolved Chloride (mg/L)	55
G379B	2/6/2006	10:22:00	0	Dissolved Oxygen (mg/L)	7.31
G379B	2/6/2006	10:22:00	0	Nitrate + Nitrite (mg/L)	0.109
G379B	2/6/2006	10:22:00	0	Orthophosphate as P (mg/L)	0.004
G379B	2/6/2006	10:22:00	0	pH	7.94

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	2/6/2006	10:22:00	0	Specific Conductivity (µS/cm)	566
G379B	2/6/2006	10:22:00	0	Sulfate (mg/L)	23.3
G379B	2/6/2006	10:22:00	0	Temperature (°C)	17.5
G379B	2/6/2006	10:22:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G379B	2/6/2006	10:22:00	0	Total Dissolved Solids (mg/L)	368
G379B	2/6/2006	10:22:00	0	Total Phosphorus (mg/L)	0.025
G379B	2/6/2006	10:22:00	0	Turbidity (NTU)	1.9
G379B	2/6/2006	10:30:00	24	Total Phosphorus (mg/L)	0.029
G379B	2/13/2006	10:35:00	0	Dissolved Oxygen (mg/L)	8.84
G379B	2/13/2006	10:35:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	2/13/2006	10:35:00	0	pH	7.85
G379B	2/13/2006	10:35:00	0	Specific Conductivity (µS/cm)	659
G379B	2/13/2006	10:35:00	0	Temperature (°C)	10.3
G379B	2/13/2006	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379B	2/13/2006	10:35:00	0	Total Phosphorus (mg/L)	0.018
G379B	2/13/2006	10:40:00	24	Total Phosphorus (mg/L)	0.035
G379B	2/21/2006	10:00:00	0	Alkalinity (mg/L)	209
G379B	2/21/2006	10:00:00	0	Ammonia as N (mg/L)	0.108
G379B	2/21/2006	10:00:00	0	Dissolved Chloride (mg/L)	77.1
G379B	2/21/2006	10:00:00	0	Dissolved Oxygen (mg/L)	4.73
G379B	2/21/2006	10:00:00	0	Nitrate + Nitrite (mg/L)	0.103
G379B	2/21/2006	10:00:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	2/21/2006	10:00:00	0	pH	7.73
G379B	2/21/2006	10:00:00	0	Specific Conductivity (µS/cm)	741
G379B	2/21/2006	10:00:00	0	Sulfate (mg/L)	54.1
G379B	2/21/2006	10:00:00	0	Temperature (°C)	22.9
G379B	2/21/2006	10:00:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G379B	2/21/2006	10:00:00	0	Total Dissolved Solids (mg/L)	486
G379B	2/21/2006	10:00:00	0	Total Phosphorus (mg/L)	0.036
G379B	2/21/2006	10:00:00	0	Turbidity (NTU)	1.8
G379B	2/21/2006	10:05:00	24	Total Phosphorus (mg/L)	0.043
G379B	2/27/2006	10:25:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	2/27/2006	10:25:00	0	pH	7.97
G379B	2/27/2006	10:25:00	0	Specific Conductivity (µS/cm)	716
G379B	2/27/2006	10:25:00	0	Temperature (°C)	18
G379B	2/27/2006	10:25:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379B	2/27/2006	10:25:00	0	Total Phosphorus (mg/L)	0.033
G379B	3/6/2006	10:20:00	0	Alkalinity (mg/L)	195
G379B	3/6/2006	10:20:00	0	Ammonia as N (mg/L)	0.127
G379B	3/6/2006	10:20:00	0	Dissolved Chloride (mg/L)	82.4
G379B	3/6/2006	10:20:00	0	Dissolved Oxygen (mg/L)	5.07
G379B	3/6/2006	10:20:00	0	Nitrate + Nitrite (mg/L)	0.061
G379B	3/6/2006	10:20:00	0	Orthophosphate as P (mg/L)	0.004
G379B	3/6/2006	10:20:00	0	pH	7.9
G379B	3/6/2006	10:20:00	0	Specific Conductivity (µS/cm)	719
G379B	3/6/2006	10:20:00	0	Sulfate (mg/L)	46.1
G379B	3/6/2006	10:20:00	0	Temperature (°C)	22.7
G379B	3/6/2006	10:20:00	0	Total Dissolved Phosphorus (mg/L)	0.019
G379B	3/6/2006	10:20:00	0	Total Dissolved Solids (mg/L)	448
G379B	3/6/2006	10:20:00	0	Total Phosphorus (mg/L)	0.042

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	3/6/2006	10:20:00	0	Turbidity (NTU)	1.9
G379B	3/13/2006	10:12:00	0	Dissolved Oxygen (mg/L)	5.28
G379B	3/13/2006	10:12:00	0	Orthophosphate as P (mg/L)	0.005
G379B	3/13/2006	10:12:00	0	pH	7.93
G379B	3/13/2006	10:12:00	0	Specific Conductivity (μ S/cm)	755
G379B	3/13/2006	10:12:00	0	Temperature ($^{\circ}$ C)	24.8
G379B	3/13/2006	10:12:00	0	Total Dissolved Phosphorus (mg/L)	0.021
G379B	3/13/2006	10:12:00	0	Total Phosphorus (mg/L)	0.04
G379B	3/20/2006	11:05:00	0	Alkalinity (mg/L)	190
G379B	3/20/2006	11:05:00	0	Ammonia as N (mg/L)	0.098
G379B	3/20/2006	11:05:00	0	Dissolved Chloride (mg/L)	93.5
G379B	3/20/2006	11:05:00	0	Dissolved Oxygen (mg/L)	5.45
G379B	3/20/2006	11:05:00	0	Nitrate + Nitrite (mg/L)	0.04
G379B	3/20/2006	11:05:00	0	Orthophosphate as P (mg/L)	0.004
G379B	3/20/2006	11:05:00	0	pH	7.89
G379B	3/20/2006	11:05:00	0	Specific Conductivity (μ S/cm)	749
G379B	3/20/2006	11:05:00	0	Sulfate (mg/L)	42.2
G379B	3/20/2006	11:05:00	0	Temperature ($^{\circ}$ C)	25
G379B	3/20/2006	11:05:00	0	Total Dissolved Phosphorus (mg/L)	0.02
G379B	3/20/2006	11:05:00	0	Total Dissolved Solids (mg/L)	465
G379B	3/20/2006	11:05:00	0	Total Phosphorus (mg/L)	0.044
G379B	3/20/2006	11:05:00	0	Turbidity (NTU)	2.3
G379B	3/27/2006	11:21:00	0	Dissolved Oxygen (mg/L)	8.93
G379B	3/27/2006	11:21:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	3/27/2006	11:21:00	0	pH	8.08
G379B	3/27/2006	11:21:00	0	Specific Conductivity (μ S/cm)	799
G379B	3/27/2006	11:21:00	0	Temperature ($^{\circ}$ C)	16.5
G379B	3/27/2006	11:21:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379B	3/27/2006	11:21:00	0	Total Phosphorus (mg/L)	0.028
G379B	3/27/2006	11:30:00	24	Total Phosphorus (mg/L)	0.074
G379B	4/3/2006	10:11:00	0	Dissolved Oxygen (mg/L)	4.35
G379B	4/3/2006	10:11:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	4/3/2006	10:11:00	0	pH	7.9
G379B	4/3/2006	10:11:00	0	Specific Conductivity (μ S/cm)	756
G379B	4/3/2006	10:11:00	0	Temperature ($^{\circ}$ C)	24.6
G379B	4/3/2006	10:11:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G379B	4/3/2006	10:11:00	0	Total Phosphorus (mg/L)	0.032
G379B	4/3/2006	10:15:00	24	Total Phosphorus (mg/L)	0.034
G379B	4/10/2006	11:10:00	0	Dissolved Oxygen (mg/L)	5.31
G379B	4/10/2006	11:10:00	0	Orthophosphate as P (mg/L)	0.004
G379B	4/10/2006	11:10:00	0	pH	7.97
G379B	4/10/2006	11:10:00	0	Specific Conductivity (μ S/cm)	741
G379B	4/10/2006	11:10:00	0	Temperature ($^{\circ}$ C)	23.8
G379B	4/10/2006	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379B	4/10/2006	11:10:00	0	Total Phosphorus (mg/L)	0.031
G379B	4/17/2006	10:10:00	0	Alkalinity (mg/L)	177
G379B	4/17/2006	10:10:00	0	Ammonia as N (mg/L)	0.09
G379B	4/17/2006	10:10:00	0	Dissolved Chloride (mg/L)	105
G379B	4/17/2006	10:10:00	0	Dissolved Oxygen (mg/L)	5.02
G379B	4/17/2006	10:10:00	0	Nitrate + Nitrite (mg/L)	0.036

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379B	4/17/2006	10:10:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	4/17/2006	10:10:00	0	pH	7.74
G379B	4/17/2006	10:10:00	0	Specific Conductivity (µS/cm)	780
G379B	4/17/2006	10:10:00	0	Sulfate (mg/L)	37.6
G379B	4/17/2006	10:10:00	0	Temperature (°C)	25.8
G379B	4/17/2006	10:10:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G379B	4/17/2006	10:10:00	0	Total Dissolved Solids (mg/L)	518
G379B	4/17/2006	10:10:00	0	Total Phosphorus (mg/L)	0.032
G379B	4/17/2006	10:10:00	0	Turbidity (NTU)	2.6
G379B	4/24/2006	10:30:00	0	Dissolved Oxygen (mg/L)	2.95
G379B	4/24/2006	10:30:00	0	Orthophosphate as P (mg/L)	<0.004
G379B	4/24/2006	10:30:00	0	pH	7.64
G379B	4/24/2006	10:30:00	0	Specific Conductivity (µS/cm)	688
G379B	4/24/2006	10:30:00	0	Temperature (°C)	28
G379B	4/24/2006	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G379B	4/24/2006	10:30:00	0	Total Phosphorus (mg/L)	0.036
G379D	5/2/2005	10:40:00	0	Alkalinity (mg/L)	154
G379D	5/2/2005	10:40:00	0	Ammonia as N (mg/L)	0.029
G379D	5/2/2005	10:40:00	0	Dissolved Chloride (mg/L)	50.6
G379D	5/2/2005	10:40:00	0	Dissolved Oxygen (mg/L)	3.35
G379D	5/2/2005	10:40:00	0	Nitrate + Nitrite (mg/L)	<0.006
G379D	5/2/2005	10:40:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	5/2/2005	10:40:00	0	pH	7.55
G379D	5/2/2005	10:40:00	0	Specific Conductivity (µS/cm)	516
G379D	5/2/2005	10:40:00	0	Sulfate (mg/L)	27
G379D	5/2/2005	10:40:00	0	Temperature (°C)	25.3
G379D	5/2/2005	10:40:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G379D	5/2/2005	10:40:00	0	Total Dissolved Solids (mg/L)	339
G379D	5/2/2005	10:40:00	0	Total Phosphorus (mg/L)	0.011
G379D	5/2/2005	10:40:00	0	Turbidity (NTU)	0.9
G379D	5/2/2005	10:45:00	24	Total Phosphorus (mg/L)	0.012
G379D	5/9/2005	11:35:00	0	Dissolved Oxygen (mg/L)	5.04
G379D	5/9/2005	11:35:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	5/9/2005	11:35:00	0	pH	7.6
G379D	5/9/2005	11:35:00	0	Specific Conductivity (µS/cm)	489
G379D	5/9/2005	11:35:00	0	Temperature (°C)	25
G379D	5/9/2005	11:35:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379D	5/9/2005	11:35:00	0	Total Phosphorus (mg/L)	0.014
G379D	5/9/2005	11:40:00	24	Total Phosphorus (mg/L)	0.015
G379D	5/16/2005	10:41:00	0	Alkalinity (mg/L)	150
G379D	5/16/2005	10:41:00	0	Ammonia as N (mg/L)	0.029
G379D	5/16/2005	10:41:00	0	Dissolved Chloride (mg/L)	62.3
G379D	5/16/2005	10:41:00	0	Dissolved Oxygen (mg/L)	6.74
G379D	5/16/2005	10:41:00	0	Nitrate + Nitrite (mg/L)	0.013
G379D	5/16/2005	10:41:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	5/16/2005	10:41:00	0	pH	7.95
G379D	5/16/2005	10:41:00	0	Specific Conductivity (µS/cm)	574
G379D	5/16/2005	10:41:00	0	Sulfate (mg/L)	32.6
G379D	5/16/2005	10:41:00	0	Temperature (°C)	27.8
G379D	5/16/2005	10:41:00	0	Total Dissolved Phosphorus (mg/L)	0.01

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	5/16/2005	10:41:00	0	Total Dissolved Solids (mg/L)	252
G379D	5/16/2005	10:41:00	0	Total Phosphorus (mg/L)	0.023
G379D	5/16/2005	10:41:00	0	Turbidity (NTU)	2.1
G379D	5/16/2005	10:45:00	24	Total Phosphorus (mg/L)	0.016
G379D	5/23/2005	12:03:00	0	Dissolved Oxygen (mg/L)	5.78
G379D	5/23/2005	12:03:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	5/23/2005	12:03:00	0	pH	7.91
G379D	5/23/2005	12:03:00	0	Specific Conductivity (μ S/cm)	575
G379D	5/23/2005	12:03:00	0	Temperature ($^{\circ}$ C)	29.3
G379D	5/23/2005	12:03:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379D	5/23/2005	12:03:00	0	Total Phosphorus (mg/L)	0.023
G379D	5/31/2005	10:45:00	0	Alkalinity (mg/L)	148
G379D	5/31/2005	10:45:00	0	Ammonia as N (mg/L)	0.06
G379D	5/31/2005	10:45:00	0	Dissolved Chloride (mg/L)	58.2
G379D	5/31/2005	10:45:00	0	Nitrate + Nitrite (mg/L)	0.007
G379D	5/31/2005	10:45:00	0	Orthophosphate as P (mg/L)	0.007
G379D	5/31/2005	10:45:00	0	Sulfate (mg/L)	22.8
G379D	5/31/2005	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379D	5/31/2005	10:45:00	0	Total Dissolved Solids (mg/L)	349
G379D	5/31/2005	10:45:00	0	Total Phosphorus (mg/L)	0.021
G379D	5/31/2005	10:45:00	0	Turbidity (NTU)	1.4
G379D	5/31/2005	10:50:00	24	Total Phosphorus (mg/L)	0.037
G379D	6/6/2005	11:10:00	0	Dissolved Oxygen (mg/L)	2.86
G379D	6/6/2005	11:10:00	0	Orthophosphate as P (mg/L)	0.004
G379D	6/6/2005	11:10:00	0	pH	7.32
G379D	6/6/2005	11:10:00	0	Specific Conductivity (μ S/cm)	610
G379D	6/6/2005	11:10:00	0	Temperature ($^{\circ}$ C)	27
G379D	6/6/2005	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G379D	6/6/2005	11:10:00	0	Total Phosphorus (mg/L)	0.013
G379D	6/13/2005	11:10:00	0	Alkalinity (mg/L)	174
G379D	6/13/2005	11:10:00	0	Ammonia as N (mg/L)	0.089
G379D	6/13/2005	11:10:00	0	Dissolved Chloride (mg/L)	52.7
G379D	6/13/2005	11:10:00	0	Dissolved Oxygen (mg/L)	4.31
G379D	6/13/2005	11:10:00	0	Nitrate + Nitrite (mg/L)	1.33
G379D	6/13/2005	11:10:00	0	Orthophosphate as P (mg/L)	0.004
G379D	6/13/2005	11:10:00	0	Specific Conductivity (μ S/cm)	600
G379D	6/13/2005	11:10:00	0	Sulfate (mg/L)	44.2
G379D	6/13/2005	11:10:00	0	Temperature ($^{\circ}$ C)	28.6
G379D	6/13/2005	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379D	6/13/2005	11:10:00	0	Total Dissolved Solids (mg/L)	472
G379D	6/13/2005	11:10:00	0	Total Phosphorus (mg/L)	0.014
G379D	6/13/2005	11:10:00	0	Turbidity (NTU)	0.9
G379D	6/13/2005	11:20:00	24	Total Phosphorus (mg/L)	0.014
G379D	6/20/2005	11:55:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	6/20/2005	11:55:00	0	pH	7.37
G379D	6/20/2005	11:55:00	0	Specific Conductivity (μ S/cm)	604
G379D	6/20/2005	11:55:00	0	Temperature ($^{\circ}$ C)	27.3
G379D	6/20/2005	11:55:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G379D	6/20/2005	11:55:00	0	Total Phosphorus (mg/L)	0.02
G379D	6/20/2005	12:00:00	24	Total Phosphorus (mg/L)	0.02

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	6/27/2005	11:00:00	0	Alkalinity (mg/L)	226
G379D	6/27/2005	11:00:00	0	Ammonia as N (mg/L)	<0.009
G379D	6/27/2005	11:00:00	0	Dissolved Chloride (mg/L)	75.2
G379D	6/27/2005	11:00:00	0	Dissolved Oxygen (mg/L)	3.4
G379D	6/27/2005	11:00:00	0	Nitrate + Nitrite (mg/L)	<0.006
G379D	6/27/2005	11:00:00	0	Orthophosphate as P (mg/L)	0.012
G379D	6/27/2005	11:00:00	0	pH	7.38
G379D	6/27/2005	11:00:00	0	Specific Conductivity (µS/cm)	783
G379D	6/27/2005	11:00:00	0	Sulfate (mg/L)	44.4
G379D	6/27/2005	11:00:00	0	Temperature (°C)	29.2
G379D	6/27/2005	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.023
G379D	6/27/2005	11:00:00	0	Total Dissolved Solids (mg/L)	514
G379D	6/27/2005	11:00:00	0	Total Phosphorus (mg/L)	0.031
G379D	6/27/2005	11:00:00	0	Turbidity (NTU)	1.2
G379D	6/27/2005	11:05:00	24	Total Phosphorus (mg/L)	0.037
G379D	7/5/2005	11:25:00	0	Dissolved Oxygen (mg/L)	2.94
G379D	7/5/2005	11:25:00	0	Orthophosphate as P (mg/L)	0.006
G379D	7/5/2005	11:25:00	0	pH	7.46
G379D	7/5/2005	11:25:00	0	Specific Conductivity (µS/cm)	847
G379D	7/5/2005	11:25:00	0	Temperature (°C)	30.9
G379D	7/5/2005	11:25:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379D	7/5/2005	11:25:00	0	Total Phosphorus (mg/L)	0.024
G379D	7/5/2005	11:30:00	24	Total Phosphorus (mg/L)	0.031
G379D	7/11/2005	11:26:00	0	Alkalinity (mg/L)	216
G379D	7/11/2005	11:26:00	0	Ammonia as N (mg/L)	0.018
G379D	7/11/2005	11:26:00	0	Dissolved Chloride (mg/L)	67.1
G379D	7/11/2005	11:26:00	0	Dissolved Oxygen (mg/L)	4.29
G379D	7/11/2005	11:26:00	0	Nitrate + Nitrite (mg/L)	0.007
G379D	7/11/2005	11:26:00	0	Orthophosphate as P (mg/L)	0.02
G379D	7/11/2005	11:26:00	0	pH	7.49
G379D	7/11/2005	11:26:00	0	Specific Conductivity (µS/cm)	716
G379D	7/11/2005	11:26:00	0	Sulfate (mg/L)	37.7
G379D	7/11/2005	11:26:00	0	Temperature (°C)	29
G379D	7/11/2005	11:26:00	0	Total Dissolved Phosphorus (mg/L)	0.032
G379D	7/11/2005	11:26:00	0	Total Dissolved Solids (mg/L)	403
G379D	7/11/2005	11:26:00	0	Total Phosphorus (mg/L)	0.04
G379D	7/11/2005	11:26:00	0	Turbidity (NTU)	1.1
G379D	7/11/2005	11:35:00	24	Total Phosphorus (mg/L)	0.031
G379D	7/18/2005	11:25:00	0	Dissolved Oxygen (mg/L)	5.19
G379D	7/18/2005	11:25:00	0	Orthophosphate as P (mg/L)	0.007
G379D	7/18/2005	11:25:00	0	pH	7.85
G379D	7/18/2005	11:25:00	0	Specific Conductivity (µS/cm)	770
G379D	7/18/2005	11:25:00	0	Temperature (°C)	30.1
G379D	7/18/2005	11:25:00	0	Total Dissolved Phosphorus (mg/L)	0.018
G379D	7/18/2005	11:25:00	0	Total Phosphorus (mg/L)	0.026
G379D	7/18/2005	11:30:00	24	Total Phosphorus (mg/L)	0.043
G379D	7/25/2005	11:17:00	0	Alkalinity (mg/L)	192
G379D	7/25/2005	11:17:00	0	Ammonia as N (mg/L)	0.074
G379D	7/25/2005	11:17:00	0	Dissolved Chloride (mg/L)	68.6
G379D	7/25/2005	11:17:00	0	Dissolved Oxygen (mg/L)	3.32

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	7/25/2005	11:17:00	0	Nitrate + Nitrite (mg/L)	0.02
G379D	7/25/2005	11:17:00	0	Orthophosphate as P (mg/L)	0.005
G379D	7/25/2005	11:17:00	0	pH	7.51
G379D	7/25/2005	11:17:00	0	Specific Conductivity (μ S/cm)	675
G379D	7/25/2005	11:17:00	0	Sulfate (mg/L)	33.1
G379D	7/25/2005	11:17:00	0	Temperature ($^{\circ}$ C)	31.3
G379D	7/25/2005	11:17:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G379D	7/25/2005	11:17:00	0	Total Dissolved Solids (mg/L)	463
G379D	7/25/2005	11:17:00	0	Total Phosphorus (mg/L)	0.027
G379D	7/25/2005	11:17:00	0	Turbidity (NTU)	1.5
G379D	7/25/2005	11:25:00	24	Total Phosphorus (mg/L)	0.026
G379D	8/1/2005	11:10:00	0	Dissolved Oxygen (mg/L)	2.51
G379D	8/1/2005	11:10:00	0	Orthophosphate as P (mg/L)	0.007
G379D	8/1/2005	11:10:00	0	pH	7.45
G379D	8/1/2005	11:10:00	0	Specific Conductivity (μ S/cm)	656
G379D	8/1/2005	11:10:00	0	Temperature ($^{\circ}$ C)	30.2
G379D	8/1/2005	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G379D	8/1/2005	11:10:00	0	Total Phosphorus (mg/L)	0.036
G379D	8/1/2005	11:15:00	24	Total Phosphorus (mg/L)	0.038
G379D	8/8/2005	11:26:00	0	Alkalinity (mg/L)	147
G379D	8/8/2005	11:26:00	0	Ammonia as N (mg/L)	0.058
G379D	8/8/2005	11:26:00	0	Dissolved Chloride (mg/L)	66.3
G379D	8/8/2005	11:26:00	0	Dissolved Oxygen (mg/L)	2.54
G379D	8/8/2005	11:26:00	0	Nitrate + Nitrite (mg/L)	0.006
G379D	8/8/2005	11:26:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	8/8/2005	11:26:00	0	pH	7.48
G379D	8/8/2005	11:26:00	0	Specific Conductivity (μ S/cm)	575
G379D	8/8/2005	11:26:00	0	Sulfate (mg/L)	25.8
G379D	8/8/2005	11:26:00	0	Temperature ($^{\circ}$ C)	30.4
G379D	8/8/2005	11:26:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379D	8/8/2005	11:26:00	0	Total Dissolved Solids (mg/L)	373
G379D	8/8/2005	11:26:00	0	Total Phosphorus (mg/L)	0.035
G379D	8/8/2005	11:26:00	0	Turbidity (NTU)	2.6
G379D	8/8/2005	11:30:00	24	Total Phosphorus (mg/L)	0.041
G379D	8/15/2005	10:35:00	0	Dissolved Oxygen (mg/L)	2.8
G379D	8/15/2005	10:35:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	8/15/2005	10:35:00	0	pH	7.57
G379D	8/15/2005	10:35:00	0	Specific Conductivity (μ S/cm)	734
G379D	8/15/2005	10:35:00	0	Temperature ($^{\circ}$ C)	27.8
G379D	8/15/2005	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G379D	8/15/2005	10:35:00	0	Total Phosphorus (mg/L)	0.021
G379D	8/15/2005	10:40:00	24	Total Phosphorus (mg/L)	0.036
G379D	8/22/2005	10:55:00	0	Alkalinity (mg/L)	178
G379D	8/22/2005	10:55:00	0	Ammonia as N (mg/L)	0.033
G379D	8/22/2005	10:55:00	0	Dissolved Chloride (mg/L)	77.4
G379D	8/22/2005	10:55:00	0	Dissolved Oxygen (mg/L)	4.14
G379D	8/22/2005	10:55:00	0	Nitrate + Nitrite (mg/L)	0.01
G379D	8/22/2005	10:55:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	8/22/2005	10:55:00	0	pH	7.61
G379D	8/22/2005	10:55:00	0	Specific Conductivity (μ S/cm)	690

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	8/22/2005	10:55:00	0	Sulfate (mg/L)	37.6
G379D	8/22/2005	10:55:00	0	Temperature (°C)	31.6
G379D	8/22/2005	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G379D	8/22/2005	10:55:00	0	Total Dissolved Solids (mg/L)	478
G379D	8/22/2005	10:55:00	0	Total Phosphorus (mg/L)	0.03
G379D	8/22/2005	10:55:00	0	Turbidity (NTU)	1.9
G379D	8/22/2005	11:00:00	24	Total Phosphorus (mg/L)	0.028
G379D	8/29/2005	10:50:00	0	Dissolved Oxygen (mg/L)	1.39
G379D	8/29/2005	10:50:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	8/29/2005	10:50:00	0	pH	7.4
G379D	8/29/2005	10:50:00	0	Specific Conductivity (µS/cm)	690
G379D	8/29/2005	10:50:00	0	Temperature (°C)	28.3
G379D	8/29/2005	10:50:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G379D	8/29/2005	10:50:00	0	Total Phosphorus (mg/L)	0.021
G379D	8/29/2005	11:00:00	24	Total Phosphorus (mg/L)	0.029
G379D	9/6/2005	11:15:00	0	Alkalinity (mg/L)	188
G379D	9/6/2005	11:15:00	0	Ammonia as N (mg/L)	0.026
G379D	9/6/2005	11:15:00	0	Dissolved Chloride (mg/L)	79.2
G379D	9/6/2005	11:15:00	0	Dissolved Oxygen (mg/L)	3.4
G379D	9/6/2005	11:15:00	0	Nitrate + Nitrite (mg/L)	0.012
G379D	9/6/2005	11:15:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	9/6/2005	11:15:00	0	pH	7.54
G379D	9/6/2005	11:15:00	0	Specific Conductivity (µS/cm)	756
G379D	9/6/2005	11:15:00	0	Sulfate (mg/L)	36.8
G379D	9/6/2005	11:15:00	0	Temperature (°C)	26.1
G379D	9/6/2005	11:15:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379D	9/6/2005	11:15:00	0	Total Dissolved Solids (mg/L)	487
G379D	9/6/2005	11:15:00	0	Total Phosphorus (mg/L)	0.016
G379D	9/6/2005	11:15:00	0	Turbidity (NTU)	0.9
G379D	9/6/2005	11:20:00	24	Total Phosphorus (mg/L)	0.024
G379D	9/12/2005	10:55:00	0	Dissolved Oxygen (mg/L)	2.37
G379D	9/12/2005	10:55:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	9/12/2005	10:55:00	0	pH	7.36
G379D	9/12/2005	10:55:00	0	Specific Conductivity (µS/cm)	1060
G379D	9/12/2005	10:55:00	0	Temperature (°C)	28.5
G379D	9/12/2005	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379D	9/12/2005	10:55:00	0	Total Phosphorus (mg/L)	0.021
G379D	9/12/2005	11:00:00	24	Total Phosphorus (mg/L)	0.028
G379D	9/21/2005	11:10:00	0	Alkalinity (mg/L)	175
G379D	9/21/2005	11:10:00	0	Ammonia as N (mg/L)	0.025
G379D	9/21/2005	11:10:00	0	Dissolved Chloride (mg/L)	99.8
G379D	9/21/2005	11:10:00	0	Dissolved Oxygen (mg/L)	4.48
G379D	9/21/2005	11:10:00	0	Nitrate + Nitrite (mg/L)	0.021
G379D	9/21/2005	11:10:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	9/21/2005	11:10:00	0	pH	7.74
G379D	9/21/2005	11:10:00	0	Specific Conductivity (µS/cm)	778
G379D	9/21/2005	11:10:00	0	Sulfate (mg/L)	57.5
G379D	9/21/2005	11:10:00	0	Temperature (°C)	25.8
G379D	9/21/2005	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G379D	9/21/2005	11:10:00	0	Total Dissolved Solids (mg/L)	496

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	9/21/2005	11:10:00	0	Total Phosphorus (mg/L)	0.021
G379D	9/21/2005	11:10:00	0	Turbidity (NTU)	1.2
G379D	9/21/2005	11:15:00	24	Total Phosphorus (mg/L)	0.025
G379D	9/26/2005	10:41:00	0	Dissolved Oxygen (mg/L)	3.24
G379D	9/26/2005	10:41:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	9/26/2005	10:41:00	0	pH	7.62
G379D	9/26/2005	10:41:00	0	Specific Conductivity (μ S/cm)	742
G379D	9/26/2005	10:41:00	0	Temperature ($^{\circ}$ C)	27.6
G379D	9/26/2005	10:41:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379D	9/26/2005	10:41:00	0	Total Phosphorus (mg/L)	0.023
G379D	9/26/2005	10:45:00	24	Total Phosphorus (mg/L)	0.025
G379D	10/3/2005	10:20:00	0	Alkalinity (mg/L)	217
G379D	10/3/2005	10:20:00	0	Ammonia as N (mg/L)	0.021
G379D	10/3/2005	10:20:00	0	Dissolved Chloride (mg/L)	93.1
G379D	10/3/2005	10:20:00	0	Dissolved Oxygen (mg/L)	3.44
G379D	10/3/2005	10:20:00	0	Nitrate + Nitrite (mg/L)	0.014
G379D	10/3/2005	10:20:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	10/3/2005	10:20:00	0	pH	7.59
G379D	10/3/2005	10:20:00	0	Specific Conductivity (μ S/cm)	796
G379D	10/3/2005	10:20:00	0	Sulfate (mg/L)	43.9
G379D	10/3/2005	10:20:00	0	Temperature ($^{\circ}$ C)	26.6
G379D	10/3/2005	10:20:00	0	Total Dissolved Solids (mg/L)	515
G379D	10/3/2005	10:20:00	0	Total Phosphorus (mg/L)	0.016
G379D	10/3/2005	10:20:00	0	Turbidity (NTU)	1.2
G379D	10/3/2005	10:25:00	24	Total Phosphorus (mg/L)	0.024
G379D	10/10/2005	10:55:00	0	Dissolved Oxygen (mg/L)	2.73
G379D	10/10/2005	10:55:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	10/10/2005	10:55:00	0	pH	7.5
G379D	10/10/2005	10:55:00	0	Specific Conductivity (μ S/cm)	967
G379D	10/10/2005	10:55:00	0	Temperature ($^{\circ}$ C)	28.4
G379D	10/10/2005	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G379D	10/10/2005	10:55:00	0	Total Phosphorus (mg/L)	0.014
G379D	10/10/2005	11:00:00	24	Total Phosphorus (mg/L)	0.017
G379D	10/17/2005	10:51:00	0	Alkalinity (mg/L)	246
G379D	10/17/2005	10:51:00	0	Ammonia as N (mg/L)	0.048
G379D	10/17/2005	10:51:00	0	Dissolved Chloride (mg/L)	115
G379D	10/17/2005	10:51:00	0	Dissolved Oxygen (mg/L)	3.76
G379D	10/17/2005	10:51:00	0	Nitrate + Nitrite (mg/L)	0.019
G379D	10/17/2005	10:51:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	10/17/2005	10:51:00	0	pH	7.46
G379D	10/17/2005	10:51:00	0	Specific Conductivity (μ S/cm)	990
G379D	10/17/2005	10:51:00	0	Sulfate (mg/L)	71.1
G379D	10/17/2005	10:51:00	0	Temperature ($^{\circ}$ C)	24.9
G379D	10/17/2005	10:51:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379D	10/17/2005	10:51:00	0	Total Dissolved Solids (mg/L)	688
G379D	10/17/2005	10:51:00	0	Total Phosphorus (mg/L)	0.012
G379D	10/17/2005	10:51:00	0	Turbidity (NTU)	1.2
G379D	10/17/2005	10:58:00	24	Total Phosphorus (mg/L)	0.015
G379D	10/31/2005	11:35:00	0	Dissolved Oxygen (mg/L)	7.22
G379D	10/31/2005	11:35:00	0	Orthophosphate as P (mg/L)	<0.004

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	10/31/2005	11:35:00	0	pH	7.74
G379D	10/31/2005	11:35:00	0	Specific Conductivity (µS/cm)	773
G379D	10/31/2005	11:35:00	0	Temperature (°C)	21.4
G379D	10/31/2005	11:35:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G379D	10/31/2005	11:35:00	0	Total Phosphorus (mg/L)	0.015
G379D	10/31/2005	11:40:00	24	Total Phosphorus (mg/L)	0.027
G379D	11/7/2005	10:15:00	0	Dissolved Oxygen (mg/L)	4.56
G379D	11/7/2005	10:15:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	11/7/2005	10:15:00	0	pH	7.59
G379D	11/7/2005	10:15:00	0	Specific Conductivity (µS/cm)	913
G379D	11/7/2005	10:15:00	0	Temperature (°C)	24.5
G379D	11/7/2005	10:15:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G379D	11/7/2005	10:15:00	0	Total Phosphorus (mg/L)	0.015
G379D	11/14/2005	10:26:00	0	Alkalinity (mg/L)	199
G379D	11/14/2005	10:26:00	0	Ammonia as N (mg/L)	0.078
G379D	11/14/2005	10:26:00	0	Dissolved Chloride (mg/L)	60.3
G379D	11/14/2005	10:26:00	0	Dissolved Oxygen (mg/L)	5.09
G379D	11/14/2005	10:26:00	0	Nitrate + Nitrite (mg/L)	0.159
G379D	11/14/2005	10:26:00	0	Orthophosphate as P (mg/L)	0.014
G379D	11/14/2005	10:26:00	0	pH	7.57
G379D	11/14/2005	10:26:00	0	Specific Conductivity (µS/cm)	624
G379D	11/14/2005	10:26:00	0	Sulfate (mg/L)	32.6
G379D	11/14/2005	10:26:00	0	Temperature (°C)	24.2
G379D	11/14/2005	10:26:00	0	Total Dissolved Phosphorus (mg/L)	0.023
G379D	11/14/2005	10:26:00	0	Total Dissolved Solids (mg/L)	410
G379D	11/14/2005	10:26:00	0	Total Phosphorus (mg/L)	0.034
G379D	11/14/2005	10:26:00	0	Turbidity (NTU)	1.1
G379D	11/21/2005	10:50:00	0	Dissolved Oxygen (mg/L)	2.65
G379D	11/21/2005	10:50:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	11/21/2005	10:50:00	0	pH	7.66
G379D	11/21/2005	10:50:00	0	Specific Conductivity (µS/cm)	878
G379D	11/21/2005	10:50:00	0	Temperature (°C)	25.1
G379D	11/21/2005	10:50:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G379D	11/21/2005	10:50:00	0	Total Phosphorus (mg/L)	0.022
G379D	11/21/2005	10:55:00	24	Total Phosphorus (mg/L)	0.046
G379D	11/28/2005	10:55:00	0	Alkalinity (mg/L)	245
G379D	11/28/2005	10:55:00	0	Ammonia as N (mg/L)	0.223
G379D	11/28/2005	10:55:00	0	Dissolved Chloride (mg/L)	94.7
G379D	11/28/2005	10:55:00	0	Dissolved Oxygen (mg/L)	4.79
G379D	11/28/2005	10:55:00	0	Nitrate + Nitrite (mg/L)	0.123
G379D	11/28/2005	10:55:00	0	Orthophosphate as P (mg/L)	0.004
G379D	11/28/2005	10:55:00	0	pH	7.71
G379D	11/28/2005	10:55:00	0	Specific Conductivity (µS/cm)	886
G379D	11/28/2005	10:55:00	0	Sulfate (mg/L)	53.2
G379D	11/28/2005	10:55:00	0	Temperature (°C)	22.9
G379D	11/28/2005	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G379D	11/28/2005	10:55:00	0	Total Dissolved Solids (mg/L)	587
G379D	11/28/2005	10:55:00	0	Total Phosphorus (mg/L)	0.022
G379D	11/28/2005	10:55:00	0	Turbidity (NTU)	2.9
G379D	11/28/2005	11:00:00	24	Total Phosphorus (mg/L)	0.027

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	12/5/2005	11:30:00	0	Dissolved Oxygen (mg/L)	4.85
G379D	12/5/2005	11:30:00	0	Orthophosphate as P (mg/L)	0.007
G379D	12/5/2005	11:30:00	0	pH	7.94
G379D	12/5/2005	11:30:00	0	Specific Conductivity (μ S/cm)	873
G379D	12/5/2005	11:30:00	0	Temperature ($^{\circ}$ C)	20.3
G379D	12/5/2005	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G379D	12/5/2005	11:30:00	0	Total Phosphorus (mg/L)	0.027
G379D	12/5/2005	11:35:00	24	Total Phosphorus (mg/L)	0.047
G379D	12/12/2005	10:55:00	0	Alkalinity (mg/L)	239
G379D	12/12/2005	10:55:00	0	Ammonia as N (mg/L)	0.33
G379D	12/12/2005	10:55:00	0	Dissolved Chloride (mg/L)	111
G379D	12/12/2005	10:55:00	0	Dissolved Oxygen (mg/L)	4.57
G379D	12/12/2005	10:55:00	0	Nitrate + Nitrite (mg/L)	0.238
G379D	12/12/2005	10:55:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	12/12/2005	10:55:00	0	pH	7.82
G379D	12/12/2005	10:55:00	0	Specific Conductivity (μ S/cm)	922
G379D	12/12/2005	10:55:00	0	Sulfate (mg/L)	56.4
G379D	12/12/2005	10:55:00	0	Temperature ($^{\circ}$ C)	20.3
G379D	12/12/2005	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G379D	12/12/2005	10:55:00	0	Total Dissolved Solids (mg/L)	688
G379D	12/12/2005	10:55:00	0	Total Phosphorus (mg/L)	0.029
G379D	12/12/2005	10:55:00	0	Turbidity (NTU)	3.9
G379D	12/19/2005	11:00:00	0	Dissolved Oxygen (mg/L)	4.17
G379D	12/19/2005	11:00:00	0	Orthophosphate as P (mg/L)	0.004
G379D	12/19/2005	11:00:00	0	pH	7.8
G379D	12/19/2005	11:00:00	0	Specific Conductivity (μ S/cm)	954
G379D	12/19/2005	11:00:00	0	Temperature ($^{\circ}$ C)	22.4
G379D	12/19/2005	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G379D	12/19/2005	11:00:00	0	Total Phosphorus (mg/L)	0.025
G379D	12/27/2005	10:45:00	0	Alkalinity (mg/L)	254
G379D	12/27/2005	10:45:00	0	Ammonia as N (mg/L)	0.386
G379D	12/27/2005	10:45:00	0	Dissolved Chloride (mg/L)	102
G379D	12/27/2005	10:45:00	0	Nitrate + Nitrite (mg/L)	0.346
G379D	12/27/2005	10:45:00	0	Orthophosphate as P (mg/L)	0.006
G379D	12/27/2005	10:45:00	0	pH	7.91
G379D	12/27/2005	10:45:00	0	Specific Conductivity (μ S/cm)	884
G379D	12/27/2005	10:45:00	0	Sulfate (mg/L)	49.6
G379D	12/27/2005	10:45:00	0	Temperature ($^{\circ}$ C)	17.9
G379D	12/27/2005	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G379D	12/27/2005	10:45:00	0	Total Dissolved Solids (mg/L)	585
G379D	12/27/2005	10:45:00	0	Total Phosphorus (mg/L)	0.023
G379D	12/27/2005	10:45:00	0	Turbidity (NTU)	2.9
G379D	1/3/2006	11:10:00	0	Dissolved Oxygen (mg/L)	4.62
G379D	1/3/2006	11:10:00	0	Orthophosphate as P (mg/L)	0.004
G379D	1/3/2006	11:10:00	0	pH	7.79
G379D	1/3/2006	11:10:00	0	Specific Conductivity (μ S/cm)	892
G379D	1/3/2006	11:10:00	0	Temperature ($^{\circ}$ C)	22.7
G379D	1/3/2006	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G379D	1/3/2006	11:10:00	0	Total Phosphorus (mg/L)	0.03
G379D	1/9/2006	10:34:00	0	Alkalinity (mg/L)	301

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	1/9/2006	10:34:00	0	Ammonia as N (mg/L)	0.054
G379D	1/9/2006	10:34:00	0	Dissolved Chloride (mg/L)	125
G379D	1/9/2006	10:34:00	0	Dissolved Oxygen (mg/L)	6.81
G379D	1/9/2006	10:34:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	1/9/2006	10:34:00	0	pH	7.89
G379D	1/9/2006	10:34:00	0	Specific Conductivity (µS/cm)	1001
G379D	1/9/2006	10:34:00	0	Sulfate (mg/L)	49.7
G379D	1/9/2006	10:34:00	0	Temperature (°C)	14.2
G379D	1/9/2006	10:34:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379D	1/9/2006	10:34:00	0	Total Dissolved Solids (mg/L)	662
G379D	1/9/2006	10:34:00	0	Total Phosphorus (mg/L)	0.016
G379D	1/9/2006	10:34:00	0	Turbidity (NTU)	1.5
G379D	1/9/2006	10:40:00	24	Total Phosphorus (mg/L)	0.03
G379D	1/17/2006	10:40:00	0	Dissolved Oxygen (mg/L)	6.91
G379D	1/17/2006	10:40:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	1/17/2006	10:40:00	0	pH	7.91
G379D	1/17/2006	10:40:00	0	Specific Conductivity (µS/cm)	897
G379D	1/17/2006	10:40:00	0	Temperature (°C)	16.8
G379D	1/17/2006	10:40:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G379D	1/17/2006	10:40:00	0	Total Phosphorus (mg/L)	0.015
G379D	1/17/2006	10:45:00	24	Total Phosphorus (mg/L)	0.022
G379D	1/23/2006	10:55:00	0	Alkalinity (mg/L)	197
G379D	1/23/2006	10:55:00	0	Ammonia as N (mg/L)	0.076
G379D	1/23/2006	10:55:00	0	Dissolved Chloride (mg/L)	56.4
G379D	1/23/2006	10:55:00	0	Dissolved Oxygen (mg/L)	4.82
G379D	1/23/2006	10:55:00	0	Nitrate + Nitrite (mg/L)	0.023
G379D	1/23/2006	10:55:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	1/23/2006	10:55:00	0	pH	7.6
G379D	1/23/2006	10:55:00	0	Specific Conductivity (µS/cm)	618
G379D	1/23/2006	10:55:00	0	Sulfate (mg/L)	26.8
G379D	1/23/2006	10:55:00	0	Temperature (°C)	22
G379D	1/23/2006	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G379D	1/23/2006	10:55:00	0	Total Dissolved Solids (mg/L)	371
G379D	1/23/2006	10:55:00	0	Total Phosphorus (mg/L)	0.021
G379D	1/23/2006	10:55:00	0	Turbidity (NTU)	1.2
G379D	1/23/2006	11:00:00	24	Total Phosphorus (mg/L)	0.034
G379D	1/30/2006	11:18:00	0	Dissolved Oxygen (mg/L)	5.29
G379D	1/30/2006	11:18:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	1/30/2006	11:18:00	0	pH	8.03
G379D	1/30/2006	11:18:00	0	Specific Conductivity (µS/cm)	561
G379D	1/30/2006	11:18:00	0	Temperature (°C)	20.5
G379D	1/30/2006	11:18:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G379D	1/30/2006	11:18:00	0	Total Phosphorus (mg/L)	0.022
G379D	1/30/2006	11:25:00	24	Total Phosphorus (mg/L)	0.032
G379D	2/6/2006	10:50:00	0	Alkalinity (mg/L)	199
G379D	2/6/2006	10:50:00	0	Ammonia as N (mg/L)	0.022
G379D	2/6/2006	10:50:00	0	Dissolved Chloride (mg/L)	52.1
G379D	2/6/2006	10:50:00	0	Dissolved Oxygen (mg/L)	4.41
G379D	2/6/2006	10:50:00	0	Nitrate + Nitrite (mg/L)	0.02
G379D	2/6/2006	10:50:00	0	Orthophosphate as P (mg/L)	0.007

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	2/6/2006	10:50:00	0	pH	7.61
G379D	2/6/2006	10:50:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	568
G379D	2/6/2006	10:50:00	0	Sulfate (mg/L)	19.8
G379D	2/6/2006	10:50:00	0	Temperature ($^{\circ}\text{C}$)	16.8
G379D	2/6/2006	10:50:00	0	Total Dissolved Phosphorus (mg/L)	0.018
G379D	2/6/2006	10:50:00	0	Total Dissolved Solids (mg/L)	415
G379D	2/6/2006	10:50:00	0	Total Phosphorus (mg/L)	0.026
G379D	2/6/2006	10:50:00	0	Turbidity (NTU)	1
G379D	2/6/2006	10:58:00	24	Total Phosphorus (mg/L)	0.029
G379D	2/13/2006	11:04:00	0	Dissolved Oxygen (mg/L)	9.52
G379D	2/13/2006	11:04:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	2/13/2006	11:04:00	0	pH	8.01
G379D	2/13/2006	11:04:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	724
G379D	2/13/2006	11:04:00	0	Temperature ($^{\circ}\text{C}$)	11.6
G379D	2/13/2006	11:04:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379D	2/13/2006	11:04:00	0	Total Phosphorus (mg/L)	0.017
G379D	2/13/2006	11:10:00	24	Total Phosphorus (mg/L)	0.041
G379D	2/21/2006	10:35:00	0	Alkalinity (mg/L)	208
G379D	2/21/2006	10:35:00	0	Ammonia as N (mg/L)	0.09
G379D	2/21/2006	10:35:00	0	Dissolved Chloride (mg/L)	80.5
G379D	2/21/2006	10:35:00	0	Dissolved Oxygen (mg/L)	5.37
G379D	2/21/2006	10:35:00	0	Nitrate + Nitrite (mg/L)	0.046
G379D	2/21/2006	10:35:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	2/21/2006	10:35:00	0	pH	7.88
G379D	2/21/2006	10:35:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	749
G379D	2/21/2006	10:35:00	0	Sulfate (mg/L)	53.4
G379D	2/21/2006	10:35:00	0	Temperature ($^{\circ}\text{C}$)	24
G379D	2/21/2006	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379D	2/21/2006	10:35:00	0	Total Dissolved Solids (mg/L)	478
G379D	2/21/2006	10:35:00	0	Total Phosphorus (mg/L)	0.038
G379D	2/21/2006	10:35:00	0	Turbidity (NTU)	2.4
G379D	2/27/2006	10:45:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	2/27/2006	10:45:00	0	pH	7.94
G379D	2/27/2006	10:45:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	726
G379D	2/27/2006	10:45:00	0	Temperature ($^{\circ}\text{C}$)	17.4
G379D	2/27/2006	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379D	2/27/2006	10:45:00	0	Total Phosphorus (mg/L)	0.034
G379D	3/6/2006	10:45:00	0	Alkalinity (mg/L)	194
G379D	3/6/2006	10:45:00	0	Ammonia as N (mg/L)	0.064
G379D	3/6/2006	10:45:00	0	Dissolved Chloride (mg/L)	86.1
G379D	3/6/2006	10:45:00	0	Dissolved Oxygen (mg/L)	7.41
G379D	3/6/2006	10:45:00	0	Nitrate + Nitrite (mg/L)	0.024
G379D	3/6/2006	10:45:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	3/6/2006	10:45:00	0	pH	8.18
G379D	3/6/2006	10:45:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	728
G379D	3/6/2006	10:45:00	0	Sulfate (mg/L)	47.3
G379D	3/6/2006	10:45:00	0	Temperature ($^{\circ}\text{C}$)	22.9
G379D	3/6/2006	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.018
G379D	3/6/2006	10:45:00	0	Total Dissolved Solids (mg/L)	474
G379D	3/6/2006	10:45:00	0	Total Phosphorus (mg/L)	0.038

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	3/6/2006	10:45:00	0	Turbidity (NTU)	2.4
G379D	3/13/2006	10:32:00	0	Dissolved Oxygen (mg/L)	5.23
G379D	3/13/2006	10:32:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	3/13/2006	10:32:00	0	pH	7.95
G379D	3/13/2006	10:32:00	0	Specific Conductivity (μ S/cm)	760
G379D	3/13/2006	10:32:00	0	Temperature ($^{\circ}$ C)	23.3
G379D	3/13/2006	10:32:00	0	Total Dissolved Phosphorus (mg/L)	0.018
G379D	3/13/2006	10:32:00	0	Total Phosphorus (mg/L)	0.042
G379D	3/20/2006	11:30:00	0	Alkalinity (mg/L)	197
G379D	3/20/2006	11:30:00	0	Ammonia as N (mg/L)	0.046
G379D	3/20/2006	11:30:00	0	Dissolved Chloride (mg/L)	96.5
G379D	3/20/2006	11:30:00	0	Dissolved Oxygen (mg/L)	5.11
G379D	3/20/2006	11:30:00	0	Nitrate + Nitrite (mg/L)	0.017
G379D	3/20/2006	11:30:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	3/20/2006	11:30:00	0	pH	7.91
G379D	3/20/2006	11:30:00	0	Specific Conductivity (μ S/cm)	765
G379D	3/20/2006	11:30:00	0	Sulfate (mg/L)	41.2
G379D	3/20/2006	11:30:00	0	Temperature ($^{\circ}$ C)	23.6
G379D	3/20/2006	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.019
G379D	3/20/2006	11:30:00	0	Total Dissolved Solids (mg/L)	541
G379D	3/20/2006	11:30:00	0	Total Phosphorus (mg/L)	0.047
G379D	3/20/2006	11:30:00	0	Turbidity (NTU)	2.7
G379D	3/27/2006	11:48:00	0	Dissolved Oxygen (mg/L)	9.8
G379D	3/27/2006	11:48:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	3/27/2006	11:48:00	0	pH	8.02
G379D	3/27/2006	11:48:00	0	Specific Conductivity (μ S/cm)	923
G379D	3/27/2006	11:48:00	0	Temperature ($^{\circ}$ C)	18.2
G379D	3/27/2006	11:48:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G379D	3/27/2006	11:48:00	0	Total Phosphorus (mg/L)	0.017
G379D	3/27/2006	11:55:00	24	Total Phosphorus (mg/L)	0.027
G379D	4/3/2006	10:35:00	0	Dissolved Oxygen (mg/L)	4.43
G379D	4/3/2006	10:35:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	4/3/2006	10:35:00	0	pH	7.91
G379D	4/3/2006	10:35:00	0	Specific Conductivity (μ S/cm)	734
G379D	4/3/2006	10:35:00	0	Temperature ($^{\circ}$ C)	25.8
G379D	4/3/2006	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379D	4/3/2006	10:35:00	0	Total Phosphorus (mg/L)	0.031
G379D	4/3/2006	10:40:00	24	Total Phosphorus (mg/L)	0.018
G379D	4/10/2006	11:30:00	0	Dissolved Oxygen (mg/L)	6.61
G379D	4/10/2006	11:30:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	4/10/2006	11:30:00	0	pH	8.18
G379D	4/10/2006	11:30:00	0	Specific Conductivity (μ S/cm)	690
G379D	4/10/2006	11:30:00	0	Temperature ($^{\circ}$ C)	23
G379D	4/10/2006	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G379D	4/10/2006	11:30:00	0	Total Phosphorus (mg/L)	0.025
G379D	4/17/2006	10:35:00	0	Alkalinity (mg/L)	201
G379D	4/17/2006	10:35:00	0	Ammonia as N (mg/L)	0.088
G379D	4/17/2006	10:35:00	0	Dissolved Chloride (mg/L)	99
G379D	4/17/2006	10:35:00	0	Dissolved Oxygen (mg/L)	4.8
G379D	4/17/2006	10:35:00	0	Nitrate + Nitrite (mg/L)	0.073

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G379D	4/17/2006	10:35:00	0	Orthophosphate as P (mg/L)	0.004
G379D	4/17/2006	10:35:00	0	pH	7.77
G379D	4/17/2006	10:35:00	0	Specific Conductivity (μ S/cm)	801
G379D	4/17/2006	10:35:00	0	Sulfate (mg/L)	39.5
G379D	4/17/2006	10:35:00	0	Temperature ($^{\circ}$ C)	24
G379D	4/17/2006	10:35:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379D	4/17/2006	10:35:00	0	Total Dissolved Solids (mg/L)	526
G379D	4/17/2006	10:35:00	0	Total Phosphorus (mg/L)	0.027
G379D	4/17/2006	10:35:00	0	Turbidity (NTU)	2.5
G379D	4/24/2006	11:05:00	0	Dissolved Oxygen (mg/L)	3.85
G379D	4/24/2006	11:05:00	0	Orthophosphate as P (mg/L)	<0.004
G379D	4/24/2006	11:05:00	0	pH	8.09
G379D	4/24/2006	11:05:00	0	Specific Conductivity (μ S/cm)	620
G379D	4/24/2006	11:05:00	0	Temperature ($^{\circ}$ C)	28.9
G379D	4/24/2006	11:05:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G379D	4/24/2006	11:05:00	0	Total Phosphorus (mg/L)	0.03
G381B	5/2/2005	11:10:00	0	Alkalinity (mg/L)	148
G381B	5/2/2005	11:10:00	0	Ammonia as N (mg/L)	0.009
G381B	5/2/2005	11:10:00	0	Dissolved Chloride (mg/L)	10.1
G381B	5/2/2005	11:10:00	0	Dissolved Oxygen (mg/L)	2.71
G381B	5/2/2005	11:10:00	0	Nitrate + Nitrite (mg/L)	0.007
G381B	5/2/2005	11:10:00	0	Orthophosphate as P (mg/L)	0.004
G381B	5/2/2005	11:10:00	0	pH	7.39
G381B	5/2/2005	11:10:00	0	Specific Conductivity (μ S/cm)	509
G381B	5/2/2005	11:10:00	0	Sulfate (mg/L)	5.5
G381B	5/2/2005	11:10:00	0	Temperature ($^{\circ}$ C)	25.5
G381B	5/2/2005	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381B	5/2/2005	11:10:00	0	Total Dissolved Solids (mg/L)	321
G381B	5/2/2005	11:10:00	0	Total Phosphorus (mg/L)	0.015
G381B	5/2/2005	11:10:00	0	Turbidity (NTU)	1.3
G381B	5/9/2005	12:30:00	0	Dissolved Oxygen (mg/L)	6.95
G381B	5/9/2005	12:30:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	5/9/2005	12:30:00	0	pH	7.8
G381B	5/9/2005	12:30:00	0	Specific Conductivity (μ S/cm)	510
G381B	5/9/2005	12:30:00	0	Temperature ($^{\circ}$ C)	26.2
G381B	5/9/2005	12:30:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G381B	5/9/2005	12:30:00	0	Total Phosphorus (mg/L)	0.025
G381B	5/16/2005	11:20:00	0	Alkalinity (mg/L)	168
G381B	5/16/2005	11:20:00	0	Ammonia as N (mg/L)	0.028
G381B	5/16/2005	11:20:00	0	Dissolved Chloride (mg/L)	58.7
G381B	5/16/2005	11:20:00	0	Dissolved Oxygen (mg/L)	5.28
G381B	5/16/2005	11:20:00	0	Nitrate + Nitrite (mg/L)	0.022
G381B	5/16/2005	11:20:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	5/16/2005	11:20:00	0	pH	7.71
G381B	5/16/2005	11:20:00	0	Specific Conductivity (μ S/cm)	570
G381B	5/16/2005	11:20:00	0	Sulfate (mg/L)	21.7
G381B	5/16/2005	11:20:00	0	Temperature ($^{\circ}$ C)	27.9
G381B	5/16/2005	11:20:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G381B	5/16/2005	11:20:00	0	Total Dissolved Solids (mg/L)	349
G381B	5/16/2005	11:20:00	0	Total Phosphorus (mg/L)	0.03

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	5/16/2005	11:20:00	0	Turbidity (NTU)	2.1
G381B	5/23/2005	12:45:00	0	Dissolved Oxygen (mg/L)	5.18
G381B	5/23/2005	12:45:00	0	pH	7.68
G381B	5/23/2005	12:45:00	0	Specific Conductivity (μ S/cm)	618
G381B	5/23/2005	12:45:00	0	Temperature ($^{\circ}$ C)	29.3
G381B	5/23/2005	12:45:00	0	Total Phosphorus (mg/L)	0.041
G381B	5/31/2005	11:30:00	0	Alkalinity (mg/L)	153
G381B	5/31/2005	11:30:00	0	Ammonia as N (mg/L)	0.039
G381B	5/31/2005	11:30:00	0	Dissolved Chloride (mg/L)	60.8
G381B	5/31/2005	11:30:00	0	Dissolved Oxygen (mg/L)	4.68
G381B	5/31/2005	11:30:00	0	Nitrate + Nitrite (mg/L)	0.04
G381B	5/31/2005	11:30:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	5/31/2005	11:30:00	0	pH	7.68
G381B	5/31/2005	11:30:00	0	Specific Conductivity (μ S/cm)	530
G381B	5/31/2005	11:30:00	0	Sulfate (mg/L)	13.4
G381B	5/31/2005	11:30:00	0	Temperature ($^{\circ}$ C)	28.6
G381B	5/31/2005	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G381B	5/31/2005	11:30:00	0	Total Dissolved Solids (mg/L)	345
G381B	5/31/2005	11:30:00	0	Total Phosphorus (mg/L)	0.029
G381B	5/31/2005	11:30:00	0	Turbidity (NTU)	2.1
G381B	6/6/2005	11:35:00	0	Dissolved Oxygen (mg/L)	6.02
G381B	6/6/2005	11:35:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	6/6/2005	11:35:00	0	pH	7.74
G381B	6/6/2005	11:35:00	0	Specific Conductivity (μ S/cm)	479
G381B	6/6/2005	11:35:00	0	Temperature ($^{\circ}$ C)	27.5
G381B	6/6/2005	11:35:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G381B	6/6/2005	11:35:00	0	Total Phosphorus (mg/L)	0.028
G381B	6/13/2005	11:35:00	0	Alkalinity (mg/L)	140
G381B	6/13/2005	11:35:00	0	Ammonia as N (mg/L)	0.042
G381B	6/13/2005	11:35:00	0	Dissolved Chloride (mg/L)	47.5
G381B	6/13/2005	11:35:00	0	Dissolved Oxygen (mg/L)	5.3
G381B	6/13/2005	11:35:00	0	Nitrate + Nitrite (mg/L)	0.058
G381B	6/13/2005	11:35:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	6/13/2005	11:35:00	0	Specific Conductivity (μ S/cm)	435
G381B	6/13/2005	11:35:00	0	Sulfate (mg/L)	7.7
G381B	6/13/2005	11:35:00	0	Temperature ($^{\circ}$ C)	28.7
G381B	6/13/2005	11:35:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G381B	6/13/2005	11:35:00	0	Total Dissolved Solids (mg/L)	269
G381B	6/13/2005	11:35:00	0	Total Phosphorus (mg/L)	0.031
G381B	6/13/2005	11:35:00	0	Turbidity (NTU)	2.2
G381B	6/20/2005	12:35:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	6/20/2005	12:35:00	0	pH	7.77
G381B	6/20/2005	12:35:00	0	Specific Conductivity (μ S/cm)	585
G381B	6/20/2005	12:35:00	0	Temperature ($^{\circ}$ C)	28
G381B	6/20/2005	12:35:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G381B	6/20/2005	12:35:00	0	Total Phosphorus (mg/L)	0.026
G381B	6/20/2005	12:40:00	24	Total Phosphorus (mg/L)	0.026
G381B	6/27/2005	11:20:00	0	Alkalinity (mg/L)	206
G381B	6/27/2005	11:20:00	0	Ammonia as N (mg/L)	0.038
G381B	6/27/2005	11:20:00	0	Dissolved Chloride (mg/L)	61

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	6/27/2005	11:20:00	0	Dissolved Oxygen (mg/L)	2.96
G381B	6/27/2005	11:20:00	0	Nitrate + Nitrite (mg/L)	0.01
G381B	6/27/2005	11:20:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	6/27/2005	11:20:00	0	pH	7.34
G381B	6/27/2005	11:20:00	0	Specific Conductivity (µS/cm)	647
G381B	6/27/2005	11:20:00	0	Sulfate (mg/L)	22.3
G381B	6/27/2005	11:20:00	0	Temperature (°C)	30.4
G381B	6/27/2005	11:20:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G381B	6/27/2005	11:20:00	0	Total Dissolved Solids (mg/L)	423
G381B	6/27/2005	11:20:00	0	Total Phosphorus (mg/L)	0.031
G381B	6/27/2005	11:20:00	0	Turbidity (NTU)	1.4
G381B	6/27/2005	11:35:00	24	Total Phosphorus (mg/L)	0.027
G381B	7/5/2005	11:55:00	0	Dissolved Oxygen (mg/L)	3.49
G381B	7/5/2005	11:55:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	7/5/2005	11:55:00	0	pH	7.5
G381B	7/5/2005	11:55:00	0	Specific Conductivity (µS/cm)	835
G381B	7/5/2005	11:55:00	0	Temperature (°C)	31.7
G381B	7/5/2005	11:55:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G381B	7/5/2005	11:55:00	0	Total Phosphorus (mg/L)	0.025
G381B	7/5/2005	12:00:00	24	Total Phosphorus (mg/L)	0.022
G381B	7/11/2005	12:03:00	0	Alkalinity (mg/L)	212
G381B	7/11/2005	12:03:00	0	Ammonia as N (mg/L)	0.042
G381B	7/11/2005	12:03:00	0	Dissolved Chloride (mg/L)	66.6
G381B	7/11/2005	12:03:00	0	Dissolved Oxygen (mg/L)	4.48
G381B	7/11/2005	12:03:00	0	Nitrate + Nitrite (mg/L)	0.013
G381B	7/11/2005	12:03:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	7/11/2005	12:03:00	0	pH	7.59
G381B	7/11/2005	12:03:00	0	Specific Conductivity (µS/cm)	711
G381B	7/11/2005	12:03:00	0	Sulfate (mg/L)	40.3
G381B	7/11/2005	12:03:00	0	Temperature (°C)	29.4
G381B	7/11/2005	12:03:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381B	7/11/2005	12:03:00	0	Total Dissolved Solids (mg/L)	470
G381B	7/11/2005	12:03:00	0	Total Phosphorus (mg/L)	0.017
G381B	7/11/2005	12:03:00	0	Turbidity (NTU)	1
G381B	7/11/2005	12:10:00	24	Total Phosphorus (mg/L)	0.024
G381B	7/18/2005	12:05:00	0	Dissolved Oxygen (mg/L)	1.63
G381B	7/18/2005	12:05:00	0	Orthophosphate as P (mg/L)	0.028
G381B	7/18/2005	12:05:00	0	pH	7.74
G381B	7/18/2005	12:05:00	0	Specific Conductivity (µS/cm)	754
G381B	7/18/2005	12:05:00	0	Temperature (°C)	30
G381B	7/18/2005	12:05:00	0	Total Dissolved Phosphorus (mg/L)	0.042
G381B	7/18/2005	12:05:00	0	Total Phosphorus (mg/L)	0.057
G381B	7/18/2005	12:10:00	24	Total Phosphorus (mg/L)	0.022
G381B	7/25/2005	11:46:00	0	Alkalinity (mg/L)	210
G381B	7/25/2005	11:46:00	0	Ammonia as N (mg/L)	0.042
G381B	7/25/2005	11:46:00	0	Dissolved Chloride (mg/L)	69.7
G381B	7/25/2005	11:46:00	0	Dissolved Oxygen (mg/L)	3.29
G381B	7/25/2005	11:46:00	0	Nitrate + Nitrite (mg/L)	0.015
G381B	7/25/2005	11:46:00	0	Orthophosphate as P (mg/L)	0.007
G381B	7/25/2005	11:46:00	0	pH	7.47

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	7/25/2005	11:46:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	742
G381B	7/25/2005	11:46:00	0	Sulfate (mg/L)	36.2
G381B	7/25/2005	11:46:00	0	Temperature ($^{\circ}\text{C}$)	30.9
G381B	7/25/2005	11:46:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G381B	7/25/2005	11:46:00	0	Total Dissolved Solids (mg/L)	466
G381B	7/25/2005	11:46:00	0	Total Phosphorus (mg/L)	0.033
G381B	7/25/2005	11:46:00	0	Turbidity (NTU)	0.9
G381B	7/25/2005	11:50:00	24	Total Phosphorus (mg/L)	0.042
G381B	8/1/2005	11:35:00	0	Dissolved Oxygen (mg/L)	1.59
G381B	8/1/2005	11:35:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	8/1/2005	11:35:00	0	pH	7.31
G381B	8/1/2005	11:35:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	671
G381B	8/1/2005	11:35:00	0	Temperature ($^{\circ}\text{C}$)	29.7
G381B	8/1/2005	11:35:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G381B	8/1/2005	11:35:00	0	Total Phosphorus (mg/L)	0.04
G381B	8/1/2005	11:40:00	24	Total Phosphorus (mg/L)	0.039
G381B	8/8/2005	12:23:00	0	Alkalinity (mg/L)	174
G381B	8/8/2005	12:23:00	0	Ammonia as N (mg/L)	0.028
G381B	8/8/2005	12:23:00	0	Dissolved Chloride (mg/L)	62.1
G381B	8/8/2005	12:23:00	0	Dissolved Oxygen (mg/L)	3.71
G381B	8/8/2005	12:23:00	0	Nitrate + Nitrite (mg/L)	0.007
G381B	8/8/2005	12:23:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	8/8/2005	12:23:00	0	pH	7.47
G381B	8/8/2005	12:23:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	599
G381B	8/8/2005	12:23:00	0	Sulfate (mg/L)	20.4
G381B	8/8/2005	12:23:00	0	Temperature ($^{\circ}\text{C}$)	31.3
G381B	8/8/2005	12:23:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G381B	8/8/2005	12:23:00	0	Total Dissolved Solids (mg/L)	434
G381B	8/8/2005	12:23:00	0	Total Phosphorus (mg/L)	0.019
G381B	8/8/2005	12:23:00	0	Turbidity (NTU)	1.6
G381B	8/8/2005	12:30:00	24	Total Phosphorus (mg/L)	0.035
G381B	8/15/2005	11:30:00	0	Dissolved Oxygen (mg/L)	3.05
G381B	8/15/2005	11:30:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	8/15/2005	11:30:00	0	pH	7.52
G381B	8/15/2005	11:30:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	643
G381B	8/15/2005	11:30:00	0	Temperature ($^{\circ}\text{C}$)	28.6
G381B	8/15/2005	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381B	8/15/2005	11:30:00	0	Total Phosphorus (mg/L)	0.015
G381B	8/15/2005	11:35:00	24	Total Phosphorus (mg/L)	0.022
G381B	8/22/2005	11:45:00	0	Alkalinity (mg/L)	182
G381B	8/22/2005	11:45:00	0	Ammonia as N (mg/L)	0.023
G381B	8/22/2005	11:45:00	0	Dissolved Chloride (mg/L)	68.5
G381B	8/22/2005	11:45:00	0	Dissolved Oxygen (mg/L)	2.9
G381B	8/22/2005	11:45:00	0	Nitrate + Nitrite (mg/L)	0.009
G381B	8/22/2005	11:45:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	8/22/2005	11:45:00	0	pH	7.38
G381B	8/22/2005	11:45:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	650
G381B	8/22/2005	11:45:00	0	Sulfate (mg/L)	27.8
G381B	8/22/2005	11:45:00	0	Temperature ($^{\circ}\text{C}$)	30.6
G381B	8/22/2005	11:45:00	0	Total Dissolved Phosphorus (mg/L)	0.009

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	8/22/2005	11:45:00	0	Total Dissolved Solids (mg/L)	394
G381B	8/22/2005	11:45:00	0	Total Phosphorus (mg/L)	0.017
G381B	8/22/2005	11:45:00	0	Turbidity (NTU)	1
G381B	8/22/2005	11:50:00	24	Total Phosphorus (mg/L)	0.023
G381B	8/29/2005	11:41:00	0	Dissolved Oxygen (mg/L)	3.58
G381B	8/29/2005	11:41:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	8/29/2005	11:41:00	0	pH	7.48
G381B	8/29/2005	11:41:00	0	Specific Conductivity (μ S/cm)	663
G381B	8/29/2005	11:41:00	0	Temperature ($^{\circ}$ C)	29.5
G381B	8/29/2005	11:41:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381B	8/29/2005	11:41:00	0	Total Phosphorus (mg/L)	0.012
G381B	8/29/2005	11:50:00	24	Total Phosphorus (mg/L)	0.016
G381B	9/6/2005	11:50:00	0	Alkalinity (mg/L)	202
G381B	9/6/2005	11:50:00	0	Ammonia as N (mg/L)	0.045
G381B	9/6/2005	11:50:00	0	Dissolved Chloride (mg/L)	78
G381B	9/6/2005	11:50:00	0	Dissolved Oxygen (mg/L)	4.8
G381B	9/6/2005	11:50:00	0	Nitrate + Nitrite (mg/L)	0.019
G381B	9/6/2005	11:50:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	9/6/2005	11:50:00	0	pH	7.54
G381B	9/6/2005	11:50:00	0	Specific Conductivity (μ S/cm)	722
G381B	9/6/2005	11:50:00	0	Sulfate (mg/L)	33.6
G381B	9/6/2005	11:50:00	0	Temperature ($^{\circ}$ C)	27.7
G381B	9/6/2005	11:50:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G381B	9/6/2005	11:50:00	0	Total Dissolved Solids (mg/L)	480
G381B	9/6/2005	11:50:00	0	Total Phosphorus (mg/L)	0.023
G381B	9/6/2005	11:50:00	0	Turbidity (NTU)	1.9
G381B	9/6/2005	11:55:00	24	Total Phosphorus (mg/L)	0.016
G381B	9/12/2005	11:35:00	0	Dissolved Oxygen (mg/L)	3.49
G381B	9/12/2005	11:35:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	9/12/2005	11:35:00	0	pH	7.43
G381B	9/12/2005	11:35:00	0	Specific Conductivity (μ S/cm)	982
G381B	9/12/2005	11:35:00	0	Temperature ($^{\circ}$ C)	30.8
G381B	9/12/2005	11:35:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381B	9/12/2005	11:35:00	0	Total Phosphorus (mg/L)	0.019
G381B	9/12/2005	11:40:00	24	Total Phosphorus (mg/L)	0.019
G381B	9/21/2005	11:51:00	0	Alkalinity (mg/L)	204
G381B	9/21/2005	11:51:00	0	Ammonia as N (mg/L)	0.028
G381B	9/21/2005	11:51:00	0	Dissolved Chloride (mg/L)	105
G381B	9/21/2005	11:51:00	0	Dissolved Oxygen (mg/L)	4.38
G381B	9/21/2005	11:51:00	0	Nitrate + Nitrite (mg/L)	0.011
G381B	9/21/2005	11:51:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	9/21/2005	11:51:00	0	pH	7.64
G381B	9/21/2005	11:51:00	0	Specific Conductivity (μ S/cm)	828
G381B	9/21/2005	11:51:00	0	Sulfate (mg/L)	50.2
G381B	9/21/2005	11:51:00	0	Temperature ($^{\circ}$ C)	26.6
G381B	9/21/2005	11:51:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G381B	9/21/2005	11:51:00	0	Total Dissolved Solids (mg/L)	532
G381B	9/21/2005	11:51:00	0	Total Phosphorus (mg/L)	0.019
G381B	9/21/2005	11:51:00	0	Turbidity (NTU)	1.1
G381B	9/21/2005	12:00:00	24	Total Phosphorus (mg/L)	0.022

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	9/26/2005	11:30:00	0	Dissolved Oxygen (mg/L)	4.27
G381B	9/26/2005	11:30:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	9/26/2005	11:30:00	0	pH	7.68
G381B	9/26/2005	11:30:00	0	Specific Conductivity (µS/cm)	769
G381B	9/26/2005	11:30:00	0	Temperature (°C)	29.6
G381B	9/26/2005	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381B	9/26/2005	11:30:00	0	Total Phosphorus (mg/L)	0.018
G381B	10/3/2005	11:10:00	0	Alkalinity (mg/L)	217
G381B	10/3/2005	11:10:00	0	Ammonia as N (mg/L)	0.031
G381B	10/3/2005	11:10:00	0	Dissolved Chloride (mg/L)	90.6
G381B	10/3/2005	11:10:00	0	Dissolved Oxygen (mg/L)	5.15
G381B	10/3/2005	11:10:00	0	Nitrate + Nitrite (mg/L)	0.016
G381B	10/3/2005	11:10:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	10/3/2005	11:10:00	0	pH	7.6
G381B	10/3/2005	11:10:00	0	Specific Conductivity (µS/cm)	790
G381B	10/3/2005	11:10:00	0	Sulfate (mg/L)	39.5
G381B	10/3/2005	11:10:00	0	Temperature (°C)	28.8
G381B	10/3/2005	11:10:00	0	Total Dissolved Solids (mg/L)	490
G381B	10/3/2005	11:10:00	0	Total Phosphorus (mg/L)	0.018
G381B	10/3/2005	11:10:00	0	Turbidity (NTU)	2.4
G381B	10/3/2005	11:15:00	24	Total Phosphorus (mg/L)	0.019
G381B	10/10/2005	11:35:00	0	Dissolved Oxygen (mg/L)	1.74
G381B	10/10/2005	11:35:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	10/10/2005	11:35:00	0	pH	7.47
G381B	10/10/2005	11:35:00	0	Specific Conductivity (µS/cm)	908
G381B	10/10/2005	11:35:00	0	Temperature (°C)	29.1
G381B	10/10/2005	11:35:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381B	10/10/2005	11:35:00	0	Total Phosphorus (mg/L)	0.016
G381B	10/10/2005	11:40:00	24	Total Phosphorus (mg/L)	0.022
G381B	10/17/2005	11:28:00	0	Alkalinity (mg/L)	265
G381B	10/17/2005	11:28:00	0	Ammonia as N (mg/L)	0.063
G381B	10/17/2005	11:28:00	0	Dissolved Chloride (mg/L)	110
G381B	10/17/2005	11:28:00	0	Dissolved Oxygen (mg/L)	4.74
G381B	10/17/2005	11:28:00	0	Nitrate + Nitrite (mg/L)	0.015
G381B	10/17/2005	11:28:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	10/17/2005	11:28:00	0	pH	7.61
G381B	10/17/2005	11:28:00	0	Specific Conductivity (µS/cm)	965
G381B	10/17/2005	11:28:00	0	Sulfate (mg/L)	56.3
G381B	10/17/2005	11:28:00	0	Temperature (°C)	27.1
G381B	10/17/2005	11:28:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G381B	10/17/2005	11:28:00	0	Total Dissolved Solids (mg/L)	660
G381B	10/17/2005	11:28:00	0	Total Phosphorus (mg/L)	0.025
G381B	10/17/2005	11:28:00	0	Turbidity (NTU)	2.6
G381B	10/17/2005	11:35:00	24	Total Phosphorus (mg/L)	0.017
G381B	10/31/2005	12:20:00	0	Dissolved Oxygen (mg/L)	5.36
G381B	10/31/2005	12:20:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	10/31/2005	12:20:00	0	pH	7.62
G381B	10/31/2005	12:20:00	0	Specific Conductivity (µS/cm)	1026
G381B	10/31/2005	12:20:00	0	Temperature (°C)	21.4
G381B	10/31/2005	12:20:00	0	Total Dissolved Phosphorus (mg/L)	0.008

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	10/31/2005	12:20:00	0	Total Phosphorus (mg/L)	0.013
G381B	10/31/2005	12:25:00	24	Total Phosphorus (mg/L)	0.023
G381B	11/7/2005	10:55:00	0	Dissolved Oxygen (mg/L)	2.78
G381B	11/7/2005	10:55:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	11/7/2005	10:55:00	0	pH	7.34
G381B	11/7/2005	10:55:00	0	Specific Conductivity (μ S/cm)	908
G381B	11/7/2005	10:55:00	0	Temperature ($^{\circ}$ C)	24.6
G381B	11/7/2005	10:55:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381B	11/7/2005	10:55:00	0	Total Phosphorus (mg/L)	0.014
G381B	11/7/2005	11:00:00	24	Total Phosphorus (mg/L)	0.02
G381B	11/14/2005	11:10:00	0	Alkalinity (mg/L)	229
G381B	11/14/2005	11:10:00	0	Ammonia as N (mg/L)	0.088
G381B	11/14/2005	11:10:00	0	Dissolved Chloride (mg/L)	70.4
G381B	11/14/2005	11:10:00	0	Dissolved Oxygen (mg/L)	4.84
G381B	11/14/2005	11:10:00	0	Nitrate + Nitrite (mg/L)	0.12
G381B	11/14/2005	11:10:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	11/14/2005	11:10:00	0	pH	7.61
G381B	11/14/2005	11:10:00	0	Specific Conductivity (μ S/cm)	696
G381B	11/14/2005	11:10:00	0	Sulfate (mg/L)	43.8
G381B	11/14/2005	11:10:00	0	Temperature ($^{\circ}$ C)	24.4
G381B	11/14/2005	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G381B	11/14/2005	11:10:00	0	Total Dissolved Solids (mg/L)	470
G381B	11/14/2005	11:10:00	0	Total Phosphorus (mg/L)	0.015
G381B	11/14/2005	11:10:00	0	Turbidity (NTU)	1.6
G381B	11/14/2005	11:15:00	24	Total Phosphorus (mg/L)	0.023
G381B	11/21/2005	11:25:00	0	Dissolved Oxygen (mg/L)	4.07
G381B	11/21/2005	11:25:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	11/21/2005	11:25:00	0	pH	7.55
G381B	11/21/2005	11:25:00	0	Specific Conductivity (μ S/cm)	646
G381B	11/21/2005	11:25:00	0	Temperature ($^{\circ}$ C)	25.2
G381B	11/21/2005	11:25:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381B	11/21/2005	11:25:00	0	Total Phosphorus (mg/L)	0.016
G381B	11/28/2005	11:30:00	0	Alkalinity (mg/L)	221
G381B	11/28/2005	11:30:00	0	Ammonia as N (mg/L)	0.122
G381B	11/28/2005	11:30:00	0	Dissolved Chloride (mg/L)	58.8
G381B	11/28/2005	11:30:00	0	Dissolved Oxygen (mg/L)	4.4
G381B	11/28/2005	11:30:00	0	Nitrate + Nitrite (mg/L)	0.037
G381B	11/28/2005	11:30:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	11/28/2005	11:30:00	0	pH	7.54
G381B	11/28/2005	11:30:00	0	Specific Conductivity (μ S/cm)	664
G381B	11/28/2005	11:30:00	0	Sulfate (mg/L)	26.7
G381B	11/28/2005	11:30:00	0	Temperature ($^{\circ}$ C)	23.1
G381B	11/28/2005	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381B	11/28/2005	11:30:00	0	Total Dissolved Solids (mg/L)	441
G381B	11/28/2005	11:30:00	0	Total Phosphorus (mg/L)	0.016
G381B	11/28/2005	11:30:00	0	Turbidity (NTU)	3.4
G381B	12/5/2005	12:15:00	0	Dissolved Oxygen (mg/L)	5.07
G381B	12/5/2005	12:15:00	0	Orthophosphate as P (mg/L)	0.005
G381B	12/5/2005	12:15:00	0	pH	7.9
G381B	12/5/2005	12:15:00	0	Specific Conductivity (μ S/cm)	690

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	12/5/2005	12:15:00	0	Temperature (°C)	21.9
G381B	12/5/2005	12:15:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G381B	12/5/2005	12:15:00	0	Total Phosphorus (mg/L)	0.019
G381B	12/6/2005	10:25:00	0	Atrazine (µg/L)	0.066
G381B	12/6/2005	10:25:00	0	Chlordane (µg/L)	<0.019
G381B	12/6/2005	10:25:00	0	DDD (µg/L)	<0.0046
G381B	12/6/2005	10:25:00	0	DDE (µg/L)	<0.0038
G381B	12/6/2005	10:25:00	0	DDT (µg/L)	<0.0058
G381B	12/6/2005	10:25:00	0	Simazine (µg/L)	<0.0096
G381B	12/6/2005	10:25:00	0	Toxaphene (µg/L)	<0.096
G381B	12/6/2005	10:35:00	0	Total Arsenic (µg/L)	2.5
G381B	12/6/2005	10:35:00	0	Total Copper (µg/L)	<1.2
G381B	12/6/2005	10:35:00	0	Total Lead (µg/L)	<0.8
G381B	12/6/2005	10:35:00	0	Total Zinc (µg/L)	<4
G381B	12/12/2005	11:15:00	0	Alkalinity (mg/L)	244
G381B	12/12/2005	11:15:00	0	Ammonia as N (mg/L)	0.217
G381B	12/12/2005	11:15:00	0	Dissolved Chloride (mg/L)	59.5
G381B	12/12/2005	11:15:00	0	Dissolved Oxygen (mg/L)	2.09
G381B	12/12/2005	11:15:00	0	Nitrate + Nitrite (mg/L)	0.047
G381B	12/12/2005	11:15:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	12/12/2005	11:15:00	0	pH	7.61
G381B	12/12/2005	11:15:00	0	Specific Conductivity (µS/cm)	700
G381B	12/12/2005	11:15:00	0	Sulfate (mg/L)	21
G381B	12/12/2005	11:15:00	0	Temperature (°C)	22
G381B	12/12/2005	11:15:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381B	12/12/2005	11:15:00	0	Total Dissolved Solids (mg/L)	469
G381B	12/12/2005	11:15:00	0	Total Phosphorus (mg/L)	0.017
G381B	12/12/2005	11:15:00	0	Turbidity (NTU)	2.1
G381B	12/19/2005	11:45:00	0	Dissolved Oxygen (mg/L)	4.74
G381B	12/19/2005	11:45:00	0	Orthophosphate as P (mg/L)	0.004
G381B	12/19/2005	11:45:00	0	pH	7.71
G381B	12/19/2005	11:45:00	0	Specific Conductivity (µS/cm)	765
G381B	12/19/2005	11:45:00	0	Temperature (°C)	21.8
G381B	12/19/2005	11:45:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G381B	12/19/2005	11:45:00	0	Total Phosphorus (mg/L)	0.022
G381B	12/27/2005	11:15:00	0	Alkalinity (mg/L)	264
G381B	12/27/2005	11:15:00	0	Ammonia as N (mg/L)	0.469
G381B	12/27/2005	11:15:00	0	Dissolved Chloride (mg/L)	82.7
G381B	12/27/2005	11:15:00	0	Nitrate + Nitrite (mg/L)	0.081
G381B	12/27/2005	11:15:00	0	Orthophosphate as P (mg/L)	0.004
G381B	12/27/2005	11:15:00	0	pH	7.94
G381B	12/27/2005	11:15:00	0	Specific Conductivity (µS/cm)	791
G381B	12/27/2005	11:15:00	0	Sulfate (mg/L)	28.9
G381B	12/27/2005	11:15:00	0	Temperature (°C)	17.8
G381B	12/27/2005	11:15:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G381B	12/27/2005	11:15:00	0	Total Dissolved Solids (mg/L)	534
G381B	12/27/2005	11:15:00	0	Total Phosphorus (mg/L)	0.023
G381B	12/27/2005	11:15:00	0	Turbidity (NTU)	1.7
G381B	1/3/2006	11:40:00	0	Dissolved Oxygen (mg/L)	3.35
G381B	1/3/2006	11:40:00	0	Orthophosphate as P (mg/L)	<0.004

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381B	1/3/2006	11:40:00	0	pH	7.61
G381B	1/3/2006	11:40:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	753
G381B	1/3/2006	11:40:00	0	Temperature ($^{\circ}\text{C}$)	22
G381B	1/3/2006	11:40:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381B	1/3/2006	11:40:00	0	Total Phosphorus (mg/L)	0.029
G381B	1/9/2006	11:17:00	0	Alkalinity (mg/L)	278
G381B	1/9/2006	11:17:00	0	Ammonia as N (mg/L)	0.557
G381B	1/9/2006	11:17:00	0	Dissolved Chloride (mg/L)	87.3
G381B	1/9/2006	11:17:00	0	Dissolved Oxygen (mg/L)	6.87
G381B	1/9/2006	11:17:00	0	Orthophosphate as P (mg/L)	<0.004
G381B	1/9/2006	11:17:00	0	pH	7.93
G381B	1/9/2006	11:17:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	807
G381B	1/9/2006	11:17:00	0	Sulfate (mg/L)	22.6
G381B	1/9/2006	11:17:00	0	Temperature ($^{\circ}\text{C}$)	15.2
G381B	1/9/2006	11:17:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G381B	1/9/2006	11:17:00	0	Total Dissolved Solids (mg/L)	438
G381B	1/9/2006	11:17:00	0	Total Phosphorus (mg/L)	0.021
G381B	1/9/2006	11:17:00	0	Turbidity (NTU)	1.9
G381B	1/17/2006	11:20:00	0	Dissolved Oxygen (mg/L)	5.87
G381B	1/17/2006	11:20:00	0	Orthophosphate as P (mg/L)	0.004
G381B	1/17/2006	11:20:00	0	pH	7.7
G381B	1/17/2006	11:20:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	823
G381B	1/17/2006	11:20:00	0	Temperature ($^{\circ}\text{C}$)	17.4
G381B	1/17/2006	11:20:00	0	Total Dissolved Phosphorus (mg/L)	0.017
G381B	1/17/2006	11:20:00	0	Total Phosphorus (mg/L)	0.033
G381E	5/2/2005	11:25:00	0	Alkalinity (mg/L)	176
G381E	5/2/2005	11:25:00	0	Ammonia as N (mg/L)	0.024
G381E	5/2/2005	11:25:00	0	Dissolved Chloride (mg/L)	60.6
G381E	5/2/2005	11:25:00	0	Dissolved Oxygen (mg/L)	4.92
G381E	5/2/2005	11:25:00	0	Nitrate + Nitrite (mg/L)	0.011
G381E	5/2/2005	11:25:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	5/2/2005	11:25:00	0	pH	7.52
G381E	5/2/2005	11:25:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	592
G381E	5/2/2005	11:25:00	0	Sulfate (mg/L)	29.6
G381E	5/2/2005	11:25:00	0	Temperature ($^{\circ}\text{C}$)	25.6
G381E	5/2/2005	11:25:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381E	5/2/2005	11:25:00	0	Total Dissolved Solids (mg/L)	401
G381E	5/2/2005	11:25:00	0	Total Phosphorus (mg/L)	0.017
G381E	5/2/2005	11:25:00	0	Turbidity (NTU)	1.9
G381E	5/9/2005	12:45:00	0	Dissolved Oxygen (mg/L)	5.9
G381E	5/9/2005	12:45:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	5/9/2005	12:45:00	0	pH	7.82
G381E	5/9/2005	12:45:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	553
G381E	5/9/2005	12:45:00	0	Temperature ($^{\circ}\text{C}$)	26.2
G381E	5/9/2005	12:45:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G381E	5/9/2005	12:45:00	0	Total Phosphorus (mg/L)	0.024
G381E	5/16/2005	11:40:00	0	Alkalinity (mg/L)	173
G381E	5/16/2005	11:40:00	0	Ammonia as N (mg/L)	0.017
G381E	5/16/2005	11:40:00	0	Dissolved Chloride (mg/L)	69.2
G381E	5/16/2005	11:40:00	0	Dissolved Oxygen (mg/L)	5.67

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	5/16/2005	11:40:00	0	Nitrate + Nitrite (mg/L)	0.068
G381E	5/16/2005	11:40:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	5/16/2005	11:40:00	0	pH	7.83
G381E	5/16/2005	11:40:00	0	Specific Conductivity (µS/cm)	620
G381E	5/16/2005	11:40:00	0	Sulfate (mg/L)	22.8
G381E	5/16/2005	11:40:00	0	Temperature (°C)	28.8
G381E	5/16/2005	11:40:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G381E	5/16/2005	11:40:00	0	Total Dissolved Solids (mg/L)	313
G381E	5/16/2005	11:40:00	0	Total Phosphorus (mg/L)	0.029
G381E	5/16/2005	11:40:00	0	Turbidity (NTU)	1.1
G381E	5/23/2005	13:07:00	0	Dissolved Oxygen (mg/L)	4.94
G381E	5/23/2005	13:07:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	5/23/2005	13:07:00	0	pH	7.75
G381E	5/23/2005	13:07:00	0	Specific Conductivity (µS/cm)	633
G381E	5/23/2005	13:07:00	0	Temperature (°C)	29.9
G381E	5/23/2005	13:07:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G381E	5/23/2005	13:07:00	0	Total Phosphorus (mg/L)	0.031
G381E	5/31/2005	11:45:00	0	Alkalinity (mg/L)	160
G381E	5/31/2005	11:45:00	0	Ammonia as N (mg/L)	0.034
G381E	5/31/2005	11:45:00	0	Dissolved Chloride (mg/L)	66.8
G381E	5/31/2005	11:45:00	0	Dissolved Oxygen (mg/L)	4.61
G381E	5/31/2005	11:45:00	0	Nitrate + Nitrite (mg/L)	0.026
G381E	5/31/2005	11:45:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	5/31/2005	11:45:00	0	pH	7.71
G381E	5/31/2005	11:45:00	0	Specific Conductivity (µS/cm)	561
G381E	5/31/2005	11:45:00	0	Sulfate (mg/L)	14.6
G381E	5/31/2005	11:45:00	0	Temperature (°C)	28.7
G381E	5/31/2005	11:45:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G381E	5/31/2005	11:45:00	0	Total Dissolved Solids (mg/L)	349
G381E	5/31/2005	11:45:00	0	Total Phosphorus (mg/L)	0.028
G381E	5/31/2005	11:45:00	0	Turbidity (NTU)	2.4
G381E	6/6/2005	12:15:00	0	Dissolved Oxygen (mg/L)	6.59
G381E	6/6/2005	12:15:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	6/6/2005	12:15:00	0	pH	7.82
G381E	6/6/2005	12:15:00	0	Specific Conductivity (µS/cm)	487
G381E	6/6/2005	12:15:00	0	Temperature (°C)	28.3
G381E	6/6/2005	12:15:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G381E	6/6/2005	12:15:00	0	Total Phosphorus (mg/L)	0.033
G381E	6/13/2005	12:00:00	0	Alkalinity (mg/L)	151
G381E	6/13/2005	12:00:00	0	Ammonia as N (mg/L)	0.019
G381E	6/13/2005	12:00:00	0	Dissolved Chloride (mg/L)	51.9
G381E	6/13/2005	12:00:00	0	Dissolved Oxygen (mg/L)	5.85
G381E	6/13/2005	12:00:00	0	Nitrate + Nitrite (mg/L)	0.028
G381E	6/13/2005	12:00:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	6/13/2005	12:00:00	0	Specific Conductivity (µS/cm)	463
G381E	6/13/2005	12:00:00	0	Sulfate (mg/L)	6.7
G381E	6/13/2005	12:00:00	0	Temperature (°C)	29.6
G381E	6/13/2005	12:00:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G381E	6/13/2005	12:00:00	0	Total Dissolved Solids (mg/L)	218
G381E	6/13/2005	12:00:00	0	Total Phosphorus (mg/L)	0.038

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	6/13/2005	12:00:00	0	Turbidity (NTU)	2
G381E	6/20/2005	13:05:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	6/20/2005	13:05:00	0	pH	7.35
G381E	6/20/2005	13:05:00	0	Specific Conductivity (μ S/cm)	614
G381E	6/20/2005	13:05:00	0	Temperature ($^{\circ}$ C)	27.4
G381E	6/20/2005	13:05:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G381E	6/20/2005	13:05:00	0	Total Phosphorus (mg/L)	0.021
G381E	6/20/2005	13:10:00	24	Total Phosphorus (mg/L)	0.023
G381E	6/27/2005	11:40:00	0	Alkalinity (mg/L)	215
G381E	6/27/2005	11:40:00	0	Ammonia as N (mg/L)	0.018
G381E	6/27/2005	11:40:00	0	Dissolved Chloride (mg/L)	66
G381E	6/27/2005	11:40:00	0	Dissolved Oxygen (mg/L)	2.73
G381E	6/27/2005	11:40:00	0	Nitrate + Nitrite (mg/L)	<0.006
G381E	6/27/2005	11:40:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	6/27/2005	11:40:00	0	pH	7.27
G381E	6/27/2005	11:40:00	0	Specific Conductivity (μ S/cm)	710
G381E	6/27/2005	11:40:00	0	Sulfate (mg/L)	31.8
G381E	6/27/2005	11:40:00	0	Temperature ($^{\circ}$ C)	30.2
G381E	6/27/2005	11:40:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G381E	6/27/2005	11:40:00	0	Total Dissolved Solids (mg/L)	468
G381E	6/27/2005	11:40:00	0	Total Phosphorus (mg/L)	0.019
G381E	6/27/2005	11:40:00	0	Turbidity (NTU)	0.8
G381E	6/27/2005	11:45:00	24	Total Phosphorus (mg/L)	0.018
G381E	7/5/2005	12:20:00	0	Dissolved Oxygen (mg/L)	2.31
G381E	7/5/2005	12:20:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	7/5/2005	12:20:00	0	pH	7.4
G381E	7/5/2005	12:20:00	0	Specific Conductivity (μ S/cm)	828
G381E	7/5/2005	12:20:00	0	Temperature ($^{\circ}$ C)	32
G381E	7/5/2005	12:20:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G381E	7/5/2005	12:20:00	0	Total Phosphorus (mg/L)	0.016
G381E	7/5/2005	12:25:00	24	Total Phosphorus (mg/L)	0.02
G381E	7/11/2005	12:29:00	0	Alkalinity (mg/L)	225
G381E	7/11/2005	12:29:00	0	Ammonia as N (mg/L)	0.028
G381E	7/11/2005	12:29:00	0	Dissolved Chloride (mg/L)	67.1
G381E	7/11/2005	12:29:00	0	Dissolved Oxygen (mg/L)	4.39
G381E	7/11/2005	12:29:00	0	Nitrate + Nitrite (mg/L)	0.008
G381E	7/11/2005	12:29:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	7/11/2005	12:29:00	0	pH	7.47
G381E	7/11/2005	12:29:00	0	Specific Conductivity (μ S/cm)	728
G381E	7/11/2005	12:29:00	0	Sulfate (mg/L)	37.2
G381E	7/11/2005	12:29:00	0	Temperature ($^{\circ}$ C)	30.4
G381E	7/11/2005	12:29:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381E	7/11/2005	12:29:00	0	Total Dissolved Solids (mg/L)	424
G381E	7/11/2005	12:29:00	0	Total Phosphorus (mg/L)	0.015
G381E	7/11/2005	12:29:00	0	Turbidity (NTU)	0.8
G381E	7/11/2005	12:34:00	24	Total Phosphorus (mg/L)	0.018
G381E	7/18/2005	12:35:00	0	Dissolved Oxygen (mg/L)	4.85
G381E	7/18/2005	12:35:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	7/18/2005	12:35:00	0	pH	7.8
G381E	7/18/2005	12:35:00	0	Specific Conductivity (μ S/cm)	781

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	7/18/2005	12:35:00	0	Temperature (°C)	31.5
G381E	7/18/2005	12:35:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G381E	7/18/2005	12:35:00	0	Total Phosphorus (mg/L)	0.016
G381E	7/18/2005	12:40:00	24	Total Phosphorus (mg/L)	0.018
G381E	7/25/2005	12:15:00	0	Alkalinity (mg/L)	202
G381E	7/25/2005	12:15:00	0	Ammonia as N (mg/L)	0.098
G381E	7/25/2005	12:15:00	0	Dissolved Chloride (mg/L)	59
G381E	7/25/2005	12:15:00	0	Dissolved Oxygen (mg/L)	2.29
G381E	7/25/2005	12:15:00	0	Nitrate + Nitrite (mg/L)	0.023
G381E	7/25/2005	12:15:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	7/25/2005	12:15:00	0	pH	7.38
G381E	7/25/2005	12:15:00	0	Specific Conductivity (µS/cm)	661
G381E	7/25/2005	12:15:00	0	Sulfate (mg/L)	22.7
G381E	7/25/2005	12:15:00	0	Temperature (°C)	30.8
G381E	7/25/2005	12:15:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G381E	7/25/2005	12:15:00	0	Total Dissolved Solids (mg/L)	448
G381E	7/25/2005	12:15:00	0	Total Phosphorus (mg/L)	0.027
G381E	7/25/2005	12:15:00	0	Turbidity (NTU)	2.7
G381E	7/25/2005	12:25:00	24	Total Phosphorus (mg/L)	0.02
G381E	8/1/2005	12:05:00	0	Dissolved Oxygen (mg/L)	2.47
G381E	8/1/2005	12:05:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	8/1/2005	12:05:00	0	pH	7.39
G381E	8/1/2005	12:05:00	0	Specific Conductivity (µS/cm)	605
G381E	8/1/2005	12:05:00	0	Temperature (°C)	29.8
G381E	8/1/2005	12:05:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381E	8/1/2005	12:05:00	0	Total Phosphorus (mg/L)	0.033
G381E	8/1/2005	12:10:00	24	Total Phosphorus (mg/L)	0.031
G381E	8/8/2005	12:55:00	0	Alkalinity (mg/L)	178
G381E	8/8/2005	12:55:00	0	Ammonia as N (mg/L)	0.051
G381E	8/8/2005	12:55:00	0	Dissolved Chloride (mg/L)	54.9
G381E	8/8/2005	12:55:00	0	Dissolved Oxygen (mg/L)	3.51
G381E	8/8/2005	12:55:00	0	Nitrate + Nitrite (mg/L)	0.016
G381E	8/8/2005	12:55:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	8/8/2005	12:55:00	0	pH	7.41
G381E	8/8/2005	12:55:00	0	Specific Conductivity (µS/cm)	575
G381E	8/8/2005	12:55:00	0	Sulfate (mg/L)	20.2
G381E	8/8/2005	12:55:00	0	Temperature (°C)	31.8
G381E	8/8/2005	12:55:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G381E	8/8/2005	12:55:00	0	Total Dissolved Solids (mg/L)	409
G381E	8/8/2005	12:55:00	0	Total Phosphorus (mg/L)	0.024
G381E	8/8/2005	12:55:00	0	Turbidity (NTU)	1.7
G381E	8/8/2005	13:00:00	24	Total Phosphorus (mg/L)	0.026
G381E	8/15/2005	12:05:00	0	Dissolved Oxygen (mg/L)	3.83
G381E	8/15/2005	12:05:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	8/15/2005	12:05:00	0	pH	7.52
G381E	8/15/2005	12:05:00	0	Specific Conductivity (µS/cm)	699
G381E	8/15/2005	12:05:00	0	Temperature (°C)	30
G381E	8/15/2005	12:05:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	8/15/2005	12:05:00	0	Total Phosphorus (mg/L)	0.015
G381E	8/15/2005	12:10:00	24	Total Phosphorus (mg/L)	0.017

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	8/22/2005	12:25:00	0	Alkalinity (mg/L)	196
G381E	8/22/2005	12:25:00	0	Ammonia as N (mg/L)	0.043
G381E	8/22/2005	12:25:00	0	Dissolved Chloride (mg/L)	69.4
G381E	8/22/2005	12:25:00	0	Dissolved Oxygen (mg/L)	3.72
G381E	8/22/2005	12:25:00	0	Nitrate + Nitrite (mg/L)	0.01
G381E	8/22/2005	12:25:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	8/22/2005	12:25:00	0	pH	7.4
G381E	8/22/2005	12:25:00	0	Specific Conductivity (μ S/cm)	678
G381E	8/22/2005	12:25:00	0	Sulfate (mg/L)	33.9
G381E	8/22/2005	12:25:00	0	Temperature ($^{\circ}$ C)	30.9
G381E	8/22/2005	12:25:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	8/22/2005	12:25:00	0	Total Dissolved Solids (mg/L)	443
G381E	8/22/2005	12:25:00	0	Total Phosphorus (mg/L)	0.015
G381E	8/22/2005	12:25:00	0	Turbidity (NTU)	0.8
G381E	8/22/2005	12:30:00	24	Total Phosphorus (mg/L)	0.03
G381E	8/29/2005	12:10:00	0	Dissolved Oxygen (mg/L)	4.89
G381E	8/29/2005	12:10:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	8/29/2005	12:10:00	0	pH	7.46
G381E	8/29/2005	12:10:00	0	Specific Conductivity (μ S/cm)	751
G381E	8/29/2005	12:10:00	0	Temperature ($^{\circ}$ C)	30.6
G381E	8/29/2005	12:10:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381E	8/29/2005	12:10:00	0	Total Phosphorus (mg/L)	0.012
G381E	8/29/2005	12:15:00	24	Total Phosphorus (mg/L)	0.017
G381E	9/6/2005	12:10:00	0	Alkalinity (mg/L)	218
G381E	9/6/2005	12:10:00	0	Ammonia as N (mg/L)	0.061
G381E	9/6/2005	12:10:00	0	Dissolved Chloride (mg/L)	73.7
G381E	9/6/2005	12:10:00	0	Dissolved Oxygen (mg/L)	3.28
G381E	9/6/2005	12:10:00	0	Nitrate + Nitrite (mg/L)	0.013
G381E	9/6/2005	12:10:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	9/6/2005	12:10:00	0	pH	7.41
G381E	9/6/2005	12:10:00	0	Specific Conductivity (μ S/cm)	726
G381E	9/6/2005	12:10:00	0	Sulfate (mg/L)	29.3
G381E	9/6/2005	12:10:00	0	Temperature ($^{\circ}$ C)	26.8
G381E	9/6/2005	12:10:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	9/6/2005	12:10:00	0	Total Dissolved Solids (mg/L)	367
G381E	9/6/2005	12:10:00	0	Total Phosphorus (mg/L)	0.015
G381E	9/6/2005	12:10:00	0	Turbidity (NTU)	1.6
G381E	9/6/2005	12:15:00	24	Total Phosphorus (mg/L)	0.068
G381E	9/12/2005	12:10:00	0	Dissolved Oxygen (mg/L)	3.86
G381E	9/12/2005	12:10:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	9/12/2005	12:10:00	0	pH	7.5
G381E	9/12/2005	12:10:00	0	Specific Conductivity (μ S/cm)	1008
G381E	9/12/2005	12:10:00	0	Temperature ($^{\circ}$ C)	31
G381E	9/12/2005	12:10:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	9/12/2005	12:10:00	0	Total Phosphorus (mg/L)	0.016
G381E	9/12/2005	12:15:00	24	Total Phosphorus (mg/L)	0.024
G381E	9/21/2005	12:11:00	0	Alkalinity (mg/L)	217
G381E	9/21/2005	12:11:00	0	Ammonia as N (mg/L)	0.037
G381E	9/21/2005	12:11:00	0	Dissolved Chloride (mg/L)	98.9
G381E	9/21/2005	12:11:00	0	Dissolved Oxygen (mg/L)	3.94

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	9/21/2005	12:11:00	0	Nitrate + Nitrite (mg/L)	0.008
G381E	9/21/2005	12:11:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	9/21/2005	12:11:00	0	pH	7.61
G381E	9/21/2005	12:11:00	0	Specific Conductivity (µS/cm)	831
G381E	9/21/2005	12:11:00	0	Sulfate (mg/L)	52.1
G381E	9/21/2005	12:11:00	0	Temperature (°C)	21.6
G381E	9/21/2005	12:11:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G381E	9/21/2005	12:11:00	0	Total Dissolved Solids (mg/L)	472
G381E	9/21/2005	12:11:00	0	Total Phosphorus (mg/L)	0.02
G381E	9/21/2005	12:11:00	0	Turbidity (NTU)	1.9
G381E	9/21/2005	12:15:00	24	Total Phosphorus (mg/L)	0.023
G381E	9/26/2005	11:50:00	0	Dissolved Oxygen (mg/L)	4.3
G381E	9/26/2005	11:50:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	9/26/2005	11:50:00	0	pH	7.62
G381E	9/26/2005	11:50:00	0	Specific Conductivity (µS/cm)	724
G381E	9/26/2005	11:50:00	0	Temperature (°C)	30.2
G381E	9/26/2005	11:50:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381E	9/26/2005	11:50:00	0	Total Phosphorus (mg/L)	0.027
G381E	10/3/2005	11:30:00	0	Alkalinity (mg/L)	216
G381E	10/3/2005	11:30:00	0	Ammonia as N (mg/L)	0.042
G381E	10/3/2005	11:30:00	0	Dissolved Chloride (mg/L)	81.7
G381E	10/3/2005	11:30:00	0	Dissolved Oxygen (mg/L)	4.38
G381E	10/3/2005	11:30:00	0	Nitrate + Nitrite (mg/L)	0.012
G381E	10/3/2005	11:30:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	10/3/2005	11:30:00	0	pH	7.57
G381E	10/3/2005	11:30:00	0	Specific Conductivity (µS/cm)	749
G381E	10/3/2005	11:30:00	0	Sulfate (mg/L)	34.1
G381E	10/3/2005	11:30:00	0	Temperature (°C)	28.1
G381E	10/3/2005	11:30:00	0	Total Dissolved Solids (mg/L)	528
G381E	10/3/2005	11:30:00	0	Total Phosphorus (mg/L)	0.017
G381E	10/3/2005	11:30:00	0	Turbidity (NTU)	2.1
G381E	10/3/2005	11:35:00	24	Total Phosphorus (mg/L)	0.024
G381E	10/10/2005	12:00:00	0	Dissolved Oxygen (mg/L)	2.76
G381E	10/10/2005	12:00:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	10/10/2005	12:00:00	0	pH	7.45
G381E	10/10/2005	12:00:00	0	Specific Conductivity (µS/cm)	950
G381E	10/10/2005	12:00:00	0	Temperature (°C)	29
G381E	10/10/2005	12:00:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	10/10/2005	12:00:00	0	Total Phosphorus (mg/L)	0.014
G381E	10/10/2005	12:05:00	24	Total Phosphorus (mg/L)	0.017
G381E	10/17/2005	11:48:00	0	Alkalinity (mg/L)	264
G381E	10/17/2005	11:48:00	0	Ammonia as N (mg/L)	0.066
G381E	10/17/2005	11:48:00	0	Dissolved Chloride (mg/L)	108
G381E	10/17/2005	11:48:00	0	Dissolved Oxygen (mg/L)	4.51
G381E	10/17/2005	11:48:00	0	Nitrate + Nitrite (mg/L)	0.013
G381E	10/17/2005	11:48:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	10/17/2005	11:48:00	0	pH	7.53
G381E	10/17/2005	11:48:00	0	Specific Conductivity (µS/cm)	974
G381E	10/17/2005	11:48:00	0	Sulfate (mg/L)	59.9
G381E	10/17/2005	11:48:00	0	Temperature (°C)	26.7

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	10/17/2005	11:48:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	10/17/2005	11:48:00	0	Total Dissolved Solids (mg/L)	576
G381E	10/17/2005	11:48:00	0	Total Phosphorus (mg/L)	0.017
G381E	10/17/2005	11:48:00	0	Turbidity (NTU)	2.1
G381E	10/17/2005	11:55:00	24	Total Phosphorus (mg/L)	0.016
G381E	10/31/2005	12:50:00	0	Dissolved Oxygen (mg/L)	5.92
G381E	10/31/2005	12:50:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	10/31/2005	12:50:00	0	pH	7.65
G381E	10/31/2005	12:50:00	0	Specific Conductivity (µS/cm)	940
G381E	10/31/2005	12:50:00	0	Temperature (°C)	21.6
G381E	10/31/2005	12:50:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	10/31/2005	12:50:00	0	Total Phosphorus (mg/L)	0.011
G381E	10/31/2005	12:55:00	24	Total Phosphorus (mg/L)	0.043
G381E	11/7/2005	11:20:00	0	Dissolved Oxygen (mg/L)	4.22
G381E	11/7/2005	11:20:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	11/7/2005	11:20:00	0	pH	7.46
G381E	11/7/2005	11:20:00	0	Specific Conductivity (µS/cm)	910
G381E	11/7/2005	11:20:00	0	Temperature (°C)	25.2
G381E	11/7/2005	11:20:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	11/7/2005	11:20:00	0	Total Phosphorus (mg/L)	0.015
G381E	11/14/2005	11:37:00	0	Alkalinity (mg/L)	184
G381E	11/14/2005	11:37:00	0	Ammonia as N (mg/L)	0.054
G381E	11/14/2005	11:37:00	0	Dissolved Chloride (mg/L)	37.1
G381E	11/14/2005	11:37:00	0	Dissolved Oxygen (mg/L)	4.19
G381E	11/14/2005	11:37:00	0	Nitrate + Nitrite (mg/L)	0.045
G381E	11/14/2005	11:37:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	11/14/2005	11:37:00	0	pH	7.45
G381E	11/14/2005	11:37:00	0	Specific Conductivity (µS/cm)	480
G381E	11/14/2005	11:37:00	0	Sulfate (mg/L)	16.8
G381E	11/14/2005	11:37:00	0	Temperature (°C)	24.7
G381E	11/14/2005	11:37:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G381E	11/14/2005	11:37:00	0	Total Dissolved Solids (mg/L)	311
G381E	11/14/2005	11:37:00	0	Total Phosphorus (mg/L)	0.013
G381E	11/14/2005	11:37:00	0	Turbidity (NTU)	1.5
G381E	11/21/2005	11:45:00	0	Dissolved Oxygen (mg/L)	4.47
G381E	11/21/2005	11:45:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	11/21/2005	11:45:00	0	pH	7.59
G381E	11/21/2005	11:45:00	0	Specific Conductivity (µS/cm)	637
G381E	11/21/2005	11:45:00	0	Temperature (°C)	25.7
G381E	11/21/2005	11:45:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	11/21/2005	11:45:00	0	Total Phosphorus (mg/L)	0.017
G381E	11/28/2005	11:55:00	0	Alkalinity (mg/L)	222
G381E	11/28/2005	11:55:00	0	Ammonia as N (mg/L)	0.085
G381E	11/28/2005	11:55:00	0	Dissolved Chloride (mg/L)	56.8
G381E	11/28/2005	11:55:00	0	Dissolved Oxygen (mg/L)	4.53
G381E	11/28/2005	11:55:00	0	Nitrate + Nitrite (mg/L)	0.028
G381E	11/28/2005	11:55:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	11/28/2005	11:55:00	0	pH	7.52
G381E	11/28/2005	11:55:00	0	Specific Conductivity (µS/cm)	632
G381E	11/28/2005	11:55:00	0	Sulfate (mg/L)	25

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	11/28/2005	11:55:00	0	Temperature (°C)	23.2
G381E	11/28/2005	11:55:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	11/28/2005	11:55:00	0	Total Dissolved Solids (mg/L)	432
G381E	11/28/2005	11:55:00	0	Total Phosphorus (mg/L)	0.014
G381E	11/28/2005	11:55:00	0	Turbidity (NTU)	2
G381E	12/5/2005	12:50:00	0	Dissolved Oxygen (mg/L)	4.38
G381E	12/5/2005	12:50:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	12/5/2005	12:50:00	0	pH	7.86
G381E	12/5/2005	12:50:00	0	Specific Conductivity (µS/cm)	598
G381E	12/5/2005	12:50:00	0	Temperature (°C)	21.8
G381E	12/5/2005	12:50:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381E	12/5/2005	12:50:00	0	Total Phosphorus (mg/L)	0.016
G381E	12/12/2005	11:40:00	0	Alkalinity (mg/L)	221
G381E	12/12/2005	11:40:00	0	Dissolved Oxygen (mg/L)	1.57
G381E	12/12/2005	11:40:00	0	Nitrate + Nitrite (mg/L)	0.03
G381E	12/12/2005	11:40:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	12/12/2005	11:40:00	0	pH	7.64
G381E	12/12/2005	11:40:00	0	Specific Conductivity (µS/cm)	500
G381E	12/12/2005	11:40:00	0	Temperature (°C)	21.2
G381E	12/12/2005	11:40:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381E	12/12/2005	11:40:00	0	Total Dissolved Solids (mg/L)	402
G381E	12/12/2005	11:40:00	0	Total Phosphorus (mg/L)	0.017
G381E	12/12/2005	11:40:00	0	Turbidity (NTU)	1.9
G381E	12/19/2005	12:05:00	0	Dissolved Oxygen (mg/L)	4.34
G381E	12/19/2005	12:05:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	12/19/2005	12:05:00	0	pH	7.55
G381E	12/19/2005	12:05:00	0	Specific Conductivity (µS/cm)	674
G381E	12/19/2005	12:05:00	0	Temperature (°C)	21.6
G381E	12/19/2005	12:05:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G381E	12/19/2005	12:05:00	0	Total Phosphorus (mg/L)	0.017
G381E	12/27/2005	11:35:00	0	Alkalinity (mg/L)	248
G381E	12/27/2005	11:35:00	0	Ammonia as N (mg/L)	0.159
G381E	12/27/2005	11:35:00	0	Dissolved Chloride (mg/L)	43.1
G381E	12/27/2005	11:35:00	0	Nitrate + Nitrite (mg/L)	0.089
G381E	12/27/2005	11:35:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	12/27/2005	11:35:00	0	pH	7.66
G381E	12/27/2005	11:35:00	0	Specific Conductivity (µS/cm)	602
G381E	12/27/2005	11:35:00	0	Sulfate (mg/L)	11.4
G381E	12/27/2005	11:35:00	0	Temperature (°C)	18.5
G381E	12/27/2005	11:35:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G381E	12/27/2005	11:35:00	0	Total Dissolved Solids (mg/L)	291
G381E	12/27/2005	11:35:00	0	Total Phosphorus (mg/L)	0.015
G381E	12/27/2005	11:35:00	0	Turbidity (NTU)	1.1
G381E	1/3/2006	12:00:00	0	Dissolved Oxygen (mg/L)	4.38
G381E	1/3/2006	12:00:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	1/3/2006	12:00:00	0	pH	7.65
G381E	1/3/2006	12:00:00	0	Specific Conductivity (µS/cm)	585
G381E	1/3/2006	12:00:00	0	Temperature (°C)	22.8
G381E	1/3/2006	12:00:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G381E	1/3/2006	12:00:00	0	Total Phosphorus (mg/L)	0.025

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G381E	1/9/2006	11:43:00	0	Alkalinity (mg/L)	260
G381E	1/9/2006	11:43:00	0	Ammonia as N (mg/L)	0.169
G381E	1/9/2006	11:43:00	0	Dissolved Chloride (mg/L)	45.5
G381E	1/9/2006	11:43:00	0	Dissolved Oxygen (mg/L)	5.39
G381E	1/9/2006	11:43:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	1/9/2006	11:43:00	0	pH	7.85
G381E	1/9/2006	11:43:00	0	Specific Conductivity (μ S/cm)	610
G381E	1/9/2006	11:43:00	0	Sulfate (mg/L)	9.4
G381E	1/9/2006	11:43:00	0	Temperature ($^{\circ}$ C)	16.6
G381E	1/9/2006	11:43:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G381E	1/9/2006	11:43:00	0	Total Dissolved Solids (mg/L)	520
G381E	1/9/2006	11:43:00	0	Total Phosphorus (mg/L)	0.024
G381E	1/9/2006	11:43:00	0	Turbidity (NTU)	1.2
G381E	1/17/2006	11:40:00	0	Dissolved Oxygen (mg/L)	5.3
G381E	1/17/2006	11:40:00	0	Orthophosphate as P (mg/L)	<0.004
G381E	1/17/2006	11:40:00	0	pH	7.58
G381E	1/17/2006	11:40:00	0	Specific Conductivity (μ S/cm)	593
G381E	1/17/2006	11:40:00	0	Temperature ($^{\circ}$ C)	18.3
G381E	1/17/2006	11:40:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G381E	1/17/2006	11:40:00	0	Total Phosphorus (mg/L)	0.029